APPLICATION MODERNIZATION · TIER A · INTERNAL

Application Modernization Assessment — Proposal Input Form

Information to be collected for the fixed-fee Assessment (A) that measures the application estate, sets the 6R and complexity class and prices the migration. Sections follow the Proposal Set codes (M1, M2, M3, M5). Once the form is completed and returned, the proposal text (file 4a) is produced. Statements followed by the orange verification tag are drafts to be verified by Güner Hacıoğlu.

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The "WHERE IT FILLS IN THE PROPOSAL" column of each row names the section or variable field of the proposal template (file 4a). This form uses the Proposal Set codes M1, M2, M3, M5; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is "we don't know", that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER A: A measures and plans; no application is moved and no cluster is built — migration is Tier B. A has a fixed fee. The result of A is the application inventory and the B effort / cost estimate used for B; without the inventory no B proposal is written.

DELIVERABLES: application inventory; 6R class and complexity class per application; target architecture document (landing zone, cluster design, IaC / GitOps, security, observability); wave plan; B effort / cost estimate and team plan; risk list. «GÜNER DOĞRULASIN»

ACCESS MODES: «MOD A» — the customer fills in the inventory template and runs the agreed discovery commands itself; «MOD B» — Komtaş is given read-only access (code repositories, VMs, CMDB). The final decision is made in P0. «GÜNER DOĞRULASIN»

OUT OF SCOPE: mainframe; functional rewrite and new features; application licence negotiation; execution of end-user testing (UAT stays with the customer); changes by third-party software vendors; data warehouse / ETL. «GÜNER DOĞRULASIN»

NEIGHBOURING PACKAGES: ETL Modernization on Google Cloud moves data pipelines; Data Modernization consolidates analytic databases on BigQuery; this package moves the application layer (and optionally the application's own operational database). Cloud Checkup can identify modernisation candidates.

M1 · A·B·C · IDENTITY — Organisation and Proposal Details

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Full legal name of the organisation and the short name used in the text; single company or group with subsidiaries**	Cover «CUSTOMER NAME», text «CUSTOMER»	
○	Legal entities and group companies in scope — names; for a single company the row is deleted	Cover «GROUP COMPANIES», Scope	
○	Sector and reason for the request — for the one-paragraph context	Purpose «CUSTOMER CONTEXT»	
○	Is there an RFP, specification or requirements list; its number, response format and deadline	Structure and response format of the proposal	
○	Proposal addressee — name, title, unit; proposal date and expected decision date	Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month»	
○	Procurement process, approved budget and expected invoice payment term	Effort and Fees, Commercial Terms «NUMBER» days payment term	
○	Where is cloud consumption bought today — directly, through Komtaş, through another partner or reseller	internal: Commercial frame	
○	Are there competitors, and who (another partner, the cloud provider's own team etc.)	Emphasis and section weights	

M2 · A·B·C · DECISION — Trigger, Tier, Target Cloud and Date

The value of the package lies in the moved applications running in the target through GitOps and in on-prem being switched off. If the trigger and the target date are unknown, the wave plan and team options cannot be tied to a real constraint.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**What triggers the work — data centre exit, hardware or licence renewal, scaling problems, slow release cycles, multi-cloud move** «GÜNER DOĞRULASIN»	Purpose «CUSTOMER CONTEXT» · «TRIGGER»	
○	Which tiers are wanted — A only; is there interest in B (migration) and C (Platform Ops) after A	Next Step, Service Selection Check	
●	**Target cloud — Google Cloud or Azure; is there an existing organisation / subscription, landing zone or commitment**	Scope «TARGET CLOUD», Approach	
○	Is there a target date — data centre exit, contract end, hardware end of life	Purpose «TARGET DATE», wave plan	
○	Who will make the decision, and by what date	Activities and Timeline, Commercial Terms	
○	Has there been an earlier modernisation attempt, container / Kubernetes use or an assessment (e.g. Cloud Checkup); what was the outcome	Approach, Assumptions and Out of Scope	

M3 · A·B · INVENTORY — Application Count, Source and Access Mode

> Measurement is based on the inventory output. In Mode A the customer team fills in the template and shares the command outputs; Komtaş is not given system access. In Mode B Komtaş collects the information itself with read-only access. P2 does not start until the inventory is complete; this section directly determines the schedule.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Approximate number of applications in scope (a statement at this stage; the exact number is measured in P1)**	Scope «NUMBER» applications, Driver 1	
○	Source of the application list — CMDB, spreadsheet / list, none	Scope «INVENTORY SOURCE», P1 discovery, Assumptions and Out of Scope	
●	**Access mode — «MOD A» (the customer fills in the inventory template and runs the discovery commands) or «MOD B» (read-only access for Komtaş); final decision in P0**	«MOD A» / «MOD B» paragraphs, Activities and Timeline	
●	**Mode A: who will fill in the template, and how soon can command outputs be shared · Mode B: how does the access approval process work, and how long is it expected to take (repositories, VMs, CMDB)**	Activities and Timeline, P0–P1	
○	Are the application owners known; number of owners available for interviews	Customer Responsibilities	
○	Approximate share of complex applications — several databases, more than 5 integrations, legacy runtime / OS dependency	Driver 2, Assumptions and Out of Scope	
○	Application types — web, batch, middleware, commercial packaged software (may have licence constraints in containers)	Scope, Assumptions and Out of Scope	
○	Applications already known as Retire / Retain / Repurchase candidates	Scope	
○	Source code and build access — where the repositories are, who holds the code (it may have been built by a vendor)	Assumptions and Out of Scope, risk list	

M5 · A·B·C · ENVIRONMENT — Environments, SLA, Network and Security

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Number of environments — dev / test / prod, others	Driver 3, Scope	
○	Target SLA — 99.5% / 99.9% / 99.95%+ (multi-zone / region)	Driver 4, Approach	
○	Network constraints — hybrid connectivity (Cloud Interconnect / VPN / ExpressRoute), firewall rules, IP plan	Assumptions and Out of Scope, Customer Responsibilities	
○	Security constraints — security team approvals, secret management, image scanning, regulation (BDDK, KVKK) and any requirement to keep data in Türkiye	Assumptions and Out of Scope, Customer Responsibilities	
○	Existing CI/CD and Git tooling — GitLab, GitHub, Jenkins, Azure DevOps	Approach	
○	Monitoring and logging tools in use today	Approach	

Band Estimate — Tier A

Completed after the answers are collected. The band sets the duration and effort of A. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. «GÜNER DOĞRULASIN»

DRAFT — no recorded effort; bands and unit efforts are to be updated with Güner Hacıoğlu's data. Komtaş effort is not written into the proposal before the cloud team confirms it.

#	DRIVER	SMALL	MEDIUM	LARGE	RESULTING BAND
1	Applications (M3) «GÜNER DOĞRULASIN»	≤ 10	11 – 30	> 30	
2	Share of complex applications (M3 / M4) «GÜNER DOĞRULASIN»	< 20%	20 – 40%	> 40%	
3	Environments (M5) «GÜNER DOĞRULASIN»	≤ 2	3	> 3	
4	Target SLA (M5) «GÜNER DOĞRULASIN»	99.5%	99.9%	99.95%+ (multi-zone / region)	
	RESULT — selected band, duration and effort «GÜNER DOĞRULASIN»	3 weeks · ~20 pd	3.5 weeks · ~25 pd	4 weeks · ~30 pd	

CUSTOMER EFFORT — S 3 days · M 4 days · L 5 days (inventory template / discovery commands, interviews, read-out). This expectation is stated explicitly in the Customer Responsibilities section of the proposal. «GÜNER DOĞRULASIN»

PHASES — P0 kick-off and access · P1 inventory and discovery (application list from CMDB / customer template, interviews with application owners, dependency mapping) · P2 6R classification and complexity scoring · P3 target architecture (landing zone, cluster design, IaC / GitOps, security, observability) · P4 wave plan, B effort and cost estimate, read-out. «GÜNER DOĞRULASIN»

TEAM — Cloud Architect (lead) · Platform / DevOps Engineer(s) · Kubernetes Engineer · Project Manager (part time). Customer side: application owners, test owner (UAT by the customer), network / security team. «GÜNER DOĞRULASIN»

If B is signed within «NUMBER» months after A, the fee for A can be credited against B (optional clause; sales sets the period). The inventory and effort estimate produced in A are reused in phase 1 of B.

Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
1	KOMTAS-«CUSTOMER ABBREVIATION»-APM-A-«YEAR»-«SEQUENCE»	Cover — proposal number	Proposal register sequence	
2	«dd Month yyyy» · «proposal date + 1 month» · «price validity date»	Cover, Commercial Terms	Send date + 1 month (M1); sales sets the price validity date	
3	«CUSTOMER CONTEXT» · «TRIGGER» · «TARGET DATE»	Purpose	M1 and M2 answers	
4	«TARGET CLOUD» · «INVENTORY SOURCE» · «NUMBER» applications · complex share «%» · «NUMBER» environments · SLA «%»	Scope	M2, M3 and M5 answers	
5	«MOD A» / «MOD B»	Approach, Activities and Timeline	M3 answer; the paragraph not used is deleted	
6	«BAND» · «NUMBER» weeks · «NUMBER» person-days	Activities and Timeline, Effort and Fees	Band estimate, cloud team confirmation	
7	«fee» (per phase) · «day rate» · «%» · «amount» · «OPTIONAL»	Effort and Fees, Commercial Terms	Fixed fee = band effort × day rate; change requests at the «day rate»; sales sets the payment pattern («%» · «amount») and the «OPTIONAL» items	
8	Next step items	Next Step	Follow-on Interest table; no margin figures	

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
9	«REFERENCE PROJECT»	Annex 1 About Komtaş	Only references approved for this proposal; no customer name without approval. «GÜNER DOĞRULASIN»	
10	«full name» · «title» · «e-mail / phone» · «CITY»	Commercial Terms	Komtaş commercial and technical contact; city for free on-site meetings	

Service Selection Check

Before filling in the form, make sure that Tier A is the right service. One request can match more than one row.

STATUS	RIGHT SERVICE
The application estate has not been measured; effort, duration and price of the migration are unknown	A — Assessment
An inventory from A or an equivalent study exists; a migration proposal is requested	B — Migration
The customer wants a turnkey fixed price without measurement	A — B is not offered turnkey
The container platform is live; operations, upgrades and support are wanted	C — Platform Ops
The request is moving ETL / data pipelines	ETL Modernization on Google Cloud
The request is consolidating analytic databases / the DWH on BigQuery	Data Modernization
The request is a cost, security and configuration check of the existing cloud estate	Cloud Checkup
The request is mainframe migration or functional rewrite	Out of scope — this package is not used
The application or data must stay in Türkiye by regulation (BDDK or similar)	Clarified with Cloud Solutions before the proposal

Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

#	FOLLOW-ON WORK	RELATED TRIGGER	INTEREST (YES / NO / LATER)	NOTE
1	B — Migration (in waves)	Result of A, target exit date		
2	C — Platform Ops	Operation of the moved applications		
3	Additional waves (another B)	Remaining applications		
4	Cloud Checkup after go-live	Cost and security check		
5	Data side — ETL Modernization on Google Cloud, Data Modernization	Data pipelines and analytic databases		
6	Cloud consumption (through Komtaş)	Moved workloads		

COMMERCIAL FRAME — INTERNAL ONLY. This box, its rates and the customer name are not written into the customer deck or the proposal.

The Google consumption margin is thin: Premier base 12%, 13–15% with incentives, ~5–6% in large deals; Azure 3%. Value comes from B migration and C Platform Ops (recurring revenue); consumption growth is indirect.

Evidence: the Komtaş cloud team containerised on-prem applications at Ecofin and moved them to the cloud with Kubernetes, Terraform, Helm and Argo CD. The proposal and the deck do not name the customer; the anonymous wording is used.

Capacity risk: delivery capacity sits in the cloud team (not in the SAT data / AI core); there is a single reference and a person dependency in the cloud team (selection criterion S11). Timeline and team are confirmed with the cloud team before they are written into the proposal.

Blocker Checklist

These rows must be answered before proposal writing starts.

SECTION	BLOCKER QUESTION	ANSWERED?
M1	Full legal name of the organisation and the short name used in the text; single company or group with subsidiaries	
M2	What triggers the work — data centre exit, hardware or licence renewal, scaling problems, slow release cycles, multi-cloud move	
M2	Target cloud — Google Cloud or Azure; is there an existing organisation / subscription, landing zone or commitment	
M3	Approximate number of applications in scope (a statement at this stage; the exact number is measured in P1)	
M3	Access mode — «MOD A» (the customer fills in the inventory template and runs the discovery commands) or «MOD B» (read-only access for Komtaş); final decision in P0	
M3	Mode A: who will fill in the template, and how soon can command outputs be shared · Mode B: how does the access approval process work, and how long is it expected to take (repositories, VMs, CMDB)	

Blocking conditions and their effect on the proposal

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
1	No access mode chosen or no approval for Mode B	P1 cannot start; the timeline cannot be written	Clarify the mode and approval lead time in M3	
2	No application list (CMDB or list)	The band is set from statements; P1 takes longer; written into Assumptions	Identify who fills in the template in M3	
3	Application owners cannot attend interviews	The dependency map stays incomplete; written as a risk	Identify the owners in M3	

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold.

The access rows of M3 have a special place: without the access mode and approval lead time, P1 does not start and the timeline cannot be written.