KOMTAS

DATA PRIVACY & TEST DATA (KVKK)

Blueprint v1 — internal reference, draft for Damalink and Digitallency

A Data Discovery Assessment · B Protect · C Archive & Run · discovery, classification, masking, secure test data and archiving for KVKK and sector rules

1 **Positioning and commercial logic**
Summary, commercial logic and partnerships, evidence, target customers, external triggers, scope boundary. p. 2 – 7

2 **Approach and accelerators**
Approach, classification and KVKK, technology options, six accelerators. p. 8 – 12

3 **Delivery**
Assessment, Protect modules, Archive and Run, team, sizing and effort, acceptance criteria. p. 13 – 22

4 **Follow-on and status**
Follow-on map, risks and open points, verification summary. p. 23 – 25

Package Summary — What, for Whom, When

KOMTAS

Sensitive data discovery and classification, masking, secure test data and archiving for KVKK and sector rules. Source: Damalink framework and a Digitallency reference.

01 · SUMMARY

WHAT THE PACKAGE DELIVERS

Sensitive data inventory
where personal data sits, per field, with class and KVKK category

Discovery and masking rules
Turkish rules and dictionaries; one technique per field

Masked non-production copies
persistent masking that keeps formats and relationships

Secure test data
masked subsets, refreshed on a fixed process

Archive and operation
retention-based archiving; monthly scans and upkeep

THREE TIERS · B IN MODULES «DAMALINK DOĞRULASIN»

A — Data Discovery Assessment

discovery, classification, risk map, masking rule catalogue, architecture, roadmap

4–8 weeks, fixed fee

B — Protect

foundation, then modules B1 Discovery Layer, B2 Masking, B3 Secure Test Data

foundation once + modules

C — Archive & Run

C1 archive project; C2 monthly scans, rules and refreshes

C1 one-time · C2 monthly

BASIS — KNOWN FACTS

- Damalink 05 Data Security Framework: four offerings — discovery assessment, discovery layer, secure test data, archive
- Damalink Data Discovery Assessment: reference duration 1.5 months
- Framework material dated 2019–2021; on-premises Informatica 10.2 / 10.4
- Two Damalink accelerators: PDM Automation and PDM Archive (Damalink IP)
- Digitallency deck: Yapı Kredi HR Data Integrations — KVKK classification, masking mapplets
- Partnership models with Damalink and Digitallency not yet settled

Status: draft v1. Built from the Damalink framework material and the Digitallency reference. Durations, efforts, bands, scope items, tools, IDMC names, accelerator claims, roles and acceptance criteria carry an orange tag naming the owner who verifies them (p. 25).

Commercial Logic — Partnerships Open

internal only

KOMTAS

Internal only. Partner terms, accelerator usage terms and revenue share never appear in the customer deck or in the proposal templates.

PARTNERSHIP WITH DAMALINK · OPEN «DAMALINK DOĞRULASIN»

ITEM	STATUS
Delivery capacity	«FIELD»
Accelerator usage terms	«FIELD»
Revenue share	«FIELD»
Proposal lead	«FIELD»
Day rates	«FIELD»

Digitallency. «DIGITALLENCY DOĞRULASIN»
Use of the Yapı Kredi HR reference and of the masking mapplet approach in Komtaş proposals: «FIELD». Until agreed, proposals name Komtaş only.

WHERE THE VALUE IS

A Assessment
fixed fee; inventory, rules, roadmap

↓

Informatica licences
DPM / PDM / TDM or IDMC pull-through

↓

B modules
foundation once; discovery, masking, test data

↓

C Archive & Run
C1 project; C2 monthly, recurring

Every cloud migration and every test environment copied from production is a lead for A. Licences follow the platform choice.

PRICING RULES

1. A is a fixed fee by band
2. B: foundation counted once, plus a fee per module by band
3. C1 is a one-time project fee; C2 a monthly fee for a fixed hour capacity
4. Licences are quoted separately by Informatica or a reseller «FIELD»

Door to other work. Masking before data leaves for the cloud opens etl-migration-gcp and Data Modernization; the classification policy opens data-governance; personal data in training data opens AI Governance Readiness.

Evidence and Sources

What the package rests on today. Internal only: partners and the reference are named here; customer files use one anonymous reference.

01 · EVIDENCE

SOURCES

4 offerings

Damalink — 05 Data Security Framework
«DAMALINK DOĞRULASIN»

Data Discovery Assessment, Data Discovery Layer (DPM), Secure Test Data Layer (TDM / PDM), Data Archive Layer. Presentations, question lists, requirement templates, rule exports, reference dictionaries, a sample analysis report, two accelerators.

Yapı Kredi HR

Digitallency — HR Data Integrations
«DIGITALLENCY DOĞRULASIN»

KVKK data classification in HR data integrations; sensitive data detected during integration and masked with masking mapplets inside the data flows.

SOURCE STATUS

Damalink framework — 4 offerings approach, phases, deliverables, question lists	source
Damalink accelerators PDM Automation, PDM Archive; Damalink IP	source
Yapı Kredi — HR Data Integrations Digitallency reference; masking mapplets	source
Content dates 2019–2021; Informatica 10.2 / 10.4 on-prem	to confirm
Use in Komtaş proposals permission; partner or Komtaş reference	to confirm
Komtaş own reference «REFERENCE PROJECT»	no reference

Delivery capacity: Damalink «FIELD»; Komtaş team «FIELD».

GAPS AND OPPORTUNITY

Old material

Content dates from 2019–2021 and on-prem Informatica 10.x. Product names and support status have changed; IDMC equivalents are drafted (p. 10).

Partner IP and references

Use of the Damalink accelerators and of the Yapı Kredi reference in Komtaş proposals is open.

Door to migration

Masking is a precondition for cloud migration and for test environments; classification links to data-governance.

Customer naming. Customer files use one anonymous reference: a private bank — HR data integrations (KVKK classification, masking during integration), with one tag. Damalink and Digitallency are not named in customer files.

Target Customers and the Questions They Ask

KOMTAS

Who is approached, and the questions the package answers. Profiles are drafted from the framework material and the sector rules.

TARGET CUSTOMER PROFILES «DAMALINK DOĞRULASIN»

Banks and financial institutions
customer, card and HR data; KVKK and BDDK audits

Insurance companies
policy, claim and health data — PHI

Telecom and retail
large customer bases, many test environments

Companies moving to the cloud
data must be masked before it leaves

QUESTIONS THE PACKAGE ANSWERS «DAMALINK DOĞRULASIN»

Where is sensitive data?

which databases, files and columns hold personal data.

Is it safe?

which environments and users see it unmasked.

Is it classified?

PII / PCI / PHI class and KVKK category per field.

Is there dark data?

copies and columns nobody has listed.

Which masking applies?

a technique per field that keeps formats and relationships.

Can tests run without real data?

masked subsets, refreshed on request.

First call. Which systems and databases, how many schemas and tables, which environments are copied from production, current masking practice, Informatica licences, DPO and policy owner. The answers feed the input form (file 3a).

External Triggers

KOMTAS

Situations that start the conversation. Generic wording, no article numbers; policy decisions stay with the customer's legal team and DPO.

TRIGGERS «DAMALINK DOĞRULASIN»

KVKK

personal and special-category data; data minimisation; retention and destruction.

BDDK rules for banks

information systems and outsourcing rules require control over where customer data goes.

Cloud migration

data masked before it leaves for cloud, test or analytics platforms.

Real data in test

production copies in test and development environments.

Audit findings

an audit names unmasked copies or unknown sensitive data.

Data breach follow-up

after an incident: where else the same data sits.

Outsourced development

data handed to external development and test teams.

Data subject requests

find one person across all systems — the DPM 'search a record' capability.

Not legal advice. The package finds, classifies and protects data. Which data is personal or special-category, retention periods and the lawful basis are set by the customer's legal team and DPO.

Scope Boundary — What It Is Not

KOMTAŞ

What the package does not do, and the Komtaş packages it links to without absorbing them.

01 · BOUNDARY

OUT OF SCOPE «DAMALINK DOĞRULASIN»

- Legal KVKK consultancy: VERBIS registration, privacy notices, consent texts
- Identity and access management (IAM)
- DLP and network security
- Encryption key management
- Licence procurement

BOUNDARY TO DATA-GOVERNANCE



Governance sets the policy; this package applies it.

Classification policy, data ownership, glossary and catalogue belong to the data-governance framework. This package turns the policy into technical protection. If a CDGC or EDC catalogue exists, classification results are written there; no second catalogue is built.

RELATED PACKAGES



data-governance classification policy, ownership, glossary and catalogue.



AI Governance Readiness personal data in AI training data; this package supplies the masking technique.



Cloud migration etl-migration-gcp, Data Modernization: data masked before it moves.

Boundary rule. Policy and legal questions: the customer's DPO and legal team. Classification policy and catalogue: data-governance. Technical discovery, masking, test data and archiving: this package.

Approach — From Access to Manage

KOMTAS

Six steps from source access to operation. Discovery runs on data and on metadata; protection keeps formats and relationships.

02 · APPROACH «DAMALINK DOĞRULASIN»

SOURCES	RDBMS: Oracle, SQL Server, Db2, PostgreSQL	mainframe: Db2 z/OS, VSAM	big data	flat files, file servers (SFTP, SMB)

1 Access

- connect sources with read-only accounts
- agree sample and scope per source
- set up the tool for discovery

2 Discover

- rules on data and on column names
- dictionaries, regex, algorithms
- column profiling

3 Classify

- PII / PCI / PHI per field
- KVKK category per field
- policies per class

4 Analyze

- PK-FK, incl. logical relations
- entity and group design
- risk map: data × environment × access

5 Protect

- persistent masking of copies
- secure test data, subsets
- dynamic masking «OPTIONAL»

6 Manage

- scheduled scans and jobs
- monitoring, alerts, logs
- new sources added

A ASSESSMENT: STEPS 1–4 + MASKING RULE CATALOGUE

B PROTECT AND C RUN: STEPS 5–6

Integration-time masking: masking mapplets inside data flows, so sensitive fields are masked while data moves (Yapı Kredi HR reference). «DIGITALLENCY DOĞRULASIN»

Archive. Records past their retention period are archived in C1, with optional delete from source and restore. Retention periods come from the customer's policy.

Classification — PII, PCI, PHI and KVKK

KOMTAS

Discovery results are classified in three technical classes and mapped to the KVKK categories. The mapping is a draft; the policy is set by the customer's legal team and DPO.

CLASS → KVKK CATEGORY «DAMALINK DOĞRULASIN»

CLASS	EXAMPLE FIELDS	KVKK CATEGORY	TYPICAL PROTECTION
PII — identity	name, surname, TCKN, VKN, birth date, mother's name	personal data (kişisel veri)	substitution; key with seed; TCKN kept valid
PII — contact	phone, email, address, city and district	personal data (kişisel veri)	substitution from dictionaries; expression
PCI — payment	card number, IBAN, account number	personal data (kişisel veri)	format-preserving masking; encryption
PHI — health	diagnosis, claim and health records	special-category personal data	nullification; random; left out of subsets
Customer-defined	e.g. biometric data, religion «FIELD»	special category, by DPO decision	per rule catalogue
Free text	TCKN, VKN, chassis number inside text	depends on content	detection rules; mapplet or advanced

Policy owner.
Which fields are personal or special-category data, and which class applies, is decided by the customer's DPO and legal team. The package proposes; it does not decide.

Where results go.
Into the customer's catalogue (CDGC classification or EDC data domains) when one exists; otherwise into the sensitive data inventory delivered in A.

Technology Options — On-premises or IDMC

KOMTAS

The Damalink material is built on on-premises Informatica 10.x. IDMC equivalents are drafted and must be confirmed. The choice is a scope item «PLATFORM».

TWO OPTIONS «DAMALINK DOĞRULASIN»

NEED	ON-PREMISES (INFORMATICA 10.x)	IDMC
Discovery and classification	Data Privacy Management (DPM; formerly Secure@Source) / EDC data domains	Cloud Data Governance and Catalog (CDGC) classification
Persistent masking	Persistent Data Masking (PDM) / TDM	Cloud Data Masking (CDM)
Test data subset, synthetic	Test Data Management (TDM)	Cloud Test Data Management (CTDM)
Dynamic masking	Dynamic Data Masking (DDM)	«FIELD»
Archive	PDM Archive Accelerator (Damalink) / Informatica Data Archive	«FIELD»
Integration-time masking	PowerCenter mapplets	IDMC mappings / mapplets «DIGITALLENCY DOĞRULASIN»

Choice per customer «PLATFORM».
Existing Informatica licences, cloud plans and the catalogue in place decide the option. Mixed set-ups are possible, for example on-prem masking with a cloud catalogue.

Support status. «DAMALINK DOĞRULASIN»
Support status of the on-prem 10.x products (DPM, PDM, TDM, DDM) «FIELD»; checked with Informatica before each proposal.

Accelerators 1–3 — Automation, Rules, Catalogue

KOMTAS

Three reusable tools that produce the A rules documents and shorten the B2 build.

02 · ACCELERATORS

1 PDM Automation Accelerator

«DAMALINK DOĞRULASIN»

Packaged application that drives PDM masking from a data model of rules and assignments. No development in the PDM user interface; jobs are monitored and managed.

WHAT IT DOES

- 100+ pre-built rules for personal data
- links to modelling, discovery, catalog tools
- new tables in the model masked automatically
- Define → Generate → Import → Process
- Damalink claim: 60–70% faster implementation

Damalink IP; usage terms «FIELD».

B2 · B3

2 Discovery rules, Turkish dictionaries

«DAMALINK DOĞRULASIN»

Data rules and column-name rules (Turkish and English regex) for Turkish personal data, with reference dictionaries and algorithm checks.

COVERS

- name, surname, TCKN (checksum), VKN
- phone, email, address, city / district
- credit card, IBAN, chassis number
- detection inside free text
- exports for Informatica data domains

From the Damalink framework material.

A · B1

3 Masking rule catalogue

«DAMALINK DOĞRULASIN»

One entry per field with technique options, constraints and a naming standard. Used for the A masking rules document and for the B2 build.

TECHNIQUES

- encryption, expression, key with seed
- nullification, random, substitution
- mapplet, advanced (several fields)
- constraints, e.g. gender-consistent names
- naming standard per rule

From the Damalink framework material.

A · B2

Used in A and B. Rules and the catalogue produce the A discovery and masking rules documents; the PDM Automation Accelerator shortens B2 on on-premises PDM.

Accelerators 4–6 — Mapplets, Archive, Templates

KOMTAS

Masking inside data flows, archiving on PDM and the document set that makes A and B repeatable.

02 · ACCELERATORS

4 Integration-time masking mapplets

«DIGITALLENCY DOĞRULASIN»

Masking mapplets placed in data integration flows, so sensitive fields are masked while data moves, not after it lands.

USE

- HR and other data integrations
- KVKK classification applied in the flow
- same rules as persistent masking
- PowerCenter or IDMC mappings

Digitallency reference: Yapı Kredi HR Data Integrations. B2

5 PDM Archive Accelerator

«DAMALINK DOĞRULASIN»

Packaged application on PDM for archiving records in relational databases, with optional delete from source and restore.

WHAT IT DOES

- finds tables with records to archive
- physical and logical constraints
- multi-point filters, scheduling, alerts
- Define → Generate → Import → Archive → Restore

Damalink IP on on-prem PDM; IDMC option «FIELD». C1

6 Templates

«DAMALINK DOĞRULASIN»

Document templates that make A and B repeatable across customers.

SET

- requirement document + question sheet
- discovery analysis report
- source-to-target matrix
- naming standards
- data security standard, technical guide

Adapted from the Damalink framework material. A · B

Partner IP. Accelerators 1 and 5 are Damalink IP; 4 comes from the Digitallency reference. Usage terms are agreed before they are named in a proposal.


A — Data Discovery Assessment: Flow and Timeline

KOMTAS

Initiate, profile and discover, classify, draft the masking rules and the target architecture in phases P0–P4. Fixed fee by band.

03 · TIER A

PLAN · BAND M, 6 WEEKS



Band S 4 weeks / ~25 pd, band M 6 weeks / ~40 pd, band L 8 weeks / ~60 pd. Damalink reference: 1.5 months. «DAMALINK DOĞRULASIN»

DECISION FOR B

Roadmap and B estimate

The read-out names the B modules (B1, B2, B3), the platform option, the band and the B effort. The customer decides per module; the A results can also be used on their own.

DELIVERABLES (p. 14) «DAMALINK DOĞRULASIN»

- Requirement document
- Sensitive data inventory
- Discovery analysis report
- Discovery and masking rules
- Risk map
- Architecture, roadmap, estimate

Fixed fee. A is priced by band. Access to production data or a production copy for discovery is a precondition; without it, A is blocked.

A — Deliverables and Discovery Method

KOMTAS

What A hands over, and how the discovery analysis is done: content and column-name rules on a sample, profiling, relationships, entities and groups.

03 · TIER A

DELIVERABLES «DAMALINK DOĞRULASIN»

Business requirement document
scope, sources, requirements, question sheet

Sensitive data inventory
field, table, class, KVKK category

Discovery analysis report
matches, profiles and relations per column

Discovery rules document
data and column-name rules used

Masking rules document
technique and constraints per field

Risk map
data × environment × access

High-level architecture
on-prem or IDMC, data flows, integration

B roadmap and estimate
modules, band, effort, order

DISCOVERY METHOD «DAMALINK DOĞRULASIN»

1. **Rules on content and names**
   data rules plus column-name regex
2. **Sample and threshold**
   first records per table; minimum match rate
3. **Profile columns**
   unique, null, fill %, min / max, patterns
4. **Find relationships**
   PK-FK, including logical relations
5. **Design entities and groups**
   related tables as entity; lookups as group

RULES OF THUMB

Sample and threshold «DAMALINK DOĞRULASIN»

Draft: first 100,000 records per table; a column matches at 30% or more. Both agreed per customer.

Entity and group «DAMALINK DOĞRULASIN»

Start from the 10 largest tables; tables in entities stay below 10% of all tables; ask the business where relations are unclear.

Result per column

rule, matches, match %, column-name match, null %, class, suitable techniques and constraints.

Logical relationships. Many relationships are not defined in the database. Finding them is the longest part of A and the base for consistent masking in B2.

B — Protect: Foundation and B1

foundation once + modules

KOMTAS

The foundation is built once; modules B1, B2 and B3 are chosen per customer. B1 keeps discovery running on the data stores.

Prerequisite: a Data Discovery Assessment or an equivalent analysis «A REF».

FOUNDATION (TOP) · B1 DISCOVERY LAYER (BOTTOM) «DAMALINK DOĞRULASIN»

Tool set-up
installation and configuration, on-prem or IDMC

Rule library
discovery and masking rules taken over from A

Standards, dictionaries
naming standards; Turkish reference dictionaries

Continuous scanning
databases, file servers, big data

Thresholds, risk score
match rules; a risk score per data store

Schedule and actions
e.g. monthly scans; notify or start a protection job

EFFORT FORMULA «DAMALINK DOĞRULASIN»

B EFFORT (pd)

foundation (once) + chosen modules, each by its band

FOUNDATION, ONCE

S ~20 pd · M ~30 pd · L ~45 pd

B1 DISCOVERY LAYER

S ~60 pd · M ~80 pd · L ~120 pd

B1 duration. «DAMALINK DOĞRULASIN»
S 4 / M 5 / L 7 months (Damalink reference). The data store driver counts only for B1.

B1 PACKS · DAMALINK REFERENCE «DAMALINK DOĞRULASIN»

PACK	DATA STORES	RULES	DURATION
Starter	min. 50	5	4 months
Advanced	«NUMBER»	10	5 months
Enterprise	100+	20	7 months

Packs mapped to bands S / M / L (p. 21). Supported systems follow the Informatica product availability matrix.

B2 — Masking: Techniques and Constraints

KOMTAS

Persistent masking of non-production copies; dynamic masking as an option. Rules keep formats, uniqueness and referential integrity.

03 · TIER B

TECHNIQUES «DAMALINK DOĞRULASIN»

Encryption
e.g. AES; not readable, format not kept

Expression
partial display, e.g. A***t

Key
same input, same output with a seed

Nullification
value removed

Random
random value in a range or format

Substitution
value from a reference dictionary

Mapplet
custom logic in PowerCenter or IDMC

Advanced
several fields together, e.g. names by gender

MASKING FLOW «DAMALINK DOĞRULASIN»

1. **Entity and group design**
   from the A relationship analysis
2. **Rules per field**
   technique and constraints from the catalogue
3. **Integrity and format**
   keys, uniqueness, valid formats kept
4. **Schedule and run**
   masking jobs per environment
5. **Monitor and check**
   rule checks, logs, alerts

CONSTRAINTS AND OPTIONS

Constraint examples «DAMALINK DOĞRULASIN»

TCKN stays unique and passes its checksum; birth date shifted by at most 365 days; consistent dates through the same seed.

Dynamic masking «DAMALINK DOĞRULASIN»

«OPTIONAL» Masks on read for chosen users and applications, without changing stored data (DDM; IDMC «FIELD»).

Integration-time mapplets «DIGITALLENCY DOĞRULASIN»

Masking inside data integration flows, as in the Yapı Kredi HR reference.

Checked on a sample. Masked copies are accepted when they pass format, uniqueness, referential integrity and algorithm checks on a sample «NUMBER» (p. 22).

B3 — Secure Test Data

KOMTAS

Test and development teams get masked, consistent and smaller copies of production, refreshed through a fixed process.

COMPONENTS «DAMALINK DOĞRULASIN»

Relational subset
criteria and parameters, e.g. by customer, policy or date

Masking
B2 rules applied to the subset

Synthetic data «OPTIONAL»
generated rows where real data may not be used; parent–child kept

Refresh process and runbook
steps, owners and duration per environment

Self-service requests «OPTIONAL»
test teams request a refresh through a flow

smaller copies | masked | referential integrity

REFRESH CYCLE «DAMALINK DOĞRULASIN»

Request
a test manager asks for an environment or a refresh

Subset
rows selected by the agreed criteria

Mask
rules applied; integrity kept

Load and check
target loaded; row counts and rules checked

Hand over
environment released; run logged

Refresh window per environment «NUMBER»; agreed at B3 start.

Why subsets. Smaller copies cut storage and refresh time; masking the subset keeps real personal data out of test and development.

C1 — Archive (One-Time Project)

KOMTAS

Records past their retention period are archived from relational databases, optionally deleted from the source, and can be restored on request.

ARCHIVE FLOW «DAMALINK DOĞRULASIN»

1. **Define**
   tables, retention rules, filters
2. **Generate**
   archive definitions from the data model
3. **Import**
   definitions loaded into PDM
4. **Archive / delete**
   records moved; source rows deleted if agreed
5. **Restore**
   records returned on request

OPTIONS «DAMALINK DOĞRULASIN»

ITEM	WHAT	NOTE	PLATFORM
Archive	records past retention moved to the archive	retention rules from the customer	PDM Archive Accelerator
Delete from source	archived rows removed from the source «OPTIONAL»	agreed per table	on-prem PDM
Restore	archived rows returned on request	tested before go-live	on-prem PDM
Filters, scheduling	multi-point filters; scheduled runs; alerts	per table	on-prem PDM
Other option	archiving outside PDM	«FIELD»	IDMC «FIELD»

Retention rules.
Retention and destruction periods come from the customer's policy and DPO; the package applies them.

Damalink IP.
The accelerator is Damalink IP on on-prem PDM; usage terms «FIELD». Informatica Data Archive is an alternative.

C2 — Run: Monthly Operation

KOMTAS

A monthly hour capacity: new sources scanned and classified, rules maintained, test data refreshed, monitoring and a monthly report. Recurring revenue.

03 · TIER C

MONTHLY CAPACITY «DAMALINK DOĞRULASIN»

S — **40 h / month**
few sources, one masked environment

M — **80 h / month**
regular new sources and refreshes

L — **160 h / month**
many data stores and environments

ACTIVITIES «DAMALINK DOĞRULASIN»

- **New sources** — scanned and classified
- **Rule maintenance** — discovery and masking rules updated
- **Test data refreshes** — per agreed calendar
- **Monitoring** — scans, jobs, alerts, logs
- **Data subject searches** — one person across systems «OPTIONAL»
- **Monthly report** — capacity used, findings, open items
- **Small improvements** — performance, schedules, rules

MONTHLY RHYTHM «DAMALINK DOĞRULASIN»

Draft; set at C2 start with information security and the DPO.

- REPORT — **Monthly report** — capacity, new findings, open items
- SCAN — **Scan review** — new sensitive data and risk scores
- RULES — **Rule review** — changed fields and new rules
- CHANGE — **Above capacity** — change request or a new B module

Term. Draft minimum term 12 months. Unused hours are not carried over; work above the capacity is charged at the hour rate. «DAMALINK DOĞRULASIN»

Team and Roles

KOMTAS

An engagement lead runs A and B with data security specialists, an Informatica developer and a business analyst; C2 has a run lead and a specialist.

ROLES «DAMALINK DOĞRULASIN»

ROLE	RESPONSIBILITY	A	B	C
Engagement lead	plan, customer owners, read-out, steering	lead	lead	—
Senior data security specialist	discovery design, classification, masking architecture	●	●	part
Data security specialist	rules, profiling, masking and test data development	●	●	●
Data engineer / Informatica developer	installation, mappings, mapplets, jobs, archive	part	●	part
Business analyst	requirements, question sheet, workshops	●	part	—
Run lead	monthly report, capacity, reviews	—	—	lead

● takes part lead accountable for delivery part part time — not staffed

CUSTOMER-SIDE CONTACTS «DAMALINK DOĞRULASIN»

DPO / legal
policy, classes, retention

Information security
risk map, access, approvals

Data owners
fields, rules, acceptance

DBAs
access, connections, relations

Test managers
subset criteria, refresh windows

Partner roles. «DAMALINK DOĞRULASIN»
Data security specialists from Damalink or Komtaş: «FIELD». The framework names two roles: senior specialist and specialist.

Staffing facts to collect.
Informatica developers «NUMBER» · data security specialists «NUMBER» · IDMC experience «FIELD»

Sizing — Drivers, S / M / L Bands and Effort

draft — to calibrate with Damalink

KOMTAS

Drivers come from the input forms (files 3a–3c). Durations in weeks or months, effort in person-days (pd), C2 in hours per month.

SIZING DRIVERS «DAMALINK DOĞRULASIN»

DRIVER	S	M	L
Databases / schemas to scan	≤10	11–50	>50
Sensitive data types	≤10	11–25	>25
Environments to mask	1–2	3–5	>5
Applications	≤5	6–20	>20
Data volume (TB)	≤1	1–10	>10
Data stores for B1	≤50	51–100	>100

Band rule. «DAMALINK DOĞRULASIN»
The band is the highest band reached by at least three drivers. The B1 data store driver counts only for B1.

Damalink packs and bands. «DAMALINK DOĞRULASIN»
Starter / Advanced / Enterprise map to S / M / L. Damalink durations: Data Discovery Assessment 1.5 months; Discovery Layer 4 / 5 / 7 months.

DURATION / EFFORT «DAMALINK DOĞRULASIN»

ITEM	S	M	L
A duration	4 weeks	6 weeks	8 weeks
A effort	~25 pd	~40 pd	~60 pd
B foundation, once	~20 pd	~30 pd	~45 pd
B1 duration	4 months	5 months	7 months
B1 effort	~60 pd	~80 pd	~120 pd
B2 Masking	~40 pd	~70 pd	~120 pd
B3 Secure Test Data	~30 pd	~50 pd	~90 pd
C1 Archive	~30 pd	~50 pd	~80 pd
C2 capacity	40 h / month	80 h / month	160 h / month

Modules Each module takes its own band. Fees «...». «DAMALINK DOĞRULASIN»

Calibration.
Draft, calibrated to the Damalink durations. To be updated with Damalink's effort from delivered projects.

Acceptance Criteria

KOMTAS

Each tier and module is accepted on agreed checks. Sample sizes and windows are agreed per customer; none is promised in advance.

ACCEPTANCE STEPS

1. **Checks agreed**
   per module, at start, with the data owners
2. **Run on a sample**
   agreed sample «NUMBER»
3. **Results reviewed**
   failures fixed or explained
4. **Sign-off**
   data owners and information security

CRITERIA «DAMALINK DOĞRULASIN»

TIER / ITEM	CRITERION	EVIDENCE	THRESHOLD
A	inventory and rules accepted	read-out and documents	accepted at read-out
B1 Discovery Layer	scans running on agreed data stores with agreed rules	scan reports	all agreed data stores
B2 Masking	format, uniqueness, integrity and algorithm checks passed	check report	sample «NUMBER»
B3 Secure Test Data	test environment refreshed within the agreed window	refresh log	within «NUMBER»
C1 Archive	archive and restore test passed	test report	agreed tables
C2 Run	monthly report and agreed activities delivered	monthly report	per month

Sample per customer.
Sample size and refresh window are agreed with the data owners for each module.

Outside acceptance.
Policy decisions, legal compliance and errors in source data are not acceptance criteria.

Follow-on Map

KOMTAS

Each tier leads to a named next step. In the proposal templates this is the section 'Next step', without partner terms.

AFTER → NEXT STEP «DAMALINK DOĞRULASIN»

AFTER	NEXT STEP	TYPE
A read-out	B foundation and the first module	service project
B1 live	B2 Masking on the riskiest environments	service project
B2 live	B3 Secure Test Data	service project
Retention rules agreed	C1 Archive	one-time project
Modules live	C2 Run: sources, rules, refreshes	recurring service
No classification policy	data-governance	package
Cloud migration planned	etl-migration-gcp, Data Modernization	package
Personal data in AI training data	AI Governance Readiness	package

In the proposal templates.
Section 'Next step': further modules, C Run, data-governance, cloud migration, AI Governance Readiness. No partner terms, no prices.

Recurring value.
C2 keeps scans, rules and test data current; Informatica licences renew alongside it.

Risks and Open Points

KOMTAS

Known risks of the package as drafted, how they are handled, and the questions still open.

RISKS «DAMALINK DOĞRULASIN»

RISK	EFFECT	HANDLING
No access to production data	discovery cannot run; A stalls	access or a production copy as a precondition; blocker in the input form
Relationships not defined in the database	masking breaks referential integrity	logical PK-FK analysis in A; business help
Masking performance on large volumes	refresh windows missed	subset first; volume in sizing; performance test in B
Support status of on-prem 10.x	product out of support	IDMC option; status checked per proposal
Damalink IP usage terms	accelerators cannot be named	terms agreed before proposals
Old references	2019–2021 material, on-prem only	Damalink and Digitallency confirm current use

OPEN POINTS BY OWNER

Damalink

- Framework current; IDMC versions?
- Effort of delivered projects
- Accelerator usage terms
- Delivery capacity

Digitallency

- Yapı Kredi reference: usable, year?
- Mapplet library reusable?
- Role in delivery

Sales and management

- Partnership models
- Day rates, module fees, Run fee
- Licence route: Informatica or reseller
- Target customer list

Verification Summary

KOMTAS

Draft for review by Damalink and Digitallency. Every drafted statement carries an orange tag naming its owner and has one question in the sidecar file.

04 · VERIFICATION

TAGS IN THIS FILE

55

tags, same sequence in EN and TR

DAMALINK 49 DIGITALLENCY 6

sidecar: data-privacy-1-blueprint-tr.json

TAGS BY SECTION

Positioning, commercial	2 – 7	9
Approach, accelerators	8 – 12	12
Delivery	13 – 22	32
Follow-on, status	23 – 25	2

PACKAGE FILES

		TAGS
1	Blueprint (this file)	55
2	Customer deck	«...»
3a–c	Input forms	«...»
4a–c	Proposal templates	«...»

Package total: «...» tags; same in EN and TR.
One sidecar file per document; one question per tag; owner per tag.

HOW THE REVIEW WORKS

1. Each owner answers its questions in the sidecar
2. Confirmed: tag removed; changed: EN and TR updated
3. Placeholders filled: «FIELD», «NUMBER», «PLATFORM»
4. Efforts, bands and IDMC names recalibrated

Known facts carry no tag: the structure and dates of the Damalink framework material, the two accelerators as Damalink IP, the Yapı Kredi HR reference as named in the Digitallency deck; partnership models open.