DATA PRIVACY & TEST DATA (KVKK)

Sensitive data found and classified across systems, masked in non-production copies, secure test data and retention-based archiving

Start with a data discovery assessment, protect with discovery, masking and test data modules, then archive and run every month

1 **The challenge**
Why now, the questions the package answers. p. 2 – 3

2 **How it works**
Approach, classification, masking, technology, accelerators. p. 4 – 8

3 **Working together**
Three tiers, the assessment, protection modules, customer inputs. p. 9 – 12

4 **Experience and next step**
Reference work, about Komtaş, next step. p. 13 – 14

Why Now: External Triggers

KOMTAS

Personal data is copied into test, development, reporting and cloud environments over the years. Regulation, audits and projects bring the question of where it is and how it is protected.

01 · WHY NOW

«DAMALINK DOĞRULASIN»

KVKK

Personal data and special category personal data; data minimisation; retention and destruction of data no longer needed.

Sector rules for banks

BDDK rules on information systems and outsourcing set expectations for data in non-production use.

Cloud migration

Data is masked before it leaves for cloud, test or analytics platforms.

Real data in test

Production copies used in test and development environments without masking.

Audit findings

Internal or external audits ask where personal data is held and who can see it.

Data breach follow-up

After an incident, the scope of exposed personal data has to be shown quickly.

Outsourced development

Data given to vendor or offshore teams for development and support.

Data subject requests

One person's records found across all systems to answer a request.

WHAT THE PACKAGE CHANGES

Known locations
an inventory of sensitive data

Agreed classes
PII, PCI, PHI mapped to KVKK

Masked copies
no real personal data in test

Usable test data
subsets with integrity kept

Retention applied
old records archived on rules

Questions the Package Answers

KOMTAS

The package gives technical answers to five questions. The legal assessment and the classification policy stay with the customer's legal team and data protection officer.

02 · QUESTIONS AND SCOPE

FIVE QUESTIONS

«DAMALINK DOĞRULASIN»

1. **Where is the sensitive data?**
   Databases, file servers and big data stores scanned with data and column-name rules.
2. **Is it protected?**
   A risk map of data, environment and access shows where real data is exposed.
3. **Is it classified?**
   Each sensitive field gets a class (PII, PCI, PHI) mapped to KVKK categories.
4. **Is there dark data?**
   Copies, old tables and files no one lists are found by scanning, not by asking.
5. **Which masking applies?**
   A rule per field: technique, constraints and consistency across systems.

SCOPE BOUNDARIES

Data governance
Classification policy, ownership, glossary and catalogue belong to data governance. Results are written to an existing catalogue; no second catalogue is built.

AI governance
Personal data in AI training data is an AI governance topic. This package supplies the masking and anonymisation technique.

Cloud migration
Masking is done before data moves. The migration itself is a separate service.

OUT OF SCOPE

«DAMALINK DOĞRULASIN»

- Legal KVKK advice: VERBİS, privacy notices, consent texts
- Identity and access management
- DLP and network security
- Encryption key management
- Licence procurement

Policy stays with the customer. Classes, KVKK categories and retention rules are decided by the customer's legal team and data protection officer. The package turns the policy into technical protection.

Approach

KOMTAS

Six steps from access to operation. Discovery and masking rules are kept as data in a rule library, so new sources are added by rule assignment rather than new code.

03 · APPROACH

«DAMALINK DOĞRULASIN»

Access

connect the sources

- Relational databases
- Mainframe
- Big data
- File servers

Discover

data and column names

- Data rules
- Column-name rules
- Reference dictionaries
- Profiling

Classify

agreed classes

- PII, PCI, PHI
- KVKK categories
- Risk score per data store

Analyze

relationships and groups

- Logical PK-FK
- Entity and group design
- Subset criteria

Protect

masking and test data

- Masking rules per field
- Persistent masking
- Test data subsets
- Archiving

Manage

run and monitor

- Scheduled scans and jobs
- Monitoring and alerts
- New sources added
- Monthly report

CROSS-CUTTING

Rule library

Discovery and masking rules held as data and reused.

Naming standards

One naming standard for rules, plans and jobs.

Risk map

Data, environment and access in one view.

Referential integrity

Same input gives the same masked value in every system.

Logs and evidence

Scan and masking results kept for audit.

One catalogue. Where a data catalogue already exists, classification results are written there. The package does not build a second catalogue.

Classification and KVKK

KOMTAS

Sensitive data is found from content and column names, profiled and classified. Classes used in data security tools are mapped to KVKK categories as a starting point for the customer's policy.

04 · CLASSIFICATION

CLASSES AND KVKK · STARTING POINT

«DAMALINK DOĞRULASIN»

Class	Examples	KVKK category
PII	Name, surname, national ID number, tax number, address, phone, e-mail	**Personal data**
PCI	Card number, expiry date and related payment data	**Personal data; card rules also apply**
PHI	Health data, for example diagnoses and reports	**Special category personal data**
Other	Classes agreed with the data protection officer «FIELD»	**As set in the customer's policy**

The mapping is confirmed by the customer.
The data protection officer confirms classes and KVKK categories. The package applies them in discovery rules and protection.

DISCOVERY METHOD

«DAMALINK DOĞRULASIN»

Data rules
Values matched with patterns, algorithms and reference dictionaries.

Column-name rules
Turkish and English column names matched with patterns.

Profiling
Value frequency, pattern, null and distinct ratios, min and max.

Sample and threshold
A sample per table (e.g. first 100,000 records), a minimum match ratio (e.g. 30%).

Relationships
Logical PK-FK relationships found where they are not defined.

Entity and group
Related tables masked as an entity; lookup tables as a group.

Result per column. Rule matched, match ratio, column-name match, null ratio, class and the suggested masking technique with its constraints.

Masking and Test Data

KOMTAS

Masked data must still work in test. Formats, uniqueness and relationships are kept, and the same input gives the same masked value in every system.

05 · MASKING AND TEST DATA

MASKING TECHNIQUES

«DAMALINK DOĞRULASIN»

- **Encryption** — Value encrypted with a standard algorithm
- **Expression** — Value partly hidden, e.g. A***t
- **Key** — Repeatable result with a seed
- **Nullification** — Value removed where not needed
- **Random** — Random value within rules
- **Substitution** — Value from a reference dictionary
- **Mapplet** — Reusable logic inside data flows
- **Advanced** — Several fields together, e.g. gender and name

CONSTRAINTS KEPT DURING MASKING

«DAMALINK DOĞRULASIN»

- National ID numbers stay unique and pass the check-digit algorithm
- Formats kept: phone, e-mail, card number, IBAN
- Dates shifted within an agreed range
- Names consistent with gender and other fields
- Same seed gives the same value across tables and systems

SECURE TEST DATA

«DAMALINK DOĞRULASIN»

Production source data → **Subset** by criteria and parameters → **Mask** rules per field → **Test and dev** refreshed on schedule

Entity and group. Related tables are subset and masked together as an entity, so a customer and all of their records stay linked. Lookup and parameter tables are copied as a group without a subset.

Masking during integration. Sensitive fields can also be masked inside data integration flows with reusable mapplets, so data reaching other systems is already masked. «DIGITALLENCY DOĞRULASIN»

Technology Options

KOMTAS

The package is delivered with Informatica data privacy products, on-premises or on Informatica Intelligent Data Management Cloud (IDMC). The choice is a scope item.

06 · TECHNOLOGY

TWO OPTIONS

«DAMALINK DOĞRULASIN»

Need	On-premises	IDMC
Discovery and classification	Data Privacy Management (DPM) or Enterprise Data Catalog data domains	Cloud Data Governance and Catalog (CDGC) data classification
Persistent masking	Persistent Data Masking (PDM) or Test Data Management (TDM)	Cloud Data Masking (CDM)
Test data subset, synthetic data	Test Data Management (TDM)	Cloud Test Data Management (CTDM)
Dynamic masking	Dynamic Data Masking (DDM)	«FIELD»
Archiving	Archive accelerator on PDM, or Informatica Data Archive	«FIELD»
Masking during integration	PowerCenter mapplets	IDMC mappings and mapplets

WHAT DECIDES THE OPTION

Existing licences
Informatica products and versions already in use.

Cloud plans
Whether data platforms are moving to cloud.

Existing catalogue
Whether a data catalogue is already in place.

Platform is a scope item. The option is agreed during the assessment «PLATFORM». Licence procurement is not part of the package.

Accelerators

KOMTAS

Six accelerators prepared for data discovery, masking and archiving work. They reduce hand-written code and keep rules consistent across systems.

07 · ACCELERATORS

«DAMALINK DOĞRULASIN»

1 Masking automation

Masking driven by a rule and assignment data model.

- 100+ prebuilt rules for personal data
- New tables masked on assignment
- Shorter implementation

2 Discovery rules and dictionaries

Data and column-name rules with Turkish reference data.

- Name, surname, ID and tax numbers
- Phone, e-mail, address, city, district
- Card number, IBAN, free text

3 Masking rule catalogue

Technique options and constraints per field.

- Eight technique families
- Naming standard per rule
- Constraints documented

4 Integration mapplet library

Masking logic reused inside data flows.

- Reusable mapplets
- Sensitive fields masked in flow
- Same rules as persistent masking

«DIGITALLENCY DOĞRULASIN»

5 Archive accelerator

Retention-based archiving of relational records.

- Filters and scheduling
- Delete from source «OPTIONAL»
- Restore from archive

6 Templates

Documents used in every engagement.

- Requirement document, questions
- Analysis report template
- Source-to-target matrix

Rules first, code second. Rules and assignments are kept as data. Adding a table or a source is a rule assignment, reviewed and logged, not a new development.

Three Service Tiers: Assessment, Protect, Archive and Run

KOMTAS

The assessment finds and classifies sensitive data and drafts the rules. Protect builds the foundation once and adds modules. Archive is a one-time line; Run keeps protection current every month.

08 · SERVICE TIERS

A — Data Discovery Assessment

fixed fee «...» · 4 – 8 weeks

- Scope, sources and access
- Profiling and discovery
- Classification and risk map
- Masking rule catalogue draft
- Target architecture and roadmap

OUTPUT

Sensitive data inventory · discovery report · rule documents · risk map · architecture · B roadmap and estimate

«DAMALINK DOĞRULASIN»

B — Protect

foundation once · fee «...» per module

- Tool set-up, rule library, standards
- B1 Discovery Layer
- B2 Masking
- B3 Secure Test Data
- Handover and runbook

OUTPUT

Scheduled scans · masked non-production copies · test data refreshed on request

«DAMALINK DOĞRULASIN»

C — Archive and Run

C1 one-time · C2 monthly fee «...»

- C1: retention-based archiving
- C1: optional delete and restore
- C2: new sources scanned
- C2: rules and refreshes kept
- C2: minimum term 12 months

OUTPUT

Archived records with restore · monthly report · unused hours are not carried over

«DAMALINK DOĞRULASIN»

Assessment first. Protect starts from the assessment, or from an equivalent analysis already done by the customer «A REF».

Assessment: Work Flow and Timeline

KOMTAS

Five phases over four to eight weeks. The assessment ends with a sensitive data inventory, a risk map, a masking rule catalogue draft and an estimate for protection.

09 · ASSESSMENT

INDICATIVE PLAN · BAND M · 6 WEEKS

«DAMALINK DOĞRULASIN»



SIZE DRIVERS

«DAMALINK DOĞRULASIN»

- Databases
- Data types
- Environments
- Applications
- Volume (TB)
- Data stores

Each driver falls into band S, M or L. The size is the highest band reached by at least three drivers. Data stores count only for continuous discovery (B1).

DELIVERABLES

«DAMALINK DOĞRULASIN»

- Business requirement document
- Sensitive data inventory
- Discovery analysis report
- Discovery rules document
- Masking rules document
- Risk map: data, environment, access
- High-level target architecture
- Protect roadmap and estimate

Duration by size. Small about 4, medium about 6, large about 8 weeks. Larger estates are planned in phases. «DAMALINK DOĞRULASIN»

Protect: Foundation and Modules

KOMTAS

The foundation is built once. Modules are selected by need and can be delivered in sequence or in parallel; each has its own acceptance.

10 · PROTECT

«DAMALINK DOĞRULASIN»

FOUNDATION · ONCE — Tool installation and configuration, rule library, naming standards, Turkish reference dictionaries, connections to the agreed sources.

B1 Discovery Layer

continuous scanning of data stores

- Databases, file servers, big data
- Thresholds and risk score per store
- Scheduled scans, e.g. monthly
- Actions: notify or start masking

About 4 – 7 months by size

B2 Masking

persistent masking of non-production copies

- Entity and group design
- Masking rules per field
- Integrity and formats kept
- Scheduling and monitoring

Dynamic masking «OPTIONAL»

B3 Secure Test Data

subsets for test teams

- Subset criteria and parameters
- Masking on the subset
- Synthetic data «OPTIONAL»
- Refresh process and runbook

Self-service requests «OPTIONAL»

ACCEPTANCE PER MODULE

«DAMALINK DOĞRULASIN»

- Scans running on the agreed data stores with the agreed rules
- Masked copies pass rule checks on a sample of «NUMBER» records
- Test environment refreshed within the agreed window «NUMBER»

Effort per module. Duration and effort come from the assessment estimate and the size band. Modules can be added later without repeating the foundation.

What the Customer Provides

KOMTAS

Knowledge of the data, the policy and the environments sits with the customer. The work needs time from four groups, and three conditions decide when it can start.

11 · CUSTOMER INPUTS

«DAMALINK DOĞRULASIN»

DPO and legal

policy owner

- Classes and KVKK categories
- Retention rules
- Approval of masking rules
- Exceptions and their reasons

Information security

access and risk

- Access to sources
- Review of the risk map
- Security of the tools
- Audit evidence needs

Data owners and DBAs

sources and environments

- Source and table knowledge
- Relationships not in the model
- Environments and windows
- Performance limits

Test managers

test data users

- Subset criteria
- Refresh frequency
- Test cases on masked data
- Acceptance of test data

CONDITIONS TO START

«DAMALINK DOĞRULASIN»

Access for discovery
Read access to production data, or to a full copy, for the discovery scans.

A named policy owner
A data protection officer or legal contact who decides classes and rules.

A platform decision
On-premises or IDMC, and the licences to be used.

Decisions stay with the customer. Komtaş prepares the inventory, the rules and the options. Policy, classes, exceptions and acceptance are decided on the customer side.

Experience

KOMTAS

Reference work on sensitive data in data integration, shown by sector, and the method base used in the package.

REFERENCE WORK

«DIGITALLENCY DOĞRULASIN»

Sector	Work	Scope	Year
A private bank	**HR data integrations**	KVKK classification of HR data; sensitive data detected during integration; masking applied with mapplets inside the integration flows.	«YEAR»

WHAT THE REFERENCE SHOWS

Classification at integration
Sensitive fields identified when a new flow is designed, not after the data has moved.

Masking inside the flow
Data reaching target systems is already masked.

Reusable logic
One mapplet per masking rule, reused across flows.

METHOD BASE

«DAMALINK DOĞRULASIN»

Discovery assessment method
Sample, threshold, profiling, PK-FK and entity analysis, documented per column.

Rule sets and dictionaries
Discovery and masking rules with Turkish reference data, ready to load.

Protection layers
Discovery, secure test data and archiving delivered as separate layers.

References are shown by sector, without customer names.

About Komtaş, and the Next Step

Who delivers Data Privacy & Test Data (KVKK), and what is needed to start.

WHY KOMTAŞ

Informatica partner
Data integration and data management work on Informatica products.

Google Cloud and Microsoft Azure partner
Komtaş is a Google Cloud Premier partner and a Microsoft Azure partner.

Data integration and data warehouse work
Data integration, data warehouse and BI projects in several sectors.

Data privacy experience
Reference work by sector on p. 13. «DIGITALLENCY DOĞRULASIN»

From assessment to monthly run
Assessment, protection, archiving and Run from one partner.

Since 1989, focused on data · 250+ specialists · offices in Istanbul, Ankara, Izmir and Dubai

NEXT STEPS

1. **Walkthrough** — today — you are here
2. **Discovery call** — sources, data types, environments, platform
3. **Assessment proposal** — fixed fee, scope and plan
4. **Kick-off** — access, tool set-up for discovery

Useful for the discovery call. A list of databases and file servers with their versions; the environments that hold production copies; known sensitive data types; Informatica licences in use; the trigger: audit, migration, regulation or a request.