# Data Discovery Assessment — Proposal Input Form

Information to be collected for the fixed-fee Assessment (A) that finds and classifies sensitive data — discovery, profiling, PII / PCI / PHI ↔ KVKK classification, risk map, draft masking rule catalogue, target architecture and B estimate. Sections follow the Proposal Set codes (P1–P4, P6). Once the form is completed and returned, the proposal text (file 4a) is produced. Orange tags mark draft statements to be verified: the DAMALINK tag for the approach, phases, deliverables, durations, bands, roles, tools, accelerators, rule sets and efforts taken from the framework; the DIGITALLENCY tag only for the Yapı Kredi HR reference and the masking mapplets during integration. This form is for internal use; customer and partner names are not written into customer files.

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The "WHERE IT FILLS IN THE PROPOSAL" column of each row names the section or variable field of the proposal template (file 4a). This form uses the Proposal Set codes P1–P4, P6; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is "not known", that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER A: the Data Discovery Assessment finds and classifies sensitive data, drafts the masking rules and sets the scope of B; it has a fixed fee. No masking is applied, no continuous scan is set up, nothing is archived — these are Tiers B and C. The result of A is the inventory, the rules, the roadmap and the B estimate.

PHASES (4–8 weeks): P0 initiate (scope, requirements, source systems, access, tool set-up for the assessment) · P1 profiling and discovery (data and column-name rules; a sample per table, e.g. the first 100,000 records; match threshold, e.g. 30%; PK-FK and entity / group analysis) · P2 classification (PII / PCI / PHI ↔ KVKK) and risk map (data × environment × access) · P3 draft masking rule catalogue per field · P4 target architecture, B scope, roadmap and estimate. «DAMALINK DOĞRULASIN»

DELIVERABLES: business requirement document; sensitive data inventory; discovery analysis report; discovery rules document; masking rules document; risk map; high-level architecture; B roadmap and estimate. «DAMALINK DOĞRULASIN»

TECHNOLOGY RULE: the technology choice is a scope item («PLATFORM») — on-prem Informatica (DPM, PDM / TDM, DDM) or IDMC (CDGC data classification, Cloud Data Masking, Cloud Test Data Management). The Damalink content is based on on-prem 10.x versions; the IDMC equivalents are drafts. «DAMALINK DOĞRULASIN»

APPROACH: Access (RDBMS, mainframe, big data, file servers, flat files) → Discover (data and column-name rules, profiling) → Classify (PII / PCI / PHI and the customer policy) → Analyze (PK-FK, entity / group, masking rules) → Protect (persistent masking, test data subset, synthetic data, archive) → Manage (scheduling, monitoring, notifications, adding new sources). «DAMALINK DOĞRULASIN»

CLASSIFICATION: the PII, PCI and PHI classes are mapped to the KVKK categories — PII and PCI are personal data, PHI (health) is special-category personal data. The classification policy is set by the customer's legal unit / DPO; this package does not write the policy, it turns the policy into technical protection. «DAMALINK DOĞRULASIN»

OUT OF SCOPE: KVKK legal consultancy (VERBIS registration, privacy notices, consent texts); IAM / access management; DLP and network security; encryption key management; licence procurement. «DAMALINK DOĞRULASIN»

BOUNDARY — data-governance: the classification policy, data ownership, glossary and catalogue belong to the data-governance framework. If the customer has a CDGC / EDC catalogue, the classification results are written there; no second catalogue is built.

BOUNDARY — AI Governance Readiness: personal data in AI training data is the subject of that package; this package supplies the masking / anonymisation technique.

## P1 · A·B·C · IDENTITY — Customer and Proposal Details

| | TO ASK | WHERE IT FILLS IN THE PROPOSAL | ANSWER |
|---|---|---|---|
| ● | **Full legal name of the customer and the short name used in the text; single company or group with subsidiaries** | Cover «CUSTOMER NAME», text «CUSTOMER» | |
| ○ | Companies in scope — group companies, subsidiaries; is each a separate data controller; for a single company the row is deleted | Cover «GROUP COMPANIES», Scope | |
| ○ | Reason for the request and context — for the one-paragraph context | Purpose «CUSTOMER CONTEXT» | |
| ○ | Is there an RFP, specification or requirements list; its number, response format and deadline | Structure and response format of the proposal | |
| ○ | Proposal addressee — name, title, unit; proposal date and expected decision date | Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month» | |

| | TO ASK | WHERE IT FILLS IN THE PROPOSAL | ANSWER |
|---|---|---|---|
| ○ | Procurement process, approved budget and expected invoice payment term; is a supplier assessment (information security) required | Effort and Fees, Commercial Terms «NUMBER» days payment term | |
| ○ | Are there competitors, and who (another Informatica partner, another masking / test data product, the customer's own team or scripts) | Emphasis and section weights | |

## P2 · A·B·C · DECISION — Trigger, Sector, Tier, Sponsor and DPO

> The value of A is that it measures where sensitive data is and thereby fixes the modules and scope of B. If the policy owner (DPO) is unknown, the classification cannot be approved.

| | TO ASK | WHERE IT FILLS IN THE PROPOSAL | ANSWER |
|---|---|---|---|
| ● | **Trigger — KVKK obligations, BDDK information systems and outsourcing rules, cloud migration, real data in test and development environments, an audit finding, follow-up of a data breach, data given to outsourced development teams, data subject requests** «DAMALINK DOĞRULASIN» | Purpose «CUSTOMER CONTEXT» · «TRIGGER» | |
| ○ | Sector and sector rules — bank (BDDK), insurance, health, telecom, public sector; the customer's audit calendar | Purpose, Assumptions and Out of Scope | |
| ● | **DPO / legal unit — who owns the classification policy and the masking decisions; is there a written classification policy** | Customer Responsibilities, Approach, Blocker Checklist | |
| ○ | Sponsor and decision maker — CISO / information security, DPO, CIO, test management; who makes the proposal decision, and by what date | Team, Customer Responsibilities, Commercial Terms | |
| ○ | Which tiers are wanted — A only; is there interest in the B modules (Discovery Layer, Masking, Secure Test Data) and C (Archive, Run) after A | Next Step, Service Selection Check | |
| ○ | Target start date; the calendar it depends on (audit, cloud migration, a new test environment, budget period) | Activities and Timeline, Commercial Terms | |
| ○ | Has a discovery or data inventory exercise (e.g. for VERBIS preparation) been carried out before; can its outputs be shared | Approach, Assumptions and Out of Scope | |

## External Triggers → Package Response

Typical external triggers and the package response. Those seen at the customer are marked in the last column; they feed the Purpose section of the proposal. No article numbers are written. The trigger → module mappings are drafts (table as a whole).
«DAMALINK DOĞRULASIN»

| # | EXTERNAL TRIGGER | PACKAGE RESPONSE | IN A | IN B / C | PRESENT AT CUSTOMER |
|---|---|---|---|---|---|
| 1 | KVKK — personal data and special-category personal data, data minimisation, retention and destruction | Discovery, classification, masking; retention-based archive | Inventory, risk map | B1, B2, C1 | |
| 2 | BDDK — information systems and outsourcing rules for banks | Masking of non-production environments and of data given out | Risk map | B2, B3 | |
| 3 | Cloud migration — data is to move to the cloud or a test environment | Masking before the data moves | Scope and order | B2 | |
| 4 | Real data in test and development environments | Persistent masking, subset, synthetic data | Environment × data map | B2, B3 | |
| 5 | Audit finding | Discovery and masking by the scope of the finding | Risk map, roadmap | Relevant module | |
| 6 | Follow-up of a data breach | Locating sensitive data, continuous scan | Inventory | B1 | |
| 7 | Data given to outsourced development teams | Masked copies, subset | Access × environment map | B2, B3 | |
| 8 | Data subject requests — finding one person's data across all systems | Record search in the Discovery Layer (search a record) | — | B1 | |

## P3 · A·B·C · LANDSCAPE — Databases, Versions, File Servers, Big Data, Mainframe and Cloud

| | TO ASK | WHERE IT FILLS IN THE PROPOSAL | ANSWER |
|---|---|---|---|
| ● | **Database types and versions — e.g. Oracle, SQL Server, DB2, PostgreSQL, Teradata; connection method (JDBC / ODBC / native)** | Driver 1, Scope | |
| ● | **Number of databases / schemas to scan and number of applications** | Driver 1, Driver 4, Scope | |
| ○ | File servers (SFTP, SMB, local) and file formats; big data distribution; mainframe (Db2 z/OS, VSAM) | Scope, Assumptions and Out of Scope | |
| ○ | Data stores in the cloud — which services; cloud migration plan | Scope, Next Step | |
| ○ | Environments — production, test, development, UAT, training, analytics; is there real data in each | Driver 3, Scope | |
| ○ | Data volume (TB) and record counts — the largest tables | Driver 5, Scope | |
| ● | **Access to production data for discovery — read-only user, approval process and lead time; without access, is a masked or sample copy possible** | Customer Responsibilities, Activities and Timeline, Blocker Checklist | |

System inventory — the list received from the customer; completed in phase P0 of A. One row is one database or data store.

| # | SYSTEM / DATABASE | TYPE AND VERSION | SCHEMAS / TABLES | VOLUME (TB) | OWNER / DBA |
|---|---|---|---|---|---|
| 1 | | | | | |
| 2 | | | | | |
| 3 | | | | | |
| 4 | | | | | |
| 5 | | | | | |

## P4 · A·B · DATA — Sensitive Data Types, Extra Rules, Classes, Tables and Relationships

DISCOVERY RULE SET AND TURKISH REFERENCE DICTIONARIES (accelerator 2): data and column-name (TR / EN regex) rules for name, surname, TCKN (checksum), VKN, phone, e-mail, address / city / district, credit card, IBAN, chassis number and free text; dictionaries of first names, surnames, company titles, city–district, professions and postcodes. «DAMALINK DOĞRULASIN»

ANALYSIS METHOD: discovery on content and column names; a sample per table (e.g. the first 100,000 records), match threshold (e.g. 30%); profiling per column (unique, null, fill rate, min / max, frequency, pattern); PK-FK analysis for relationships not physically defined; entity analysis starts from the 10 largest tables, and the tables in an entity do not exceed 10% of the system's tables. «DAMALINK DOĞRULASIN»

| | TO ASK | WHERE IT FILLS IN THE PROPOSAL | ANSWER |
|---|---|---|---|
| ● | **Sensitive data types to discover — name, surname, TCKN, VKN, phone, e-mail, address, city / district, birth date, credit card, IBAN, chassis number, health; if unknown, A measures it** | Driver 2, Scope | |
| ○ | Are discovery rules needed beyond the ready rules; the method (data, column name, reference dictionary, algorithm) | Scope, ANNEX-1 — Accelerators | |
| ○ | Free-text fields — are values such as TCKN, VKN or chassis number to be searched inside descriptions, notes, complaint texts | Scope, Assumptions and Out of Scope | |
| ○ | Are classes needed beyond PII / PCI / PHI — e.g. customer-specific confidential data, other special-category personal data | Approach, Scope | |
| ○ | Number of tables and columns — per system; if unknown, A measures it | Scope, Assumptions and Out of Scope | |
| ○ | Are relationships physical (PK-FK defined) or logical; is there a data modelling tool, ER diagram or data dictionary | Approach, Assumptions and Out of Scope | |

Classification pre-view — the data types the customer knows; completed in phase P2 of A. One row is one data type. The class and KVKK category mapping is a draft; the customer's DPO approves the final classification (table as a whole). **«DAMALINK DOĞRULASIN»**

| # | DATA TYPE (EXAMPLE) | CLASS | KVKK CATEGORY | DISCOVERY METHOD | IN SCOPE |
|---|---|---|---|---|---|
| 1 | Name, surname | PII | personal data | Data + column name, dictionary | |
| 2 | TCKN | PII | personal data | Algorithm (checksum) + column name | |
| 3 | VKN | PII | personal data | Algorithm + column name | |
| 4 | Phone, e-mail, address, city / district | PII | personal data | Pattern, dictionary, column name | |
| 5 | Credit card | PCI | personal data | Algorithm (Luhn) + column name | |
| 6 | Health / diagnosis data | PHI | special-category personal data | Column name, dictionary | |
| 7 | TCKN / VKN / chassis number inside free text | PII | personal data | Pattern + algorithm | |
| 8 | | | | | |

## P6 · A·B·C · PLATFORM — On-prem or IDMC, Existing Licences and Catalogue

| | TO ASK | WHERE IT FILLS IN THE PROPOSAL | ANSWER |
|---|---|---|---|
| ○ | Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides | Scope «PLATFORM», Approach | |
| ○ | Existing Informatica licences — PowerCenter, EDC, DPM, TDM / PDM, DDM, IDMC (IPU); version and support status | Scope, Assumptions and Out of Scope | |
| ○ | Existing catalogue — EDC, CDGC or another tool; are the classification results to be written there | Approach, Scope | |
| ○ | Server / environment — who provides the server, repository database and network access for the tool installation; when is it ready | Customer Responsibilities, Activities and Timeline | |
| ● | **Which tool the assessment uses — the customer's licence, a trial licence or a Komtaş environment («FIELD»)** | Activities and Timeline, Customer Responsibilities, Blocker Checklist | |

Technology options — the product present at the customer is marked in the last column. The IDMC equivalents and product names are drafts; support status of the on-prem 10.x products «FIELD» (table as a whole). **«DAMALINK DOĞRULASIN»**

| # | NEED | ON-PREM | IDMC | AT CUSTOMER |
|---|---|---|---|---|
| 1 | Discovery and classification | Data Privacy Management (DPM; formerly Secure@Source) / EDC data domains | CDGC data classification | |
| 2 | Persistent masking | Persistent Data Masking (PDM) / TDM | Cloud Data Masking (CDM) | |
| 3 | Test data subset / synthetic data | Test Data Management (TDM) | Cloud Test Data Management (CTDM) | |
| 4 | Dynamic masking | Dynamic Data Masking (DDM) | «FIELD» | |
| 5 | Archive | PDM Archive Accelerator (Damalink, on PDM) / Informatica Data Archive | «FIELD» | |
| 6 | Masking during integration | PowerCenter mapplets | IDMC mappings / mapplets | |

## Band Estimate — Tier A

Completed after the answers are collected. The band sets the duration and effort of A. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. «DAMALINK DOĞRULASIN»

CALIBRATION NOTE — DRAFT: the bands and efforts are not based on recorded Komtaş effort; they are calibrated to Damalink durations (Damalink DDA 1.5 months → draft A M ~6 weeks). Komtaş effort is not written into the proposal before the delivery team confirms it. The person-days and team size behind these durations are unknown. «DAMALINK DOĞRULASIN»

| # | DRIVER | SMALL | MEDIUM | LARGE | RESULTING BAND |
|---|---|---|---|---|---|
| 1 | Databases / schemas to scan (P3) | ≤ 10 | 11 – 50 | > 50 | |
| 2 | Sensitive data types (P4) | ≤ 10 | 11 – 25 | > 25 | |
| 3 | Environments to mask (P3) | 1 – 2 | 3 – 5 | > 5 | |
| 4 | Applications (P3) | ≤ 5 | 6 – 20 | > 20 | |
| 5 | Data volume, TB (P3) | ≤ 1 | 1 – 10 | > 10 | |
| | RESULT — selected band, duration and effort «DAMALINK DOĞRULASIN» | 4 weeks · ~25 pd | 6 weeks · ~40 pd | 8 weeks · ~60 pd | |

DAMALINK MAPPING: Starter ↔ S, Advanced ↔ M, Enterprise ↔ L. Damalink's DDA (1.5 months, data security specialist, discovery results on 100,000 records, masking rule suggestions, high-level to-be architecture) corresponds to band M of A. «DAMALINK DOĞRULASIN»

CUSTOMER EFFORT — «NUMBER» days in total for the DBAs, data owners, information security and the DPO (access and user set-up, requirement interviews, confirmation of discovery results, confirmation of masking rules, results meetings). This expectation is stated explicitly in the Customer Responsibilities section of the proposal. «DAMALINK DOĞRULASIN»

TEAM — Engagement lead · data security specialists (senior + specialist) · data engineer / Informatica developer · business analyst. Customer side: DPO / legal (policy), information security, data owners, DBAs, test managers. «DAMALINK DOĞRULASIN»

## Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

| # | FIELD | WHERE IN THE PROPOSAL | HOW IT IS SET | VALUE |
|---|---|---|---|---|
| 1 | KOMTAS-«CUSTOMER ABBREVIATION»-DPR-A-«YEAR»-«SEQUENCE» | Cover — proposal number | Proposal register sequence | |
| 2 | «dd Month yyyy» · «proposal date + 1 month» · «price validity date» | Cover, Commercial Terms | Send date + 1 month (P1); sales sets the price validity date | |
| 3 | «CUSTOMER CONTEXT» · «TRIGGER» | Purpose | P1 and P2 answers | |
| 4 | «PLATFORM» | Scope, Approach | P6 answer — on-prem Informatica or IDMC | |
| 5 | ANNEX-1 accelerator list | ANNEX-1 — Accelerators | Accelerators 2, 3 and 6 stay; 1 and 4 are mentioned for B; 5 only if there is archive interest | |
| 6 | «NUMBER» databases · «NUMBER» data types · «NUMBER» environments · «NUMBER» applications · «NUMBER» TB | Scope | P3 and P4 answers | |
| 7 | «BAND» · «NUMBER» weeks · «NUMBER» pd | Activities and Timeline, Effort and Fees | Band estimate, delivery team confirmation | |

| # | FIELD | WHERE IN THE PROPOSAL | HOW IT IS SET | VALUE |
|---|---|---|---|---|
| 8 | «fee» (fixed) · «day rate» · «%» · «amount» | Effort and Fees, Commercial Terms | Fixed fee = band effort × day rate; change requests at the «day rate»; sales sets the payment pattern («%» · «amount») | |
| 9 | Next step items | Next Step | Follow-on Interest table; no margin figures | |
| 10 | ANNEX-2 references table (anonymous) | ANNEX-2 — About Komtaş | The anonymous wording in the "IN THE PROPOSAL" column of the References table below; no customer name and no Damalink or Digitallency name are written. | |
| 11 | «full name» · «title» · «e-mail / phone» · «CITY» | Commercial Terms | Komtaş commercial and technical contact; city for free on-site meetings | |

## References — Source of ANNEX-2

In customer files (2, 4a / 4b / 4c) only the anonymous wording in the last column is written; Damalink, Digitallency and Yapı Kredi are not named; where a result is unknown, «RESULT» stays. The Damalink content dates from 2019–2021; Damalink work is not written as a Komtaş reference. **«DAMALINK DOĞRULASIN»** The Yapı Kredi HR reference is written anonymously in a customer file with one tag. **«DIGITALLENCY DOĞRULASIN»**

| # | SOURCE (INTERNAL) | CONTENT | USE IN THE PROPOSAL | YEAR | IN THE PROPOSAL (ANONYMOUS) |
|---|---|---|---|---|---|
| 1 | Damalink — 05 Data Security Framework | DDA, DDL (DPM), STD (TDM / PDM) and DAL packages; question lists, BRD, sample analysis report, discovery and masking rules, PDM Automation and PDM Archive Accelerators; on-prem Informatica 10.2 / 10.4 | Source of method and accelerators; not a reference | 2019–2021 | Not written (the method is described as the Komtaş approach) |
| 2 | Yapı Kredi | HR Data Integrations: KVKK classification, detection of sensitive data during integration, masking mapplets (Digitallency deck) | Reference; accelerator 4 | «YEAR» | a private bank — HR data integrations (KVKK classification, masking during integration) |

## Service Selection Check

Before filling in the form, make sure that Tier A is the right service. One request can match more than one row.

| STATUS | RIGHT SERVICE |
|---|---|
| Where sensitive data lies is not known; the inventory, classification, masking rules and B scope are to be established | A — Data Discovery Assessment |
| A or an equivalent analysis exists; continuous discovery, masking or secure test data is to be set up | B — Protect (foundation + modules) |
| A new module is to be added to an existing foundation | B module (foundation not counted again) |
| Retention-based archive, delete from source and restore are wanted | C1 — Archive |
| New source scans, rule maintenance and test data refreshes on the set-up environment are wanted | C2 — Run |
| A classification policy, data ownership, glossary or catalogue is wanted | data-governance |
| Governance of personal data in AI training data is wanted | AI Governance Readiness |
| Moving the data to the cloud is wanted | etl-migration-gcp / data-modernization (B2 Masking first) |
| VERBIS registration, privacy notices or consent texts are wanted | Out of scope (legal adviser) |
| IAM, DLP, network security or encryption key management is wanted | Out of scope |

## Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

| # | FOLLOW-ON WORK | RELATED TRIGGER | INTEREST (YES / NO / LATER) | NOTE |
|---|---|---|---|---|
| 1 | B — Protect (modules recommended in A) | Result and roadmap of A | | |
| 2 | C1 — Archive | Retention and destruction obligations | | |
| 3 | C2 — Run | New sources, rule maintenance, test data refreshes | | |
| 4 | data-governance | Need for a classification policy and ownership | | |
| 5 | Cloud migration (etl-migration-gcp, data-modernization) | Moving to the cloud with masked data | | |
| 6 | AI Governance Readiness | Personal data in AI training data | | |

COMMERCIAL FRAME — INTERNAL ONLY. This box and the names Damalink, Digitallency and Yapı Kredi are not written into the customer deck or the proposal.

The package pulls Informatica licences (on-prem DPM / TDM or IDMC). Recurring value lies in C2 Run. The package opens cloud migration work (etl-migration-gcp, data-modernization — masking before data moves to the cloud), data-governance (classification policy) and AI Governance Readiness.

The partnership model with Damalink is open («FIELD»). The PDM Automation Accelerator and the PDM Archive Accelerator are Damalink IP; usage terms «FIELD». Damalink's "60–70% faster implementation" claim is internal only; customer files carry no number until it is verified ("shorter implementation"). Damalink prices are not used. «DAMALINK DOĞRULASIN»

Evidence: Damalink "05 Data Security Framework" (DDA, DDL, STD, DAL; content 2019–2021, on-prem Informatica 10.2 / 10.4). The current support status of the on-prem 10.x products «FIELD». «DAMALINK DOĞRULASIN» Digitallency deck: Yapı Kredi HR Data Integrations (KVKK classification, detection of sensitive data during integration, masking mapplets). The year of the reference is unknown («YEAR»). «DIGITALLENCY DOĞRULASIN»

## Blocker Checklist

These rows must be answered before proposal writing starts.

| SECTION | BLOCKER QUESTION | ANSWERED? |
|---|---|---|
| P1 | Full legal name of the customer and the short name used in the text; single company or group with subsidiaries | |
| P2 | Trigger — KVKK obligations, BDDK information systems and outsourcing rules, cloud migration, real data in test and development environments, an audit finding, follow-up of a data breach, data given to outsourced development teams, data subject requests | |
| P2 | DPO / legal unit — who owns the classification policy and the masking decisions; is there a written classification policy | |
| P3 | Database types and versions — e.g. Oracle, SQL Server, DB2, PostgreSQL, Teradata; connection method (JDBC / ODBC / native) | |
| P3 | Number of databases / schemas to scan and number of applications | |
| P3 | Access to production data for discovery — read-only user, approval process and lead time; without access, is a masked or sample copy possible | |
| P4 | Sensitive data types to discover — name, surname, TCKN, VKN, phone, e-mail, address, city / district, birth date, credit card, IBAN, chassis number, health; if unknown, A measures it | |
| P6 | Which tool the assessment uses — the customer's licence, a trial licence or a Komtaş environment («FIELD») | |

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold. A missing policy owner (DPO) cannot be covered by an assumption.

The production access, DPO and tool rows have a special place: without access A cannot measure and its result relies on statements; without a DPO the classification cannot be approved; without a tool P0 does not start.

## Blocking conditions and their effect on the proposal

| # | CONDITION | EFFECT ON THE PROPOSAL | ACTION | STATUS |
|---|---|---|---|---|
| 1 | No access to production data for discovery | Discovery cannot run on real data; the result relies on metadata and statements | Clarify the access method in P3 | |
| 2 | No DPO / policy owner | The classification and masking rules cannot be approved | Clarify the owner in P2 | |
| 3 | No licence / technology decision | The assessment tool cannot be set up; P0 cannot start | Clarify in P6 | |