Protect — Proposal Input Form

Information to be collected for a Protect (B) proposal that sets up the tool foundation and implements the selected modules — Discovery Layer, Masking, Secure Test Data — and the proposal field (file 4b) each item fills. The fee is foundation (once) + per module. Sections follow the Proposal Set codes (P1–P7). Orange tags mark draft statements to be verified: the DAMALINK tag for the approach, phases, deliverables, durations, bands, roles, tools, accelerators, rule sets and efforts taken from the framework; the DIGITALLENCY tag only for the Yapı Kredi HR reference and the masking mapplets during integration. This form is for internal use; customer and partner names are not written into customer files.

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The "WHERE IT FILLS IN THE PROPOSAL" column of each row names the section or variable field of the proposal template (file 4b). This form uses the Proposal Set codes P1–P7; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is "not known", that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER B: B sets up the tool foundation once and implements the selected modules. The prerequisite is A or an equivalent analysis («A REF»); without it no B proposal is written, A is proposed first and A's input form (3a) is used.

SCOPE: foundation (once) = tool installation and configuration, rule library, naming standards, reference dictionaries. Modules: B1 Discovery Layer (continuous scanning of data stores, risk score, scheduled scans, actions on results) · B2 Masking (persistent masking of non-production copies; dynamic masking «OPTIONAL»; masking during integration) · B3 Secure Test Data (relational subset, masking, synthetic data, refresh runbook). The foundation and the modules are separate blocks. «DAMALINK DOĞRULASIN»

MODULE BLOCKS: in the proposal each selected module is its own block — «MODULE — DISCOVERY LAYER» · «MODULE — MASKING» · «MODULE — SECURE TEST DATA»; the block of a module not selected is deleted. Pricing: foundation once + fee per module.

TECHNOLOGY RULE: the technology choice is a scope item («PLATFORM») — on-prem Informatica (DPM, PDM / TDM, DDM) or IDMC (CDGC data classification, Cloud Data Masking, Cloud Test Data Management). The Damalink content is based on on-prem 10.x versions; the IDMC equivalents are drafts. «DAMALINK DOĞRULASIN»

APPROACH: Access (RDBMS, mainframe, big data, file servers, flat files) → Discover (data and column-name rules, profiling) → Classify (PII / PCI / PHI and the customer policy) → Analyze (PK-FK, entity / group, masking rules) → Protect (persistent masking, test data subset, synthetic data, archive) → Manage (scheduling, monitoring, notifications, adding new sources). «DAMALINK DOĞRULASIN»

CLASSIFICATION: the PII, PCI and PHI classes are mapped to the KVKK categories — PII and PCI are personal data, PHI (health) is special-category personal data. The classification policy is set by the customer's legal unit / DPO; this package does not write the policy, it turns the policy into technical protection. «DAMALINK DOĞRULASIN»

OUT OF SCOPE: KVKK legal consultancy (VERBIS registration, privacy notices, consent texts); IAM / access management; DLP and network security; encryption key management; licence procurement. «DAMALINK DOĞRULASIN»

BOUNDARY — data-governance: the classification policy, data ownership, glossary and catalogue belong to the data-governance framework. If the customer has a CDGC / EDC catalogue, the classification results are written there; no second catalogue is built.

BOUNDARY — AI Governance Readiness: personal data in AI training data is the subject of that package; this package supplies the masking / anonymisation technique.

P1 · A·B·C · IDENTITY — Customer and Proposal Details

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Full legal name of the customer and the short name used in the text; single company or group with subsidiaries**	Cover «CUSTOMER NAME», text «CUSTOMER»	
○	Companies in scope — group companies, subsidiaries; is each a separate data controller; for a single company the row is deleted	Cover «GROUP COMPANIES», Scope	
○	Reason for the request and context — for the one-paragraph context	Purpose «CUSTOMER CONTEXT»	
●	**Is there an RFP, specification or requirements list; its number, response format and deadline**	Structure and response format of the proposal	
○	Proposal addressee — name, title, unit; proposal date and expected decision date	Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month»	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Procurement process, approved budget and expected invoice payment term; is a supplier assessment (information security) required	Effort and Fees, Commercial Terms «NUMBER» days payment term	
○	Are there competitors, and who (another Informatica partner, another masking / test data product, the customer's own team or scripts)	Emphasis and section weights	

P2 · A·B·C · DECISION — Trigger, Sector, Tier, Sponsor and DPO

> B is not offered on a data landscape that has not been analysed. If the answer to the first row of this section is "no", the proposal is not written and Tier A is proposed first.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Has A (Data Discovery Assessment) been carried out, or is there an equivalent analysis (sensitive data inventory, discovery rules, masking rules, risk map)**	Whether the proposal is written, «A REF»	
○	A reference — report / proposal number and date; the modules recommended in A	«A REF», Scope	
●	**Trigger — KVKK obligations, BDDK information systems and outsourcing rules, cloud migration, real data in test and development environments, an audit finding, follow-up of a data breach, data given to outsourced development teams, data subject requests** «DAMALINK DOĞRULASIN»	Purpose «CUSTOMER CONTEXT» · «TRIGGER»	
○	Sector and sector rules — bank (BDDK), insurance, health, telecom, public sector; the customer's audit calendar	Purpose, Assumptions and Out of Scope	
●	**DPO / legal unit — who owns the classification policy and the masking decisions; is there a written classification policy**	Customer Responsibilities, Approach, Blocker Checklist	
○	Sponsor and decision maker — CISO / information security, DPO, CIO, test management; who makes the proposal decision, and by what date	Team, Customer Responsibilities, Commercial Terms	
●	**Which modules are wanted — «MODULE — DISCOVERY LAYER» · «MODULE — MASKING» · «MODULE — SECURE TEST DATA»; B + C together**	Scope, Effort and Fees, Service Selection Check	
○	Target completion date and the calendar it depends on (audit close-out, cloud migration, test environment renewal)	Activities and Timeline	

External Triggers → Package Response

Typical external triggers and the package response. Those seen at the customer are marked in the last column; they feed the Purpose section of the proposal. No article numbers are written. The trigger → module mappings are drafts (table as a whole).
«DAMALINK DOĞRULASIN»

#	EXTERNAL TRIGGER	PACKAGE RESPONSE	IN A	IN B / C	PRESENT AT CUSTOMER
1	KVKK — personal data and special-category personal data, data minimisation, retention and destruction	Discovery, classification, masking; retention-based archive	Inventory, risk map	B1, B2, C1	
2	BDDK — information systems and outsourcing rules for banks	Masking of non-production environments and of data given out	Risk map	B2, B3	
3	Cloud migration — data is to move to the cloud or a test environment	Masking before the data moves	Scope and order	B2	
4	Real data in test and development environments	Persistent masking, subset, synthetic data	Environment × data map	B2, B3	
5	Audit finding	Discovery and masking by the scope of the finding	Risk map, roadmap	Relevant module	
6	Follow-up of a data breach	Locating sensitive data, continuous scan	Inventory	B1	
7	Data given to outsourced development teams	Masked copies, subset	Access × environment map	B2, B3	
8	Data subject requests — finding one person's data across all systems	Record search in the Discovery Layer (search a record)	—	B1	

P3 · A·B·C · LANDSCAPE — Databases, Versions, File Servers, Big Data, Mainframe and Cloud

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Database types and versions — e.g. Oracle, SQL Server, DB2, PostgreSQL, Teradata; connection method (JDBC / ODBC / native)**	Driver 1, Scope	
●	**Number of databases / schemas to scan and number of applications**	Driver 1, Driver 4, Scope	
○	File servers (SFTP, SMB, local) and file formats; big data distribution; mainframe (Db2 z/OS, VSAM)	Scope, Assumptions and Out of Scope	
○	Data stores in the cloud — which services; cloud migration plan	Scope, Next Step	
○	Environments — production, test, development, UAT, training, analytics; is there real data in each	Driver 3, Scope	
○	Data volume (TB) and record counts — the largest tables	Driver 5, Scope	
●	**Access to production data for discovery — read-only user, approval process and lead time; without access, is a masked or sample copy possible**	Customer Responsibilities, Activities and Timeline, Blocker Checklist	

System inventory — the databases and data stores in B scope (from the output of A). One row is one database or data store.

#	SYSTEM / DATABASE	TYPE AND VERSION	SCHEMAS / TABLES	VOLUME (TB)	OWNER / DBA
1					
2					
3					
4					
5					

P4 · A·B · DATA — Sensitive Data Types, Extra Rules, Classes, Tables and Relationships

DISCOVERY RULE SET AND TURKISH REFERENCE DICTIONARIES (accelerator 2): data and column-name (TR / EN regex) rules for name, surname, TCKN (checksum), VKN, phone, e-mail, address / city / district, credit card, IBAN, chassis number and free text; dictionaries of first names, surnames, company titles, city–district, professions and postcodes. «DAMALINK DOĞRULASIN»

ANALYSIS METHOD: discovery on content and column names; a sample per table (e.g. the first 100,000 records), match threshold (e.g. 30%); profiling per column (unique, null, fill rate, min / max, frequency, pattern); PK-FK analysis for relationships not physically defined; entity analysis starts from the 10 largest tables, and the tables in an entity do not exceed 10% of the system's tables. «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Sensitive data types and number of fields to protect (from the output of A)**	Driver 2, Scope	
○	Are discovery rules needed beyond the ready rules; the method (data, column name, reference dictionary, algorithm)	Scope, ANNEX-1 — Accelerators	
○	Free-text fields — are values such as TCKN, VKN or chassis number to be searched inside descriptions, notes, complaint texts	Scope, Assumptions and Out of Scope	
○	Are classes needed beyond PII / PCI / PHI — e.g. customer-specific confidential data, other special-category personal data	Approach, Scope	
○	Number of tables and columns in masking scope — per system	Scope, Assumptions and Out of Scope	
○	Are relationships physical (PK-FK defined) or logical; is there a data modelling tool, ER diagram or data dictionary	Approach, Assumptions and Out of Scope	
○	Have there been changes since A — new systems, new data types, a changed policy	Assumptions and Out of Scope	

Classification pre-view — the data types the customer knows; completed in phase P2 of A. One row is one data type. The class and KVKK category mapping is a draft; the customer's DPO approves the final classification (table as a whole). «DAMALINK DOĞRULASIN»

#	DATA TYPE (EXAMPLE)	CLASS	KVKK CATEGORY	DISCOVERY METHOD	IN SCOPE
1	Name, surname	PII	personal data	Data + column name, dictionary	
2	TCKN	PII	personal data	Algorithm (checksum) + column name	
3	VKN	PII	personal data	Algorithm + column name	
4	Phone, e-mail, address, city / district	PII	personal data	Pattern, dictionary, column name	
5	Credit card	PCI	personal data	Algorithm (Luhn) + column name	
6	Health / diagnosis data	PHI	special-category personal data	Column name, dictionary	
7	TCKN / VKN / chassis number inside free text	PII	personal data	Pattern + algorithm	
8					

P5 · B · PROTECTION — Environments, Masking Type, Subset, Synthetic Data and Consistency

MASKING RULE CATALOGUE (accelerator 3): technique options per field — encryption, expression, key (consistent with seed), nullification, random, substitution (reference dictionary), mapplet, advanced (e.g. gender-consistent names) — with naming standard and constraints. Constraint examples: TCKN stays unique and passes the algorithm; birth date shifted by at most 365 days; no male names for mother's name; related date fields stay consistent with the same seed. «DAMALINK DOĞRULASIN»

PDM AUTOMATION ACCELERATOR (accelerator 1): automates PDM masking from a rule / assignment data model; 100+ pre-built rules for personal data; batch integration with modelling / discovery / catalogue tools; new tables added to the data model are masked automatically. «DAMALINK DOĞRULASIN»

MASKING DURING INTEGRATION (accelerator 4): sensitive data is detected in the data flow and written to the target masked with masking mapplets — source: Yapı Kredi HR Data Integrations (KVKK classification, masking mapplets). «DIGITALLENCY DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Environments to mask — test, development, UAT, training, analytics, copies given to outside teams; number of environments**	Driver 3, Scope	
○	Is masking done in place or into a separate target schema	Approach, Assumptions and Out of Scope	
○	Is dynamic masking needed besides persistent masking (role-based display in production) — in the proposal «OPTIONAL» line	«MODULE — MASKING», Effort and Fees	
○	Subset need and criteria — random or by parameter (e.g. customer number, policy number, date range)	«MODULE — SECURE TEST DATA», Scope	
○	Synthetic data need — record counts, parent–child ratios; in the proposal «OPTIONAL» line	«MODULE — SECURE TEST DATA», Effort and Fees	
○	Consistency need — is the same value to be masked identically across systems (seed); tables that need consistency	«MODULE — MASKING», Approach	
○	Estimated total number of masking rules; fields that need special techniques (e.g. gender-consistent names, TCKN algorithm, date shift limit)	«MODULE — MASKING», ANNEX-1 — Accelerators	
○	Current practice — scripts, manual masking, another product; is synthetic data generated	Purpose, Assumptions and Out of Scope	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Test environment refresh frequency and time window; self-service request flow for test teams — in the proposal «OPTIONAL» line	«MODULE — SECURE TEST DATA», Deliverables and Acceptance	
○	Is masking needed during integration in data flows (ETL / integration); how many flows	«MODULE — MASKING», Scope	

Masking rule pre-view — from the masking rules document of A; one row is one field. Example: TCKN — key — unique, algorithm valid — yes — test, UAT.

#	FIELD	TECHNIQUE	CONSTRAINT	CONSISTENCY (SEED)	ENVIRONMENTS
1					
2					
3					
4					
5					

P6 · A·B·C · PLATFORM — On-prem or IDMC, Existing Licences and Catalogue

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides**	Scope «PLATFORM», Approach, Blocker Checklist	
○	Existing Informatica licences — PowerCenter, EDC, DPM, TDM / PDM, DDM, IDMC (IPU); version and support status	Scope, Assumptions and Out of Scope	
○	Existing catalogue — EDC, CDGC or another tool; are the classification results to be written there	Approach, Scope	
○	Server / environment — who provides the server, repository database and network access for the tool installation; when is it ready	Customer Responsibilities, Activities and Timeline	

Technology options — the product present at the customer is marked in the last column. The IDMC equivalents and product names are drafts; support status of the on-prem 10.x products «FIELD» (table as a whole). **«DAMALINK DOĞRULASIN»**

#	NEED	ON-PREM	IDMC	AT CUSTOMER
1	Discovery and classification	Data Privacy Management (DPM; formerly Secure@Source) / EDC data domains	CDGC data classification	
2	Persistent masking	Persistent Data Masking (PDM) / TDM	Cloud Data Masking (CDM)	
3	Test data subset / synthetic data	Test Data Management (TDM)	Cloud Test Data Management (CTDM)	
4	Dynamic masking	Dynamic Data Masking (DDM)	«FIELD»	
5	Archive	PDM Archive Accelerator (Damalink, on PDM) / Informatica Data Archive	«FIELD»	
6	Masking during integration	PowerCenter mapplets	IDMC mappings / mapplets	

P7 · B · SCHEDULE & INTEGRATION — Frequency, Triggering, REST API and Module Plan

DISCOVERY LAYER PACKS: Starter at least 50 data stores, Enterprise 100+ data stores; 5 / 10 / 20 discovery rules (Starter / Advanced / Enterprise); monthly scan; duration S / A / E 4 / 5 / 7 months. Damalink S / A / E ↔ Komtaş S / M / L. «DAMALINK DOĞRULASIN»

ACCEPTANCE (per module): B1 — scans run on the agreed data stores with the agreed rules; B2 — masked copies pass the rule checks (format, uniqueness, referential integrity, algorithm validity) on a sample of «NUMBER» records; B3 — the test environment is refreshed within the agreed window («NUMBER»). «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Discovery scan frequency — e.g. monthly; number of data stores for continuous scanning	«MODULE — DISCOVERY LAYER», Driver 6	
○	Masking and synthetic data run frequency — e.g. weekly; batch window	«MODULE — MASKING», «MODULE — SECURE TEST DATA», Activities and Timeline	
○	Actions on scan results — e-mail notification, custom script, protection job for automatic masking	«MODULE — DISCOVERY LAYER», Approach	
○	Triggering from external applications — scheduler, REST API; integration with non-Informatica systems	Scope, Assumptions and Out of Scope	
○	User management and privileges — LDAP, roles; monitoring of logs and error records	Customer Responsibilities, Approach	
○	Deployment coordination — release windows, change management (CAB) process	Activities and Timeline, Customer Responsibilities	
○	Will the customer's team (DBA, test, information security) take part in the modules; how many people	Team, Customer Responsibilities	

Module plan — from the output of A; one row is one module. In the proposal each selected module is its own block; the row and block of a module not selected are deleted.

#	MODULE (PROPOSAL BLOCK)	SCOPE (DATA STORES / ENVIRONMENTS)	RULES / FIELDS	DEPENDENCY	BAND
B1	«MODULE — DISCOVERY LAYER»				
B2	«MODULE — MASKING»				
B3	«MODULE — SECURE TEST DATA»			B2	

Band and Effort Calculation — Tier B

Completed after the answers are collected. In B the band sets the effort of both the foundation and each module; the foundation is added once, the modules as they are selected. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. Driver 6 counts only for the band of B1; the foundation, B2 and B3 are banded with drivers 1–5. «DAMALINK DOĞRULASIN»

CALIBRATION NOTE — DRAFT: the bands and efforts are not based on recorded Komtaş effort; they are calibrated to Damalink durations (Damalink DDL S / A / E 4 / 5 / 7 months → B1 S / M / L). Komtaş effort is not written into the proposal before the delivery team confirms it. The person-days and team size behind these durations are unknown. «DAMALINK DOĞRULASIN»

#	DRIVER	SMALL	MEDIUM	LARGE	RESULTING BAND
1	Databases / schemas to scan (P3)	≤ 10	11 – 50	> 50	
2	Sensitive data types (P4)	≤ 10	11 – 25	> 25	
3	Environments to mask (P5)	1 – 2	3 – 5	> 5	
4	Applications (P3)	≤ 5	6 – 20	> 20	
5	Data volume, TB (P3)	≤ 1	1 – 10	> 10	
6	Data stores for continuous discovery — B1 only (P7)	≤ 50	51 – 100	> 100	
	RESULT — foundation (once) + selected modules «DAMALINK DOĞRULASIN»	foundation ~20 pd + modules	foundation ~30 pd + modules	foundation ~45 pd + modules	

DAMALINK MAPPING: Starter ↔ S, Advanced ↔ M, Enterprise ↔ L. B1 corresponds to Damalink's DDL packs (DPM); B2 and B3 correspond to the STD package (TDM / PDM, PDM Automation Accelerator). «DAMALINK DOĞRULASIN»

Effort calculation — only the rows of the selected modules are filled in; effort = count × unit effort. The band from the driver table applies to every module; B1 takes its own band with driver 6.

#	ITEM	BAND	UNIT EFFORT	COUNT	EFFORT (pd)
1	Foundation — tool installation and configuration, rule library, naming standards, reference dictionaries (once)		S ~20 · M ~30 · L ~45 pd	1	
2	B1 — «MODULE — DISCOVERY LAYER» (duration S 4 · M 5 · L 7 months)		S ~60 · M ~80 · L ~120 pd		
3	B2 — «MODULE — MASKING»		S ~40 · M ~70 · L ~120 pd		
4	B3 — «MODULE — SECURE TEST DATA»		S ~30 · M ~50 · L ~90 pd		
	SUBTOTAL (rows 1–4)				
5	Dynamic masking («OPTIONAL», P5)	—	«NUMBER» pd		
6	Masking mapplets during integration — per data flow «DIGITALLENCY DOĞRULASIN» (P5)	—	«NUMBER» pd / flow		
7	Synthetic data / self-service request flow («OPTIONAL», P5)	—	«NUMBER» pd		
	TOTAL — foundation + modules + optional lines				

FORMULA — Total effort = foundation (once, value of the band) + Σ (selected module × module effort of the band) + optional lines. In the proposal the foundation and each module are separate lines.

ILLUSTRATION (invented counts, not customer data) — B2 + B3 in band M: foundation 30 pd + 70 + 50 = 120 pd. Total = 150 pd.

DURATION — the calendar duration of B1 is given by the band (S 4 · M 5 · L 7 months); the calendar duration of B2 and B3 is «NUMBER» weeks, set with the delivery team. Modules can run in parallel; B3 uses the masking rules of B2.

TEAM — Engagement lead · data security specialists (senior + specialist) · data engineer / Informatica developer · business analyst. Customer side: DPO / legal (policy), information security, data owners, DBAs, test managers. «DAMALINK DOĞRULASIN»

Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
1	KOMTAS-«CUSTOMER ABBREVIATION»-DPR-B-«YEAR»-«SEQUENCE»	Cover — proposal number	Proposal register sequence	
2	«dd Month yyyy» · «proposal date + 1 month» · «price validity date»	Cover, Commercial Terms	Send date + 1 month (P1); sales sets the price validity date	
3	«CUSTOMER CONTEXT» · «TRIGGER»	Purpose	P1 and P2 answers	
4	«PLATFORM»	Scope, Approach	P6 answer — on-prem Informatica or IDMC	
5	ANNEX-1 accelerator list	ANNEX-1 — Accelerators	Accelerators 1–4 and 6 stay; 4 according to the P5 answer	
6	«A REF»	Scope, Assumptions and Out of Scope	P2 — number and date of the A report or the equivalent analysis	
7	«MODULE — DISCOVERY LAYER» · «MODULE — MASKING» · «MODULE — SECURE TEST DATA»	Scope, Activities and Timeline, Effort and Fees	P2 module selection and P7 module plan; the block of a module not selected is deleted	
8	«NUMBER» databases · «NUMBER» data stores · «NUMBER» environments · «NUMBER» masking rules	Scope	P3–P7 answers	
9	«BAND» · foundation «NUMBER» pd · «NUMBER» pd per module · «NUMBER» weeks	Activities and Timeline, Team, Effort and Fees	B Effort Calculation, delivery team confirmation	
10	Foundation «fee» · «fee» per module · optional lines «fee»	Effort and Fees	Row 1, rows 2–4, rows 5–7; each a separate line	
11	Acceptance sample «NUMBER» records · refresh window «NUMBER»	Deliverables and Acceptance	P5 and P7 answers	
12	«day rate» · «%» · «amount»	Effort and Fees, Commercial Terms	Change requests at the day rate; sales sets the payment pattern	
13	Next step items	Next Step	Follow-on Interest table; no margin figures	
14	ANNEX-2 references table (anonymous)	ANNEX-2 — About Komtaş	The anonymous wording in the “IN THE PROPOSAL” column of the References table below; no customer name and no Damalink or Digitallency name are written.	
15	«full name» · «title» · «e-mail / phone» · «CITY»	Commercial Terms	Komtaş commercial and technical contact; city for free on-site meetings	

References — Source of ANNEX-2

In customer files (2, 4a / 4b / 4c) only the anonymous wording in the last column is written; Damalink, Digitallency and Yapı Kredi are not named; where a result is unknown, «RESULT» stays. The Damalink content dates from 2019–2021; Damalink work is not written as a Komtaş reference. «DAMALINK DOĞRULASIN» The Yapı Kredi HR reference is written anonymously in a customer file with one tag. «DIGITALLENCY DOĞRULASIN»

#	SOURCE (INTERNAL)	CONTENT	USE IN THE PROPOSAL	YEAR	IN THE PROPOSAL (ANONYMOUS)
1	Damalink — 05 Data Security Framework	DDA, DDL (DPM), STD (TDM / PDM) and DAL packages; question lists, BRD, sample analysis report, discovery and masking rules, PDM Automation and PDM Archive Accelerators; on-prem Informatica 10.2 / 10.4	Source of method and accelerators; not a reference	2019–2021	Not written (the method is described as the Komtaş approach)
2	Yapı Kredi	HR Data Integrations: KVKK classification, detection of sensitive data during integration, masking mapplets (Digitallency deck)	Reference; accelerator 4	«YEAR»	a private bank — HR data integrations (KVKK classification, masking during integration)

Service Selection Check

Before filling in the form, make sure that Tier B is the right service. One request can match more than one row.

STATUS	RIGHT SERVICE
Where sensitive data lies is not known; the inventory, classification, masking rules and B scope are to be established	A — Data Discovery Assessment
A or an equivalent analysis exists; continuous discovery, masking or secure test data is to be set up	B — Protect (foundation + modules)
A new module is to be added to an existing foundation	B module (foundation not counted again)
Retention-based archive, delete from source and restore are wanted	C1 — Archive
New source scans, rule maintenance and test data refreshes on the set-up environment are wanted	C2 — Run
A classification policy, data ownership, glossary or catalogue is wanted	data-governance
Governance of personal data in AI training data is wanted	AI Governance Readiness
Moving the data to the cloud is wanted	etl-migration-gcp / data-modernization (B2 Masking first)
VERBIS registration, privacy notices or consent texts are wanted	Out of scope (legal adviser)
IAM, DLP, network security or encryption key management is wanted	Out of scope

Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

#	FOLLOW-ON WORK	RELATED TRIGGER	INTEREST (YES / NO / LATER)	NOTE
1	Further B modules	Modules not selected, new systems		
2	C1 — Archive	Retention and destruction obligations		
3	C2 — Run	New sources, rule maintenance, test data refreshes		
4	data-governance	Need for a classification policy and ownership		
5	Cloud migration (etl-migration-gcp, data-modernization)	Moving to the cloud with masked data		
6	AI Governance Readiness	Personal data in AI training data		

COMMERCIAL FRAME — INTERNAL ONLY. This box and the names Damalink, Digitallency and Yapı Kredi are not written into the customer deck or the proposal.

The package pulls Informatica licences (on-prem DPM / TDM or IDMC). Recurring value lies in C2 Run. The package opens cloud migration work (etl-migration-gcp, data-modernization — masking before data moves to the cloud), data-governance (classification policy) and AI Governance Readiness.

The partnership model with Damalink is open («FIELD»). The PDM Automation Accelerator and the PDM Archive Accelerator are Damalink IP; usage terms «FIELD». Damalink's "60–70% faster implementation" claim is internal only; customer files carry no number until it is verified ("shorter implementation"). Damalink prices are not used. «DAMALINK DOĞRULASIN»

Evidence: Damalink "05 Data Security Framework" (DDA, DDL, STD, DAL; content 2019–2021, on-prem Informatica 10.2 / 10.4). The current support status of the on-prem 10.x products «FIELD». «DAMALINK DOĞRULASIN» Digitallency deck: Yapı Kredi HR Data Integrations (KVKK classification, detection of sensitive data during integration, masking mapplets). The year of the reference is unknown («YEAR»). «DIGITALLENCY DOĞRULASIN»

Blocker Checklist

These rows must be answered before proposal writing starts.

SECTION	BLOCKER QUESTION	ANSWERED?
P1	Full legal name of the customer and the short name used in the text; single company or group with subsidiaries	
P1	Is there an RFP, specification or requirements list; its number, response format and deadline	
P2	Has A (Data Discovery Assessment) been carried out, or is there an equivalent analysis (sensitive data inventory, discovery rules, masking rules, risk map)	
P2	Trigger — KVKK obligations, BDDK information systems and outsourcing rules, cloud migration, real data in test and development environments, an audit finding, follow-up of a data breach, data given to outsourced development teams, data subject requests	
P2	DPO / legal unit — who owns the classification policy and the masking decisions; is there a written classification policy	
P2	Which modules are wanted — «MODULE — DISCOVERY LAYER» · «MODULE — MASKING» · «MODULE — SECURE TEST DATA»; B + C together	
P3	Database types and versions — e.g. Oracle, SQL Server, DB2, PostgreSQL, Teradata; connection method (JDBC / ODBC / native)	
P3	Number of databases / schemas to scan and number of applications	
P3	Access to production data for discovery — read-only user, approval process and lead time; without access, is a masked or sample copy possible	
P4	Sensitive data types and number of fields to protect (from the output of A)	
P5	Environments to mask — test, development, UAT, training, analytics, copies given to outside teams; number of environments	
P6	Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides	

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold. A missing policy owner (DPO) cannot be covered by an assumption.

The first row of P2 has a special place: without A or an equivalent analysis no B proposal is written; if the customer still wants B, A is proposed first.

Blocking conditions and their effect on the proposal

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
1	No A or equivalent analysis	No B proposal is written	Propose A first; use form 3a	
2	No access to production data for discovery	The B1 scans and the B2 masking source cannot be written	Clarify the access method in P3	
3	No DPO / policy owner	The masking decisions and module acceptance cannot be written	Clarify the owner in P2	
4	No licence / technology decision	The foundation (tool installation) cannot be written	Clarify in P6	
5	No module selected	The module blocks cannot be written	Clarify in P2	