Archive & Run — Proposal Input Form

Information to be collected for two separate lines: C1 Archive (retention-based archive, delete and restore; one-time) and C2 Run (new source scans, rule maintenance, test data refreshes, monitoring; monthly). Sections follow the Proposal Set codes (P1, P2, P3, P6, P8, P9). Once the form is completed and returned, the proposal text (file 4c) is produced. Orange tags mark draft statements to be verified: the DAMALINK tag for the approach, phases, deliverables, durations, bands, roles, tools, accelerators, rule sets and efforts taken from the framework; the DIGITALLENCY tag only for the Yapı Kredi HR reference and the masking mapplets during integration. This form is for internal use; customer and partner names are not written into customer files.

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The "WHERE IT FILLS IN THE PROPOSAL" column of each row names the section or variable field of the proposal template (file 4c). This form uses the Proposal Set codes P1, P2, P3, P6, P8, P9; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is "not known", that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER C: C is two separate lines in the same proposal — C1 Archive (project, one-time fee) and C2 Run (monthly capacity hours). A new module or a new tool installation is not carried out from C2 capacity; it is a separate B proposal.

C1 ARCHIVE: retention-based archiving of relational records; optional delete from source and restore from the archive; multi-point filters; scheduling. It is based on the PDM Archive Accelerator (on-prem, on PDM, Damalink IP). «DAMALINK DOĞRULASIN» Usage terms «FIELD»; IDMC or another archive option «FIELD».

C2 ACTIVITIES: scanning and classifying new sources; rule maintenance; test data refreshes; monitoring; monthly report. «DAMALINK DOĞRULASIN»

C2 CAPACITY AND TERM: monthly S 40 h · M 80 h · L 160 h; minimum term 12 months (draft); unused hours are not carried over to the next month; work above capacity at the «hour rate». «DAMALINK DOĞRULASIN»

OUT OF SCOPE: a new module or tool installation; KVKK legal consultancy (VERBIS, privacy notice and consent texts); legal determination of retention periods; IAM, DLP, encryption key management; licence procurement. «DAMALINK DOĞRULASIN»

TECHNOLOGY RULE: the technology choice is a scope item («PLATFORM») — on-prem Informatica (DPM, PDM / TDM, DDM) or IDMC (CDGC data classification, Cloud Data Masking, Cloud Test Data Management). The Damalink content is based on on-prem 10.x versions; the IDMC equivalents are drafts. «DAMALINK DOĞRULASIN»

BOUNDARY — data-governance: the classification policy, data ownership, glossary and catalogue belong to the data-governance framework. If the customer has a CDGC / EDC catalogue, the classification results are written there; no second catalogue is built.

P1 · A·B·C · IDENTITY — Customer and Proposal Details

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Full legal name of the customer and the short name used in the text; single company or group with subsidiaries**	Cover «CUSTOMER NAME», text «CUSTOMER»	
○	Companies in scope — group companies, subsidiaries; is each a separate data controller; for a single company the row is deleted	Cover «GROUP COMPANIES», Scope	
○	Reason for the request and context — for the one-paragraph context	Purpose «CUSTOMER CONTEXT»	
○	Is there an RFP, specification or requirements list; its number, response format and deadline	Structure and response format of the proposal	
○	Proposal addressee — name, title, unit; proposal date and expected decision date	Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month»	
○	Procurement process, approved budget and expected invoice payment term; is monthly invoicing accepted; is a supplier assessment (information security) required	Effort and Fees, Commercial Terms «NUMBER» days payment term	
○	Are there competitors, and who (another Informatica partner, another masking / test data product, the customer's own team or scripts)	Emphasis and section weights	

P2 · A·B·C · DECISION — Trigger, Sector, Tier, Sponsor and DPO

> For environments Komtaş did not set up, an onboarding review is carried out before C2 starts; effort «NUMBER» pd, written as a separate item. «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Source of the need — the environment Komtaş set up in B, the customer's own set-up, or a set-up taken over from another partner**	Scope «A REF», Purpose, Assumptions and Out of Scope	
●	**Which lines are wanted — C1 Archive, C2 Run or both**	Scope, Effort and Fees, Service Selection Check	
●	**Trigger — KVKK obligations, BDDK information systems and outsourcing rules, cloud migration, real data in test and development environments, an audit finding, follow-up of a data breach, data given to outsourced development teams, data subject requests** «DAMALINK DOĞRULASIN»	Purpose «CUSTOMER CONTEXT» · «TRIGGER»	
●	**DPO / legal unit — who owns the classification policy and the masking decisions; is there a written classification policy**	Customer Responsibilities, Approach, Blocker Checklist	
○	Sponsor and decision maker — CISO / information security, DPO, CIO, test management; who makes the proposal decision, and by what date	Team, Customer Responsibilities, Commercial Terms	
○	Requested start date — end of the B handover or end of the existing support contract	Activities and Timeline, Commercial Terms	

P3 · A·B·C · LANDSCAPE — Databases, Versions, File Servers, Big Data, Mainframe and Cloud

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Database types and versions — e.g. Oracle, SQL Server, DB2, PostgreSQL, Teradata; connection method (JDBC / ODBC / native)**	Driver 1, Scope	
○	Number of databases / schemas and applications in the environment (from the output of B); those in archive scope	Driver 1, Driver 4, Scope	
○	File servers (SFTP, SMB, local) and file formats; big data distribution; mainframe (Db2 z/OS, VSAM)	Scope, Assumptions and Out of Scope	
○	Data stores in the cloud — which services; cloud migration plan	Scope, Next Step	
○	Environments — production, test, development, UAT, training, analytics; is there real data in each	Driver 3, Scope	
○	Data volume (TB) and record counts — the largest tables	Driver 5, Scope	
●	**Permissions on production databases for the archive — truncate, update, temp tables, index drop; DBA approval**	Customer Responsibilities, Assumptions and Out of Scope, Blocker Checklist	

System inventory — the databases in archive and operations scope. One row is one database.

#	SYSTEM / DATABASE	TYPE AND VERSION	SCHEMAS / TABLES	VOLUME (TB)	OWNER / DBA
1					
2					
3					
4					
5					

P6 · A·B·C · PLATFORM — On-prem or IDMC, Existing Licences and Catalogue

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides	Scope «PLATFORM», Approach	
○	Existing Informatica licences — PowerCenter, EDC, DPM, TDM / PDM, DDM, IDMC (IPU); version and support status	Scope, Assumptions and Out of Scope	
○	Existing catalogue — EDC, CDGC or another tool; are the classification results to be written there	Approach, Scope	
○	Server / environment — who provides the server, repository database and network access for the tool installation; when is it ready	Customer Responsibilities, Activities and Timeline	
●	**Is PDM in place for the archive (prerequisite of the PDM Archive Accelerator); if not, IDMC or another archive option («FIELD»)**	C1 Archive line, Blocker Checklist	

Technology options — the product present at the customer is marked in the last column. The IDMC equivalents and product names are drafts; support status of the on-prem 10.x products «FIELD» (table as a whole). **«DAMALINK DOĞRULASIN»**

#	NEED	ON-PREM	IDMC	AT CUSTOMER
1	Discovery and classification	Data Privacy Management (DPM; formerly Secure@Source) / EDC data domains	CDGC data classification	
2	Persistent masking	Persistent Data Masking (PDM) / TDM	Cloud Data Masking (CDM)	
3	Test data subset / synthetic data	Test Data Management (TDM)	Cloud Test Data Management (CTDM)	
4	Dynamic masking	Dynamic Data Masking (DDM)	«FIELD»	
5	Archive	PDM Archive Accelerator (Damalink, on PDM) / Informatica Data Archive	«FIELD»	
6	Masking during integration	PowerCenter mapplets	IDMC mappings / mapplets	

P8 · C · ARCHIVE — Retention Rules, Delete / Restore and Filters

PDM ARCHIVE ACCELERATOR (accelerator 5): a packaged application on Informatica PDM; detects tables with records to archive / delete; respects physical and logical constraints; flow Define → Generate → Import → Archive-Delete → Restore; scheduling, alerts per step, logs, user authorisation. It is not the Informatica ILM product. **«DAMALINK DOĞRULASIN»**

ACCEPTANCE (C1): the archive and restore test passed on the agreed tables; if delete is on, the number of records deleted at source matches the number in the archive. **«DAMALINK DOĞRULASIN»**

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Systems, environments and number of tables in archive scope; are an ER diagram and documentation available**	C1 Archive line, Scope	
●	**Retention rules — retention period per table or entity; who sets the periods (legal / DPO)**	C1 Archive line, Customer Responsibilities, Blocker Checklist	
○	Is delete from source required; need and frequency of restore from the archive	C1 Archive line, Deliverables and Acceptance	
○	Archive target — separate archive database / schema; owner of the storage environment	Scope, Customer Responsibilities	
○	Filters — multi-point criteria such as date, status, product; physical and logical constraints	Approach, Assumptions and Out of Scope	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Archive run frequency and window; alerts per step	Activities and Timeline	
○	Destruction policy — is data past its retention period destroyed under the customer's policy; does it apply inside the archive too	Assumptions and Out of Scope	

P9 · C · OPERATIONS — New Sources, Rule Maintenance, Capacity, Support Hours and Term

> The price of C2 is the monthly capacity in hours. Capacity is set by the band from the database, data type, environment, application and volume drivers.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Expected new sources / data stores per month — scanning and classification need**	C2 Run line, Effort and Fees	
○	Number of sensitive data types and masking rules in operation; expected rule changes per month	Driver 2, Scope	
○	Test data refresh frequency and number of masked environments	Driver 3, Scope	
○	Monitoring and monthly report expectations — scan results, risk score, masking jobs	Deliverables and Acceptance	
○	Monthly capacity — S / M / L (from the band estimate)	Effort and Fees	
○	Term — minimum 12 months is a draft	Commercial Terms	
○	Expected support hours and response time; ticketing tool	Commercial Terms «SUPPORT HOURS», Customer Responsibilities	
○	The customer's own team and the split of responsibilities (RACI); owner of tool and server operation	Customer Responsibilities	

Band Estimate — Tier C

Completed after the answers are collected. In C the band gives the effort of C1 and the monthly capacity of C2. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. **«DAMALINK DOĞRULASIN»**

CALIBRATION NOTE — DRAFT: the bands and efforts are not based on recorded Komtaş effort; they are calibrated to Damalink durations (Damalink DAL and DDL durations → C1 and C2 draft). Komtaş effort is not written into the proposal before the delivery team confirms it. The person-days and team size behind these durations are unknown. **«DAMALINK DOĞRULASIN»**

#	DRIVER	SMALL	MEDIUM	LARGE	RESULTING BAND
1	Databases / schemas to scan (P3)	≤ 10	11 – 50	> 50	
2	Sensitive data types (P9)	≤ 10	11 – 25	> 25	
3	Environments to mask (P9)	1 – 2	3 – 5	> 5	
4	Applications (P3)	≤ 5	6 – 20	> 20	
5	Data volume, TB (P3)	≤ 1	1 – 10	> 10	
	RESULT — C1 effort (one-time) and C2 monthly capacity **«DAMALINK DOĞRULASIN»**	C1 ~30 pd · C2 40 h / month	C1 ~50 pd · C2 80 h / month	C1 ~80 pd · C2 160 h / month	

> DAMALINK MAPPING: Starter ↔ S, Advanced ↔ M, Enterprise ↔ L. C1 is based on Damalink's DAL package (PDM Archive Accelerator); the C2 capacity is banded by the monthly scan rhythm of the DDL and the number of masked environments. **«DAMALINK DOĞRULASIN»**

C calculation — two separate lines; in the proposal C1 Archive is a one-time fee and C2 Run a monthly fee. Only the requested line is filled in.

#	LINE	BAND	UNIT	COUNT / MONTHS	VALUE
C1	C1 Archive — retention-based archive, delete / restore, filters, scheduling (one-time)		S ~30 · M ~50 · L ~80 pd	1	
C2	C2 Run — new source scans, rule maintenance, test data refresh, monitoring, monthly report (monthly)		S 40 · M 80 · L 160 h / month	«NUMBER» months	
	Onboarding review — environments Komtaş did not set up (P2)	—	«NUMBER» pd		

TEAM — C1: data security specialist + Informatica developer; C2: Run lead + data security specialist. Customer side: DPO / legal, information security, data owners, DBAs, test managers. «DAMALINK DOĞRULASIN»

CONDITIONS — unused hours are not carried over to the next month; work above capacity is invoiced at the «hour rate» with the customer's approval; a new module is not carried out from the capacity, a separate B proposal is written; the monthly report shows how the capacity was used.

Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
1	KOMTAS-«CUSTOMER ABBREVIATION»-DPR-C-«YEAR»-«SEQUENCE»	Cover — proposal number	Proposal register sequence	
2	«dd Month yyyy» · «proposal date + 1 month» · «price validity date»	Cover, Commercial Terms	Send date + 1 month (P1); sales sets the price validity date	
3	«CUSTOMER CONTEXT» · «TRIGGER»	Purpose	P1 and P2 answers	
4	«PLATFORM»	Scope, Approach	P6 answer — on-prem Informatica or IDMC	
5	ANNEX-1 accelerator list	ANNEX-1 — Accelerators	Accelerators 5 (C1) and 2, 3 (C2) stay	
6	«A REF»	Scope	P2 — source of the environment; deleted if Komtaş did not set it up	
7	C1 Archive line · «BAND» · «NUMBER» pd	Scope, Effort and Fees	Band estimate, P8; deleted if not requested	
8	C2 Run line · «BAND» · «NUMBER» h / month · «NUMBER» months	Effort and Fees, Commercial Terms	Band estimate, P9; deleted if not requested	
9	«SUPPORT HOURS»	Commercial Terms	P9 — support hours and response time	
10	C1 «fee» · «monthly fee» · «hour rate» · «day rate» · onboarding «fee»	Effort and Fees	C1 one-time; C2 monthly capacity × hour rate; work above capacity at the hour rate; onboarding review as a separate item (P2)	
11	Next step items	Next Step	Follow-on Interest table; no margin figures	
12	ANNEX-2 references table (anonymous)	ANNEX-2 — About Komtaş	The anonymous wording in the "IN THE PROPOSAL" column of the References table below; no customer name and no Damalink or Digitallency name are written.	
13	«full name» · «title» · «e-mail / phone» · «CITY»	Commercial Terms	Komtaş commercial and technical contact; city for free on-site meetings	

References — Source of ANNEX-2

In customer files (2, 4a / 4b / 4c) only the anonymous wording in the last column is written; Damalink, Digitallency and Yapı Kredi are not named; where a result is unknown, «RESULT» stays. The Damalink content dates from 2019–2021; Damalink work is not written as a Komtaş reference. **«DAMALINK DOĞRULASIN»** The Yapı Kredi HR reference is written anonymously in a customer file with one tag. **«DIGITALLENCY DOĞRULASIN»**

#	SOURCE (INTERNAL)	CONTENT	USE IN THE PROPOSAL	YEAR	IN THE PROPOSAL (ANONYMOUS)
1	Damalink — 05 Data Security Framework	DDA, DDL (DPM), STD (TDM / PDM) and DAL packages; question lists, BRD, sample analysis report, discovery and masking rules, PDM Automation and PDM Archive Accelerators; on-prem Informatica 10.2 / 10.4	Source of method and accelerators; not a reference	2019–2021	Not written (the method is described as the Komtaş approach)
2	Yapı Kredi	HR Data Integrations: KVKK classification, detection of sensitive data during integration, masking mapplets (Digitallency deck)	Reference; accelerator 4	«YEAR»	a private bank — HR data integrations (KVKK classification, masking during integration)

Service Selection Check

Before filling in the form, make sure that Tier C is the right service. One request can match more than one row.

STATUS	RIGHT SERVICE
Where sensitive data lies is not known; the inventory, classification, masking rules and B scope are to be established	A — Data Discovery Assessment
A or an equivalent analysis exists; continuous discovery, masking or secure test data is to be set up	B — Protect (foundation + modules)
A new module is to be added to an existing foundation	B module (foundation not counted again)
Retention-based archive, delete from source and restore are wanted	C1 — Archive
New source scans, rule maintenance and test data refreshes on the set-up environment are wanted	C2 — Run
A classification policy, data ownership, glossary or catalogue is wanted	data-governance
Governance of personal data in AI training data is wanted	AI Governance Readiness
Moving the data to the cloud is wanted	etl-migration-gcp / data-modernization (B2 Masking first)
VERBIS registration, privacy notices or consent texts are wanted	Out of scope (legal adviser)
IAM, DLP, network security or encryption key management is wanted	Out of scope

Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

#	FOLLOW-ON WORK	RELATED TRIGGER	INTEREST (YES / NO / LATER)	NOTE
1	Further B modules	Need for Discovery Layer, Masking or Secure Test Data		
2	data-governance	Need for a classification policy and ownership		
3	Cloud migration (etl-migration-gcp, data-modernization)	Moving to the cloud with masked data		
4	AI Governance Readiness	Personal data in AI training data		

COMMERCIAL FRAME — INTERNAL ONLY. This box and the names Damalink, Digitallency and Yapı Kredi are not written into the customer deck or the proposal.

The package pulls Informatica licences (on-prem DPM / TDM or IDMC). Recurring value lies in C2 Run. The package opens cloud migration work (etl-migration-gcp, data-modernization — masking before data moves to the cloud), data-governance (classification policy) and AI Governance Readiness.

The partnership model with Damalink is open («FIELD»). The PDM Automation Accelerator and the PDM Archive Accelerator are Damalink IP; usage terms «FIELD». Damalink's "60–70% faster implementation" claim is internal only; customer files carry no number until it is verified ("shorter implementation"). Damalink prices are not used. **«DAMALINK DOĞRULASIN»**

Evidence: Damalink "05 Data Security Framework" (DDA, DDL, STD, DAL; content 2019–2021, on-prem Informatica 10.2 / 10.4). The current support status of the on-prem 10.x products «FIELD». **«DAMALINK DOĞRULASIN»** Digitallency deck: Yapı Kredi HR Data Integrations (KVKK classification, detection of sensitive data during integration, masking mapplets). The year of the reference is unknown («YEAR»). **«DIGITALLENCY DOĞRULASIN»**

Blocker Checklist

These rows must be answered before proposal writing starts.

SECTION	BLOCKER QUESTION	ANSWERED?
P1	Full legal name of the customer and the short name used in the text; single company or group with subsidiaries	
P2	Source of the need — the environment Komtaş set up in B, the customer's own set-up, or a set-up taken over from another partner	
P2	Which lines are wanted — C1 Archive, C2 Run or both	
P2	Trigger — KVKK obligations, BDDK information systems and outsourcing rules, cloud migration, real data in test and development environments, an audit finding, follow-up of a data breach, data given to outsourced development teams, data subject requests	
P2	DPO / legal unit — who owns the classification policy and the masking decisions; is there a written classification policy	
P3	Database types and versions — e.g. Oracle, SQL Server, DB2, PostgreSQL, Teradata; connection method (JDBC / ODBC / native)	
P3	Permissions on production databases for the archive — truncate, update, temp tables, index drop; DBA approval	
P6	Is PDM in place for the archive (prerequisite of the PDM Archive Accelerator); if not, IDMC or another archive option («FIELD»)	
P8	Systems, environments and number of tables in archive scope; are an ER diagram and documentation available	
P8	Retention rules — retention period per table or entity; who sets the periods (legal / DPO)	
P9	Expected new sources / data stores per month — scanning and classification need	

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold. A missing policy owner (DPO) cannot be covered by an assumption.

The retention row of P8 and the first row of P9 have a special place: without retention rules C1 cannot be written, and without the expected volume of sources the C2 capacity cannot be written.

Blocking conditions and their effect on the proposal

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
1	Environment not set up by Komtaş	An onboarding review precedes C2	Clarify the source in P2	
2	No access to production data for discovery	The archive cannot run on the production databases	Clarify the permissions in P3	
3	No DPO / policy owner	Retention rules cannot be set; C1 cannot be written	Clarify the owner in P2	
4	No licence / technology decision	The archive tool for C1 cannot be set	Clarify in P6	
5	Expected volume of new sources not known	C2 capacity cannot be written	Clarify in P9	