«CUSTOMER NAME»
«GROUP COMPANIES»

Data Privacy & Test Data (KVKK) · Service A

Data Discovery Assessment

Technical and Commercial Proposal

Discovery and classification of sensitive data, risk map, draft masking rule catalogue, target architecture and roadmap for the data stores of «CUSTOMER»

Proposal No: KOMTAS-«CUSTOMER ABBREVIATION»-DPR-A-«YEAR»-«SEQUENCE»

Proposal Date: «dd Month yyyy»

Validity: «proposal date + 1 month»

VARIABLE GLOSSARY — in this template only the fields inside « » change per customer. All other text is fixed.

Identity: «CUSTOMER» short customer name used in the text · «CUSTOMER NAME» full legal name (cover) · «GROUP COMPANIES» group companies in scope; delete the line for a single company · «CUSTOMER ABBREVIATION» short code in the proposal number · «YEAR» year (proposal number; year of a reference project) · «SEQUENCE» proposal sequence number · «dd Month yyyy» proposal date · «proposal date + 1 month» end of validity · «price validity date» latest start date for which the fees stay valid

Context: «CUSTOMER CONTEXT» one paragraph: sector, main applications and databases, non-production environments (test, development, outsourced teams), current practice for personal data outside production, reason for the request · «TRIGGER» reason for the work (e.g. KVKK requirements, an audit finding, real personal data in test environments, a planned move of data to the cloud, data given to outsourced development teams, follow-up of a data breach, data subject requests)

Scope: «PLATFORM» technology option chosen for the work: on-premises Informatica products or Informatica IDMC (cloud); see the technology options table · «BAND» sizing band S, M or L from the proposal input form

Commercial: «OPTIONAL» item kept or deleted by sales; if kept, delete the marker · «fee» fee excl. VAT · «amount» payment amount excl. VAT · «day rate» person-day rate (change requests) · «CITY» city where on-site meetings are free of charge

Values: «NUMBER» numeric value (count, sample size, days, weeks, months, hours) · «%» percentage (payment rate, match threshold) · «FIELD» free text (e.g. names of applications or data stores, a product name, a term agreed separately)

Annex: «REFERENCE PROJECT» further reference project approved for this proposal (no names without permission); otherwise delete the row · «RESULT» measured result of a reference project, only if measured and approved for use; otherwise delete the line

Contacts: «full name» contact name · «title» contact title · «e-mail / phone» contact details

Markers: «OPTIONAL» items are kept or deleted by sales. The orange DAMALINK DOĞRULASIN and DIGITALLENCY DOĞRULASIN tags mark draft statements to be verified before use. FILL NOTE boxes are internal and are deleted before sending.

Contents

FILL NOTE — this template is for service A (Data Discovery Assessment) of the Data Privacy & Test Data (KVKK) package. Sensitive data in the data stores of «CUSTOMER» is discovered on a sample, classified and mapped to the environments; nothing is masked in production or test. Service B is proposed on the basis of the results.

Technology option: the work is carried out either with on-premises Informatica products or with Informatica IDMC (cloud); the choice is a scope item («PLATFORM», Table 6). Licences are not part of this proposal. Product names and versions are confirmed with the licence position of «CUSTOMER» before sending.

Statements followed by an orange tag are draft assumptions of the package and are verified before the template is used. DAMALINK DOĞRULASIN: approach, phases, durations, effort, bands, roles, tools and their IDMC equivalents, accelerators, discovery and masking rules, acceptance criteria. DIGITALLENCY DOĞRULASIN: the private bank reference and the integration-time masking mapplets. After verification only the tag is deleted. No proposal is sent with a tag in it.

Order of completion: sizing values and band from the proposal input form (Table 4) → «PLATFORM» (Table 6) → sample size and match threshold (Section 3.2) → timeline (Section 4.2) → effort and fees (Section 9) → Annex 2 → remaining « » fields. No commercial figures other than the fees in Section 9 are written into this proposal.

1. Purpose

1.1 Background and Aim

«CUSTOMER CONTEXT»

The aim of this proposal is to establish where personal and other sensitive data is held in the data stores of «CUSTOMER», which class it belongs to, in which environments copies of it exist and how it can be protected. The reason for the work is «TRIGGER».

The assessment answers five questions: where is the sensitive data, is it protected, is it classified and governed, is there sensitive data that nobody knows of (dark data), and which masking rules apply to it. «DAMALINK DOĞRULASIN»

1.2 External Triggers

The work is usually started by one or more of the triggers below. The legal assessment of each obligation remains with «CUSTOMER».

Trigger	What It Requires from the Data
KVKK	Personal data and special categories of personal data known by location; processed only as far as needed; retained and destroyed by defined periods «DAMALINK DOĞRULASIN»
Rules for banks (BDDK)	Control of data in information systems and of data given to service providers
Move to the cloud	Data masked before it leaves for cloud or test environments
Real data in test and development	Non-production copies without real personal data, with formats and relationships kept
Audit findings	Evidence of where sensitive data is and how it is protected
Data breach follow-up	Fast answer to which data, of whom, is held where
Outsourced development teams	Data given to third parties masked or reduced to a subset
Data subject requests	Finding one person across all systems

Table 1 — External triggers.

1.3 Service Structure

The package is offered as three services. This proposal covers service A.

Service	Focus	Result	Pricing
A — Data Discovery Assessment	Discovery and classification of sensitive data, risk map, draft masking rule catalogue, target architecture and roadmap; 4 to 8 weeks «DAMALINK DOĞRULASIN»	Sensitive data inventory, rules, roadmap and estimate for B	Fixed fee
B — Protect	Foundation once; modules Discovery Layer, Masking and Secure Test Data	Continuous discovery, masked non-production copies, secure test data	Foundation once + fee per module
C — Archive & Run	C1 Archive (one-time): retention-based archiving, delete and restore. C2 Run (monthly): new sources, rule maintenance, test data refreshes, monitoring, monthly report	Records past their retention period archived; protection kept current	C1 fixed fee; C2 monthly fee

Table 2 — Service structure. This proposal covers service A.

At the end of the work, «CUSTOMER» has an inventory of its sensitive data by data store, table and column, a classification of the findings, a risk map, discovery and masking rule documents, a high-level target architecture, and a roadmap with an estimate for service B.

2. Scope

2.1 Scope Topics

The assessment covers the topics below. «DAMALINK DOĞRULASIN»

#	Topic	Content
1	Requirements and sources	Purpose and scope, business and technical requirements, data stores in scope, access, set-up of the discovery tool for the assessment
2	Profiling and discovery	Discovery on the content of the data and on the column names, column profiling, analysis of relationships, entities and groups
3	Classification and risk map	Findings classified as PII, PCI or PHI and mapped to the KVKK categories; risk per data store by data, environment and access
4	Masking rule catalogue draft	Masking technique and constraints per sensitive field
5	Target architecture, roadmap and estimate for B	On-premises or IDMC architecture, modules of service B, order, effort and duration

Table 3 — Scope topics.

2.2 Scope Size

Sizing Input	Value	Source
Databases / schemas to scan	«NUMBER»	Statement of «CUSTOMER»
Sensitive data types	«NUMBER»	Statement of «CUSTOMER»
Environments to mask later	«NUMBER»	Statement of «CUSTOMER»
Applications	«NUMBER»	Statement of «CUSTOMER»
Data volume (TB)	«NUMBER»	Statement of «CUSTOMER»

Table 4 — Values on which sizing is based. Band: «BAND». The values are statements and are checked in P0.

FILL NOTE — take the values and the band from the proposal input form (data-privacy-3a-assessment-girdi-formu). Draft band drivers:

Databases / schemas: S ≤10 · M 11–50 · L >50. Sensitive data types: S ≤10 · M 11–25 · L >25. Environments to mask: S 1–2 · M 3–5 · L >5. Applications: S ≤5 · M 6–20 · L >20. Data volume: S ≤1 TB · M 1–10 TB · L >10 TB. Band rule: the highest band reached by at least three drivers. «DAMALINK DOĞRULASIN»

2.3 Classification

Findings are classified in three classes and mapped to the KVKK categories as below. The classification policy, including any further class, is set by the data protection officer and the legal function of «CUSTOMER»; this work applies it.

Class	Typical Data	KVKK Category
PII	Name, surname, Turkish ID number (TCKN), tax number (VKN), phone, e-mail, address, date of birth	Personal data «DAMALINK DOĞRULASIN»
PCI	Card number, IBAN and other payment data	Personal data
PHI	Health data	Special category of personal data
Further classes	«FIELD»	As set by the classification policy of «CUSTOMER»

Table 5 — Classification classes and KVKK categories. The classification policy is set by «CUSTOMER».

2.4 Technology Options

The assessment and the later protection can be carried out with on-premises Informatica products or with Informatica IDMC. The option is chosen with «CUSTOMER» in P0 and confirmed in the target architecture (P4).

Need	On-premises (Informatica)	IDMC (cloud)
Discovery and classification	Data Privacy Management (formerly Secure@Source) / Enterprise Data Catalog data domains	Cloud Data Governance and Catalog (CDGC) data classification «DAMALINK DOĞRULASIN»
Persistent masking	Persistent Data Masking (PDM) / Test Data Management (TDM)	Cloud Data Masking (CDM)
Test data subset and synthetic data	Test Data Management (TDM)	Cloud Test Data Management (CTDM)
Dynamic masking	Dynamic Data Masking (DDM)	«FIELD»
Archive	Archive accelerator on PDM (Annex 1, accelerator 5) / Informatica Data Archive	«FIELD»
Masking during integration	PowerCenter mapplets	IDMC mappings / mapplets

Table 6 — Technology options. Option chosen: «PLATFORM».

2.5 Boundaries to Other Services

- **Data Governance:** the classification policy, data ownership, the business glossary and the data catalogue belong to the Data Governance service. This package turns the policy into technical protection. If a catalogue is in operation (for example CDGC or Enterprise Data Catalog), the classification results are written to it; no second catalogue is built.
- **AI Governance Readiness:** the use of personal data in AI training data is assessed in the AI Governance Readiness service; this package supplies the masking and anonymisation technique.
- **Cloud migration:** moving data and data flows to the cloud is the subject of the Data Modernization and ETL Modernization on Google Cloud services. This package masks the data before it leaves for the cloud or for test environments.
- **Legal advice:** the package is technical. KVKK legal advice (for example VERBIS registration, privacy notices and consent texts) is not provided.

3. Approach

3.1 Approach Steps

The package follows six steps: Access → Discover → Classify → Analyze → Protect → Manage. Service A covers the first four steps and designs the last two: «DAMALINK DOĞRULASIN»

- **Access:** connections to the data stores in scope (relational databases, mainframe, big data, files).
- **Discover:** rules on the data and on the metadata, and column profiling.
- **Classify:** PII, PCI and PHI, mapped to the KVKK categories under the policy of «CUSTOMER».
- **Analyze:** relationships, entities and groups; risk per data store; masking rule per field.

- **Protect and Manage:** designed in the target architecture and carried out in services B and C.

3.2 Discovery Method

Discovery runs on the content of the data and on the column names. For each table a sample of «NUMBER» records is read (for example the first 100,000), and a column is reported as matching a rule when at least «%» of the sampled values match it (for example 30%). Per column, the analysis report gives the rule, the matching record count, the match percentage, the column-name match, the null ratio and the class. «DAMALINK DOĞRULASIN»

The discovery uses the rule set and the Turkish reference dictionaries of accelerator 2 (Annex 1); further rules required by «CUSTOMER» are added in P0. Each matching column is then profiled: unique and null values, fill rate, minimum and maximum, most frequent values and patterns.

3.3 Relationships, Entities and Groups

Relationships that are not physically defined in the databases are found through primary key and foreign key analysis on the data. Related tables that are masked together are designed as entities with subset criteria; lookup and parameter tables are designed as groups without subset. The entity analysis starts from the largest tables (for example the ten largest), the tables in entities are kept to a small share of all tables (for example no more than 10%), and the business owners are consulted where relationships are unclear. «DAMALINK DOĞRULASIN»

3.4 Classification and Risk Map

The risk map combines three views per data store: which sensitive data it holds (class and volume), in which environments copies of it exist (production, test, development, outsourced teams, cloud) and who has access to it. The result is a risk score per data store and the order of protection for service B. «DAMALINK DOĞRULASIN»

3.5 Masking Rule Catalogue Draft

For each sensitive field, the masking rules document gives the technique and the constraints that the masked value has to meet. It starts from the masking rule catalogue (accelerator 3, Annex 1). Typical choices are:

Technique	Typical Fields	Constraint Example
Substitution	First name, surname, address, city and district	Values from reference dictionaries; names consistent with gender; district consistent with city «DAMALINK DOĞRULASIN»
Key with seed	Identifiers used in several tables	The same seed gives the same masked value in every table
Algorithmic	TCKN, VKN, card number	Masked value is unique and passes the checksum of its type
Date shift	Date of birth and other dates	Shift within «NUMBER» days (for example 365)
Expression	Values shown partly	Only agreed characters kept (for example A***t)
Nullification or random	Fields not needed in test	Format of the column kept
Encryption	Values that authorised users must be able to reverse	Key management by «CUSTOMER»

Table 7 — Masking techniques and constraints.

3.6 Target Architecture, Roadmap and Estimate for B

The high-level target architecture gives the products of the chosen option («PLATFORM»), the inbound and outbound flows, the data flow from production to the non-production environments and the integration method. The roadmap selects the modules of service B (Discovery Layer, Masking, Secure Test Data), orders them by the risk map and gives the foundation and the module effort, duration and team. «DAMALINK DOĞRULASIN»

Where sensitive data moves between systems through data integration flows, the roadmap also states whether the integration-time masking mapplets (accelerator 4, Annex 1) are used. «DIGITALLENCY DOĞRULASIN»

4. Activities and Timeline

4.1 Phases

The work is carried out in five phases. Each phase has a written exit criterion. «DAMALINK DOĞRULASIN»

Phase	Activities	Exit Criterion
P0 Initiate	Purpose and scope, business and technical requirements, data stores, access, set-up of the discovery tool for the assessment, sample size and threshold	Business requirement document approved; access and tool ready
P1 Profile and discover	Discovery on data and column names, profiling, relationship, entity and group analysis	Discovery results presented
P2 Classify and risk map	Classification under the policy of «CUSTOMER», sensitive data inventory, risk map	Inventory and risk map reviewed with the data protection officer and information security
P3 Masking rule catalogue	Technique and constraints per sensitive field; discovery and masking rule documents	Rule documents reviewed with the data owners
P4 Target architecture and roadmap	High-level architecture, modules of service B, order, effort, results presentation	Results presented; deliverables handed over

Table 8 — Phases and exit criteria.

4.2 Timeline

FILL NOTE — the duration follows the band in Section 9. Draft distribution of the weeks for band M (6 weeks): P0 1 · P1 2 · P2 1 · P3 1 · P4 1 weeks. «DAMALINK DOĞRULASIN»

Phase	Work Step	Weeks
P0	Initiate	«NUMBER»
P1	Profile and discover	«NUMBER»
P2	Classify and risk map	«NUMBER»
P3	Masking rule catalogue	«NUMBER»
P4	Target architecture and roadmap	«NUMBER»
	Total	«NUMBER»

Table 9 — Distribution of the weeks. Band: «BAND».

The timeline applies provided the assumptions in Section 7 hold. Delays in access to the data stores or in the availability of the data owners move the timeline by the same amount.

5. Deliverables and Acceptance

5.1 Deliverables

Documents are delivered in Turkish, in editable format (Microsoft Word / Excel / PowerPoint) together with a PDF copy. The discovery results stay in the environment of «CUSTOMER».

#	Deliverable	Phase	Content
D1	Business requirement document	P0	Purpose, scope, requirements, data stores, sample and threshold «DAMALINK DOĞRULASIN»
D2	Discovery analysis report	P1	Results per column, profiling, relationships, entities and groups
D3	Discovery rules document	P1	Data and column-name rules used, with thresholds
D4	Sensitive data inventory	P2	Sensitive data by data store, table and column, with class and KVKK category
D5	Risk map	P2	Risk score per data store by data, environment and access
D6	Masking rules document	P3	Technique and constraints per sensitive field
D7	High-level architecture	P4	Products, flows and integration method of the chosen option
D8	Roadmap and estimate for service B	P4	Modules, order, foundation and module effort, duration, team and assumptions
D9	Results presentation	P4	Summary of D1 – D8 for management

Table 10 — Deliverables.

5.2 Acceptance

Deliverable	Acceptance Criterion
Sensitive data inventory and risk map	Every data store named by «CUSTOMER» in P0 scanned on the agreed sample, or recorded with the reason why it was not scanned; each finding given with its class «DAMALINK DOĞRULASIN»
Discovery and masking rule documents	Rules accepted by the data protection officer and information security of «CUSTOMER», or open points listed
Architecture, roadmap and estimate	Modules, order, effort and duration of service B given with the assumptions they rest on

Table 11 — Acceptance criteria.

Each deliverable is reviewed by «CUSTOMER» within «NUMBER» working days of delivery. If no written objection is received in that period, the deliverable is deemed accepted.

6. Customer Responsibilities

«CUSTOMER» is responsible for the items below. A delay in any of them moves the timeline by the same amount.

- Appoint a project coordinator who is available throughout the work.
- Provide read-only access to the data stores in scope, or to a full copy of them, within «NUMBER» working days from the start of P0. Discovery on data that is not production data does not show the real distribution of sensitive data.
- Provide the environment and the licence for the discovery tool of the chosen option («PLATFORM») during the assessment.
- Make the data protection officer and the legal function available to set the classification policy and to review the classification.
- Name a data owner for each application or data store in scope and make the database administrators available.

The participation expected from «CUSTOMER» is: «DAMALINK DOĞRULASIN»

Role	Expected Contribution	Participation
Project sponsor	Approval of scope, results presentation	P0, P4
Data protection officer / legal	Classification policy, review of the classification and the rules	P0, P2 – P3
Information security	Access, risk map, review of the rules	P0 – P4
Data owners	Meaning of the data, relationships, review of the masking rules	P1 – P3
Database administrators	Connections, metadata, physical relationships	P0 – P1
Test managers	Test environments and test data needs for service B	P4

Table 12 — Expected participation of «CUSTOMER». Total expected effort is «NUMBER» person-days.

7. Assumptions and Out of Scope

7.1 Assumptions

The duration, effort and fee in this proposal are based on the assumptions below. If they do not hold, the impact is assessed through a change request.

- The work starts within «NUMBER» working days of contract signature.
- The values in Table 4 have been stated by «CUSTOMER». If the data stores found in P0 indicate a different band, duration and effort are reassessed at the end of P0. «DAMALINK DOĞRULASIN»
- Access to the data is read-only. No data is changed, masked or copied out of the environment of «CUSTOMER».
- Discovery runs on a sample; the results show where sensitive data is likely to be, not every record that contains it.
- The work is carried out mainly remotely through the access provided by «CUSTOMER»; the kick-off, the reviews with the data protection officer and the results presentation are held on site in «CITY».
- The working language and the language of the deliverables is Turkish.

7.2 Out of Scope

The topics below are outside the scope of this proposal. If requested, they are assessed and proposed separately. «DAMALINK DOĞRULASIN»

- Masking, test data and continuous discovery; these are the subject of service B.
- KVKK legal advice, including VERBIS registration, privacy notices and consent texts.
- Identity and access management.
- Data loss prevention and network security.
- Encryption key management.
- Procurement of licences.
- Setting the classification policy and data ownership (Data Governance service).

8. Team

8.1 Komtaş Team

Role	Responsibility	Participation
Engagement Lead	Plan, reviews with the data protection officer, roadmap, results	P0 – P4 «DAMALINK DOĞRULASIN»
Senior Data Security Specialist	Discovery method, rules, classification, masking rules, architecture	P0 – P4
Data Security Specialist	Discovery runs, profiling, relationship analysis, inventory	P1 – P3
Data Engineer / Informatica Developer	Tool set-up and connections for the assessment	P0 – P1, part time
Business Analyst	Requirements, business meaning of the data, reviews with the data owners	P0, P2 – P3, part time

Table 13 — Komtaş team and roles.

- If a change in the team is needed, the replacement has at least equivalent qualifications and is notified to «CUSTOMER» in advance.

8.2 Governance

- Weekly progress meeting on access, open items and timeline.
- Review and written approval at the end of each phase.
- Any issue that affects the timeline or the scope is reported in writing in the week it is found.

8.3 Risks

Risk	Impact	Mitigation
No access to production data for discovery	Sensitive data not found or underestimated	Access or full copy agreed in P0; data stores without access recorded as open
Relationships not physically defined	Entities incomplete; masking breaks referential integrity later	Primary key and foreign key analysis on the data; data owners consulted
Support status of on-premises product versions	Architecture choice	Version and support status checked in P0; IDMC option assessed
No owner for the classification policy	Classification not accepted	Data protection officer named in P0; draft policy based on Table 5

Table 14 — Risks.

Any request that affects the scope, the timeline or the fee is handled through a written change request. It is not carried out before its impact and fee are approved.

9. Effort and Fees

> *FILL NOTE — take the band, the duration and the effort from the proposal input form (data-privacy-3a-assessment-girdi-formu). Fees are entered by sales. Draft values:*
>
> *Duration and Komtaş effort: S 4 weeks / ~25 pd · M 6 weeks / ~40 pd · L 8 weeks / ~60 pd.* «DAMALINK DOĞRULASIN»
>
> *The values are not based on recorded effort. Delete this box before sending.*

Service A is offered at a fixed fee. The fee is based on the sizing values in Table 4 and the assumptions in Section 7.

Item	Effort (pd)	Fee (excl. VAT)
P0 — Initiate	«NUMBER»	«fee»
P1 — Profile and discover	«NUMBER»	«fee»
P2 — Classify and risk map	«NUMBER»	«fee»
P3 — Masking rule catalogue	«NUMBER»	«fee»
P4 — Target architecture and roadmap	«NUMBER»	«fee»
Total	«NUMBER»	«fee»
Change requests	Per person-day	«day rate»

Table 15 — Fees. Band: «BAND». All fees exclude VAT.

Payment Item	Rate	Amount (excl. VAT)
Contract signature	«%»	«amount»
Acceptance of the deliverables (P4)	«%»	«amount»

Table 16 — Payment schedule. All fees exclude VAT.

The fee does not include:

- Continuous discovery, masking and secure test data (service B), archiving and run (service C).
- Licence costs of the discovery, masking and test data tools, including the licence used during the assessment.
- Travel and accommodation outside «CITY».
- Additional work approved through change requests.

10. Next Step

The results of the assessment are the basis of the next steps. The usual follow-on work is:

Need	Follow-On Work
Continuous discovery, masked copies, secure test data	Service B Protect: foundation and the modules selected in the roadmap (D8)
Records past their retention period; keeping protection current	Service C Archive & Run: C1 Archive (one-time), C2 Run (monthly)
Classification policy, data ownership, data catalogue	Data Governance
Move of data to the cloud	Data Modernization, ETL Modernization on Google Cloud
Personal data in AI training data	AI Governance Readiness

Table 17 — Follow-on work.

After the results presentation, service B is proposed on the basis of the roadmap of this assessment: the foundation once, then the selected modules in the order of the risk map.

11. Commercial Terms

11.1 General Terms

- All fees in this proposal are stated in Turkish lira and exclude VAT. Statutory taxes, duties and charges are not included in the fees.
- The proposal is valid until «proposal date + 1 month».
- The fees are valid on condition that the work starts by «price validity date». If the start moves beyond that date for any reason, the fees and pricing terms are reassessed by mutual agreement in the light of the economic and financial conditions at the time of the work.
- This work is offered at a fixed fee, based on the sizing values in Table 4 and the assumptions in Section 7.
- «OPTIONAL» If the contract for service B is signed within «NUMBER» months of the acceptance of this work, the fee of this work is deducted from the fee of service B.
- The start date of the work is agreed with «CUSTOMER». All activities are carried out mainly online; on-site meetings take place within «CITY».
- The classification policy, the decision on which data is masked and the approval of rules remain with «CUSTOMER» (data protection officer, legal and information security); Komtaş implements the decisions recorded in writing. «CUSTOMER» remains the data controller for the personal data processed in the work.
- Payment follows the payment schedule in Section 9. Invoices are payable within «NUMBER» days of the invoice date.
- Scope changes are managed through a written change request; no change is implemented before its impact analysis is approved.
- The parties keep confidential all information they access within the scope of the work. A separate non-disclosure agreement is signed where needed.
- The rights of use of the deliverables, including rule documents, masking and test data configurations and documentation, belong to «CUSTOMER»; Komtaş retains its intellectual property rights in its methodology, templates, accelerators and general know-how. The terms of use of the packaged accelerators (Annex 1, accelerators 1 and 5) are «FIELD».
- This proposal forms an integral annex to the contract to be signed by the parties. In the event of a conflict between the contract and the proposal, the contract prevails.

11.2 Proposal Contact Details

Questions on this proposal and its scope can be addressed to the contacts below.

Area of Responsibility	Full Name	Title	Contact
Commercial	«full name»	«title»	«e-mail / phone»
Technical	«full name»	«title»	«e-mail / phone»

11.3 Proposal Annexes

This proposal is submitted with the following annexes:

- ANNEX-1 — Accelerators
- ANNEX-2 — About Komtaş

ANNEX-1 — Accelerators

The work uses six accelerators: packaged applications, rule sets, libraries and templates that shorten the analysis and the implementation. Each accelerator is described below with the place where it is used in this service.

1. Masking Automation Accelerator

Item	Description
Purpose	Set up persistent masking for a high number of tables and columns without building each rule, plan and assignment by hand in the masking tool «DAMALINK DOĞRULASIN»
How it works	A data model holds the tables, columns, rules, assignments, relationships, entities, groups, plans and connections. The accelerator generates the masking definitions from this model, imports them into Persistent Data Masking and generates and runs the plans (Define → Generate → Import → Process)
Output	More than 100 pre-built masking rules for personal data; batch input from modelling, discovery and catalogue tools; new tables in the data model masked according to the discovery results; shorter implementation than manual set-up
Use in this service	P3: the masking rules document is prepared in the data model of the accelerator, so that it can be loaded in service B
Terms of use	«FIELD»

Table 18 — Masking automation accelerator.

2. Discovery Rule Set and Turkish Reference Dictionaries

Item	Description
Purpose	Find Turkish personal data reliably, on the content of the data and on the column names «DAMALINK DOĞRULASIN»
How it works	Data rules (reference dictionary match, pattern, algorithm) combined with column-name rules (regular expressions for Turkish and English names). Reference dictionaries for first names, surnames, company titles, cities and districts, professions and postcodes
Output	Rules for name, surname, TCKN (with checksum), VKN, phone, e-mail, address, city and district, credit card, IBAN, vehicle chassis number and for these values inside free text
Use in this service	P1: discovery on the sample (Section 3.2)

Table 19 — Discovery rule set and Turkish reference dictionaries.

3. Masking Rule Catalogue

Item	Description
Purpose	Give each type of sensitive field a tested set of masking techniques with their constraints «DAMALINK DOĞRULASIN»
How it works	Per field: technique options (encryption, expression, key with seed, nullification, random, substitution from a reference dictionary, mapplet, advanced multi-field rules such as gender-consistent names), naming standard and constraints
Output	Masking rules document per field; constraints such as a valid and unique TCKN, a date of birth shifted within a limit and consistent values across tables through the same seed
Use in this service	P3: technique and constraints per sensitive field (Section 3.5)

Table 20 — Masking rule catalogue.

4. Integration-Time Masking Mapplet Library

Item	Description
Purpose	Detect and mask sensitive data while it moves between systems, so that it does not arrive unmasked in the target «DIGITALLENCY DOĞRULASIN»
How it works	Reusable mapplets for the main sensitive field types are inserted into the data integration flows; the classification decides which fields pass through which mapplet
Output	Integration flows that deliver masked data to the target
Use in this service	P4: integration flows that carry sensitive data are listed and the use of the mapplets is assessed for service B (Section 3.6)
Origin	Applied at a private bank in HR data integrations

Table 21 — Integration-time masking mapplet library.

5. Archive Accelerator

Item	Description
Purpose	Archive records of relational databases whose retention period has ended, with optional deletion from the source and restore from the archive «DAMALINK DOĞRULASIN»
How it works	Packaged application on top of Persistent Data Masking. It finds the tables with records to archive or delete, respects physical and logical constraints and applies filters at several points (Define → Generate → Import → Archive-Delete → Restore); scheduling, alerts per step, logs and user authorisation
Output	Archived records, deletion and restore records, run logs; new tables added in a few steps
Use in this service	P4: retention needs are recorded and archiving is assessed for service C1
Terms of use	«FIELD»

Table 22 — Archive accelerator.

6. Document Templates

Item	Description
Purpose	Start each phase from tested document structures instead of empty pages «DAMALINK DOĞRULASIN»
How it works	Business requirement document with its question sheet, discovery analysis report template, source-to-target matrix and naming standards
Output	Deliverables in a known structure that the teams of «CUSTOMER» can maintain
Use in this service	P0: business requirement document and question sheet; P1: discovery analysis report

Table 23 — Document templates.

ANNEX-2 — About Komtaş

> *FILL NOTE — the figures in Table 24 and in the bullets below come from the proposals of 2026. Check them against the current corporate profile before sending.*

Komtaş is an independent information technology company that has specialised in enterprise data management in Türkiye since 1989. More than 35 years of focus on a single field has given it an end-to-end view that follows data from the moment it is created to the moment a decision is taken.

Indicator	Value
Founded	1989 — more than 35 years of continuous data-focused activity
Specialist staff	250+ data engineers, architects, consultants and analysts
Offices	Istanbul, Ankara, Izmir, Dubai
Strategic partnerships	10+ global technology vendors
Focus area	Data governance, data architecture, analytics, artificial intelligence and AI agent based solutions
Positioning	"From Data to Agents" — integrated capability from data to AI agents

Table 24 — Komtaş corporate profile.

Service Capabilities

The service portfolio of Komtaş covers the whole life cycle of a data initiative:

- **Data Governance and Data Management:** data governance maturity assessment, framework and organisation design, policy and process design, data catalogue, business glossary, data quality management, master data management, data privacy and classification.
- **Data Architecture and Engineering:** data warehouse and data lake architectures, lakehouse design, data integration and streaming architectures, cloud and on-premises modernisation.
- **Analytics and Artificial Intelligence:** enterprise reporting, advanced analytics, machine learning models, generative AI applications and AI governance.
- **Managed Services and Support:** P1 / P2 / P3 support for production systems, capacity and performance management, continuous improvement services.
- **Training and Capability Building:** product training, role-based data governance training, train-the-trainer programmes.

Data Privacy Experience

> *FILL NOTE — the reference in Table 25 is anonymous. Do not add institution names, contact persons or result figures without written approval; «YEAR» is filled once the year of the project is confirmed, and the «REFERENCE PROJECT» row is deleted if there is no further approved reference.*

Data privacy work in the scope of this package is listed below. Reference calls can be arranged on request, subject to the approval of the institutions concerned. «DIGITALLENCY DOĞRULASIN»

Institution	Work	Measured Result	Year
A private bank — HR data integrations	KVKK classification of HR data; detection of sensitive data during integration; masking mapplets in the integration flows	«RESULT»	«YEAR»
«REFERENCE PROJECT»	«RESULT»		«YEAR»

Table 25 — Data privacy references (anonymous).

Why Komtaş

- **Focus:** Komtaş has worked only in the data field for more than 35 years, with more than 250 specialists and 4 offices.
- **From assessment to run:** assessment, protection, archiving and monthly run are provided by the same organisation (Section 10).