«CUSTOMER NAME»
«GROUP COMPANIES»

Data Privacy & Test Data (KVKK) · Service B

Protect

Technical and Commercial Proposal

Foundation and the modules Discovery Layer, Masking and Secure Test Data for the protection of personal and other sensitive data of «CUSTOMER» outside production

Proposal No: KOMTAS-«CUSTOMER ABBREVIATION»-DPR-B-«YEAR»-«SEQUENCE»

Proposal Date: «dd Month yyyy»

Validity: «proposal date + 1 month»

VARIABLE GLOSSARY — in this template only the fields inside « » change per customer. All other text is fixed.

Identity: «CUSTOMER» short customer name used in the text · «CUSTOMER NAME» full legal name (cover) · «GROUP COMPANIES» group companies in scope; delete the line for a single company · «CUSTOMER ABBREVIATION» short code in the proposal number · «YEAR» year (proposal number; year of a reference project) · «SEQUENCE» proposal sequence number · «dd Month yyyy» proposal date · «proposal date + 1 month» end of validity · «price validity date» latest start date for which the fees stay valid

Context: «CUSTOMER CONTEXT» one paragraph: sector, main applications and databases, non-production environments (test, development, outsourced teams), current practice for personal data outside production, reason for the request · «TRIGGER» reason for the work (e.g. KVKK requirements, an audit finding, real personal data in test environments, a planned move of data to the cloud, data given to outsourced development teams, follow-up of a data breach, data subject requests) · «A REF» number and date of the Data Discovery Assessment (service A) report, or of the equivalent analysis, on which the proposal is based

Scope: «PLATFORM» technology option chosen for the work: on-premises Informatica products or Informatica IDMC (cloud); see the technology options table · «BAND» sizing band S, M or L from the proposal input form

Modules: «MODULE — DISCOVERY LAYER» block of the Discovery Layer module; delete every block of this module if it is not in scope · «MODULE — MASKING» block of the Masking module; delete every block of this module if it is not in scope · «MODULE — SECURE TEST DATA» block of the Secure Test Data module; delete every block of this module if it is not in scope

Commercial: «OPTIONAL» item kept or deleted by sales; if kept, delete the marker · «fee» fee excl. VAT · «amount» payment amount excl. VAT · «day rate» person-day rate (change requests) · «CITY» city where on-site meetings are free of charge

Values: «NUMBER» numeric value (count, sample size, days, weeks, months, hours) · «%» percentage (payment rate, match threshold) · «FIELD» free text (e.g. names of applications or data stores, a product name, a term agreed separately)

Annex: «REFERENCE PROJECT» further reference project approved for this proposal (no names without permission); otherwise delete the row · «RESULT» measured result of a reference project, only if measured and approved for use; otherwise delete the line

Contacts: «full name» contact name · «title» contact title · «e-mail / phone» contact details

Markers: the module blocks are resolved as described in the first fill note. «OPTIONAL» items are kept or deleted by sales. The orange DAMALINK DOĞRULASIN and DIGITALLENCY DOĞRULASIN tags mark draft statements to be verified before use. FILL NOTE boxes are internal and are deleted before sending.

Contents

FILL NOTE — this template is for service B (Protect) and is used only after service A (Data Discovery Assessment) or an equivalent analysis of «CUSTOMER», referenced as «A REF». If neither exists, service A is proposed first.

Technology option: the work is carried out either with on-premises Informatica products or with Informatica IDMC (cloud); the choice is a scope item («PLATFORM», Table 7). Licences are not part of this proposal. Product names and versions are confirmed with the licence position of «CUSTOMER» before sending.

Modules: every heading, paragraph, table row and bullet starting with «MODULE — DISCOVERY LAYER», «MODULE — MASKING» or «MODULE — SECURE TEST DATA» belongs to that module. Delete every block of a module that is not in scope; keep the placeholder text of the modules in scope as the module name and delete only the guillemets.

The foundation is counted once, whatever the number of modules. A module added later uses the same foundation; only the fee of the module applies.

Statements followed by an orange tag are draft assumptions of the package and are verified before the template is used. DAMALINK DOĞRULASIN: approach, phases, durations, effort, bands, roles, tools and their IDMC equivalents, accelerators, discovery and masking rules, acceptance criteria. DIGITALLENCY DOĞRULASIN: the private bank reference and the integration-time masking mapplets. After verification only the tag is deleted. No proposal is sent with a tag in it.

Order of completion: «A REF» → «PLATFORM» (Table 7) → modules (Sections 1 and 2.5) → Table 2 → effort and durations (Table 9) → acceptance values (Table 11) → fees (Section 9) → Annex 2 → remaining « » fields. No commercial figures other than the fees in Section 9 are written into this proposal.

1. Purpose

«CUSTOMER CONTEXT»

The aim of this proposal is to protect the personal and other sensitive data of «CUSTOMER» found in the assessment «A REF». A foundation is set up once; on it, the modules in scope find sensitive data continuously, mask the non-production copies and provide secure test data. The reason for the work is «TRIGGER».

The modules in scope of this proposal are:

- **«MODULE — DISCOVERY LAYER»:** continuous scanning and classification of the data stores, risk score per data store, scheduled scans and actions on the results.
- **«MODULE — MASKING»:** persistent masking of the non-production copies with referential integrity and formats kept; masking during integration where data flows carry sensitive data.
- **«MODULE — SECURE TEST DATA»:** relational subsets of production data, masked, for the test environments, with a refresh process.

The fee consists of one line for the foundation, counted once, and one line per module (Section 9).

2. Scope

2.1 Service Structure

Service	Focus	Result	Pricing
A — Data Discovery Assessment	Discovery and classification of sensitive data, risk map, draft masking rule catalogue, target architecture and roadmap; 4 to 8 weeks «DAMALINK DOĞRULASIN»	Sensitive data inventory, rules, roadmap and estimate for B	Fixed fee
B — Protect	Foundation once; modules Discovery Layer, Masking and Secure Test Data	Continuous discovery, masked non-production copies, secure test data	Foundation once + fee per module
C — Archive & Run	C1 Archive (one-time): retention-based archiving, delete and restore. C2 Run (monthly): new sources, rule maintenance, test data refreshes, monitoring, monthly report	Records past their retention period archived; protection kept current	C1 fixed fee; C2 monthly fee

Table 1 — Service structure. This proposal covers service B.

2.2 Prerequisite

This proposal is based on the assessment «A REF». Its sensitive data inventory, risk map, discovery and masking rule documents, high-level architecture and roadmap are the basis of the work.

If the assessment was not carried out by Komtaş, the equivalent analysis of «CUSTOMER» is reviewed in P0 (sensitive data inventory, classification, relationships, masking rules, architecture). The build starts only after the review is accepted. «DAMALINK DOĞRULASIN»

2.3 Sizing Basis

Sizing is based on the values below, taken from «A REF» and the proposal input form. The values are confirmed in P0 (Section 7.1).

Sizing Input	Value
Databases / schemas in scope	«NUMBER»
Sensitive data types	«NUMBER»
Environments to mask	«NUMBER»
Applications	«NUMBER»
Data volume (TB)	«NUMBER»
«MODULE — DISCOVERY LAYER» Data stores for continuous discovery	«NUMBER»
Technology option	«PLATFORM»
Sizing band	«BAND»

Table 2 — Values on which sizing is based. Source: «A REF» and the proposal input form.

The band (S / M / L) is the highest band reached by at least three of the five drivers: databases / schemas (S ≤10 · M 11–50 · L >50), sensitive data types (S ≤10 · M 11–25 · L >25), environments to mask (S 1–2 · M 3–5 · L >5), applications (S ≤5 · M 6–20 · L >20) and data volume (S ≤1 TB · M 1–10 TB · L >10 TB). The Discovery Layer module has its own band by the number of data stores (S ≤50 · M 51–100 · L >100). «DAMALINK DOĞRULASIN»

2.4 Foundation

The foundation is built once and is used by all modules: «DAMALINK DOĞRULASIN»

#	Topic	Content
1	Tool installation and configuration	Products of the chosen option («PLATFORM»), connections to the data stores, users and roles, logging
2	Rule library	Discovery rules and masking rules from «A REF», loaded from the rule set and the rule catalogue (accelerators 2 and 3)
3	Reference dictionaries	Turkish dictionaries for substitution and discovery (names, surnames, company titles, cities and districts, professions)
4	Naming standards and documents	Naming of rules, plans, entities and groups; data security standard document; data security technical document

Table 3 — Foundation topics.

2.5 Modules in Scope

Each module is filled from «A REF». The blocks of modules that are not in scope are deleted.

«MODULE — DISCOVERY LAYER» Scope of the Module

Item	Value
Data stores scanned (databases, file servers, big data)	«NUMBER»
Discovery rules	«NUMBER»
Scan frequency	«FIELD»
Actions on results (notification, script, protection job)	«FIELD»

Table 4 — «MODULE — DISCOVERY LAYER» scope of the module.

> *FILL NOTE — module packages: S at least 50 data stores, 5 discovery rules, about 4 months · M 51–100 data stores, 10 rules, about 5 months · L more than 100 data stores, 20 rules, about 7 months; scans run monthly.* «DAMALINK DOĞRULASIN»

«MODULE — MASKING» Scope of the Module

Item	Value
Environments to mask	«NUMBER»
Tables / columns to mask	«NUMBER» / «NUMBER»
Masking rules	«NUMBER»
Target: in place or separate schema	«FIELD»
Data integration flows masked during integration	«NUMBER»
Dynamic masking	«OPTIONAL»

Table 5 — «MODULE — MASKING» scope of the module.

«MODULE — SECURE TEST DATA» Scope of the Module

Item	Value
Test environments to refresh	«NUMBER»
Subset criteria (for example by customer, contract or period)	«FIELD»
Refresh frequency	«FIELD»
Synthetic data	«OPTIONAL»
Self-service request flow for test teams	«OPTIONAL»

Table 6 — «MODULE — SECURE TEST DATA» scope of the module.

2.6 Technology Options

The modules are built with the option chosen in «A REF»:

Need	On-premises (Informatica)	IDMC (cloud)
Discovery and classification	Data Privacy Management (formerly Secure@Source) / Enterprise Data Catalog data domains	Cloud Data Governance and Catalog (CDGC) data classification «DAMALINK DOĞRULASIN»
Persistent masking	Persistent Data Masking (PDM) / Test Data Management (TDM)	Cloud Data Masking (CDM)
Test data subset and synthetic data	Test Data Management (TDM)	Cloud Test Data Management (CTDM)
Dynamic masking	Dynamic Data Masking (DDM)	«FIELD»
Archive	Archive accelerator on PDM (Annex 1, accelerator 5) / Informatica Data Archive	«FIELD»
Masking during integration	PowerCenter mapplets	IDMC mappings / mapplets

Table 7 — Technology options. Option chosen: «PLATFORM».

2.7 Boundaries to Other Services

- **Data Governance:** the classification policy, data ownership, the business glossary and the data catalogue belong to the Data Governance service. This package turns the policy into technical protection. If a catalogue is in operation (for example CDGC or Enterprise Data Catalog), the classification results are written to it; no second catalogue is built.
- **AI Governance Readiness:** the use of personal data in AI training data is assessed in the AI Governance Readiness service; this package supplies the masking and anonymisation technique.
- **Cloud migration:** moving data and data flows to the cloud is the subject of the Data Modernization and ETL Modernization on Google Cloud services. This package masks the data before it leaves for the cloud or for test environments.
- **Legal advice:** the package is technical. KVKK legal advice (for example VERBIS registration, privacy notices and consent texts) is not provided.

3. Approach

3.1 Approach Steps

The work follows the steps Access → Discover → Classify → Analyze → Protect → Manage. Service A has carried out the first four on a sample; service B applies them to the data stores in scope and adds protection and management: rules applied, jobs scheduled and monitored, results reported, new sources added. «DAMALINK DOĞRULASIN»

3.2 «MODULE — DISCOVERY LAYER» Approach

The Discovery Layer connects to the data stores in scope (relational databases, file servers, mainframe, big data), defines the method and the thresholds of each rule (by percentage or count of matches, on data and on metadata) and scans them on a schedule. Sampling is used for large volumes and null values are excluded. Each data store receives a risk score; findings are marked as sensitive or protected. A record can be searched across all sources, for example to answer a data subject request. Results trigger actions: an e-mail, a script or a protection job that masks the data. «DAMALINK DOĞRULASIN»

If a data catalogue is in operation at «CUSTOMER», the classification results are written to it; no second catalogue is built.

3.3 «MODULE — MASKING» Approach

Masking applies the rules of «A REF» to the non-production copies. Related tables are masked together as entities and lookup tables as groups; the rules keep the formats, the uniqueness, the referential integrity across tables (the same seed gives the same value) and the validity of identifiers such as TCKN. Masking plans are scheduled, monitored and reported; errors are logged and notified. The masking automation accelerator (Annex 1) generates the plans from the rule and assignment model, so that new tables are masked without building each plan by hand. «DAMALINK DOĞRULASIN»

«OPTIONAL» Dynamic masking hides sensitive values at query time for users who are not authorised to see them, without changing the stored data. It is set up for the applications and user groups agreed in P0. «DAMALINK DOĞRULASIN»

Where data integration flows carry sensitive data to other systems, the integration-time masking mapplets (accelerator 4, Annex 1) are added to the flows, so that the data arrives masked in the target. «DIGITALLENCY DOĞRULASIN»

3.4 «MODULE — SECURE TEST DATA» Approach

Secure test data gives the test teams a relational subset of production data instead of a full copy. The subset criteria (random or by parameter, for example by customer, contract or period) are applied to the entities, the subset is masked with the rules of the Masking module or of the foundation, and the test environment is refreshed by a documented process and runbook. Subsets reduce storage and refresh time. «DAMALINK DOĞRULASIN»

«OPTIONAL» Synthetic data is generated where real data is not needed or not available, keeping parent–child ratios (for example one parent to two child records). «OPTIONAL» A self-service request flow lets the test teams request a refresh within agreed limits. «DAMALINK DOĞRULASIN»

4. Activities and Timeline

4.1 Phases and Exit Criteria

The work is carried out in five phases. P0 and P1 build the foundation once; P2 to P4 are repeated for each module in the order of the roadmap of «A REF». «DAMALINK DOĞRULASIN»

Phase	Activities	Exit Criterion
P0 Kick-off and design confirmation	Review of «A REF», environments, access, detailed design, source-to-target matrix	Design and plan approved in writing
P1 Foundation	Tool installation and configuration, rule library, reference dictionaries, naming standards	Tools running; rule library approved
P2 Build (per module)	Scans and rules, entities and groups, masking plans, subsets	Module built in the test environment
P3 Test and validation (per module)	Rule checks on the sample, performance on the agreed volume, corrections	Acceptance criteria of Table 11 met
P4 Schedule, monitoring and handover (per module)	Jobs scheduled, notifications, user privileges, documents, training	Handover approved

Table 8 — Phases and exit criteria.

4.2 Effort and Durations

FILL NOTE — take the effort and the durations from the proposal input form (data-privacy-3b-protect-girdi-formu): foundation once + modules × band effort. Draft values:

Foundation, once: S ~20 pd · M ~30 pd · L ~45 pd. Discovery Layer: S ~60 pd (4 months) · M ~80 pd (5 months) · L ~120 pd (7 months). Masking: S ~40 pd · M ~70 pd · L ~120 pd. Secure Test Data: S ~30 pd · M ~50 pd · L ~90 pd. «DAMALINK DOĞRULASIN»

The values are not based on recorded effort. Delete this box before sending.

Line	Effort (pd)	Duration (weeks)
Foundation (P0 – P1)	«NUMBER»	«NUMBER»
«MODULE — DISCOVERY LAYER» (P2 – P4)	«NUMBER»	«NUMBER»
«MODULE — MASKING» (P2 – P4)	«NUMBER»	«NUMBER»
«MODULE — SECURE TEST DATA» (P2 – P4)	«NUMBER»	«NUMBER»
Total	«NUMBER»	«NUMBER»

Table 9 — Effort and durations. Band: «BAND».

Modules can run in parallel where the team allows it. The Secure Test Data module uses the rules of the Masking module where both are in scope.

4.3 Schedule

The detailed schedule is agreed in P0. The total duration is «NUMBER» weeks, provided the assumptions in Section 7 hold. Delays in access, in rule approvals or in the provision of environments move the schedule by the same amount.

5. Deliverables and Acceptance

5.1 Deliverables

Documents are delivered in Turkish, in editable format, together with a PDF copy. Rules, plans and configurations remain in the environment of «CUSTOMER».

#	Deliverable	Phase	Content
D1	Detailed design and source-to-target matrix	P0	Environments, flows, entities, groups and rules per table and column
D2	Foundation in operation	P1	Tools, rule library, reference dictionaries, naming standards
D3	«MODULE — DISCOVERY LAYER» Scans in operation	P2 – P4	Scheduled scans, rules, risk score per data store, actions
D4	«MODULE — MASKING» Masking in operation	P2 – P4	Masking plans, entities and groups, scheduled jobs, masked copies
D5	«MODULE — SECURE TEST DATA» Test data process	P2 – P4	Subsets, refresh process and runbook
D6	Data security standard and technical documents	P4	Standards, rules, operation of the jobs
D7	Handover package	P4	Operating notes, training of the teams of «CUSTOMER»

Table 10 — Deliverables.

5.2 Acceptance

Line	Acceptance Criterion
Foundation	Tools running on the chosen option; rule library approved by the data protection officer and information security «DAMALINK DOĞRULASIN»
«MODULE — DISCOVERY LAYER»	Scans running on the agreed data stores with the agreed rules and schedule; risk score given per data store
«MODULE — MASKING»	Masked copies pass the rule checks (format, uniqueness, referential integrity, algorithm validity) on a sample of «NUMBER» records per table
«MODULE — SECURE TEST DATA»	Test environment refreshed with a masked subset within the agreed window of «NUMBER» hours

Table 11 — Acceptance criteria per line.

The foundation and each module are accepted separately. Each deliverable is reviewed by «CUSTOMER» within «NUMBER» working days of delivery. If no written objection is received in that period, the deliverable is deemed accepted.

6. Customer Responsibilities

«CUSTOMER» is responsible for the items below. A delay in any of them moves the schedule by the same amount.

- Appoint a project coordinator who is available throughout the work.
- Provide the servers or the cloud services of the chosen option («PLATFORM») with valid licences, and the access to the data stores in scope.
- Have the rules approved by the data protection officer and information security within «NUMBER» working days of their presentation.
- Provide the target environments for masked copies and test data, with the storage they need.
- Make the data owners, the database administrators and the test managers available for the design, the tests and the handover.
- Deploy the changes to production through the change process of «CUSTOMER».

The participation expected from «CUSTOMER» is: «DAMALINK DOĞRULASIN»

Role	Expected Contribution	Participation
Project sponsor	Approval of design and acceptance	P0, P3 – P4
Data protection officer / legal	Approval of the rules and of the classification results	P0 – P1, P3
Information security	Access, user privileges, review of the rules	P0 – P4
Data owners	Relationships, subset criteria, checks of the masked data	P0, P2 – P3
Database administrators	Connections, target schemas, storage, performance	P0 – P4
Test managers	Test data needs, refresh windows, acceptance of test data	P2 – P4

Table 12 — Expected participation of «CUSTOMER». Total expected effort is «NUMBER» person-days.

7. Assumptions and Out of Scope

7.1 Assumptions

The duration, effort and fee in this proposal are based on the assumptions below. If they do not hold, the impact is assessed through a change request.

- The work starts within «NUMBER» working days of contract signature.
- The values in Table 2 come from «A REF» and are confirmed in P0. If they indicate a different band, effort and duration are reassessed at the end of P0. «DAMALINK DOĞRULASIN»
- The licences of the chosen option («PLATFORM») are provided by «CUSTOMER» and cover the data stores and volumes in scope.
- Production data is not changed; masking is applied to copies for non-production use.
- The work is carried out mainly remotely, with access to the environments of «CUSTOMER»; design workshops and acceptance reviews can be held on site in «CITY».
- The working language and the language of the deliverables is Turkish.

7.2 Out of Scope

The topics below are outside the scope of this proposal. If requested, they are assessed and proposed separately. «DAMALINK DOĞRULASIN»

- KVKK legal advice, including VERBIS registration, privacy notices and consent texts.
- Identity and access management.
- Data loss prevention and network security.
- Encryption key management.
- Procurement of licences.
- Modules and data stores not listed in Section 2.5.
- Archiving of records past their retention period (service C1) and run after handover (service C2).

7.3 Risks and Change Management

Risk	Impact	Mitigation
Relationships not physically defined	Masked copies with broken referential integrity	Entities from «A REF» confirmed in P0; checks in P3
Performance of masking on large volumes	Refresh windows exceeded	Subsets, parallel plans, performance test in P3
Support status of on-premises product versions	Upgrade or change of option	Version checked in P0; IDMC option kept open
Rule approvals delayed	Schedule	Approval deadline; escalation to the sponsor

Table 13 — Risks.

Any request that affects the scope, the schedule or the fee is handled through a written change request. It is not carried out before its impact and fee are approved.

8. Team

8.1 Komtaş Team

Role	Responsibility	Participation
Engagement Lead	Plan, rule approvals, acceptance, reporting	P0 – P4 «DAMALINK DOĞRULASIN»
Senior Data Security Specialist	Design, rules, entities and groups, technical documents	P0 – P4
Data Security Specialists	Scans, masking plans, subsets, tests	P1 – P4; «NUMBER» people
Data Engineer / Informatica Developer	Installation, connections, scheduling, integration-time masking	P1 – P4
Business Analyst	Subset criteria, test data needs, checks with the data owners	P0, P2 – P3, part time

Table 14 — Komtaş team and roles.

- If a change in the team is needed, the replacement has at least equivalent qualifications and is notified to «CUSTOMER» in advance.

8.2 Governance and Reporting

- Weekly progress meeting on the status per module, open rule approvals and schedule.
- Steering meeting with the sponsor at the end of the foundation and of each module.
- Any issue that affects the schedule or the scope is reported in writing in the week it is found.

9. Effort and Fees

9.1 Basis of the Fee

The fee consists of a fixed fee for the foundation, counted once, and a fixed fee per module in scope. Each line covers the scope described in Sections 2 and 3 for that line.

9.2 Fees

#	Fee Line	Effort (pd)	Fee (excl. VAT)
F0	Foundation (once, used by all modules)	«NUMBER»	«fee»
B1	«MODULE — DISCOVERY LAYER»	«NUMBER»	«fee»
B2	«MODULE — MASKING»	«NUMBER»	«fee»
B3	«MODULE — SECURE TEST DATA»	«NUMBER»	«fee»
O1	«OPTIONAL» Dynamic masking (Section 3.3)	«NUMBER»	«fee»
O2	«OPTIONAL» Synthetic data (Section 3.4)	«NUMBER»	«fee»
O3	«OPTIONAL» Self-service request flow (Section 3.4)	«NUMBER»	«fee»
	Total	«NUMBER»	«fee»

Table 15 — Fees per line. Band «BAND». All fees exclude VAT.

9.3 Payment Schedule

Payment Item	Rate / Basis	Amount (excl. VAT)
Exit approval of P1 — foundation	F0	«amount»
Exit approval of P2 for each module	«%» of the module fee	«amount»
Acceptance of each module (Table 11)	«%» of the module fee	«amount»

Table 16 — Payment schedule.

9.4 Change Requests

Work outside the scope of this proposal is offered on the basis of person-days × day rate («day rate», excl. VAT) and is carried out only after written approval.

9.5 Not Included in the Fee

- Licence and infrastructure costs of the chosen option («PLATFORM»).
- Storage for masked copies and test data.
- Archiving and run after handover (service C).
- Additional work approved through change requests.

10. Next Step

After handover, the protection has to stay current as new sources, tables and test needs arrive. The usual follow-on work is:

Need	Follow-On Work
New sources, rule maintenance, test data refreshes, monitoring	Service C2 Run: monthly capacity
Records past their retention period	Service C1 Archive (one-time)
Further modules or data stores	Additional modules on the same foundation
Classification policy, data ownership, data catalogue	Data Governance
Move of data to the cloud	Data Modernization, ETL Modernization on Google Cloud
Personal data in AI training data	AI Governance Readiness

Table 17 — Follow-on work.

After handover, the protection can be run by Komtaş under service C2 Run: new sources scanned and classified, rule maintenance, test data refreshes, monitoring and a monthly report. Run and archiving are offered in a separate proposal. «DAMALINK DOĞRULASIN»

11. Commercial Terms

11.1 General Terms

- All fees in this proposal are stated in Turkish lira and exclude VAT. Statutory taxes, duties and charges are not included in the fees.
- The proposal is valid until «proposal date + 1 month».
- The fees are valid on condition that the work starts by «price validity date». If the start moves beyond that date for any reason, the fees and pricing terms are reassessed by mutual agreement in the light of the economic and financial conditions at the time of the work.
- The proposal is based on the assessment «A REF» and the assumptions in Section 7.1; if the basis changes materially, the proposal is renewed.
- The fee is calculated per line as set out in Section 9: foundation once and per module.
- Licence and infrastructure costs are not part of this proposal.
- The classification policy, the decision on which data is masked and the approval of rules remain with «CUSTOMER» (data protection officer, legal and information security); Komtaş implements the decisions recorded in writing. «CUSTOMER» remains the data controller for the personal data processed in the work.
- Payment follows the payment schedule in Section 9. Invoices are payable within «NUMBER» days of the invoice date.
- Scope changes are managed through a written change request; no change is implemented before its impact analysis is approved.
- The parties keep confidential all information they access within the scope of the work. A separate non-disclosure agreement is signed where needed.

- The rights of use of the deliverables, including rule documents, masking and test data configurations and documentation, belong to «CUSTOMER»; Komtaş retains its intellectual property rights in its methodology, templates, accelerators and general know-how. The terms of use of the packaged accelerators (Annex 1, accelerators 1 and 5) are «FIELD».
- This proposal forms an integral annex to the contract to be signed by the parties. In the event of a conflict between the contract and the proposal, the contract prevails.

11.2 Proposal Contact Details

Questions on this proposal and its scope can be addressed to the contacts below.

Area of Responsibility	Full Name	Title	Contact
Commercial	«full name»	«title»	«e-mail / phone»
Technical	«full name»	«title»	«e-mail / phone»

11.3 Proposal Annexes

This proposal is submitted with the following annexes:

- ANNEX-1 — Accelerators
- ANNEX-2 — About Komtaş

ANNEX-1 — Accelerators

The work uses six accelerators: packaged applications, rule sets, libraries and templates that shorten the analysis and the implementation. Each accelerator is described below with the place where it is used in this service.

1. Masking Automation Accelerator

Item	Description
Purpose	Set up persistent masking for a high number of tables and columns without building each rule, plan and assignment by hand in the masking tool «DAMALINK DOĞRULASIN»
How it works	A data model holds the tables, columns, rules, assignments, relationships, entities, groups, plans and connections. The accelerator generates the masking definitions from this model, imports them into Persistent Data Masking and generates and runs the plans (Define → Generate → Import → Process)
Output	More than 100 pre-built masking rules for personal data; batch input from modelling, discovery and catalogue tools; new tables in the data model masked according to the discovery results; shorter implementation than manual set-up
Use in this service	Masking module: masking plans generated from the rule and assignment model (Section 3.3)
Terms of use	«FIELD»

Table 18 — Masking automation accelerator.

2. Discovery Rule Set and Turkish Reference Dictionaries

Item	Description
Purpose	Find Turkish personal data reliably, on the content of the data and on the column names «DAMALINK DOĞRULASIN»
How it works	Data rules (reference dictionary match, pattern, algorithm) combined with column-name rules (regular expressions for Turkish and English names). Reference dictionaries for first names, surnames, company titles, cities and districts, professions and postcodes
Output	Rules for name, surname, TCKN (with checksum), VKN, phone, e-mail, address, city and district, credit card, IBAN, vehicle chassis number and for these values inside free text
Use in this service	Foundation: rule library and reference dictionaries; Discovery Layer module: scan rules (Section 3.2)

Table 19 — Discovery rule set and Turkish reference dictionaries.

3. Masking Rule Catalogue

Item	Description
Purpose	Give each type of sensitive field a tested set of masking techniques with their constraints «DAMALINK DOĞRULASIN»
How it works	Per field: technique options (encryption, expression, key with seed, nullification, random, substitution from a reference dictionary, mapplet, advanced multi-field rules such as gender-consistent names), naming standard and constraints
Output	Masking rules document per field; constraints such as a valid and unique TCKN, a date of birth shifted within a limit and consistent values across tables through the same seed
Use in this service	Foundation: rule library; Masking and Secure Test Data modules: rules per field

Table 20 — Masking rule catalogue.

4. Integration-Time Masking Mapplet Library

Item	Description
Purpose	Detect and mask sensitive data while it moves between systems, so that it does not arrive unmasked in the target «DIGITALLENCY DOĞRULASIN»
How it works	Reusable mapplets for the main sensitive field types are inserted into the data integration flows; the classification decides which fields pass through which mapplet
Output	Integration flows that deliver masked data to the target
Use in this service	Masking module: data integration flows that carry sensitive data (Section 3.3)
Origin	Applied at a private bank in HR data integrations

Table 21 — Integration-time masking mapplet library.

5. Archive Accelerator

Item	Description
Purpose	Archive records of relational databases whose retention period has ended, with optional deletion from the source and restore from the archive «DAMALINK DOĞRULASIN»
How it works	Packaged application on top of Persistent Data Masking. It finds the tables with records to archive or delete, respects physical and logical constraints and applies filters at several points (Define → Generate → Import → Archive-Delete → Restore); scheduling, alerts per step, logs and user authorisation
Output	Archived records, deletion and restore records, run logs; new tables added in a few steps
Use in this service	Not used in this service; used in service C1 Archive
Terms of use	«FIELD»

Table 22 — Archive accelerator.

6. Document Templates

Item	Description
Purpose	Start each phase from tested document structures instead of empty pages «DAMALINK DOĞRULASIN»
How it works	Business requirement document with its question sheet, discovery analysis report template, source-to-target matrix and naming standards
Output	Deliverables in a known structure that the teams of «CUSTOMER» can maintain
Use in this service	P0: source-to-target matrix and naming standards; P4: standard and technical documents

Table 23 — Document templates.

ANNEX-2 — About Komtaş

> *FILL NOTE — the figures in Table 24 and in the bullets below come from the proposals of 2026. Check them against the current corporate profile before sending.*

Komtaş is an independent information technology company that has specialised in enterprise data management in Türkiye since 1989. More than 35 years of focus on a single field has given it an end-to-end view that follows data from the moment it is created to the moment a decision is taken.

Indicator	Value
Founded	1989 — more than 35 years of continuous data-focused activity
Specialist staff	250+ data engineers, architects, consultants and analysts
Offices	Istanbul, Ankara, Izmir, Dubai
Strategic partnerships	10+ global technology vendors
Focus area	Data governance, data architecture, analytics, artificial intelligence and AI agent based solutions
Positioning	"From Data to Agents" — integrated capability from data to AI agents

Table 24 — Komtaş corporate profile.

Service Capabilities

The service portfolio of Komtaş covers the whole life cycle of a data initiative:

- **Data Governance and Data Management:** data governance maturity assessment, framework and organisation design, policy and process design, data catalogue, business glossary, data quality management, master data management, data privacy and classification.
- **Data Architecture and Engineering:** data warehouse and data lake architectures, lakehouse design, data integration and streaming architectures, cloud and on-premises modernisation.
- **Analytics and Artificial Intelligence:** enterprise reporting, advanced analytics, machine learning models, generative AI applications and AI governance.
- **Managed Services and Support:** P1 / P2 / P3 support for production systems, capacity and performance management, continuous improvement services.
- **Training and Capability Building:** product training, role-based data governance training, train-the-trainer programmes.

Data Privacy Experience

> *FILL NOTE — the reference in Table 25 is anonymous. Do not add institution names, contact persons or result figures without written approval; «YEAR» is filled once the year of the project is confirmed, and the «REFERENCE PROJECT» row is deleted if there is no further approved reference.*

Data privacy work in the scope of this package is listed below. Reference calls can be arranged on request, subject to the approval of the institutions concerned. «DIGITALLENCY DOĞRULASIN»

Institution	Work	Measured Result	Year
A private bank — HR data integrations	KVKK classification of HR data; detection of sensitive data during integration; masking mapplets in the integration flows	«RESULT»	«YEAR»
«REFERENCE PROJECT»	«RESULT»		«YEAR»

Table 25 — Data privacy references (anonymous).

Why Komtaş

- **Focus:** Komtaş has worked only in the data field for more than 35 years, with more than 250 specialists and 4 offices.
- **One foundation, several modules:** discovery, masking and test data share the same rules, dictionaries and standards.
- **From assessment to run:** assessment, protection, archiving and monthly run are provided by the same organisation (Section 10).