MDM Assessment — Proposal Input Form

Information to be collected for the fixed-fee Assessment (A) that measures the master data — profiling and DQ analysis, duplicate analysis, draft match and merge rules, golden record definition, conceptual data model, target architecture, B path and estimate. Sections follow the Proposal Set codes (P1–P5, P7). Once the form is completed and returned, the proposal text (file 4a) is produced. Orange tags mark draft statements to be verified: the DAMALINK tag for the approach, phases, deliverables, durations, packs, bands, roles, tools and IDMC equivalents, rule patterns and thresholds, the RDM decision table, accelerators, question content and efforts taken from the framework; the DIGITALLENCY tag only for the Allianz and Hepsiburada references. This form is for internal use; customer and partner names are not written into customer files.

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The "WHERE IT FILLS IN THE PROPOSAL" column of each row names the section or variable field of the proposal template (file 4a). This form uses the Proposal Set codes P1–P5, P7; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is "not known", that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER A: the MDM Assessment profiles the master data, measures the duplicate rate, drafts the match and merge rules and the golden record definition, and sets the target architecture and the B path (Consolidation or Hub); it has a fixed fee. No hub is built and no golden records are written to operational systems — these are Tiers B and C. The result of A is the rule documents, the architecture, the B roadmap and the estimate.

PHASES (4–8 weeks): P0 initiate (business problems, domains, sources, access, profiling tool) · P1 profiling and DQ analysis (fill rate, uniqueness, frequency, pattern; DQ dimensions and weights) · P2 duplicate analysis (draft match rules, match scores, cluster and match-frequency reports, active / passive and unique customer counts) · P3 draft merge / survivorship, golden record definition, conceptual data model · P4 target architecture (deployment model, inbound / outbound, batch / real time), tool choice (on-prem / IDMC), B path, roadmap and estimate. «DAMALINK DOĞRULASIN»

DELIVERABLES: requirement document; DQ analysis report; match rule document; merge rule document; duplicate-rate findings; conceptual data model; high-level architecture; B roadmap and estimate. «DAMALINK DOĞRULASIN»

SCOPE ASSUMPTION: at most 5 source tables / files and at most 3 million active individual + corporate customers; above this, band M or L applies according to the band table. «DAMALINK DOĞRULASIN»

TECHNOLOGY RULE: the technology choice is a scope item («PLATFORM») — on-prem Informatica (MDM Multidomain, IDD, SIF, IDQ, Product 360, RDM, PowerCenter) or IDMC (MDM SaaS — Customer 360 / Business 360, Product 360 SaaS, Reference 360, Cloud Data Quality, Cloud Data Integration). The Damalink content is based on on-prem MDM 10.x versions; the IDMC equivalents are drafts. Support status of on-prem 10.x «FIELD». «DAMALINK DOĞRULASIN»

APPROACH: Access (RDBMS, mainframe, big data, files) → Analyze (column profiling, DQ dimensions and weights, cleansing, parsing, standardisation, match and merge rules, match scores) → Design & Apply (data model, batch and real-time integration, hierarchy and relationship management, steward UI and approval flow) → Manage (scheduling, monitoring, authorisation, logs, adding new sources). «DAMALINK DOĞRULASIN»

OUT OF SCOPE: CDP, campaigns and activation; changes to source systems; enterprise DQ outside master data; licence procurement (except the optional IDMC line). «DAMALINK DOĞRULASIN»

BOUNDARY — CDP: MDM is the operational golden record — identity resolution with deterministic / fuzzy rules on identifiers, survivorship, hierarchy; the result is written back to operational systems; the owner is data governance / IT. CDP is marketing and activation — behavioural and event data, segments, audiences, journeys, channel activation; the owner is marketing. The CDP consumes the MDM golden ID and attributes; MDM does not hold clickstream or consent orchestration (consent attributes may be mastered).

BOUNDARY — data-governance: the steward organisation, data ownership and policies belong to the data-governance framework; this package configures the steward workflow in the tool. The enterprise DQ programme is also within data-governance; this package applies DQ to the master data in scope.

BOUNDARY — data-privacy: masking of personal data in non-production MDM copies is the subject of the data-privacy package.

P1 · A·B·C · IDENTITY — Customer and Proposal Details

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Full legal name of the customer and the short name used in the text; single company or group with subsidiaries**	Cover «CUSTOMER NAME», text «CUSTOMER»	
○	Companies in scope — group companies, subsidiaries; is customer deduplication also to run across companies; for a single company the row is deleted	Cover «GROUP COMPANIES», Scope	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Reason for the request and context — for the one-paragraph context	Purpose «CUSTOMER CONTEXT»	
○	Is there an RFP, specification or requirements list; its number, response format and deadline	Structure and response format of the proposal	
○	Proposal addressee — name, title, unit; proposal date and expected decision date	Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month»	
○	Procurement process, approved budget and expected invoice payment term; is a supplier assessment (information security) required	Effort and Fees, Commercial Terms «NUMBER» days payment term	
○	Are there competitors, and who (another Informatica partner, another MDM / PIM product, the CRM vendor's own solution, the customer's own team)	Emphasis and section weights	

P2 · A·B·C · DECISION — Trigger, Business Problems, Domain, Path and Sponsor

> The value of A is that it measures the duplicate rate and data quality and thereby fixes the path, domain and scope of B. If the business owner of the match rules is unknown, the rules cannot be approved.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Trigger — duplicate customers across systems or group companies, KVKK data subject requests needing a single customer view, group risk and legal reporting, CRM or core system renewal, mergers and acquisitions, omnichannel and digital programmes, CDP projects needing a golden ID, scattered product catalogues in retail / e-commerce** «DAMALINK DOĞRULASIN»	Purpose «CUSTOMER CONTEXT» · «TRIGGER»	
○	Business problems to solve — incomplete / inconsistent / duplicate data, no reliable 360 view, weak cross-sell / up-sell, group risk, legal reporting, segmentation; the units experiencing the problem	Purpose, Approach	
○	Sector and sector rules — bank (BDDK), insurance, retail / e-commerce, automotive / fleet, telecom; group structure	Purpose, Assumptions and Out of Scope	
●	**Business owner of the match rules — who decides that two records are "the same customer" (unit, person); who accepts the risk of a false merge**	Customer Responsibilities, Deliverables and Acceptance, Blocker Checklist	
○	Sponsor and decision maker — CDO / data governance, CIO, business unit (marketing, risk, operations); who makes the proposal decision, and by what date	Team, Customer Responsibilities, Commercial Terms	
○	Master data domains and priority — customer / institution / employee, product / service, contract / account, channel, location, asset (vehicle), reference tables	Scope, Driver 1	
○	Which tiers are wanted — A only; is there interest in B (one domain, Consolidation or Hub) and C (additional domain, Run) after A	Next Step, Service Selection Check	
○	Is there a path preference — Consolidation (no hub, batch) or Hub (steward UI, real time); if not, A sets it	Approach, Next Step	
○	Target start date; the calendar it depends on (CRM / core renewal, merger, CDP project, budget period)	Activities and Timeline, Commercial Terms	
○	Has there been an earlier deduplication or MDM initiative; its result and can its outputs be shared	Approach, Assumptions and Out of Scope	

Triggers → Package Response

Typical triggers and the package response. Those seen at the customer are marked in the last column; they feed the Purpose section of the proposal. The trigger → tier and module mappings are drafts (table as a whole). «DAMALINK DOĞRULASIN»

#	TRIGGER	PACKAGE RESPONSE	IN A	IN B / C	PRESENT AT CUSTOMER
1	Duplicate customers across systems or group companies	Match & merge, golden record, cross-reference	Duplicate rate	B Customer 360	
2	KVKK data subject requests — all records of one person	Single customer view and cross-reference	Source × record map	B Customer 360	
3	Group risk and legal reporting	Hierarchy and relationships (customer–group, customer–institution)	Hierarchy need	B Hub, C1	
4	CRM or core system renewal	Migration with clean master data	Scope and order	B, «OPTIONAL» migration	
5	Merger / acquisition	Matching of two customer bases	Overlap rate	B, C1	
6	Omnichannel and digital programmes	Real-time services, channel integration	Architecture	B Hub	
7	CDP project needing a golden ID	Distribution of the golden ID and attributes to the CDP	CDP boundary	B, C2	
8	Scattered product catalogue in retail / e-commerce	Product 360 / PIM — product–variant model, enrichment, channel publication	Product data profiling	B Product 360 / PIM	

P3 · A·B · LANDSCAPE — Architecture, Source Systems, Technology Standards and Access

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Technical and data-flow architecture — operational systems, ESB, ODS / staging, DWH, ETL, DQ tool, reporting and analytics, CRM, big data; an architecture diagram if available	Scope, Approach	
●	**Number of source systems holding master data and, for each, tables / records / volume; in which systems the same customer is held**	Driver 2, Scope	
○	Technology standards and versions — operating system, database, application server; the approved in-house product list	Assumptions and Out of Scope, Approach	
○	Deployment preference — on-prem, private cloud, public cloud; container standard; environments (development, test, production)	«PLATFORM», Customer Responsibilities	
○	Number of systems that will consume the master data — operational systems, DWH, CRM, CDP	Driver 5, Scope	
●	**Access to production customer data for profiling and analysis — read-only user, approval process and lead time; without access, is a masked copy possible (data-privacy)**	Customer Responsibilities, Activities and Timeline, Blocker Checklist	

System inventory — the list received from the customer; completed in phase P0 of A. One row is one source or consuming system.

#	SYSTEM	ROLE (SOURCE / CONSUMER)	TECHNOLOGY AND VERSION	MASTER TABLES	OWNER
1					
2					
3					
4					
5					

P4 · A·B·C · DATA — Domains, Record Counts, Change Volume and Existing Rules

TURKISH CUSTOMER DQ RULE CATALOGUE (accelerator 1): rules per field for name, surname, company title, TCKN / VKN (checksum and identity verification), phone, e-mail, address / city / district, occupation, education; for each rule the DQ dimension (completeness, accuracy, consistency, validity, uniqueness, timeliness), the cleanse option (cleansing / standardisation), the category (empty, invalid, problematic, unverified, not unique) and a quality code. «DAMALINK DOĞRULASIN»

REFERENCE DICTIONARIES (accelerator 5): city / district, country, occupation, education, noise words and prefixes (titles, forms of address) — for cleansing and standardisation. «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Total and active / passive customer counts — individual and corporate separately; are only active customers to be managed, or all**	Driver 3, Scope	
○	Active-record logic — how states such as active / deleted / deceased are flagged	Approach, Assumptions and Out of Scope	
○	Number of master tables and columns — per system; schemas (customer, contact, demographic, channel, reference)	Scope, Assumptions and Out of Scope	
○	Daily new and changed records; how changes are captured (timestamp, CDC, full load)	Approach, Assumptions and Out of Scope	
○	How individual and corporate customers are told apart; how foreign and Turkish customers (TCKN, VKN, foreign ID / passport) are held	Approach, ANNEX-1 — Accelerators	
○	Are there existing match / deduplication rules; in which system, with which fields	Approach, ANNEX-1 — Accelerators	

Volume table — source system × domain; completed in phases P0 and P1 of A. One row is one domain in one source system.

#	SOURCE SYSTEM	DOMAIN	TOTAL RECORDS	ACTIVE / PASSIVE	DAILY NEW / CHANGED
1					
2					
3					
4					
5					

P5 · A·B · MATCH & QUALITY — Cleansing, Deduplication, Survivorship, Hierarchy and Stewards

MATCH RULE SET (accelerator 2): deterministic + fuzzy combinations with scores for Turkish customer data; negative rules (a filled and different TCKN or birth date blocks a match); common free e-mail domains are excluded as a risky criterion; a surname change through marriage is handled by a separate rule. The thresholds are examples and are tuned on the customer's data. «DAMALINK DOĞRULASIN»

SURVIVORSHIP TEMPLATE (accelerator 3): per field "most frequent non-blank value, then most recent update" and source trust; at most 5 iterations of match / merge tuning; basic cleansing before matching. «DAMALINK DOĞRULASIN»

ANALYSIS REPORT SET (accelerator 6): customer count, active / passive customers, match frequency, active / passive unique customers, cluster report; a profile per column (fill rate, unique, frequency, pattern) and counts with examples per DQ problem. «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Cleansing and standardisation use cases — name / title parsing, address standardisation, phone format, TCKN / VKN verification	Scope, ANNEX-1 — Accelerators	
○	Which domains are to be deduplicated; is deduplication within a company or also across group companies	Scope, Driver 1	
○	Estimated number of match rules and match fields — TCKN, VKN, name, title, phone, e-mail, birth date, address; if unknown, A measures it	Driver 4, Approach	
○	Survivorship preference — source reliability (trust) per field, most recent value, most frequent non-blank value; the preferred source system	Approach, ANNEX-1 — Accelerators	
○	Hierarchy and relationship need — customer–customer (household, group), customer–institution, customer–product / service; how many levels	Scope, «PATH — HUB»	
●	**Steward capacity — who will review the match results and the steward queue; number of steward UI users; time available per week**	Customer Responsibilities, Team, Blocker Checklist	
○	Approval flow — is approval needed for a new customer or a merge; how many steps; who sees the results	«PATH — HUB», Approach	

Match rule pre-view — tuned on the customer's data in phase P2 of A; one row is one rule. The rule patterns and thresholds are examples (table as a whole). «DAMALINK DOĞRULASIN»

#	RULE (FIELDS)	TYPE	SCORE THRESHOLD (EXAMPLE)	CONDITION / NOTE	TO BE USED
1	Name + TCKN	fuzzy + exact	name ≥ 70	—	
2	Name / title + VKN	fuzzy + exact	name ≥ 80 · title ≥ 70	Corporate customer	
3	Name + mobile phone	fuzzy + exact	name ≥ 90	With the same birth date, name ≥ 85	
4	Name + e-mail	fuzzy + exact	name ≥ 90	Free e-mail domains excluded (risky criterion)	
5	First name + mobile / TCKN, different surname	fuzzy + exact	name ≥ 80	Same birth date (surname change through marriage)	
6	Negative — TCKN or birth date	negative	—	If filled and different, the match is blocked	
7					

P7 · A·B · PLATFORM — On-prem or IDMC, Existing Licences and Environment

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides	Scope «PLATFORM», Approach	
○	Existing Informatica licences — PowerCenter, IDQ, MDM, Product 360, RDM, IDMC (IPU); version and support status	Scope, Assumptions and Out of Scope	
○	Server / environment — who provides the server, repository database, application server and network access for the tool installation; when is it ready	Customer Responsibilities, Activities and Timeline	
●	**Which tool the profiling and match analysis use — the customer's licence, a trial licence or a Komtaş environment («FIELD»)**	Activities and Timeline, Customer Responsibilities, Blocker Checklist	

Technology options — the product present at the customer is marked in the last column. The IDMC equivalents and product names are drafts (table as a whole). «DAMALINK DOĞRULASIN»

#	NEED	ON-PREM	IDMC	AT CUSTOMER
1	Hub	Informatica MDM Multidomain (IDD steward UI, SIF services)	MDM SaaS (Customer 360 / Business 360)	
2	Product	Informatica Product 360 (PIM)	Product 360 SaaS	
3	Reference data	Informatica RDM / in-house	Reference 360	
4	DQ and matching	Informatica Data Quality (IDQ)	Cloud Data Quality	
5	Integration	PowerCenter	Cloud Data Integration	

Band Estimate — Tier A

Completed after the answers are collected. The band sets the duration and effort of A. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. Record counts above 50 million are outside the bands and are handled as a programme. «DAMALINK DOĞRULASIN»

CALIBRATION NOTE — DRAFT: the bands and efforts are not based on recorded Komtaş effort; they are calibrated to Damalink durations and packs (Damalink MDM Assessment 1.5 months → draft A M ~6 weeks). Komtaş effort is not written into the proposal before the delivery team confirms it. The person-days and team size behind these durations are unknown. «DAMALINK DOĞRULASIN»

#	DRIVER	SMALL	MEDIUM	LARGE	RESULTING BAND
1	Domains (P2)	1	2	≥ 3	
2	Source systems (P3)	≤ 3	4 – 8	> 8	
3	Records (P4)	≤ 10 million	≤ 30 million	≤ 50 million	
4	Match rules (P5)	≤ 20	21 – 60	> 60	
5	Consuming systems / integrations (P3)	≤ 3	4 – 8	> 8	
	RESULT — selected band, duration and effort «DAMALINK DOĞRULASIN»	4 weeks · ~25 pd	6 weeks · ~40 pd	8 weeks · ~60 pd	

DAMALINK MAPPING: Starter ↔ S, Advanced ↔ M, Enterprise ↔ L. Damalink's MDM Assessment (1.5 months, MDM specialist, at most 5 tables / files and 3 million active customers, high-level to-be architecture) corresponds to band M of A. «DAMALINK DOĞRULASIN»

CUSTOMER EFFORT — «NUMBER» days in total for the business data owners, prospective stewards, IT and DBAs (access and user set-up, requirement interviews, confirmation of DQ findings, review of match samples, confirmation of merge rules, results meetings). This expectation is stated explicitly in the Customer Responsibilities section of the proposal. «DAMALINK DOĞRULASIN»

TEAM — Engagement lead · MDM architect · MDM / IDQ developers · data quality analyst · business analyst. Customer side: business data owners, data stewards, IT integration, DBAs, DG office. «DAMALINK DOĞRULASIN»

Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
1	KOMTAS-«CUSTOMER ABBREVIATION»-MDM-A-«YEAR»-«SEQUENCE»	Cover — proposal number	Proposal register sequence	
2	«dd Month yyyy» · «proposal date + 1 month» · «price validity date»	Cover, Commercial Terms	Send date + 1 month (P1); sales sets the price validity date	
3	«CUSTOMER CONTEXT» · «TRIGGER»	Purpose	P1 and P2 answers	
4	«PLATFORM»	Scope, Approach	P7 answer — on-prem Informatica or IDMC	
5	ANNEX-1 accelerator list	ANNEX-1 — Accelerators	Accelerators 1, 2, 3, 5, 6 and 8 stay; 4 and 7 are mentioned for B	
6	«NUMBER» source systems · «NUMBER» million records · «NUMBER» domains · «NUMBER» consumers	Scope	P2–P5 answers	
7	«BAND» · «NUMBER» weeks · «NUMBER» pd	Activities and Timeline, Effort and Fees	Band estimate, delivery team confirmation	
8	«fee» (fixed) · «day rate» · «%» · «amount»	Effort and Fees, Commercial Terms	Fixed fee = band effort × day rate; change requests at the «day rate»; sales sets the payment pattern («%» · «amount»)	
9	Next step items	Next Step	Follow-on Interest table; no margin figures	
10	ANNEX-2 references table (anonymous)	ANNEX-2 — About Komtaş	The anonymous wording in the “IN THE PROPOSAL” column of the References table below; no customer name and no Damalink or Digitallency name are written.	
11	«full name» · «title» · «e-mail / phone» · «CITY»	Commercial Terms	Komtaş commercial and technical contact; city for free on-site meetings	

References — Source of ANNEX-2

In customer files (2, 4a / 4b / 4c) only the anonymous wording in the last column is written; Damalink, Digitallency, Allianz, the system codes, Hepsiburada and YeşimTech are not named; where a result is unknown, «RESULT» stays. The Damalink content dates from 2018–2021; Damalink work is not written as a Komtaş reference. **«DAMALINK DOĞRULASIN»** The Allianz and Hepsiburada references are written anonymously in a customer file with one tag per reference list. **«DIGITALLENCY DOĞRULASIN»**

#	SOURCE (INTERNAL)	CONTENT	USE IN THE PROPOSAL	YEAR	IN THE PROPOSAL (ANONYMOUS)
1	Damalink — 03 Master Data Management Framework	MDM Assessment, Customer 360 Solution, Reference Data Management; question lists, BRD, DQ analysis report, DQ / match / merge rule documents, SMX, dictionaries, RDM comparison; on-prem MDM 10.x, IDQ, IDD, SIF	Source of method and accelerators; not a reference	2018–2021	Not written (the method is described as the Komtaş approach)
2	Allianz	Single Customer View: four systems (AZS, AZHE, AZYE, YKS) in one environment; duplicate cleaning within and across group companies; PowerCenter + IDQ + MDM; report access from one week to one day (Digitallency deck)	Reference; Customer 360	«YEAR»	an insurance group — single customer view across four group systems (duplicate customers cleaned within and across companies; report access from one week to one day)
3	Hepsiburada	PIM — no detail (Digitallency deck)	Reference; Product 360 / PIM	«YEAR»	an e-commerce company — PIM («RESULT»)
4	YeşimTech	RFP folder — licence questions for Informatica MDM SaaS (IDMC)	Demand signal; not a reference	—	Not written

Service Selection Check

Before filling in the form, make sure that Tier A is the right service. One request can match more than one row.

STATUS	RIGHT SERVICE
The quality and duplicate rate of the master data are not known; the match / merge rules, the architecture and the B path are to be established	A — MDM Assessment
A or an equivalent analysis exists; a batch golden record table without a hub and distribution to DWH / CRM are wanted	B — Domain Foundation · «PATH — CONSOLIDATION»
A or an equivalent analysis exists; steward UI, approval flow, hierarchy and real-time services are wanted	B — Domain Foundation · «PATH — HUB»
A product catalogue, product–variant model, enrichment and channel publication are wanted	B — «MODULE — PRODUCT 360 / PIM»
Central management of code lists and crosswalks across systems is wanted	B — «MODULE — REFERENCE DATA»
A new domain is to be added to an established hub / consolidation	C1 — additional domain (foundation not counted again)
Tuning, steward support, monitoring and new source onboarding on the established environment are wanted	C2 — Run
Segments, audiences, journeys or channel activation are wanted	CDP packages (cdp-assessment, cdp-deger-onerisi)
A steward organisation, data ownership, policies or an enterprise DQ programme are wanted	data-governance
Masking of personal data in non-production environments is wanted	data-privacy
Changes to source systems or licence procurement alone are wanted	Out of scope

Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

#	FOLLOW-ON WORK	RELATED TRIGGER	INTEREST (YES / NO / LATER)	NOTE
1	B — Domain Foundation (path and domain recommended in A)	Result and roadmap of A		
2	C1 — additional domains	Product, reference data, household / group relationships		
3	C2 — Run	Tuning, steward support, new sources		
4	CDP (cdp-assessment, cdp-deger-onerisi)	Marketing and activation with the golden ID		
5	data-governance and DQ	Steward organisation, ownership, enterprise DQ		
6	data-privacy	Personal data in non-production MDM copies		
7	Insurance sector programme	Insurance groups with several companies		

COMMERCIAL FRAME — INTERNAL ONLY. This box and the names Damalink, Digitallency, Allianz, Hepsiburada and YeşimTech are not written into the customer deck or the proposal.

The package pulls Informatica licences (on-prem MDM or MDM SaaS / IPU). IDMC licence and onboarding is an optional line in B. Recurring value lies in C — C1 per domain and monthly C2. The package opens data-governance (stewardship), DQ, data-privacy, the CDP packages (cdp-assessment and cdp-deger-onerisi — currently empty; the Customer 360 DQ / match / merge rule documents are their inputs) and the insurance sector programme (insurance groups with several companies).

Demand signal: in the RFP folder YeşimTech asked licence questions for Informatica MDM SaaS (IDMC). This is a demand signal; it is not a reference and is not written as a reference in any file.

The partnership model with Damalink is open («FIELD»). Evidence: Damalink “03 Master Data Management Framework” (MDM Assessment, Customer 360 Solution, Reference Data Management; content 2018–2021, on-prem MDM 10.x, IDQ, IDD, SIF). Usage terms of the accelerators «FIELD». Damalink prices are not used. «DAMALINK DOĞRULASIN»

Digitallency deck: Allianz Single Customer View — four systems (AZS, AZHE, AZYE, YKS) brought into one environment; duplicate customers cleaned within and across group companies; PowerCenter + IDQ + Informatica MDM; access to reports reduced from one week to one day. Year and Komtaş’s role «FIELD». «DIGITALLENCY DOĞRULASIN» Hepsiburada PIM — no detail. Result «RESULT». «DIGITALLENCY DOĞRULASIN»

Blocker Checklist

These rows must be answered before proposal writing starts.

SECTION	BLOCKER QUESTION	ANSWERED?
P1	Full legal name of the customer and the short name used in the text; single company or group with subsidiaries	
P2	Trigger — duplicate customers across systems or group companies, KVKK data subject requests needing a single customer view, group risk and legal reporting, CRM or core system renewal, mergers and acquisitions, omnichannel and digital programmes, CDP projects needing a golden ID, scattered product catalogues in retail / e-commerce	
P2	Business owner of the match rules — who decides that two records are “the same customer” (unit, person); who accepts the risk of a false merge	
P3	Number of source systems holding master data and, for each, tables / records / volume; in which systems the same customer is held	
P3	Access to production customer data for profiling and analysis — read-only user, approval process and lead time; without access, is a masked copy possible (data-privacy)	
P4	Total and active / passive customer counts — individual and corporate separately; are only active customers to be managed, or all	
P5	Steward capacity — who will review the match results and the steward queue; number of steward UI users; time available per week	
P7	Which tool the profiling and match analysis use — the customer’s licence, a trial licence or a Komtaş environment («FIELD»)	

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold. A missing business owner for the match rules cannot be covered by an assumption.

The production access, match rule owner and tool rows have a special place: without access A cannot measure and its result relies on statements; without a business owner the rules cannot be approved; without a tool P0 does not start.

Blocking conditions and their effect on the proposal

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
1	No access to production customer data	Profiling and duplicate analysis cannot run on real data; the result relies on statements	Clarify the access method in P3	
2	No business owner for the match rules	The match and merge rules cannot be approved	Clarify the owner in P2	
3	No steward capacity	Match samples cannot be reviewed; the steward model for B cannot be defined	Clarify in P5	
4	No licence / technology decision	The profiling tool cannot be set up; P0 cannot start	Clarify in P7	