Domain Foundation — Proposal Input Form

Information to be collected for a Domain Foundation (B) proposal that sets up the foundation once and implements one domain — Customer 360, Product 360 / PIM or Reference Data — on the Consolidation or Hub path, and the proposal field (file 4b) each item fills. The fee is foundation (once) + domain module (path × band) + optional lines. Sections follow the Proposal Set codes (P1–P7). Orange tags mark draft statements to be verified: the DAMALINK tag for the approach, phases, deliverables, durations, packs, bands, roles, tools and IDMC equivalents, rule patterns and thresholds, the RDM decision table, accelerators, question content and efforts taken from the framework; the DIGITALLENCY tag only for the Allianz and Hepsiburada references. This form is for internal use; customer and partner names are not written into customer files.

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The “WHERE IT FILLS IN THE PROPOSAL” column of each row names the section or variable field of the proposal template (file 4b). This form uses the Proposal Set codes P1–P7; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is “not known”, that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER B: B covers one domain — the foundation is set up once and the domain module is implemented on the selected path. The prerequisite is A or an equivalent analysis («A REF»); without it no B proposal is written, A is proposed first and A’s input form (3a) is used. A second domain is a C1 line.

TWO PATHS: Consolidation (IDQ / Cloud Data Quality) — batch cleansing, standardisation, match & merge, golden record table and cross-reference, distribution to DWH / CRM; no hub; lower licence cost. Hub (MDM) — hub data model, landing / staging / base objects, DQ in load, match & merge, trust / survivorship, steward UI and approval flow, hierarchy and relationships, batch and real-time services, distribution. «DAMALINK DOĞRULASIN»

COMMON SCOPE (both paths): source-to-target matrix, DQ rule catalogue, match and merge rule documents, reference dictionaries, steward process set-up (with data-governance), parallel validation of the golden records, handover. «DAMALINK DOĞRULASIN»

PATH AND MODULE BLOCKS: in the proposal the path is one block — «PATH — CONSOLIDATION» or «PATH — HUB»; the block of the path not selected is deleted. The domain is its own module block — «MODULE — CUSTOMER 360» · «MODULE — PRODUCT 360 / PIM» · «MODULE — REFERENCE DATA»; the blocks of the modules not selected are deleted. Vehicle is a variant of Customer 360 (not a separate module). Pricing: foundation once + domain module (path × band) + optional lines (IDMC licence and onboarding «OPTIONAL»; migration of historical data «OPTIONAL»).

TECHNOLOGY RULE: the technology choice is a scope item («PLATFORM») — on-prem Informatica (MDM Multidomain, IDD, SIF, IDQ, Product 360, RDM, PowerCenter) or IDMC (MDM SaaS — Customer 360 / Business 360, Product 360 SaaS, Reference 360, Cloud Data Quality, Cloud Data Integration). The Damalink content is based on on-prem MDM 10.x versions; the IDMC equivalents are drafts. Support status of on-prem 10.x «FIELD». «DAMALINK DOĞRULASIN»

APPROACH: Access (RDBMS, mainframe, big data, files) → Analyze (column profiling, DQ dimensions and weights, cleansing, parsing, standardisation, match and merge rules, match scores) → Design & Apply (data model, batch and real-time integration, hierarchy and relationship management, steward UI and approval flow) → Manage (scheduling, monitoring, authorisation, logs, adding new sources). «DAMALINK DOĞRULASIN»

OUT OF SCOPE: CDP, campaigns and activation; changes to source systems; enterprise DQ outside master data; licence procurement (except the optional IDMC line). «DAMALINK DOĞRULASIN»

BOUNDARY — CDP: MDM is the operational golden record — identity resolution with deterministic / fuzzy rules on identifiers, survivorship, hierarchy; the result is written back to operational systems; the owner is data governance / IT. CDP is marketing and activation — behavioural and event data, segments, audiences, journeys, channel activation; the owner is marketing. The CDP consumes the MDM golden ID and attributes; MDM does not hold clickstream or consent orchestration (consent attributes may be mastered).

BOUNDARY — data-governance: the steward organisation, data ownership and policies belong to the data-governance framework; this package configures the steward workflow in the tool. The enterprise DQ programme is also within data-governance; this package applies DQ to the master data in scope.

BOUNDARY — data-privacy: masking of personal data in non-production MDM copies is the subject of the data-privacy package.

P1 · A·B·C · IDENTITY — Customer and Proposal Details

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Full legal name of the customer and the short name used in the text; single company or group with subsidiaries**	Cover «CUSTOMER NAME», text «CUSTOMER»	
○	Companies in scope — group companies, subsidiaries; is customer deduplication also to run across companies; for a single company the row is deleted	Cover «GROUP COMPANIES», Scope	
○	Reason for the request and context — for the one-paragraph context	Purpose «CUSTOMER CONTEXT»	
●	**Is there an RFP, specification or requirements list; its number, response format and deadline**	Structure and response format of the proposal	
○	Proposal addressee — name, title, unit; proposal date and expected decision date	Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month»	
○	Procurement process, approved budget and expected invoice payment term; is a supplier assessment (information security) required	Effort and Fees, Commercial Terms «NUMBER» days payment term	
○	Are there competitors, and who (another Informatica partner, another MDM / PIM product, the CRM vendor's own solution, the customer's own team)	Emphasis and section weights	

P2 · A·B·C · DECISION — Trigger, Business Problems, Domain, Path and Sponsor

> B is not offered on master data that has not been analysed. If the answer to the first row of this section is "no", the proposal is not written and Tier A is proposed first.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Has A (MDM Assessment) been carried out, or is there an equivalent analysis (DQ analysis, match and merge rule documents, duplicate rate, target architecture)**	Whether the proposal is written, «A REF»	
○	A reference — report / proposal number and date; the path and domain recommended in A	«A REF», Scope	
●	**Trigger — duplicate customers across systems or group companies, KVKK data subject requests needing a single customer view, group risk and legal reporting, CRM or core system renewal, mergers and acquisitions, omnichannel and digital programmes, CDP projects needing a golden ID, scattered product catalogues in retail / e-commerce** «DAMALINK DOĞRULASIN»	Purpose «CUSTOMER CONTEXT» · «TRIGGER»	
○	Business problems to solve — incomplete / inconsistent / duplicate data, no reliable 360 view, weak cross-sell / up-sell, group risk, legal reporting, segmentation; the units experiencing the problem	Purpose, Approach	
○	Sector and sector rules — bank (BDDK), insurance, retail / e-commerce, automotive / fleet, telecom; group structure	Purpose, Assumptions and Out of Scope	
●	**Business owner of the match rules — who decides that two records are "the same customer" (unit, person); who accepts the risk of a false merge**	Customer Responsibilities, Deliverables and Acceptance, Blocker Checklist	
○	Sponsor and decision maker — CDO / data governance, CIO, business unit (marketing, risk, operations); who makes the proposal decision, and by what date	Team, Customer Responsibilities, Commercial Terms	
●	**Which domain — «MODULE — CUSTOMER 360» · «MODULE — PRODUCT 360 / PIM» · «MODULE — REFERENCE DATA»; for Customer 360, is the Vehicle variant needed (vehicle; chassis number, plate, owner / insured relations)**	Scope, Effort and Fees, Service Selection Check	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Which path — «PATH — CONSOLIDATION» or «PATH — HUB»; is it the same as the recommendation of A**	Scope, Approach, Effort and Fees	
○	Target completion date and the calendar it depends on (CRM / core go-live, merger, CDP project)	Activities and Timeline	

Triggers → Package Response

Typical triggers and the package response. Those seen at the customer are marked in the last column; they feed the Purpose section of the proposal. The trigger → tier and module mappings are drafts (table as a whole). **«DAMALINK DOĞRULASIN»**

#	TRIGGER	PACKAGE RESPONSE	IN A	IN B / C	PRESENT AT CUSTOMER
1	Duplicate customers across systems or group companies	Match & merge, golden record, cross-reference	Duplicate rate	B Customer 360	
2	KVKK data subject requests — all records of one person	Single customer view and cross-reference	Source × record map	B Customer 360	
3	Group risk and legal reporting	Hierarchy and relationships (customer–group, customer–institution)	Hierarchy need	B Hub, C1	
4	CRM or core system renewal	Migration with clean master data	Scope and order	B, «OPTIONAL» migration	
5	Merger / acquisition	Matching of two customer bases	Overlap rate	B, C1	
6	Omnichannel and digital programmes	Real-time services, channel integration	Architecture	B Hub	
7	CDP project needing a golden ID	Distribution of the golden ID and attributes to the CDP	CDP boundary	B, C2	
8	Scattered product catalogue in retail / e-commerce	Product 360 / PIM — product–variant model, enrichment, channel publication	Product data profiling	B Product 360 / PIM	

P3 · A·B · LANDSCAPE — Architecture, Source Systems, Technology Standards and Access

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Technical and data-flow architecture — operational systems, ESB, ODS / staging, DWH, ETL, DQ tool, reporting and analytics, CRM, big data; an architecture diagram if available	Scope, Approach	
●	**Number of source systems holding master data and, for each, tables / records / volume; in which systems the same customer is held**	Driver 2, Scope	
○	Technology standards and versions — operating system, database, application server; the approved in-house product list	Assumptions and Out of Scope, Approach	
○	Deployment preference — on-prem, private cloud, public cloud; container standard; environments (development, test, production)	«PLATFORM», Customer Responsibilities	
○	Number of systems that will consume the master data (detail in P6)	Driver 5, Scope	
●	**Access to production customer data — read-only user for loading and parallel validation, approval process; masked copy for the development environment (data-privacy)**	Customer Responsibilities, Activities and Timeline, Blocker Checklist	

System inventory — the source and consuming systems in B scope (from the output of A). One row is one system.

#	SYSTEM	ROLE (SOURCE / CONSUMER)	TECHNOLOGY AND VERSION	MASTER TABLES	OWNER
1					
2					
3					
4					
5					

P4 · A·B·C · DATA — Domains, Record Counts, Change Volume and Existing Rules

TURKISH CUSTOMER DQ RULE CATALOGUE (accelerator 1): rules per field for name, surname, company title, TCKN / VKN (checksum and identity verification), phone, e-mail, address / city / district, occupation, education; for each rule the DQ dimension (completeness, accuracy, consistency, validity, uniqueness, timeliness), the cleanse option (cleansing / standardisation), the category (empty, invalid, problematic, unverified, not unique) and a quality code. «DAMALINK DOĞRULASIN»

REFERENCE DICTIONARIES (accelerator 5): city / district, country, occupation, education, noise words and prefixes (titles, forms of address) — for cleansing and standardisation. «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Total and active / passive customer counts — individual and corporate separately; are only active customers to be managed, or all**	Driver 3, Scope	
○	Active-record logic — how states such as active / deleted / deceased are flagged	Approach, Assumptions and Out of Scope	
○	Number of master tables and columns — per system; schemas (customer, contact, demographic, channel, reference)	Scope, Assumptions and Out of Scope	
○	Daily new and changed records; how changes are captured (timestamp, CDC, full load)	Approach, Assumptions and Out of Scope	
○	How individual and corporate customers are told apart; how foreign and Turkish customers (TCKN, VKN, foreign ID / passport) are held	Approach, ANNEX-1 — Accelerators	
○	Are there existing match / deduplication rules; in which system, with which fields	Approach, ANNEX-1 — Accelerators	
○	Vehicle variant in Customer 360 — number of vehicle records; chassis number, plate; owner / insured / driver relations	«MODULE — CUSTOMER 360», Scope	
○	Is migration of historical data needed — how many years, which sources; in the proposal «OPTIONAL» line	Effort and Fees, Assumptions and Out of Scope	
○	Have there been changes since A — new sources, a new domain, volume growth	Assumptions and Out of Scope	

Volume table — the sources of the B domain (from the output of A). One row is one source system.

#	SOURCE SYSTEM	DOMAIN	TOTAL RECORDS	ACTIVE / PASSIVE	DAILY NEW / CHANGED
1					
2					
3					
4					
5					

P5 · A·B · MATCH & QUALITY — Cleansing, Deduplication, Survivorship, Hierarchy and Stewards

MATCH RULE SET (accelerator 2): deterministic + fuzzy combinations with scores for Turkish customer data; negative rules (a filled and different TCKN or birth date blocks a match); common free e-mail domains are excluded as a risky criterion; a surname change through marriage is handled by a separate rule. The thresholds are examples and are tuned on the customer's data. «DAMALINK DOĞRULASIN»

SURVIVORSHIP TEMPLATE (accelerator 3): per field "most frequent non-blank value, then most recent update" and source trust; at most 5 iterations of match / merge tuning; basic cleansing before matching. «DAMALINK DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Cleansing and standardisation use cases — name / title parsing, address standardisation, phone format, TCKN / VKN verification	Scope, ANNEX-1 — Accelerators	
○	Which domains are to be deduplicated; is deduplication within a company or also across group companies	Scope, Driver 1	
●	**Number of match rules and fields (from the match rule document of A)**	Driver 4, Approach	
○	Survivorship preference — source reliability (trust) per field, most recent value, most frequent non-blank value; the preferred source system	Approach, ANNEX-1 — Accelerators	
○	Hierarchy and relationship need — customer–customer (household, group), customer–institution, customer–product / service; how many levels	Scope, «PATH — HUB»	
●	**Steward capacity — who will review the match results and the steward queue; number of steward UI users; time available per week**	Customer Responsibilities, Team, Blocker Checklist	
○	Approval flow — is approval needed for a new customer or a merge; how many steps; who sees the results	«PATH — HUB», Approach	
○	Acceptance criterion — number of clusters for the sample review and target precision (%)	Deliverables and Acceptance	

Match rule pre-view — from the match rule document of A; one row is one rule. The rule patterns and thresholds are examples (table as a whole). «DAMALINK DOĞRULASIN»

#	RULE (FIELDS)	TYPE	SCORE THRESHOLD (EXAMPLE)	CONDITION / NOTE	TO BE USED
1	Name + TCKN	fuzzy + exact	name ≥ 70	—	
2	Name / title + VKN	fuzzy + exact	name ≥ 80 · title ≥ 70	Corporate customer	
3	Name + mobile phone	fuzzy + exact	name ≥ 90	With the same birth date, name ≥ 85	
4	Name + e-mail	fuzzy + exact	name ≥ 90	Free e-mail domains excluded (risky criterion)	
5	First name + mobile / TCKN, different surname	fuzzy + exact	name ≥ 80	Same birth date (surname change through marriage)	
6	Negative — TCKN or birth date	negative	—	If filled and different, the match is blocked	
7					

P6 · B·C · INTEGRATION — Consumers, Batch / Real Time, Performance and Distribution

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Systems that will consume the golden record — operational systems, DWH, CRM, CDP; batch or real time for each**	Driver 5, Scope	
○	Real-time need — queries per day, expected response time, concurrent users / calls	«PATH — HUB», Assumptions and Out of Scope	
○	Is real-time customer creation / update needed from channels (branch, call centre, web, mobile) — search in MDM before create	«PATH — HUB», Scope	
○	Distribution method — ESB, API / services, files, database tables; writing the cross-reference back to consumers	Approach, Assumptions and Out of Scope	
○	Third-party integrations — identity verification service, address verification, commercial information sources	Scope, Assumptions and Out of Scope	
○	Need for master data history and backward-looking queries — for portfolio reports	Scope, Approach	
○	Security — row / column level authorisation, user management (LDAP), logs	Customer Responsibilities, Approach	

Consuming systems — one row is one consumer; for real-time consumers the response time and calls per day are written.

#	CONSUMING SYSTEM	DATA / DOMAIN	BATCH / REAL TIME	VOLUME / CALLS PER DAY	RESPONSE TIME
1					
2					
3					
4					
5					

P7 · A·B · PLATFORM — On-prem or IDMC, Existing Licences and Environment

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides**	Scope «PLATFORM», Approach, Blocker Checklist	
○	Existing Informatica licences — PowerCenter, IDQ, MDM, Product 360, RDM, IDMC (IPU); version and support status	Scope, Assumptions and Out of Scope	
○	Server / environment — who provides the server, repository database, application server and network access for the tool installation; when is it ready	Customer Responsibilities, Activities and Timeline	
○	Is the IDMC licence and onboarding wanted through Komtaş — in the proposal «OPTIONAL» line; IPU estimate	Effort and Fees, Commercial Terms	
○	Reference data — product (RDM / Reference 360) or in-house; number of code lists and crosswalks («MODULE — REFERENCE DATA»)	«MODULE — REFERENCE DATA», Approach	

Technology options — the product present at the customer is marked in the last column. The IDMC equivalents and product names are drafts (table as a whole). «DAMALINK DOĞRULASIN»

#	NEED	ON-PREM	IDMC	AT CUSTOMER
1	Hub	Informatica MDM Multidomain (IDD steward UI, SIF services)	MDM SaaS (Customer 360 / Business 360)	
2	Product	Informatica Product 360 (PIM)	Product 360 SaaS	
3	Reference data	Informatica RDM / in-house	Reference 360	
4	DQ and matching	Informatica Data Quality (IDQ)	Cloud Data Quality	
5	Integration	PowerCenter	Cloud Data Integration	

DAMALINK PACKS: Centralized Customer System (IDQ) S / A / E 3 / 5 / 6+ months, 3 / 5 / 10 million active customers ↔ Consolidation; 360 Solution (MDM) 5+ months, record packs 10 / 30 / 50 million ↔ Hub; PIM 4 / 5 / 6 months (product–variant model, daily delta, no transactional data). Damalink S / A / E ↔ Komtaş S / M / L. Assumption of at most 5 tables / files per source system. «DAMALINK DOĞRULASIN»

ACCEPTANCE (per domain): golden records produced for the agreed sources; precision ≥ «NUMBER»% in a sample review of «NUMBER» clusters; steward workflow running; distribution to the agreed consumers. «DAMALINK DOĞRULASIN»

Reference data decision (accelerator 7) — «MODULE — REFERENCE DATA» is filled in when selected; the result goes into the reference data row of P7. The criteria are adapted neutrally from the comparison of RDM with in-house development; Reference 360 is the IDMC equivalent (table as a whole). «DAMALINK DOĞRULASIN»

#	CRITERION	PRODUCT (RDM / REFERENCE 360)	IN-HOUSE	WHEN IT FITS
1	Ready data model and crosswalk	Available	To be developed	Different codes in many systems
2	Steward UI and approval flow	Available	To be developed	If business units maintain the codes themselves
3	Hierarchy, history and timeline	Available	Partly	If backward-looking reporting is needed
4	Real-time services and import / export	Available	To be developed	If operational systems read the codes online
5	Security, monitoring, alerts	Available	With the in-house standard	—
6	Licence and maintenance cost	Licence	Development and maintenance effort	Few, rarely changing code lists → in-house

Path and module plan — from the output of A; one row is one proposal block. The selected path and the selected domain module are filled in; the rows and blocks of those not selected are deleted.

#	PROPOSAL BLOCK	SCOPE (SOURCES / CONSUMERS)	RECORDS	DEPENDENCY	BAND
Y1	«PATH — CONSOLIDATION»				
Y2	«PATH — HUB»			MDM licence	
M 1	«MODULE — CUSTOMER 360»			Y1 or Y2	
M 2	«MODULE — PRODUCT 360 / PIM»			Product 360 licence	
M 3	«MODULE — REFERENCE DATA»			Decision table	

Band and Effort Calculation — Tier B

Completed after the answers are collected. In B the band sets the effort of both the foundation and the domain module; the domain effort depends on the selected path. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. Record counts above 50 million are outside the bands and are handled as a programme. On the Consolidation path driver 6 (active customers) counts instead of driver 3; Hub, Product 360 / PIM and Reference Data are banded with drivers 1–5. «DAMALINK DOĞRULASIN»

CALIBRATION NOTE — DRAFT: the bands and efforts are not based on recorded Komtaş effort; they are calibrated to Damalink durations and packs (Damalink Centralized Customer System S / A / E 3 / 5 / 6+ months and 3 / 5 / 10 million active customers → Consolidation S / M / L; 360 Solution 5+ months and 10 / 30 / 50 million records → Hub; PIM 4 / 5 / 6 months → Product 360 / PIM). Komtaş effort is not written into the proposal before the delivery team confirms it. The person-days and team size behind these durations are unknown. «DAMALINK DOĞRULASIN»

#	DRIVER	SMALL	MEDIUM	LARGE	RESULTING BAND
1	Domains (P2) — 1 in B	1	2	≥ 3	
2	Source systems (P3)	≤ 3	4 – 8	> 8	
3	Records (P4)	≤ 10 million	≤ 30 million	≤ 50 million	
4	Match rules (P5)	≤ 20	21 – 60	> 60	
5	Consuming systems / integrations (P6)	≤ 3	4 – 8	> 8	
6	Active customers — Consolidation path only (P4)	≤ 3 million	≤ 5 million	≤ 10 million	
	RESULT — foundation (once) + domain module (path × band) «DAMALINK DOĞRULASIN»	foundation ~25 pd + domain	foundation ~40 pd + domain	foundation ~60 pd + domain	

DAMALINK MAPPING: Starter ↔ S, Advanced ↔ M, Enterprise ↔ L. The Consolidation path corresponds to the Centralized Customer System (IDQ), the Hub path to the 360 Solution (MDM) and the Product 360 / PIM module to the PIM package. There is no Damalink pack for Reference Data; its effort is a draft. «DAMALINK DOĞRULASIN»

Effort calculation — B covers one domain: row 1 and only one of rows 2–5 are filled in; for Customer 360 the path row (2 or 3) is selected. Optional lines are added according to the P4 and P7 answers.

#	ITEM	BAND	UNIT EFFORT	COUNT	EFFORT (pd)
1	Foundation — environment and tool set-up, source-to-target matrix, DQ rule catalogue, reference dictionaries, steward process, handover (once)		S ~25 · M ~40 · L ~60 pd	1	
2	«MODULE — CUSTOMER 360» · «PATH — CONSOLIDATION» (≈ 3 / 5 / 6+ months)		S ~60 · M ~100 · L ~140 pd		
3	«MODULE — CUSTOMER 360» · «PATH — HUB» (≈ 5+ months)		S ~110 · M ~160 · L ~220 pd		
4	«MODULE — PRODUCT 360 / PIM» (≈ 4 / 5 / 6 months)		S ~80 · M ~110 · L ~140 pd		
5	«MODULE — REFERENCE DATA»		S ~30 · M ~50 · L ~80 pd		
	SUBTOTAL (row 1 + one of rows 2–5)				
6	IDMC licence and onboarding («OPTIONAL», P7)	—	«NUMBER» pd		
7	Migration of historical data («OPTIONAL», P4)	—	«NUMBER» pd		
	TOTAL — foundation + domain module + optional lines				

FORMULA — Total effort = foundation (once, value of the band) + domain module (path × band) + optional lines. In the proposal the foundation, the domain module and each optional line are separate lines. A second domain is written as a C1 line.

ILLUSTRATION (invented values, not customer data) — Customer 360 in band M, Consolidation path: foundation 40 pd + domain 100 pd = 140 pd.

DURATION — the calendar duration is given by the path and the band (Consolidation ≈ 3 / 5 / 6+ months; Hub ≈ 5+ months; Product 360 / PIM ≈ 4 / 5 / 6 months; Reference Data «NUMBER» weeks); the final duration is set with the delivery team.

TEAM — Engagement lead · MDM architect · MDM / IDQ developers · data quality analyst · business analyst. Customer side: business data owners, data stewards, IT integration, DBAs, DG office. «DAMALINK DOĞRULASIN»

Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
1	KOMTAS-«CUSTOMER ABBREVIATION»-MDM-B-«YEAR»-«SEQUENCE»	Cover — proposal number	Proposal register sequence	
2	«dd Month yyyy» · «proposal date + 1 month» · «price validity date»	Cover, Commercial Terms	Send date + 1 month (P1); sales sets the price validity date	
3	«CUSTOMER CONTEXT» · «TRIGGER»	Purpose	P1 and P2 answers	
4	«PLATFORM»	Scope, Approach	P7 answer — on-prem Informatica or IDMC	
5	ANNEX-1 accelerator list	ANNEX-1 — Accelerators	Accelerators 1–5 stay; 7 only if Reference Data is selected; 6 for parallel validation	
6	«A REF»	Scope, Assumptions and Out of Scope	P2 — number and date of the A report or the equivalent analysis	
7	«PATH — CONSOLIDATION» / «PATH — HUB»	Scope, Approach, Effort and Fees	P2 path selection; the block of the path not selected is deleted	
8	«MODULE — CUSTOMER 360» · «MODULE — PRODUCT 360 / PIM» · «MODULE — REFERENCE DATA»	Scope, Activities and Timeline, Effort and Fees	P2 domain selection and P7 path and module plan; the blocks of the modules not selected are deleted	
9	«NUMBER» source systems · «NUMBER» million records · «NUMBER» match rules · «NUMBER» consumers	Scope	P3–P6 answers	
10	«BAND» · foundation «NUMBER» pd · domain «NUMBER» pd · «NUMBER» months	Activities and Timeline, Team, Effort and Fees	B Effort Calculation, delivery team confirmation	
11	Foundation «fee» · domain module «fee» · «OPTIONAL» lines «fee»	Effort and Fees	Row 1, one of rows 2–5, rows 6–7; each a separate line	
12	Acceptance — «NUMBER» clusters · precision ≥ «NUMBER»%	Deliverables and Acceptance	P5 answer	
13	«day rate» · «%» · «amount»	Effort and Fees, Commercial Terms	Change requests at the day rate; sales sets the payment pattern	
14	Next step items	Next Step	Follow-on Interest table; no margin figures	
15	ANNEX-2 references table (anonymous)	ANNEX-2 — About Komtaş	The anonymous wording in the “IN THE PROPOSAL” column of the References table below; no customer name and no Damalink or Digitallency name are written.	
16	«full name» · «title» · «e-mail / phone» · «CITY»	Commercial Terms	Komtaş commercial and technical contact; city for free on-site meetings	

References — Source of ANNEX-2

In customer files (2, 4a / 4b / 4c) only the anonymous wording in the last column is written; Damalink, Digitallency, Allianz, the system codes, Hepsiburada and YeşimTech are not named; where a result is unknown, «RESULT» stays. The Damalink content dates from 2018–2021; Damalink work is not written as a Komtaş reference. «DAMALINK DOĞRULASIN» The Allianz and Hepsiburada references are written anonymously in a customer file with one tag per reference list. «DIGITALLENCY DOĞRULASIN»

#	SOURCE (INTERNAL)	CONTENT	USE IN THE PROPOSAL	YEAR	IN THE PROPOSAL (ANONYMOUS)
1	Damalink — 03 Master Data Management Framework	MDM Assessment, Customer 360 Solution, Reference Data Management; question lists, BRD, DQ analysis report, DQ / match / merge rule documents, SMX, dictionaries, RDM comparison; on-prem MDM 10.x, IDQ, IDD, SIF	Source of method and accelerators; not a reference	2018–2021	Not written (the method is described as the Komtaş approach)
2	Allianz	Single Customer View: four systems (AZS, AZHE, AZYE, YKS) in one environment; duplicate cleaning within and across group companies; PowerCenter + IDQ + MDM; report access from one week to one day (Digitallency deck)	Reference; Customer 360	«YEAR»	an insurance group — single customer view across four group systems (duplicate customers cleaned within and across companies; report access from one week to one day)
3	Hepsiburada	PIM — no detail (Digitallency deck)	Reference; Product 360 / PIM	«YEAR»	an e-commerce company — PIM («RESULT»)
4	YeşimTech	RFP folder — licence questions for Informatica MDM SaaS (IDMC)	Demand signal; not a reference	—	Not written

Service Selection Check

Before filling in the form, make sure that Tier B is the right service. One request can match more than one row.

STATUS	RIGHT SERVICE
The quality and duplicate rate of the master data are not known; the match / merge rules, the architecture and the B path are to be established	A — MDM Assessment
A or an equivalent analysis exists; a batch golden record table without a hub and distribution to DWH / CRM are wanted	B — Domain Foundation · «PATH — CONSOLIDATION»
A or an equivalent analysis exists; steward UI, approval flow, hierarchy and real-time services are wanted	B — Domain Foundation · «PATH — HUB»
A product catalogue, product–variant model, enrichment and channel publication are wanted	B — «MODULE — PRODUCT 360 / PIM»
Central management of code lists and crosswalks across systems is wanted	B — «MODULE — REFERENCE DATA»
A new domain is to be added to an established hub / consolidation	C1 — additional domain (foundation not counted again)
Tuning, steward support, monitoring and new source onboarding on the established environment are wanted	C2 — Run
Segments, audiences, journeys or channel activation are wanted	CDP packages (cdp-assessment, cdp-deger-onerisi)
A steward organisation, data ownership, policies or an enterprise DQ programme are wanted	data-governance
Masking of personal data in non-production environments is wanted	data-privacy
Changes to source systems or licence procurement alone are wanted	Out of scope

Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

#	FOLLOW-ON WORK	RELATED TRIGGER	INTEREST (YES / NO / LATER)	NOTE
1	C1 — additional domains	Product, reference data, household / group relationships		
2	C2 — Run	Tuning, steward support, new sources		
3	CDP (cdp-assessment, cdp-deger-onerisi)	Marketing and activation with the golden ID		
4	data-governance and DQ	Steward organisation, ownership, enterprise DQ		
5	data-privacy	Personal data in non-production MDM copies		
6	Insurance sector programme	Insurance groups with several companies		

COMMERCIAL FRAME — INTERNAL ONLY. This box and the names Damalink, Digitallency, Allianz, Hepsiburada and YeşimTech are not written into the customer deck or the proposal.

The package pulls Informatica licences (on-prem MDM or MDM SaaS / IPU). IDMC licence and onboarding is an optional line in B. Recurring value lies in C — C1 per domain and monthly C2. The package opens data-governance (stewardship), DQ, data-privacy, the CDP packages (cdp-assessment and cdp-deger-onerisi — currently empty; the Customer 360 DQ / match / merge rule documents are their inputs) and the insurance sector programme (insurance groups with several companies).

Demand signal: in the RFP folder YeşimTech asked licence questions for Informatica MDM SaaS (IDMC). This is a demand signal; it is not a reference and is not written as a reference in any file.

The partnership model with Damalink is open («FIELD»). Evidence: Damalink “03 Master Data Management Framework” (MDM Assessment, Customer 360 Solution, Reference Data Management; content 2018–2021, on-prem MDM 10.x, IDQ, IDD, SIF). Usage terms of the accelerators «FIELD». Damalink prices are not used. «DAMALINK DOĞRULASIN»

Digitallency deck: Allianz Single Customer View — four systems (AZS, AZHE, AZYE, YKS) brought into one environment; duplicate customers cleaned within and across group companies; PowerCenter + IDQ + Informatica MDM; access to reports reduced from one week to one day. Year and Komtaş’s role «FIELD». «DIGITALLENCY DOĞRULASIN» Hepsiburada PIM — no detail. Result «RESULT». «DIGITALLENCY DOĞRULASIN»

Blocker Checklist

These rows must be answered before proposal writing starts.

SECTION	BLOCKER QUESTION	ANSWERED?
P1	Full legal name of the customer and the short name used in the text; single company or group with subsidiaries	
P1	Is there an RFP, specification or requirements list; its number, response format and deadline	
P2	Has A (MDM Assessment) been carried out, or is there an equivalent analysis (DQ analysis, match and merge rule documents, duplicate rate, target architecture)	
P2	Trigger — duplicate customers across systems or group companies, KVKK data subject requests needing a single customer view, group risk and legal reporting, CRM or core system renewal, mergers and acquisitions, omnichannel and digital programmes, CDP projects needing a golden ID, scattered product catalogues in retail / e-commerce	
P2	Business owner of the match rules — who decides that two records are “the same customer” (unit, person); who accepts the risk of a false merge	
P2	Which domain — «MODULE — CUSTOMER 360» · «MODULE — PRODUCT 360 / PIM» · «MODULE — REFERENCE DATA»; for Customer 360, is the Vehicle variant needed (vehicle; chassis number, plate, owner / insured relations)	
P2	Which path — «PATH — CONSOLIDATION» or «PATH — HUB»; is it the same as the recommendation of A	
P3	Number of source systems holding master data and, for each, tables / records / volume; in which systems the same customer is held	
P3	Access to production customer data — read-only user for loading and parallel validation, approval process; masked copy for the development environment (data-privacy)	
P4	Total and active / passive customer counts — individual and corporate separately; are only active customers to be managed, or all	
P5	Number of match rules and fields (from the match rule document of A)	
P5	Steward capacity — who will review the match results and the steward queue; number of steward UI users; time available per week	
P6	Systems that will consume the golden record — operational systems, DWH, CRM, CDP; batch or real time for each	
P7	Technology preference («PLATFORM») — on-prem Informatica or IDMC; has it been decided, who decides	

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold. A missing business owner for the match rules cannot be covered by an assumption.

The first row of P2 has a special place: without A or an equivalent analysis no B proposal is written; if the customer still wants B, A is proposed first.

Blocking conditions and their effect on the proposal

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
1	No A or equivalent analysis	No B proposal is written	Propose A first; use form 3a	
2	No access to production customer data	Loading and parallel validation of the golden records cannot be written	Clarify the access method in P3	
3	No business owner for the match rules	The rules and the acceptance criterion (precision) cannot be written	Clarify the owner in P2	
4	No steward capacity	The steward workflow and queue cannot run; acceptance cannot be written	Clarify in P5	
5	No licence / technology decision	The foundation (tool installation) and the path cannot be written	Clarify in P7	
6	No domain or path selected	The path and module blocks cannot be written	Clarify in P2	