PREDICTIVE ANALYTICS · TIER B · INTERNAL

Predictive Analytics Production — Proposal Input Form

Information to be collected for a Production (B) proposal that takes validated models into production, and the proposal field (file 4b) each item fills. The price is per use case; the MLOps foundation is counted once and each integration as a separate item. Sections follow the Proposal Set codes (P1–P7). Orange tags mark drafts: statements with the AX tag are to be verified by the Analytics (AX) team (use cases, data, metrics, effort, bands, team, references, acceptance), statements with the GÜNER tag by Güner Hacıoğlu (cloud / platform items, the MACFit and DeFacto references).

Rows marked ● are BLOCKERS — the proposal cannot be written without them and they cannot be filled with assumptions.

If rows marked ○ remain missing, they are written into the proposal as assumptions and go to the Assumptions and Out of Scope section.

The "WHERE IT FILLS IN THE PROPOSAL" column of each row names the section or variable field of the proposal template (file 4b). This form uses the Proposal Set codes P1–P7; the A·B·C mark in each code heading shows the tiers in which the code is asked.

If the answer to a question is "we don't know", that is also an answer — it is often the first finding and goes into the proposal as an assumption.

LIMIT OF TIER B: B takes a validated model into production. The prerequisite is the Pilot (A) or an equivalent validated model; without it no B proposal is written, A is proposed first and A's input form (3a) is used.

SCOPE: deployment pipeline; scheduled scoring (batch); model registry; monitoring (drift, performance); integration into target systems; runbook; handover. «AX DOĞRULASIN»

PRICING: the price is per use case; the MLOps foundation is counted once; each integration is a separate line item.

MLOps FOUNDATION EXPERIENCE (internal): ABB Bank — AI Factory, end-to-end open-source MLOps, IDC award; Şişecam — MLOps for the IoT platform (Google Composer + Dataiku; conditional and periodic retraining, stability monitoring); a state bank — revamp of three models with MLOps; Akbank — model standardisation on Dataiku, 25–40% shorter model development. In the proposal it appears as "MLOps foundation experience"; the MLOps / AI Factory platform is a separate asset. «AX DOĞRULASIN»

PLATFORM: the delivery platform can be Google Cloud (BigQuery, BigQuery ML, Vertex AI), Dataiku, Azure ML or an open-source stack. The lifecycle and the tiers do not change with the platform; the platform choice is a scope item («PLATFORM»).

OUT OF SCOPE: data platform migration; data cleansing in source systems; execution of campaigns, price changes or operational actions; a guaranteed business result; real-time (online) scoring unless specified. «AX DOĞRULASIN»

NEIGHBOURING PACKAGES AND SEPARATE ASSETS: AI Readiness Assessment measures readiness, this package builds the model; ETL Modernization on Google Cloud and Data Modernization move the data platform; AI Governance Readiness covers model governance. The Analytic CoE Enablement Program, the MLOps / AI Factory platform and the analytics platform migration to Dataiku (SAS / R → Dataiku, Pentaho → Dataiku) are separate candidate assets; RAG / LLM work belongs to Gemini Agent Kit / Grounded Intelligence.

P1 · A·B·C · IDENTITY — Organisation and Proposal Details

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Full legal name of the organisation and the short name used in the text; single company or group with subsidiaries**	Cover «CUSTOMER NAME», text «CUSTOMER»	
○	Legal entities, brands, plants or group companies in scope — names; for a single company the row is deleted	Cover «GROUP COMPANIES», Scope	
○	Sector and reason for the request — for the one-paragraph context	Purpose «CUSTOMER CONTEXT»	
●	**Is there an RFP, specification or requirements list; its number, response format and deadline**	Structure and response format of the proposal	
○	Proposal addressee — name, title, unit; proposal date and expected decision date	Cover «dd Month yyyy», Commercial Terms «proposal date + 1 month»	
○	Procurement process, approved budget and expected invoice payment term	Effort and Fees, Commercial Terms «NUMBER» days payment term	
○	If the platform is Google Cloud, where is cloud consumption (BigQuery, Vertex AI) bought today — directly, through Komtaş, through another partner or reseller; is there a Dataiku or Azure licence	internal: Commercial frame	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Are there competitors, and who (another partner, a software product, the customer's own data science team)	Emphasis and section weights	

P2 · A·B·C · DECISION — Use Case, Business Goal, Platform, Tier and Sponsor

> The value of the package lies in a model the business acts on. If the business goal and the business owner are unknown, the value measurement (control group) cannot be designed and the model remains a technical output.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Use cases in Production scope — family and use case (from the Use-Case Catalogue); the Pilot basis of each**	ANNEX-1 — Family Pages (selected family block), Driver 1, Effort and Fees	
●	**Business goal and trigger — rising churn or segment downgrade, stock-outs or overstock, price and margin pressure, rising delinquency or a low credit approval rate, energy cost, quality losses or falling yield, campaign efficiency, a move of the data to a new platform** «AX DOĞRULASIN»	Purpose «CUSTOMER CONTEXT» · «TRIGGER»	
○	Business owner and sponsor per use case — marketing, sales, pricing, risk / collections, supply chain, production	Team, Customer Responsibilities	
○	Which tiers are wanted — B only, or B + C (Run) together	Next Step, Service Selection Check	
●	**Delivery platform — Google Cloud (BigQuery, BigQuery ML, Vertex AI), Dataiku, Azure ML or an open-source stack; existing environment, licences and the customer's platform preference**	Scope «PLATFORM», Approach	
○	Target go-live date and the business calendar it depends on (campaign period, season, budget period, plant maintenance window)	Activities and Timeline, Schedule — go-live	
○	Who will make the decision, and by what date	Commercial Terms	

Use-Case Catalogue — Five Families

The unit sold is one use case: Pilot one use case, Production per use case, Run monthly. The family sets the block that stays in ANNEX-1 of the proposal. The catalogue is compiled from the frameworks in the AX deck (table as a whole). «AX DOĞRULASIN»

#	FAMILY (PROPOSAL BLOCK)	USE CASES	SECTOR AND ENTRY VIEW
1	Retention & Churn («FAMILY — RETENTION & CHURN»)	Path to Churn; identifying "balance" churners; asset churn / segment downgrade (bank); subscription churn (fitness / subscription); customer satisfaction index	Finance — Retention; fitness / subscription; retail
2	Demand & Supply («FAMILY — DEMAND & SUPPLY»)	Demand forecasting (retail, manufacturing); inventory productivity; visitor and sales prediction (shopping malls); schedule optimization	Retail; manufacturing — Supply Chain; shopping mall management
3	Pricing & Personalization («FAMILY — PRICING & PERSONALIZATION»)	Next best offer; product bundling; recommendation; customer lifetime value; deposit pricing; credit pricing; list price and markdown optimization; dynamic pricing; customer segmentation; customer contact policy; onboarding analytics	Finance — Acquisition & Onboarding, Growth, Pricing & Personalization; retail; e-commerce; B2B spare parts
4	Risk & Collections («FAMILY — RISK & COLLECTIONS»)	Collection analytics / optimization; credit risk model enhancement (incl. graph analytics on relational data); dynamic client limit; risk analytics	Finance — Risk

#	FAMILY (PROPOSAL BLOCK)	USE CASES	SECTOR AND ENTRY VIEW
5	Industrial Operations («FAMILY — INDUSTRIAL OPERATIONS»)	Energy optimization (HVAC, furnace); predictive quality / quality classification; production yield optimization; predictive maintenance; process unit prediction (refinery); fixed asset utilization — largely ML-guided optimization	Manufacturing — Resource Management, Operational Excellence; pharmaceuticals; refining. References mostly in glass manufacturing; further sectors on request.

P3 · A·B · DATA — Pilot Basis and Data Sources (B Prerequisite)

> B is not offered on an unvalidated model. If the answer to the first row of this section is “no”, the proposal is not written and Tier A is proposed first.

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Has the Pilot (A) been carried out, or is there an equivalent validated model (measured on hold-out data, feature definitions documented)**	Whether the proposal is written, «PILOT REF»	
○	Pilot reference — report / proposal number and date; the go decision of the Pilot	«PILOT REF», Scope	
○	Number of data sources per use case in production	Driver 2, Scope	
○	Is the data on the selected platform and loaded on a schedule (intra-day / daily / weekly); scheduled scoring depends on these loads	Approach, Assumptions and Out of Scope	
○	Data owner and owner of the data pipelines; contact for load failures	Customer Responsibilities	
●	**Is there KVKK approval or a legal basis for processing personal (customer-level) data in production; is anonymisation / pseudonymisation required; “not applicable” if only machine / sensor data is used**	Customer Responsibilities, Assumptions and Out of Scope	
○	Have there been changes since the Pilot — new sources, a changed target definition, new stores / product groups, new lines or sensors	Assumptions and Out of Scope	

P4 · A·B · VOLUME — Customers, Series, Products and Sensors

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Volume per use case — number of customers / accounts (Retention, Risk); number of time series, product × location (Demand); SKU × customer segment or number of users and products (Pricing); number of units / sensor tags (Industrial)**	Driver 3, Scope	
○	Demand & Supply: number of products, locations and channels; forecast level (day / week) and horizon («HORIZON»)	ANNEX-1 — Family Pages «FAMILY — DEMAND & SUPPLY», Scope	
○	Pricing & Personalization: number of SKUs, price lists or offers; the channel where the recommendation / offer is shown (web, app, e-mail, branch, store, sales team)	ANNEX-1 — Family Pages «FAMILY — PRICING & PERSONALIZATION», Scope	
○	Industrial Operations: number of plants, lines / units and sensor tags; data frequency (second / minute / hour)	ANNEX-1 — Family Pages «FAMILY — INDUSTRIAL OPERATIONS», Scope	
○	Segments, brands, regions, channels or plants to be modelled separately	Scope, Assumptions and Out of Scope	

P5 · B·C · FREQUENCY — Prediction Frequency and Timing

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Prediction / scoring frequency per use case — monthly, weekly, daily or intra-day**	Driver 4, Scope «FREQUENCY», Effort and Fees	
○	When the scores / forecasts must be ready — e.g. Monday 07:00 or every 4 hours; business impact of a delay	Deliverables and Acceptance, Customer Responsibilities	
○	Need for real-time (online) scoring — out of scope unless specified; batch scoring is the basis	Assumptions and Out of Scope	

P6 · B · INTEGRATION — Target Systems and Integration Method

> Each integration is a separate item in the proposal and a separate row in the B Effort Calculation. The table below feeds the Integration with Target Systems section.
>
> Komtaş delivers the scores / forecasts to the agreed interface; changes inside the target system (fields, screens, campaign rules, control logic) belong to the system owner. «AX DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Target systems per use case and their number — CRM, campaign tool, pricing system, collections system, ERP / replenishment, MES / SCADA, operator screen, reporting tool**	Driver 5, Integration with Target Systems «TARGET SYSTEM», Effort and Fees	
○	Integration method per system — score table, file transfer, API, reverse ETL; who builds the receiving side	Approach, Customer Responsibilities	
○	Owner and IT / OT contact of each target system; is there a test environment	Customer Responsibilities, Activities and Timeline	
○	Reporting need — for scores, forecasts and monitoring (Looker, Power BI, Dataiku dashboards etc.)	Scope, Deliverables and Acceptance	
○	Network and security constraints — write permission into target systems, plant network (OT) access, approval lead times	Assumptions and Out of Scope, Customer Responsibilities	

Integration items — one row per system.

#	TARGET SYSTEM	USE CASE	METHOD (TABLE / FILE / API)	FREQUENCY	SYSTEM OWNER
1					
2					
3					
4					

P7 · A·B · MEASUREMENT — Success Metric, Control Group and Current Method

> Acceptance: the technical metric on hold-out data (thresholds «NUMBER») is separate from the business metric; the business metric is measured, not guaranteed. «AX DOĞRULASIN»

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
●	**Production acceptance thresholds — the technical metric stays above «NUMBER» on hold-out data; scheduled scoring completes at the agreed time**	Deliverables and Acceptance	
○	How the business metric will be tracked in production — will the control group continue	Deliverables and Acceptance, Next Step	

	TO ASK	WHERE IT FILLS IN THE PROPOSAL	ANSWER
○	Measurement results from the Pilot and the comparison with the current method (measured values; no estimates written)	Purpose, «PILOT REF»	
○	Who acts on the scores; are the actions recorded (for value measurement)	Customer Responsibilities	

Metrics per family — thresholds are agreed with the customer. The metrics are derived from the measurements in the AX references (table as a whole). «AX DOĞRULASIN»

#	FAMILY	TECHNICAL METRIC (HOLD-OUT)	BUSINESS METRIC (CONTROL GROUP / TEST)	THRESHOLD	NOTE
1	Retention & Churn	AUC / Gini; lift in the top decile	Retention difference or segment downgrade difference vs the control group	«NUMBER»	
2	Demand & Supply	WAPE / MAPE and bias vs the current method on a back-test period	Stock holding cost, stock-out / overstock change	«NUMBER»	
3	Pricing & Personalization	Price elasticity model fit; offline precision@k / recall@k	Revenue or margin at the same conversion in an A/B test; CTR and conversion	«NUMBER»	
4	Risk & Collections	Gini; feature importance (explainable AI)	Transition rate into the first delinquency cycle; credit approval rate at the same NPL ratio	«NUMBER»	
5	Industrial Operations	Prediction error on hold-out (MAE / RMSE); classification accuracy	Energy consumption, deviation, yield or labour hours in test units / periods vs control	«NUMBER»	

Band and Effort Calculation — Tier B

Completed after the answers are collected. In B the band sets the effort per use case; the MLOps foundation is added once and integrations item by item. The band is the highest band reached by at least three drivers. A driver reaches a band when its value falls in that band or a higher one; if three drivers do not reach M or L, the band is S. In Industrial Operations volume is measured by the number of sensor tags; thresholds «NUMBER». «AX DOĞRULASIN»

DRAFT — no recorded effort; bands and efforts are to be updated with the Analytics (AX) team's data. The effort of the AX references and of the MACFit / DeFacto work is unknown. Komtaş effort is not written into the proposal before the delivery team confirms it.

#	DRIVER	SMALL	MEDIUM	LARGE	RESULTING BAND
1	Use cases (P2)	1	2	≥ 3	
2	Data sources (P3)	≤ 3	4 – 8	> 8	
3	Volume: customers / time series (P4)	≤ 100k / ≤ 10k	100k – 1M / 10k – 100k	> 1M / > 100k	
4	Prediction frequency (P5)	monthly	weekly	daily / intra-day	
5	Systems to integrate (P6)	1	2 – 3	> 3	
	RESULT — effort per use case «AX DOĞRULASIN»	~40 pd	~60 pd	~90 pd	

Effort calculation — only the rows of the selected use cases are filled in; person-days = count × unit effort. The band from the driver table applies to every use case; if a use case's own volume or frequency puts it in another band, the band is written separately in that row.

#	ITEM	BAND	UNIT EFFORT	COUNT	PERSON-DAYS
1	Use case 1 — family block · «USE CASE»		S ~40 · M ~60 · L ~90 pd		
2	Use case 2 — family block · «USE CASE»		S ~40 · M ~60 · L ~90 pd		
3	Use case 3 — family block · «USE CASE»		S ~40 · M ~60 · L ~90 pd		

#	ITEM	BAND	UNIT EFFORT	COUNT	PERSON-DAYS
	USE CASE SUBTOTAL (rows 1–3)				
4	MLOps foundation — deployment pipeline, model registry, monitoring, runbook (once) «AX DOĞRULASIN»	—	~20–30 pd	1	
5	Integration — per target system (P6)	—	«NUMBER» pd		
	TOTAL — use cases + MLOps foundation + integrations				

FORMULA — Total effort = Σ (selected use case × use-case effort of the band) + MLOps foundation (once) + Σ (number of integrations × integration unit effort). In the proposal the use-case fee, the MLOps foundation and each integration are separate lines.

ILLUSTRATION (invented counts, not customer data) — 2 use cases in band M: 2 × 60 = 120 pd; MLOps foundation 25 pd; 3 integrations × «NUMBER» pd. Total = 145 pd + 3 × «NUMBER» pd.

DURATION — the calendar duration of B is «NUMBER» weeks; set with the delivery team.

TEAM — Data Scientist (lead) · ML Engineer · Data Engineer · Business Analyst / Engagement Lead (part time). Customer side: business owner (marketing, pricing, risk / collections, supply chain or production), data owner, IT / OT for integration. «AX DOĞRULASIN»

ARCHITECTURE — Google Cloud: sources → BigQuery → BigQuery ML or Vertex AI (training, model registry, pipelines, batch prediction) → score / forecast tables → export to business systems → monitoring (drift, performance) → Looker reports. «GÜNER DOĞRULASIN» On the other platforms the same steps are built with Dataiku (flow, model training, deployment, monitoring), Azure ML or an open-source stack (e.g. MLflow, Airflow). «AX DOĞRULASIN»

Fields Filled by the Proposal Team

These fields are not asked of the customer; SAT and sales fill them from the band, the effort calculation, the payment pattern and approved lists.

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
1	KOMTAS-«CUSTOMER ABBREVIATION»-PRA-B-«YEAR»-«SEQUENCE»	Cover — proposal number	Proposal register sequence	
2	«dd Month yyyy» · «proposal date + 1 month» · «price validity date»	Cover, Commercial Terms	Send date + 1 month (P1); sales sets the price validity date	
3	«CUSTOMER CONTEXT» · «TRIGGER»	Purpose	P1 and P2 answers	
4	«FAMILY — RETENTION & CHURN» / «FAMILY — DEMAND & SUPPLY» / «FAMILY — PRICING & PERSONALIZATION» / «FAMILY — RISK & COLLECTIONS» / «FAMILY — INDUSTRIAL OPERATIONS»	ANNEX-1 — Family Pages, Scope	P2 — the family blocks of the selected use cases stay, the others are deleted	
5	«USE CASE» · «PLATFORM»	Scope, Approach	P2 — name as in the Use-Case Catalogue; platform from the P2 answer	
6	«PILOT REF»	Scope, Assumptions and Out of Scope	P3 — number and date of the Pilot report	
7	«NUMBER» use cases · «NUMBER» data sources · «FREQUENCY» · «NUMBER» integrations	Scope	P2–P6 answers	
8	«BAND» · «NUMBER» person-days per use case · «NUMBER» weeks	Activities and Timeline, Team, Effort and Fees	B Effort Calculation, delivery team confirmation	
9	«fee» per use case	Effort and Fees	Use-case effort × day rate	
10	MLOps foundation «fee»	MLOps Foundation, Effort and Fees	Once; row 4	
11	«fee» per integration · «TARGET SYSTEM»	Integration with Target Systems, Effort and Fees	P6 integration table; one line per system	

#	FIELD	WHERE IN THE PROPOSAL	HOW IT IS SET	VALUE
12	Acceptance thresholds «NUMBER»	Deliverables and Acceptance	P7 answers	
13	«day rate» · «%» · «amount»	Effort and Fees, Commercial Terms	Change requests at the day rate; sales sets the payment pattern	
14	Next step items	Next Step	Follow-on Interest table; no margin figures	
15	ANNEX-2 references table · «RESULT»	ANNEX-2 — About Komtaş	From the References and Results table below, the rows that fit the selected family; the naming and result rule is in the note of the table.	
16	«full name» · «title» · «e-mail / phone» · «CITY»	Commercial Terms	Komtaş commercial and technical contact; city for free on-site meetings	

References and Results — Source of ANNEX-2

Source: the AX “References & Services 2026” deck; rows 10–11 from Güner Hacıoğlu. Results are written only from this table; where no result is known, «RESULT» stays. “Named” rows may appear as references in customer files; each reference table / list in a customer file carries one AX verification tag. **«AX DOĞRULASIN»**

#	USE CASE	FAMILY	REFERENCE (INTERNAL)	MEASURED RESULT	IN THE PROPOSAL
1	Collection optimization	Risk & Collections	Albaraka Banking Group, TEB	3–7% reduction in transition into the first delinquency cycle; Gini 0.86; explainable AI; contact policy optimised	named
2	Credit risk model enhancement	Risk & Collections	QNB Finansbank	+4.5% credit approval rate at the same NPL ratio; Gini 0.78–0.81; graph analytics	named
3	Asset churn prediction	Retention & Churn	Odeabank	11% lower segment downgrade in the test group vs the control group	named
4	Energy optimization in HVAC	Industrial Operations	Eczacıbaşı Monrol	2.3% lower energy consumption in test units vs control	named
5	Furnace energy, furnace temperature control, glass quality classification, production yield	Industrial Operations	Şişecam	«RESULT»	named
6	List price and markdown optimization	Pricing & Personalization	a spare-parts seller	+4% revenue at the same conversion in the test group; price elasticity for 30,000+ SKUs; 12 A/B scenarios	unnamed
7	Demand prediction	Demand & Supply	a tyre manufacturer	7% lower stock holding cost for 7 tyre types	unnamed
8	Visitor and sales prediction	Demand & Supply	a shopping mall management company	Forecasts for 350+ stores in 2 malls and 1.6 million visitors	unnamed
9	Process unit prediction (CCR)	Industrial Operations	an integrated oil / petrochemical group	Qualitative (more stable, less error-prone operation)	unnamed
10	Subscription churn	Retention & Churn	MACFit	«RESULT»; POC or live unknown	anonymous
11	Demand forecasting (retail)	Demand & Supply	DeFacto	«RESULT»; POC or live unknown	anonymous
12	Recommendation	Pricing & Personalization	none	—	—

“Unnamed” rows stay unnamed as in the deck. MACFit and DeFacto are written anonymously in customer files (“a fitness / subscription company”, “a retail company”). «GÜNER DOĞRULASIN»

Service Selection Check

Before filling in the form, make sure that Tier B is the right service. One request can match more than one row.

STATUS	RIGHT SERVICE
It is unclear whether the data is ready for a model; readiness is to be measured first	AI Readiness Assessment
The value of a model for one catalogue use case is to be shown on the customer’s data	A — Pilot
A validated model from the Pilot or an equivalent study exists; production is wanted	B — Production
The model is in production; monitoring, retraining and a monthly report are wanted	C — Run
Another use case is wanted in addition to a use case with a completed Pilot	A — Pilot for the new use case; B if it is validated
The data sits in on-prem ETL (e.g. ODI) or a DWH; it needs to move to a new platform	ETL Modernization on Google Cloud / Data Modernization
The organisation’s analytics team, use-case roadmap and governance are to be set up together	Analytic CoE Enablement Program (separate asset)
An enterprise MLOps / AI Factory platform for many models is wanted	MLOps / AI Factory platform (separate asset)
Existing SAS / R models or Pentaho ETLs are to be moved to Dataiku	Analytics platform migration to Dataiku (separate asset)
The request is a generative AI agent, assistant or RAG / LLM	Gemini Agent Kit / Grounded Intelligence
The request is model governance, risk classification, policy	AI Governance Readiness
The customer wants a guaranteed business result or real-time scoring	No guarantee is given; real-time is clarified separately

Follow-on Interest

Follow-on work the customer may be interested in; feeds the Next Step section of the proposal. No margin figures appear in the proposal.

#	FOLLOW-ON WORK	RELATED TRIGGER	INTEREST (YES / NO / LATER)	NOTE
1	C — Run	Operation of the models in production		
2	Additional use case — from the same or another family	Other business questions — the five catalogue families		
3	Data platform modernisation (ODI → GCP style) — ETL Modernization on Google Cloud, Data Modernization	Data in on-prem ETL / DWH		
4	MLOps / AI Factory platform; Analytic CoE Enablement Program (separate assets)	Number of models is growing; the organisation wants to build its own analytics team		
5	AI Governance Readiness	Governance of models in production		
6	Cloud consumption — BigQuery, Vertex AI on Google Cloud (through Komtaş)	Training and scoring workloads		

COMMERCIAL FRAME — INTERNAL ONLY. This box, its rates and the customer names in it are not written into the customer deck or the proposal.

The Google consumption margin is thin: Premier base 12%, 13–15% with incentives, ~5–6% in large deals; Azure 3%. Value comes from the use cases and C Run (recurring revenue). On Google Cloud the work also drives BigQuery / Vertex AI consumption and opens data platform work.

Evidence: the Analytics (AX) team's "References & Services 2026" deck — references with measured results (Albaraka, TEB, QNB Finansbank, Odeabank, Eczacıbaşı Monrol) and references without a known result (Şişecam). Whether the MACFit (subscription churn) and DeFacto (retail demand forecasting) work brought by Güner Hacıoğlu was POC or live, and its results, are unknown; these two customers stay anonymous in the proposal and the deck. There is no field reference for recommendation. Industrial Operations references are mostly in glass manufacturing; further sectors on request.

Cross-sell: at MACFit there is also an ODI → Google Cloud data platform opportunity (ETL Modernization on Google Cloud). When the data sits in on-prem ETL, migration and model work can be planned together.

Blocker Checklist

These rows must be answered before proposal writing starts.

SECTION	BLOCKER QUESTION	ANSWERED?
P1	Full legal name of the organisation and the short name used in the text; single company or group with subsidiaries	
P1	Is there an RFP, specification or requirements list; its number, response format and deadline	
P2	Use cases in Production scope — family and use case (from the Use-Case Catalogue); the Pilot basis of each	
P2	Business goal and trigger — rising churn or segment downgrade, stock-outs or overstock, price and margin pressure, rising delinquency or a low credit approval rate, energy cost, quality losses or falling yield, campaign efficiency, a move of the data to a new platform	
P2	Delivery platform — Google Cloud (BigQuery, BigQuery ML, Vertex AI), Dataiku, Azure ML or an open-source stack; existing environment, licences and the customer's platform preference	
P3	Has the Pilot (A) been carried out, or is there an equivalent validated model (measured on hold-out data, feature definitions documented)	
P3	Is there KVKK approval or a legal basis for processing personal (customer-level) data in production; is anonymisation / pseudonymisation required; "not applicable" if only machine / sensor data is used	
P4	Volume per use case — number of customers / accounts (Retention, Risk); number of time series, product × location (Demand); SKU × customer segment or number of users and products (Pricing); number of units / sensor tags (Industrial)	
P5	Prediction / scoring frequency per use case — monthly, weekly, daily or intra-day	
P6	Target systems per use case and their number — CRM, campaign tool, pricing system, collections system, ERP / replenishment, MES / SCADA, operator screen, reporting tool	
P7	Production acceptance thresholds — the technical metric stays above «NUMBER» on hold-out data; scheduled scoring completes at the agreed time	

IF ANY BLOCKER IS MISSING — the proposal is not written. If it must be written, each missing item is written into the Assumptions and Out of Scope section of the proposal as an assumption, and it is stated that the scope will be reassessed if that assumption does not hold.

The first row of P3 has a special place: without a validated model no B proposal is written; if the customer still wants production, A is proposed first.

Blocking conditions and their effect on the proposal

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
1	No Pilot or validated model	No B proposal is written	Propose A first; use form 3a	
2	No platform decision	The MLOps foundation and integrations cannot be designed	Clarify in P2	

#	CONDITION	EFFECT ON THE PROPOSAL	ACTION	STATUS
3	Insufficient history or no scheduled data loads	Scheduled scoring and retraining cannot be set up	Clarify with the data owner in P3	
4	Target definition (label) not documented	Performance cannot be monitored in production	Confirm the definition against «PILOT REF» in P3	
5	No control group possible	The business metric cannot be measured; acceptance relies on the technical metric only	Clarify in P7	
6	No KVKK approval for production (personal data)	Production cannot start	Clarify the approval in P3	
7	Target system owner or interface unknown	The integration item cannot be priced	Clarify in P6	