KOMTAS

BI ASSESSMENT

BI Advisory Services

Two services · BI Health Check, BI Modernization Assessment

1 **Why it matters**
What an agent or a report can answer depends on how metrics are defined and served in BI. p. 2

2 **Two services**
BI Health Check and BI Modernization Assessment — what each covers, how long it takes. p. 3 – 5

3 **How it is run**
One method, four kinds of evidence, phases and team by service. p. 6

4 **What comes out and next steps**
Deliverables by service, the follow-on work, what is needed from your side. Appendix from p. 9. p. 7 – 8

Where It Sits — One Question, Four Layers

KOMTAS

An agent's answer is built from the layers below it. These services assess where the number is defined and served: BI.

01 · WHY IT MATTERS

"How many active customers did we have last month, by region?"

"1,284 customers; most in the Aegean region."
returned with its metric definition, source report and refresh time

THESE SERVICES

Action 360
Intelligent Work Experience

Where the question is asked and the answer lands: Teams, Slack, portal, API.

Agent 360
Governed Digital Workforce

Turns the question into a query and acts on the result.

Context 360
Enterprise Context

Says what "active customer" means: glossary, ontology, semantic layer.

Data / Analytic 360
Trusted Data Foundation

Holds and serves the data: warehouse, lakehouse and BI — reports, models, metric definitions.

The answer travels back up — it is only as good as the bottom layer

WHERE WEAK BI SHOWS UP IN THE ANSWER

Same metric, three definitions

The agent picks one; the meeting brings another number.

Metrics & semantic layer

Thousands of reports, no owner

Nobody can say which report is the source of truth.

Report estate & lifecycle

Every report ends up in Excel

The real logic sits in spreadsheets no answer can see.

Self-service & adoption

Refresh fails twice a week

The answer is right, but from yesterday's data.

Consumption model & performance

Two Services — Which One Fits

KOMTAS

BI Assessment. Each can be taken on its own; neither is a mandatory step before the other.

02 · TWO SERVICES

p. 4

A — BI Health Check

Assess current state · no system access

Focus	Independent view of the BI estate and its main risks
Scope	6 headings covering the BI estate
Result	Red / amber / green per heading
Access	None — guided
Your team	2 · 3 · 4 days, S · M · L
Evidence	Statement · Document · Observation · Measurement
Weeks	S 1 · **M 1.5** · L 2

p. 5

B — BI Modernization Assessment

Define future state · current state included

Focus	Current state, target BI state and a roadmap
Scope	12 dimensions, current and target
Result	Current and target level on a 5-level ladder
Access	Guided or read-only
Your team	5 · 6 · 8 days, S · M · L
Evidence	Statement · Document · Observation · Measurement
Weeks	S 3 · **M 3.5** · L 4

WHICH ONE FITS · THE QUESTION ON THE TABLE DECIDES

Is an independent view of the main BI risks needed, quickly and before a decision? → A

Are a target BI state and a sequenced roadmap needed before investing further? → B

Both? A first: its evidence is reused in B and not billed twice.

A · BI Health Check

Assess current state · no system access.

KOMTAS

02 · TWO SERVICES · A

A

BI Health Check

Independent view of the BI estate and its main risks

WEEKS S · M · L	YOUR TEAM days, S · M · L	ACCESS
1 · 1.5 · 2	2 · 3 · 4	None — guided

WHAT IS ASSESSED · 6 HEADINGS

1. **Metrics & Semantic Layer**
   Where metrics are defined, whether one definition exists, who owns it
2. **Report Estate & Lifecycle**
   Report and dashboard inventory, ownership, unused reports, approval and retirement
3. **Consumption Model & Performance**
   Semantic models, aggregation, report load times, refresh and freshness
4. **Self-Service & Adoption**
   Who builds reports, the request queue, actual use, export to Excel
5. **Security & Trust**
   Row and column rules, sharing and export, reconciliation, data error handling
6. **Tooling, Licence & Distribution**
   Tools in use and overlap, licence use, scheduled distribution, embedded reports

HOW IT IS ASSESSED

Red / amber / green per heading

Red | Amber | Green

- **Red —** a risk affecting trust, security or cost today
- **Amber —** works today, but depends on people or manual steps
- **Green —** written rule, owner and evidence exist

No evidence: "not assessed", never green. No maturity score.

WHAT YOU GET

- Red / amber / green view of six headings
- Findings and key risks, each with its evidence
- Recommendations, prioritised
- Advice on whether a Modernization Assessment is worth taking

No system access. Evidence comes from documents, interviews and screen walkthroughs run by your BI platform team.

B · BI Modernization Assessment

Define future state · current state included.

02 · TWO SERVICES · B

B

BI Modernization Assessment

Current state, target BI state and a roadmap

WEEKS S · M · L	YOUR TEAM days, S · M · L	ACCESS
3 · 3.5 · 4	5 · 6 · 8	Guided or read-only

WHAT IS ASSESSED · 12 DIMENSIONS

B1 Metric definition & semantic layer
Central definitions, one calculation, definition owners

B2 Report & dashboard inventory
Total estate, ownership, unused and overlapping reports

B3 Consumption data model
Model design, aggregation, granularity, reports per model

B4 Performance & freshness
Load times p50 / p95, refresh failures, freshness commitments

B5 Self-service & skills
Who builds reports, request queue, training

B6 Security & access
Row and column rules, access reviews, export and sharing

B7 Data quality & trust
Reported data errors, reconciliation, feedback to source

B8 Governance & lifecycle
Certification, approval, retirement, change trail

B9 Adoption & usage
Active users, session frequency, export rate

B10 Cost & licence
Licence mix, unused licences, capacity, cost attribution

B11 Distribution & embedded
Scheduled distribution, mobile access, embedded integrations

B12 Tool sprawl & standardisation
Tools in use, overlapping scope, standards

HOW IT IS ASSESSED

Current and target level per dimension

1	2	3	4	5
	current		target	

Five-level ladder, placed on evidence. No weighted score; the gap and dependencies per dimension set the roadmap order.

WHAT YOU GET

- Current and target level for twelve dimensions
- Target-state decision: tidy up, semantic layer, consolidate or hand over
- Report and metric inventory, with retirement candidates
- Prioritised roadmap with sequence and dependencies

Guided — your team runs agreed usage-log and admin-console exports — or read-only access. Agreed in P0.

How It Is Run — One Method, Two Depths

KOMTAS

The same evidence types and phases are used in both services. The service sets how deep the evidence goes and how long each phase takes.

03 · HOW IT IS RUN

FOUR KINDS OF EVIDENCE

Measurement — B

A number from the BI tool: usage log, admin console

Document — A · B

A metric dictionary, model file or policy that exists on its own

Observation — A · B


Seen working, or failing, in a walkthrough

Statement — A · B

What a person says — recorded as a claim

A level or a green status is given only where a document, an observation or a measurement supports it. Statements alone are reported as claims.

PHASES BY SERVICE · M BAND, IN WEEKS



P0 scope · P1 evidence · P2 assessment or placement · P3 target state and roadmap (B only) · P4 read-out

WHO DOES THE WORK

A — Assessment lead · BI / analytics consultant

B — Lead · BI / analytics consultant · semantic layer consultant · data architect · governance, security and licence on call

The usage log is the key evidence. Retention under 30 days narrows the measurement; what cannot be measured is reported as such, not estimated.

Business users are part of the evidence. Adoption, trust and self-service cannot be judged from the central BI team alone; user representatives are interviewed in both services.

What Comes Out — and Where It Leads

KOMTAS

What each service hands over, and the follow-on work an assessment usually opens.

04 · WHAT COMES OUT

WHAT IS HANDED OVER

	A	B
Findings and key risks, each with its evidence	✓	✓
Red / amber / green per heading	✓	–
Recommendations, prioritised	✓	–
Current and target level per dimension	–	✓
Report and metric inventory — ownership, use, overlap	–	✓
Target-state decision — tidy up, semantic layer, consolidate, hand over	–	✓
Prioritised roadmap, retirement and hand-over list	–	✓
Dated baseline for the next assessment	✓	✓

WHERE IT USUALLY LEADS

- **Semantic layer build**
  one definition per metric, owned
- **Report rationalisation**
  retire, merge, certify
- **BI migration / consolidation**
  proposed separately
- **Data Modernization**
  when the root cause is in the feeding layer
- **Managed Services**
  running and supporting the BI platform

Each service ends with a dated baseline. The same headings, dimensions and definitions are used again 6–12 months later, so improvement is shown, not claimed. A Health Check can be followed by a Modernization Assessment; evidence already collected is reused and not billed twice.

What Is Needed From Your Side — and the Next Steps

KOMTAS

Three roles on your side, two constraints that set the date, and four steps from today to the start of the work.

04 · NEXT STEPS

WHO IS NEEDED ON YOUR SIDE

Sponsor

start and read-out

Sets the decision the work supports and the service to take. Clears approvals.

BI platform owner

throughout · start condition

Knows the tools and the admin console, provides exports, checks findings before they are issued.

Report team and users

evidence phase

The report team explains models and reports; business users say how reports are actually used.

Security and the data platform team join for access rules and the interface of the feeding layer.

TWO THINGS THAT SET THE DATE

Access

A needs none. B runs guided — your team runs agreed exports — or with read-only access, agreed at the start.

Each source is a separate approval

Usage-log retention

How many days of report-usage history the BI tool keeps — matters for B.

Under 30 days narrows the measurement

Neither can be shortened by adding people. Both are asked in the short form.

NEXT STEPS

1. **Service walkthrough** — today — you are here
2. **Service choice and short form** — about one hour
3. **Proposal** — service, band, schedule
4. **Kick-off** — scope, access, definitions

Start where the question is. A Health Check in one to two weeks, or a Modernization Assessment in three to four when a target state and a roadmap are needed.

APPENDIX

Method in detail — for reference and questions

1 **Scope and context**
Where the services sit · What is and is not assessed · Seven recurring BI patterns
p. 10 – 12

2 **Method**
Twelve dimensions and measures · Maturity ladder · Evidence model · Roles · Duration and sizing
p. 13 – 17

3 **Decisions and limits**
Target-state decision (Modernization) · Limits of the assessment
p. 18 – 19

Where This Assessment Sits — AI Value Proposition

KOMTAS

Four layers. Each layer consumes the one below. This work measures the consumption end of the bottom layer.

Action 360

Intelligent Work Experience

Teams | Slack | WhatsApp | Web / Portal | Claude Desktop | API, Headless

Agent 360

Governed Digital Workforce

INDUSTRY: Manufacturing | Retail | Banking | Energy | Aviation | Other

FUNCTION: Customer Service | Sales | Finance | Procurement | Operations | Other

Context 360

Enterprise Context

Semantic Layer | Ontology | Knowledge Graph | Master Data | Corporate Memory

Data / Analytic 360

Trusted Data Foundation

THIS WORK · CONSUMPTION END

Datawarehouse | Lakehouse | Integration | **BI & Reporting** | **Self-Service Analytics** | Governance / MDM

The assessment measures the consumption end. Feeding layers — warehouse and lakehouse — are covered only through the interface they offer to BI.

RELATION TO ADJACENT LAYERS

Relation to the feeding layers

The root cause of performance and freshness findings is often not in BI but in the feeding warehouse or lakehouse.

Relation to Context 360

The semantic layer sits above this layer. If metric definitions in BI are scattered, it has no solid ground.

Relation to Agent 360

The metric an agent relies on is the one defined in BI. If the definition is not single, the agent cannot give one answer.

What It Assesses, What It Does Not

KOMTAS

The subject is the consumption layer; feeding platforms are covered only through the interface they offer to BI

ASSESSED

- Metric definitions and semantic layer discipline
- Report and dashboard inventory, usage and unused report ratio
- Consumption data model, aggregation and model design
- Query performance, refresh times and freshness commitment
- Self-service scope, user skills and request queue
- Access control, sharing and export behaviour
- Trust in the numbers, reconciliation and quality feedback
- Report lifecycle, certification and licence distribution

NOT ASSESSED

- The data warehouse's own capability — DWH Assessment
- The lakehouse's own capability — Lakehouse Assessment
- Source systems' architecture and source data quality
- Internal design of integration and ETL pipelines
- Master data management and golden record design
- Ontology and knowledge graph design
- BI product selection, licence negotiation and procurement
- Report development, model rewrite; BI migration (separate proposal)

THE ROOT CAUSE MAY BE BELOW; THE FINDING IS STILL RECORDED HERE

Many performance and freshness complaints originate in the feeding layer. The finding is then recorded and handed over to that layer in writing; a problem that cannot be solved on the BI side is not shown as a low level on a BI dimension.

MEASURES, DOES NOT BUILD

This work produces findings and a roadmap; it does not develop reports, rewrite models or migrate tools. Implementation is separate work. Without this separation the assessment becomes the report of a party implementing its own recommendations and loses its independence.

NOT PRODUCT CHOICE

The assessment is independent of any BI vendor. The output is not “which tool to buy”, but how much of the existing investment can be kept, what needs to be redesigned, and which evidence that decision rests on.

Seven Recurring Patterns in BI Implementations

KOMTAS

Each is measurable; the assessment is not done to spot them but to show them with evidence

Report sprawl

Thousands of reports pile up and no one knows which are used. None can be deleted because no one knows the owner.

Measured: total reports, share not opened in the last 90 days, share with a defined owner

Same metric, different number

The same metric is recalculated in every report. Two teams bring two numbers, and the debate moves from data to source.

Measured: number of definitions per metric name, share of reports fed by a central definition

BI tool turned into an export tool

Users open the report, export it to Excel and do the real work there. The tool becomes just a door.

Measured: export action rate, session time after export, share of reports depending on extracts

Self-service in name, queue in practice

The tool is positioned as self-service, but every new report is requested from the central team. The queue runs for weeks.

Measured: users able to build reports, request queue length and average lead time

Dashboard exists, decision does not

A dashboard is published, presented once and never opened again. Without usage measurement no one notices.

Measured: active user ratio, session frequency, reports used in decision meetings

Tool sprawl

Each business unit bought its own tool. The same metric is defined in three tools; licence and training costs triple.

Measured: BI tools in use, active users per tool, share of overlapping reports

Performance problem blamed on BI

Slowness usually comes not from the report but from the feeding model or the query engine. The tool is replaced; the problem stays.

Measured: report time separated from source query time, refresh window and queue time

ALL SEVEN LOOK LIKE TOOL PROBLEMS; SIX ARE NOT

Report sprawl, metric duplication and the escape to Excel are not solved by changing the tool; they result from missing definition ownership and lifecycle rules.
A tool change carries these patterns into the new tool. The roadmap therefore also states which rule is to be owned by whom.

Twelve Dimensions and What Is Measured

KOMTAS

Modernization (B). Each dimension is assessed with numbers the tools produce. A dimension that cannot be measured is not estimated; this is stated.

	DIMENSION	MEASURED
B1	**Metric definition & semantic layer**	Share of reports fed by a central definition · definitions per metric name · share of metrics with an owner · traceability of definition changes
B2	**Report & dashboard inventory**	Total reports · share not opened in the last 90 days · share with a defined owner · reports with overlapping scope
B3	**Consumption data model**	Number and scope of models · presence of an aggregation layer · granularity consistency · reports per model
B4	**Performance & freshness**	Report load time distribution p50 and p95 · refresh duration and failure rate · compliance with committed freshness
B5	**Self-service & skills**	Users able to build reports · request queue length · average lead time · share of trained users
B6	**Security & access**	Row and column level policies · access review frequency · export restrictions · sharing scope
B7	**Data quality & trust**	Data errors reported by users and time to close · share of reconciled reports · feedback loop to source
B8	**Governance & lifecycle**	Share of certified reports · share passing an approval process · reports retired · completeness of change trail
B9	**Adoption & usage**	Active user ratio · session frequency · reports opened per user · export action rate
B10	**Cost & licence**	Distribution by licence type · share of licences unused for 90 days · capacity use · attributability of cost to business units
B11	**Distribution & embedded**	Scheduled distributions and success rate · mobile access rate · embedded integrations
B12	**Tool sprawl & standardisation**	Tools in use · active users per tool · overlapping reports across tools · existence of a standard document

THE MOST DEBATED MEASURE IS "ACTIVE USER"

The definition of an active user is written in P0: which action, within which period. Without it the same log gives two different results and, once results are out, the definition is debated instead of the measure. The same rule applies to report opens, sessions and export actions.

Five-Level Maturity Ladder

KOMTAS

Modernization (B). Each dimension is placed on this ladder. A level is not claimed — it is shown with evidence; without evidence, one level lower is recorded.

LEVEL 1
Ad hoc

No rules; results depend on people

- No written standard; practices vary by team
- Problems are solved by improvisation
- No measurement; status unknown

Exit: practice is written down

LEVEL 2
Repeatable

Work is done the same way, but not written

- Experienced staff follow the same method
- A newcomer can't repeat the result
- Measurement, if any, is irregular

Exit: rule is documented and owned

LEVEL 3
Defined

Rule is written and applied

- The standard is documented and known
- Deviations are noticed
- Regular measurement, no thresholds

Exit: thresholds set, deviation measured

LEVEL 4
Managed

Measured, thresholds set, deviation visible

- Thresholds defined and monitored
- Deviation detected automatically
- Root cause analysis is done

Exit: correction is automated

LEVEL 5
Optimised

Deviation auto-corrected; continuous improvement

- Correction is largely automated
- Thresholds are updated based on data
- Improvement shown by measurement

TARGET LEVEL IS THE ORGANISATION'S DECISION

Moving every dimension to level five is not the goal. The target level is set per dimension by the organisation; the assessment measures the gap between current and target. A level the organisation cannot show a need for is a cost, even if reached.

THE LADDER IS SHARED ACROSS THE ASSESSMENT FAMILY

The same ladder is used in the DWH, lakehouse and other assessments. Different assessments in the same organisation can be compared, and which layer lags behind is visible on one scale. The Health Check (A) does not use the ladder; it reports red / amber / green.

Evidence Model

KOMTAS

Each finding is tied to an evidence type, shown in the report. The Health Check uses documents, observations and statements; measurement is used in B.

MEASUREMENT
Measurement

A number the BI tool produces

· Usage logs, refresh history, query times, licence and capacity reports

Highest confidence · not open to dispute

ARTEFACT
Document

An existing document or definition

· Metric dictionary, model file, access policy, report standard, approval record

High confidence · currency is verified

OBSERVATION
Observation

A flow traced end to end

· Tracing a report back to source, following a request through the queue, a user session

Medium confidence · one-off observation

STATEMENT
Statement

What people report

· Interviews, user surveys, business unit statements

Low confidence · cannot confirm a level alone

THREE-STATE EVIDENCE SCALE

Evidence provided
Level shown by measurement or document

Partial evidence
Evidence exists, but its scope is narrow or its currency unclear

Evidence could not be produced
Not measured due to access, log retention or missing records

THE USAGE LOG IS THE MOST VALUABLE EVIDENCE IN THIS ASSESSMENT

"This dashboard is heavily used" is a common statement, and the usage log often does not confirm it. Adoption, inventory and unused reports are all measured from the log; a disabled log or retention under 30 days narrows or removes the evidence for these dimensions.

A DIMENSION WITHOUT EVIDENCE IS NOT HIDDEN

A dimension that cannot be measured because the usage log is off is not guessed as "good" or "bad"; it is reported as "evidence could not be produced". This finding is often an improvement item in itself: an organisation that does not measure usage cannot manage its report estate.

Competencies and Roles

KOMTAS

Which role is active in which phase, including expected customer participation. The Health Check runs with the lead and the BI / analytics consultant; P3 is Modernization only.

ROLE	DUTIES	PARTY	ACTIVE PHASES
Assessment Lead	Applying the method, scope, decision gates, report	**Komtaş**	P0 – P4
BI / Analytics Consultant	Inventory, model, performance and adoption dimensions	**Komtaş**	P0 – P4
Semantic Layer Consultant	Metric definition, calculation logic and definition ownership	**Komtaş**	P1 – P3
Data Architect	Consumption model and interface with the feeding layer	**Komtaş**	P1 – P3
Governance Consultant	Report lifecycle, certification, ownership	**Komtaş**	P1 – P3
Security and Privacy Specialist	Access policies, sharing and export	**Komtaş**	P1 – P2
Licence and Cost Analyst	Licence distribution, capacity and attributability	**Komtaş**	P1 – P2
Change Management Consultant	Adoption, training and user skills	**Komtaş**	P1 – P2
Project sponsor	Decision-making, prioritisation, raising access approvals	**Customer**	P0, phase transitions
BI platform owner	Admin console, usage log, licence records	**Customer**	P0 – P4
Report Development Team	Model and report knowledge, support for end-to-end tracing	**Customer**	P1 – P2
Business Unit Users	Actual use, trust, missing and overlapping reports	**Customer**	P1
Data Platform Team	Feeding layer interface, refresh and freshness	**Customer**	P1
Security and Compliance	Access policies and sharing rules	**Customer**	P1

NO ASSESSMENT WITHOUT TALKING TO BUSINESS USERS

Adoption, trust and self-service cannot be measured by talking only to the central BI team. The central team sees the request queue; users see whether they export the report to Excel once it is open. The two accounts often do not match.

Duration and Sizing by Service

KOMTAS

Indicative band values. The band is set from the short form; dates are fixed at kick-off, once interview and access lead times are known.

SERVICE	SMALL	MEDIUM	LARGE
A · BI Health Check 6 headings · red / amber / green	1 week · 2 days	1.5 weeks · 3 days	2 weeks · 4 days
B · BI Modernization Assessment 12 dimensions · ladder	3 weeks · 5 days	3.5 weeks · 6 days	4 weeks · 8 days

Cell format: duration · time needed from your team (days). Commercial terms are set out in the proposal.

SIZING DRIVERS

DRIVER	SMALL	MEDIUM	LARGE	USED IN
Reports and dashboards	≤ 300	300 – 1,500	> 1,500	A · B
Active users	≤ 200	200 – 2,000	> 2,000	A · B
BI tools in use	1	2	> 2	A · B
Semantic models	≤ 10	10 – 50	> 50	A · B
Business units in scope	1 – 3	4 – 8	> 8	A · B
Feeding data platforms	1	2 – 3	> 3	A · B
Environments	≤ 2	3	> 3	A · B
Embedded / portal integrations	None	1 – 2	> 2	B
User representatives to interview	≤ 10	10 – 25	> 25	B
Usage-log retention	≥ 90 days	30 – 90 days	< 30 days	B
Access approval time	≤ 2 weeks	2 – 6 weeks	> 6 weeks	B

BAND RULE · the highest band that at least three drivers fall into. One large driver alone does not set the band.

Target-State Decision

KOMTAS

Modernization (B) only. Four options. The decision is made on decision criteria and the findings behind them, not on a score.

OPTION A Keep and tidy up

Tool and model are right; the issue is inventory discipline

- Metric definitions largely central
- Model design meets the need
- Issues are at inventory, ownership and retirement level

OPTION B Build a semantic layer

Definitions scattered; tool and model sufficient

- The same metric is defined in several places
- Reports carry their own calculations
- No tool change needed; definitions must be centralised

OPTION C Consolidate tools

The multi-tool load cannot be carried

- Overlapping scope across several tools
- Licence and training load duplicated
- No standard; each unit goes its own way

OPTION D Hand over to the feeding layer

The problem is not in BI but in the layer below

- Performance and freshness rooted in model or engine
- Data quality complaints come from the source
- Limited fixes possible on the BI side

CRITERION	A TIDY UP	B SEMANTIC	C CONSOLIDATE	D HAND OVER
Metric definition is central and single	STRONG	WEAK	FITS	FITS
Number of tools in use is manageable	STRONG	STRONG	WEAK	FITS
Consumption model meets the need	STRONG	FITS	FITS	WEAK
Root cause of performance issues is on the BI side	FITS	FITS	FITS	WEAK
Report inventory and ownership are managed	WEAK	FITS	FITS	FITS
Licence and training load is duplicated	FITS	FITS	STRONG	FITS

HOW TO READ THE TABLE

If the statement in a row is TRUE for the organisation, the column values show the validity of each option. “WEAK” means the option is unnecessary or insufficient in that case. Options are not exclusive: B and C can follow each other in one roadmap — definitions are centralised first, then the number of tools is reduced; the reverse order carries the scatter into one tool. D runs alongside the others.

Limits of the Assessment

KOMTAS

What this work does not show is stated explicitly within the report

No report development, no model rewrite

The assessment measures inventory and design. Rewriting reports or fixing the model is separate work.

No BI product selection

Tool sprawl is measured as it stands; which product to move to is not part of this work. BI migration is proposed separately.

Feeding layer not measured on its own

Warehouse and lakehouse are covered only through their interface to BI. Their own capability is the subject of separate assessments.

Report content accuracy not audited

Whether numbers follow business rules is a reconciliation exercise. The assessment measures whether reconciliation is done.

No licence negotiation

The licence dimension measures distribution and unused licences; contract and discount structures are out of scope.

No “pass” result is produced

The assessment is not a certification. It shows where BI stands, on what evidence, and what to do next.

THE MOST MISUNDERSTOOD LIMIT

Organisations often expect a “which reports to delete” list. The assessment shows candidates with evidence; the deletion decision belongs to the organisation and needs the owner's approval for each report. A report that cannot be deleted because no owner is known is itself a finding.

A DIMENSION WITHOUT EVIDENCE IS ALSO A FINDING

A dimension that cannot be measured because the usage log is off is often an improvement item in itself. An organisation that does not measure usage cannot manage its report estate; the report states this.

OBJECTIONS ARE RECORDED, NOT RESOLVED

“That report is actually used” is a common objection; it is recorded next to the finding together with the value read from the usage log.