DATA PRODUCT DELIVERY

Blueprint — internal reference

Eight-property minimum standard · candidate gate · Phase 0, pilot, rollout

1 **Positioning and market**
AI value proposition (360), tables versus products, Data Mesh Readiness and K7, sectors, triggers.
p. 2 – 6

2 **Method**
Minimum standard, Phase 0 placement, candidate gate, product design, operating model.
p. 7 – 12

3 **Delivery**
Three phases, Phase 0, pilot and KPIs, rollout and pricing, team and effort, six technology adapters.
p. 13 – 24

4 **Package status**
Files 1–6 and the open items.
p. 25

SECTION 1

Positioning and Market

Where data products sit, why tables are not products, the boundary with Data Mesh Readiness, who buys it.

Where this service sits — AI value proposition p. 3

Tables, not products — why this service p. 4

Positioning — Data Mesh Readiness, K7 and adjacent services p. 5

Market, triggers and status p. 6

Where This Service Sits — AI Value Proposition

KOMTAS

Four layers. Each layer consumes the one below. Data products are the top of the data layer: its governed, reusable output.

Action 360

Intelligent Work Experience

Teams · Slack · WhatsApp · Web / Portal · Claude Desktop · API, Headless

Agent 360

Governed Digital Workforce

INDUSTRY: Manufacturing · Retail · Banking · Energy · Aviation · Other

FUNCTION: Customer Service · Sales · Finance · Procurement · Operations · Other

Context 360

Enterprise Context

Semantic Layer · Ontology · Knowledge Graph · Master Data · Corporate Memory

Data / Analytic 360

Trusted Data Foundation

THIS SERVICE · DATA PRODUCTS

Datawarehouse · Lakehouse · Integration · BI · **Data Products**

Source systems and raw tables — core systems, ERP, CRM, extracts · inputs, not products · this service turns them into products

An AI agent or a report should consume a data product, not a raw table.

RELATION TO NEIGHBOURING LAYERS

Home: top of Data 360

The service builds the governed, reusable output of the data layer: datasets with an owner, a contract, measured quality and a catalogue entry, on the platform already in place.

Relation to Context 360

Data products feed the glossary, semantic layer and knowledge graph. Glossary links in each contract give the context layer consistent meaning.

Relation to Agent 360 and Action 360

Agents and their actions use data products as inputs. The contract, the SLOs and the access policy state what an agent may read and how far it can rely on it.

Tables, Not Products — Why This Service

KOMTAS

Many organisations have tables, extracts and reports, but few data products: datasets published for named consumers, with an owner, a written contract, measured quality and a way to find and request them.

01 · WHY DATA PRODUCTS

FROM SOURCE TO CONSUMER · TODAY

Source systems
core systems, ERP, CRM, files

→

Warehouse / lakehouse
integrated tables

→

Extracts per request
one copy per consumer

→

Reports, AI, partners
each computes its own figures

TARGET · publish once, for named consumers

TODAY · a new extract for each request

WHAT IT LOOKS LIKE

Same KPI, different number

Two reports compute the same measure from different extracts; nobody owns the definition.

Every consumer, a new request

Access is negotiated case by case; the same data is copied again for each team.

AI without trusted inputs

Models and agents read raw tables with no owner, contract or quality measure.

Mesh stalls before a product exists

Operating-model change is debated before a single data product is in use.

TABLE VS DATA PRODUCT

For whom	whoever finds it	named consumers
Owner	often unclear	named, accepts the role
Meaning	column names	contract, glossary links
Quality	assumed	measured against SLOs
Access	ask around	catalogue entry, request path

This service delivers data products, not a transformation. One to three in a pilot, then waves. It works with a central data team or with domain teams.

Positioning — Delivery, Not Transformation

KOMTAS

Data Mesh Readiness asks whether the organisation can move to domain ownership. This service builds data products with the operating model the customer has today.

01 · POSITIONING

	Data Mesh Readiness assessment · operating model	Data Product Delivery this service · delivery
Question	can domains own and publish data?	which products, for whom, built how?
Output	readiness per domain, gate, plans	published data products, measured KPIs
Operating model	prepares the change	works with the current one
Data products	dimension D2 of the Readiness Assessment (B)	Phase 0 places them on the minimum standard
Shape	fixed-scope assessment	Phase 0, pilot, rollout waves
Enters when	a mesh decision is on the table	consumers wait for trusted data

No mesh transformation required. When the customer wants operating-model change, Data Mesh Readiness is the entry point.

ADJACENT SERVICES · LINKED, NOT INCLUDED

Data Mesh Readiness
domain ownership, organisation design

Data Modernization · Lakehouse / DWH
platform build, migration, platform assessment

Data Governance programme
catalogue for the whole estate; ODG for operational systems

BI work
reports and dashboards on top of the products

Source data remediation
quality fixes inside source systems

K7 — the assessment is folded in. Data Product Assessment is not sold on its own (about 60% overlap with Data Mesh Readiness; without data products there is nothing to assess). Its ten dimensions (family design doc, 5.7) become the eight-property standard of Phase 0 here and dimension D2 of Data Mesh Readiness B.

Market, Triggers and Status

KOMTAS

Who buys it, what makes them move, and where the package stands.

01 · MARKET

TARGET SECTORS

- Banking
- Insurance
- Telecom
- Retail
- Holdings

TYPICAL CONSUMERS

- Analytics and BI
- AI models and agents
- Regulatory reporting
- Group and partner data sharing

TRIGGERS

Stalled mesh initiative
operating model debated, no product yet

AI and agent projects
need trusted, governed inputs

Self-service analytics
users cannot find or trust data

Sharing with group or partners
data leaves the company under a contract

Same KPI, different number
repeated, and nobody owns the definition

Where the first opportunity may come from

Customers already in a Data Mesh Readiness conversation, where products have to exist before domains can own them; and AI or agent projects that need governed inputs. No reference case yet: the first pilot also calibrates the effort on p. 18.

PACKAGE STATUS

Data Product Delivery

Origin	decision K7, family design doc
Type	delivery package, like ODG
Reference	none yet
Effort	first SAT estimate, p. 18
Folder	hizmetler/data-product-delivery/

data-product-assessment folder retired (K7).

SECTION 2

Method

The eight-property minimum standard, Phase 0 placement, the candidate gate, product design and the operating model.

Minimum data product standard — eight properties p. 8

Phase 0 placement and gate — example p. 9

Candidate gate · spec, data contract and output ports p. 10 – 11

Operating model — roles, publication and access p. 12

Minimum Data Product Standard — Eight Properties

KOMTAS

Used twice: Phase 0 places existing datasets and data products on it; the pilot uses it as the definition of done. Based on the ten dimensions P1–P10 of section 5.7.

02 · MINIMUM STANDARD

1 Owner and purpose

Named owner, named consumers, the need served.

from P1 · P5

2 Data contract

Schema, semantics (glossary terms), change notice and versioning rule. ODCS can be the format.

from P2

3 Quality and SLO

Quality checks; freshness and availability targets, measured.

from P4

4 Discoverable

Catalogue entry with description, glossary links and sample usage.

from P3

5 Access and classification

Classification (personal data, KVKK), access policy and request path.

from P6

6 Lineage and observability

Source-to-product lineage; freshness, volume and error monitoring.

from P7

7 Lifecycle

Versioning, backward compatibility, deprecation path.

from P5 · P8

8 Usage and cost

Consumers and usage measured; cost of production visible.

from P9 · P10

PHASE 0 PLACEMENT

Met | Partly met | Not met | Not assessed

No weights, no weighted score. Each property is placed on its own. A product is complete when all eight are met; partial placements become the backlog of the build.

Phase 0 Placement and Gate — Example

KOMTAS

The main Phase 0 output: each dataset on the eight properties, and the gate result for each pilot candidate. Illustrative values; not a customer.

EXAMPLE · ONE ROW PER DATASET OR DATA PRODUCT

illustrative

DATASET	CONSUMERS	1	2	3	4	5	6	7	8	GATE
Customer master view	CRM, risk, AI use case	●	◑	◑	◑	○	◑	○	○	Ready for pilot
Daily loan balances	finance, regulatory reporting	●	◑	●	◑	●	●	○	○	Ready for pilot
Branch sales KPI table	three report teams	○	○	◑	○	◑	○	○	○	Conditional
Card transactions feed	fraud, marketing	◑	○	◑	○	●	◑	○	–	Conditional
Partner sales extract	one partner	○	○	○	○	◑	○	○	–	Not ready
Product reference list	many, not recorded	◑	○	●	◑	●	○	○	–	—

● met ◑ partly met ○ not met – not assessed

1 owner · 2 contract · 3 quality · 4 discoverable · 5 access · 6 lineage · 7 lifecycle · 8 usage

How it is read

The placement says what each dataset lacks to be a product; the gate says whether it can be built in the pilot window. A dataset with many gaps can still pass the gate: the gaps are what the pilot builds. The last row is not a candidate, so no gate result.

Choosing the pilot

1. Ready for pilot, with a consumer waiting for it
2. used by more than one team or system
3. source systems and ports within the pilot band

Candidate Gate — Five Items Before a Pilot

KOMTAS

Checked per candidate data product at the end of Phase 0. The gate decides whether a product can be built in the pilot window, not how good the data is today.

02 · CANDIDATE GATE

FIVE GATE ITEMS

1. **Owner who accepts the role**
   named, and has agreed to it
2. **At least one named consumer**
   with a stated use
3. **Source data access confirmed**
   for the systems the product needs
4. **A platform to publish on**
   with access control in place
5. **Funding and capacity**
   for the build, on both sides

RESULT PER CANDIDATE

Ready for pilot

all five items met

Conditional

no item not met; at least one partly met or not assessed; each open item has a named owner and a date to close before PL2 (build) starts

Not ready

at least one item not met

IF NO CANDIDATE PASSES

Owner or operating-model gaps

→ Data Mesh Readiness

Platform gaps

→ Lakehouse / DWH Assessment or Data Modernization

Source data gaps

→ data integration work

One candidate is enough to start. If none passes, Phase 0 still closes with the inventory, the placement, the operating model sketch and a route to the work that removes the gap.

Product Design — Spec, Data Contract and Output Ports

KOMTAS

Phase 0 drafts the spec and the contract for each pilot candidate; the pilot builds and publishes them. Ports are chosen per consumer.

02 · PRODUCT DESIGN

PRODUCT SPEC

- Name and purpose
- Owner and named consumers
- Source systems
- Output ports per consumer
- SLOs: freshness, availability
- Classification and access policy
- Version and change notice
- Cost of production

DATA CONTRACT

Written, versioned, checked

Schema fields, types, keys

Semantics each field linked to a glossary term

Quality and SLOs checks and targets the consumer can rely on

Change rule notice period, versioning, deprecation

ODCS (Open Data Contract Standard) can be used as the format.

OUTPUT PORTS

SQL view / table
analysts, BI, SQL-based consumers

API
applications and agents

File export
partners, regulators, legacy tools

Event stream
consumers that need changes as they happen

One contract, several ports. Every port of a product carries the same contract and the same access policy, so a report and an agent read the same definition.

Operating Model — Roles, Publication and Access

KOMTAS


Phase 0 sketches who owns, builds and approves; the pilot runs it once. Works in a central-team model and in a domain model.

ROLES

ROLE	RESPONSIBILITY	CENTRAL MODEL	DOMAIN MODEL
Data product owner	purpose, consumers, priorities; approves access	business owner, named	domain lead
Data steward	glossary terms, classification, quality thresholds	governance team	in the domain
Builder	pipelines, contract checks, ports, monitoring	central data team	domain engineers
Platform team	platform, catalogue, access control	central	central
Consumer	states the use; accepts the release	any team	any domain

Same roles, different seats.
Moving the builder from the central team to a domain later changes who sits in the role, not the standard or the flow.

PUBLICATION AND ACCESS-REQUEST FLOW



Two checkpoints. The release check confirms the eight properties before a product is published; the access request records who uses the product and why, which feeds the usage KPI. In the pilot the flow runs on the customer's platform and catalogue; no new tool is introduced for it.

SECTION 3

Delivery

Three phases, Phase 0, pilot and KPIs, rollout and pricing, team and effort, technology adapters, package status.

Three phases · Phase 0 steps, bands and deliverables — p. 14 – 15

Pilot and KPIs · rollout and pricing — p. 16 – 17

Team and effort — initial SAT estimate — p. 18

Adapters: Databricks, Snowflake, BigQuery, Fabric / Purview, Informatica, OpenMetadata — p. 19 – 24

Package files and open items — p. 25

Three Phases — Design, Prove, Roll Out

KOMTAS

Phase 0 sets the scope and the price of what follows. The pilot releases one to three products to real consumers; rollout runs in waves.

03 · PHASES

0 Discovery and Design

3–4 weeks · fixed price

Focus	inventory, placement on the standard, candidate gate
Scope	existing datasets and products, at design depth
Output	product spec and contract draft, operating model sketch, pilot plan, roadmap and price
Pricing	fixed price

1 Pilot

6–8 weeks · one to three products

Focus	build, publish, release to consumers
Scope	the candidates that passed the gate
Output	products meeting the eight properties; KPIs before / after
Pricing	fixed price, set at the end of Phase 0

2 Rollout

in waves · by domain or product group

Focus	repeat the pilot pattern
Scope	one domain or product group per wave
Output	a growing set of published data products
Pricing	fixed per wave or capped T&M; optional managed service

Each phase ends with a decision.

Phase 0 delivers the gate results and the price of the pilot. The pilot delivers measured KPIs against the Phase 0 baseline; the rollout is decided on those numbers, not on the plan.

Phase 0 — Discovery and Design in Three to Four Weeks

KOMTAS

Five steps, six deliverables, three bands. The deliverables become the scope and the price of the pilot.

STEPS

#	STEP	DURATION
P0	Kick-off and inventory request	2 days
P1	Inventory of datasets and products; owner, consumer and platform interviews	1–1.5 weeks
P2	Placement on the standard; candidate list and gate	1 week
P3	Product design (spec, contract draft, SLOs, ports); pilot design and roadmap	3 days
P4	Read-out	1–2 days

BAND · HIGHEST BAND REACHED BY AT LEAST THREE DRIVERS

DRIVER	S	M	L
Candidate data products	≤3	4–10	>10
Source systems involved	≤5	6–15	>15
Existing products / published datasets	≤10	11–50	>50
Consumer groups / use cases	≤3	4–8	>8
Interviewees	≤10	10–25	>25
Legal entities / countries	1	2–3	>3
Duration · customer effort	3 wk · 4 d	3.5 wk · 5 d	4 wk · 6 d

DELIVERABLES

#	DELIVERABLE	CONTENT
D1	Data product inventory	datasets and products placed on the eight properties
D2	Candidate list	candidates with gate results
D3	Product spec and contract	draft for the pilot candidate(s)
D4	Operating model sketch	owner, steward, platform roles; publication and access flow
D5	Pilot plan	scope, consumers, KPIs and baseline
D6	Roadmap and price	pilot and rollout waves

What the customer provides

A list of datasets used by more than one team or system; owners, consumers and the platform team for interviews; platform and catalogue documentation; one sponsor who can choose the pilot. About 4–6 days of customer time in total, by band.

Fee deductible from the pilot if signed within «N» months (optional clause).

Pilot — Built, Published and Used

KOMTAS

The pilot builds the candidates that passed the gate to the eight properties and releases them to named consumers. Success criteria and the baseline come from Phase 0.

03 · PILOT

PILOT STEPS · 6–8 WEEKS

PL1	**Design confirmation**	1 week
PL2	**Build**	3–4 weeks
PL3	**Release and measure**	1–2 weeks
PL4	**Close-out, wave plan**	1 week

PILOT BAND · S · M · L

Data products	1 · 2 · 3
Source systems	≤3 · 4–6 · >6
Quality rules / SLOs	≤20 · 20–50 · >50
Output ports	1 · 2 · 3+
Duration	6 · 7 · 8 weeks

WHAT GOES LIVE · PER PRODUCT

- Pipelines from the source systems
- Data contract, published and checked — prop. 2
- Quality checks and SLO measurement — prop. 3
- Catalogue entry with glossary links — prop. 4
- Access policy and request path — prop. 5
- Lineage and monitoring — prop. 6

KPIs · BASELINE IN PHASE 0

- **Share of pilot products meeting all eight properties**
- **Time from access request to data, before / after**
- **Consumers per product and actual usage**
- **Quality SLO attainment**
- **Time to publish a new product (from wave 2)**

No default targets. Target values are agreed per customer in Phase 0 against the measured baseline; no improvement percentage is promised in advance.

Rollout and Pricing View

KOMTAS

After the pilot, the remaining candidates are delivered in waves by domain or product group. Each wave reuses the pilot pattern; the price follows the wave scope.

WHAT A WAVE CONTAINS

- Spec and contract for each product in the wave
- Pipelines, quality checks and SLO measurement
- Catalogue entries, access policies, lineage
- Release to consumers through the access flow
- Handover to owners and KPI report for the wave

PRICING OPTIONS

OPTION	HOW	WHEN
1 · Fixed fee per wave	fixed price per agreed wave scope	product list clear after the pilot
2 · Capped T&M	monthly, with a ceiling	scope still moving
Managed service	product operations, monthly	after rollout, optional

WHAT DRIVES THE SIZE OF A WAVE

Number of products
specs, contracts, releases

Source systems
pipelines and access per source

Quality rules / SLOs
each written, measured, reported

Output ports
API and stream need more work than SQL

Personal data
classification and access review

Managed service (optional). Product operations after rollout: monitoring, contract changes and onboarding new consumers. Phase 0 and the pilot are fixed price; waves are priced from the Phase 0 roadmap.

Team and Effort — Initial SAT Estimate

KOMTAŞ

Person-days per phase and band. Not yet calibrated with data product projects; every figure below needs delivery confirmation.

EFFORT PER PHASE

pending delivery confirmation

PHASE	DURATION	KOMTAŞ PD S · M · L	WHAT MOVES IT
Phase 0 — Discovery and Design	3 · 3.5 · 4 weeks	25 · 30 · 35	candidates, sources, existing products, interviewees
Pilot	6 · 7 · 8 weeks	50 · 65 · 80	products, source systems, quality rules / SLOs, output ports
Each rollout wave	per wave	not estimated	set in pilot close-out (PL4) from products, sources and ports in the wave

TEAM

ROLE	RESPONSIBILITY	PHASE 0	PILOT	WAVES
Data product lead / architect	method, standard, product design, design authority	●	●	●
Data engineer (platform-specific)	pipelines, ports, monitoring on the customer's platform	—	●	●
Analytics engineer / data modeller	product model, contract, quality rules and SLOs	●	●	●
Governance and catalogue consultant	inventory, classification, catalogue, access flow	●	●	○
Project manager	plan, steering, reporting — part time	○	○	○

● main role ○ part time — not needed. Phase 0: lead, an architect-level modeller and the governance and catalogue consultant.

Internal only. 25–35 pd over 15–20 working days is about 1.7 people; 50–80 pd over 30–40 working days is about 1.7–2 people. The customer deck shows durations, not effort.

Adapter 1 — Databricks

KOMTAS

Unity Catalog as the catalogue and access layer for products built on the lakehouse.

03 · ADAPTER · DATABRICKS

PROPERTY	COMPONENT	HOW IT IS USED	FIT (INDICATIVE)
1 Owner and purpose	Unity Catalog owners	owner and description on the product's tables and views; consumers listed in the spec	partial
2 Data contract	Contract file + schema	contract kept as a file (e.g. ODCS) next to the pipeline code; schema enforced by the tables	process
3 Quality and SLO	Pipeline checks, monitoring	quality checks in pipelines; freshness and quality monitoring on tables	native
4 Discoverable	Catalog Explorer	descriptions and tags; glossary links via tags or an external catalogue	partial
5 Access, classification	Grants, row filters, masks	access policy on the product; personal data tagged and masked	native
6 Lineage, observability	Unity Catalog lineage	table and column lineage from source tables to the product	native
7 Lifecycle	Table history, views	versioned views per contract version; deprecation as process	process
8 Usage and cost	System tables	audit, query history and billing data for usage and cost	native

When it is used

The customer's lakehouse runs on Databricks. Products are tables and views in Unity Catalog; Delta Sharing can serve as a port to partners.

Checked in Phase 0

Unity Catalog enabled for the relevant workspaces; which monitoring features are in use; where contracts and glossary live.

Fit is indicative and depends on edition and licence. Product capabilities change; Phase 0 confirms the customer's editions.

Adapter 2 — Snowflake

KOMTAS

Products as governed schemas, tables and views; sharing for consumers inside and outside the account.

03 · ADAPTER · SNOWFLAKE

PROPERTY	COMPONENT	HOW IT IS USED	FIT (INDICATIVE)
1 Owner and purpose	Object owners, comments	owning role and description per object; consumers listed in the spec	partial
2 Data contract	Contract file + schema	contract kept as a file next to the transformation code	process
3 Quality and SLO	Data quality functions	quality and freshness checks on tables, edition-dependent	partial
4 Discoverable	Comments, tags, listings	description and tags; listings to make a product findable	partial
5 Access, classification	Roles, masking, row policies	role-based access; masking and row access policies; classification tags	native
6 Lineage, observability	Access history, lineage	object dependencies and access history; lineage view where available	partial
7 Lifecycle	Views, time travel	versioned views per contract version; deprecation as process	process
8 Usage and cost	Account usage views	query history and credit consumption for usage and cost	native

When it is used

The warehouse runs on Snowflake. Secure sharing can serve as a port to group companies or partners without copying files.

Checked in Phase 0

Edition (several governance features depend on it); which policies are in use; whether an external catalogue is the place of record.

Fit is indicative and depends on edition and licence. Product capabilities change; Phase 0 confirms the customer's editions.

Adapter 3 — BigQuery with Dataplex

KOMTAS

BigQuery datasets and views as products; Dataplex as catalogue, quality and lineage layer.

03 · ADAPTER · BIGQUERY WITH DATAPLEX

PROPERTY	COMPONENT	HOW IT IS USED	FIT (INDICATIVE)
1 Owner and purpose	Labels, catalogue metadata	owner and description on datasets and tables; consumers in the spec	partial
2 Data contract	Contract file + schema	contract kept as a file next to the transformation code	process
3 Quality and SLO	Dataplex data quality	quality scans and profiling on the product tables	native
4 Discoverable	Dataplex catalogue	search, descriptions and business glossary	native
5 Access, classification	IAM, policy tags	dataset and column-level access; authorised views	native
6 Lineage, observability	Dataplex lineage	lineage from BigQuery jobs; monitoring through scans and job status	native
7 Lifecycle	Views, snapshots	versioned views per contract version; deprecation as process	process
8 Usage and cost	Jobs metadata, billing	query jobs per consumer; billing export for cost	native

When it is used
The analytics platform runs on Google Cloud. BigQuery sharing (exchanges and listings) can serve as a port to other projects or partners.

Checked in Phase 0
Which Dataplex features are enabled; project and dataset layout; where the glossary is kept today.

Fit is indicative and depends on edition and licence. Product capabilities change; Phase 0 confirms the customer's editions.

Adapter 4 — Microsoft Fabric / Purview

KOMTAS

Fabric items as products; Purview as catalogue and governance layer with governance domains and data products.

03 · ADAPTER · MICROSOFT FABRIC / PURVIEW

PROPERTY	COMPONENT	HOW IT IS USED	FIT (INDICATIVE)
1 Owner and purpose	Purview data products	data product with owner and description in a governance domain	native
2 Data contract	Contract file + schema	contract kept as a file; product description and terms of use in the catalogue	process
3 Quality and SLO	Purview data quality	quality rules and scores on the product's assets, licence-dependent	partial
4 Discoverable	Purview catalogue, OneLake	search, glossary terms linked to the product	native
5 Access, classification	Access requests, labels	request and approval on the product; sensitivity labels; Fabric permissions	partial
6 Lineage, observability	Fabric and Purview lineage	lineage across Fabric items; monitoring of pipelines and refreshes	partial
7 Lifecycle	Catalogue status, views	publication status in the catalogue; versioning as process	process
8 Usage and cost	Capacity metrics, audit	capacity use for cost; audit logs for usage	partial

When it is used

The customer runs Fabric or uses Purview as its catalogue. Products can be SQL endpoints, semantic models or OneLake tables.

Checked in Phase 0

Purview licence and which catalogue features are active; Fabric capacity and workspace layout; how access is granted today.

Fit is indicative and depends on edition and licence. Product capabilities change; Phase 0 confirms the customer's editions.

Adapter 5 — Informatica

KOMTAS

Cloud Data Governance and Catalog for catalogue, glossary and lineage; Cloud Data Marketplace for publication and access requests. Komtaş is an Informatica partner.

03 · ADAPTER · INFORMATICA

PROPERTY	COMPONENT	HOW IT IS USED	FIT (INDICATIVE)
1 Owner and purpose	CDGC stakeholders	owners and stewards on assets and glossary terms	native
2 Data contract	Contract file + CDGC	contract kept as a file; fields linked to glossary terms in the catalogue	process
3 Quality and SLO	Cloud Data Quality	quality rules on the product data; scores shown in the catalogue	native
4 Discoverable	CDGC + Data Marketplace	catalogue entry and glossary; product published as a data collection	native
5 Access, classification	Marketplace requests	request and approval in the marketplace; classification in the catalogue; enforcement on the platform	partial
6 Lineage, observability	CDGC lineage	lineage from scanners across sources, pipelines and platform	native
7 Lifecycle	Process	versioning and deprecation rules kept in the contract	process
8 Usage and cost	Marketplace records	which consumers requested which product; cost from the platform	partial

When it is used
The customer already runs Informatica governance services. The data platform below can be any of the other adapters.

Checked in Phase 0
Which services are licensed (catalogue, quality, marketplace); scanner coverage for the platform; consumption of licence units.

Fit is indicative and depends on edition and licence. Product capabilities change; Phase 0 confirms the customer's editions.

Adapter 6 — OpenMetadata

KOMTAS

Open source; not resold by Komtaş. Catalogue, glossary, lineage and data contracts; enforcement stays on the data platform.

03 · ADAPTER · OPENMETADATA

PROPERTY	COMPONENT	HOW IT IS USED	FIT (INDICATIVE)
1 Owner and purpose	Owners, domains	owners on assets; domains and data products as entities	native
2 Data contract	Data contracts	contract held in the catalogue; ODCS import and export	native
3 Quality and SLO	Data quality tests	SQL-based tests on the product tables; results in the catalogue	native
4 Discoverable	Catalogue, glossary	search, descriptions, glossary terms linked to fields	native
5 Access, classification	Classification tags	personal data tags on fields; access enforced on the data platform	partial
6 Lineage, observability	Connectors + OpenLineage	lineage from ingestion connectors and OpenLineage events	native
7 Lifecycle	Entity versions	version history of metadata; deprecation as process	partial
8 Usage and cost	Usage ingestion	usage from query logs where the connector supports it; cost from the platform	partial

When it is used
No catalogue is in place, or the customer prefers open source. Contracts, catalogue and lineage sit in one tool; access control stays on the platform.

Commercial view
Services only, no licence margin. Lower entry cost for the customer; installation and operation of the tool are priced in Phase 0.

Product capabilities change between releases; Phase 0 confirms support in the version the customer runs.

Package Files and Open Items

KOMTAS

Same numbering as the other service packages, each in Turkish (-tr) and English (-en).

#	FILE	STATUS	NOTE
1	data-product-delivery-1-blueprint-en.pptx	ready	this document
2	data-product-delivery-2-musteri-sunumu-en.pptx	ready	20-minute main flow + appendix; no customer names or effort
3a / 3b	input forms	ready	Phase 0 / pilot and rollout; candidate data products table
4a / 4b	proposal templates	ready	same table and placeholder order as ODG 4a / 4b
5	customer question set	ready	first question: datasets used by more than one team
6	internal question set	ready	proposal set S1–S14

OPEN ITEMS

- Effort not calibrated with data product projects: Phase 0 25–35 pd and pilot 50–80 pd need delivery confirmation; wave effort set per wave in pilot close-out
- Boundary with Data Mesh Readiness B, dimension D2: a customer who did B should not pay twice for the Phase 0 placement — reuse or deduct
- No reference yet; the first pilot is also the first calibration point
- data-product-assessment folder retired per K7; its 5.7 dimension set lives on in the minimum standard
- Adapter pages: facts to be checked by the platform practice leads before external use