DATA PRODUCT DELIVERY

From tables to data products

Discovery and design in 3–4 weeks, a pilot with one to three data products, then rollout in waves

1 **The problem and where it sits**
Tables instead of products, and the place of data products in the 360 layers.
p. 2 – 3

2 **What a data product is**
Eight properties, used to assess what exists and to define done.
p. 4

3 **Phases, fit and measures**
Discovery, pilot and rollout; platform and organisation fit; what you get and how it is measured.
p. 5 – 7

4 **Next step**
Phase 0 and what is needed from you. Appendix from p. 9.
p. 8


Tables, Not Products

KOMTAS

The data exists, but each consumer gets its own extract, its own definition and its own way of asking for access.

01 · THE PROBLEM

FROM SOURCE TO CONSUMER · AS IT USUALLY RUNS



THREE FAMILIAR EXAMPLES

Same KPI, different number

Two reports show the same measure with different values. Each was built from its own extract, and nobody owns the definition.

Every new consumer, a new request

A team that needs the data asks around, waits for an extract and negotiates access. The next team starts again.

AI reads raw tables

Models and agents use tables with no owner, no contract and no quality measure. Their answers inherit the gaps.

What changes with a data product. It is published once, for named consumers: with an owner, a written contract, measured quality and a way to find and request it.

Where This Service Sits — AI Value Proposition

KOMTAS

Four layers. Each layer consumes the one below. Data products are the top of the data layer: the governed, reusable output that the layers above consume.

Action 360

Intelligent Work Experience

Teams · Slack · WhatsApp · Web / Portal · Claude Desktop · API, Headless

Agent 360

Governed Digital Workforce

INDUSTRY: Manufacturing · Retail · Banking · Energy · Aviation · Other

FUNCTION: Customer Service · Sales · Finance · Procurement · Operations · Other

Context 360

Enterprise Context

Semantic Layer · Ontology · Knowledge Graph · Master Data · Corporate Memory

Data / Analytic 360

Trusted Data Foundation

THIS SERVICE · DATA PRODUCTS

Datawarehouse · Lakehouse · Integration · BI & Reporting · Self-Service Analytics · Data Products

Source systems and raw tables · inputs, not products

TURNED INTO PRODUCTS

Context 360

Data products feed the glossary, semantic layer and knowledge graph with data that is defined and owned.

Agent 360 / Action 360

Agents and their actions use data products as inputs. The contract, the SLOs and the access policy state what an agent may read and how far it can rely on it.

Reports and analytics

Reports read the same product, so the same KPI shows the same number.

An AI agent or a report should consume a data product, not a raw table.

What a Data Product Is — Eight Properties

KOMTAS

A dataset becomes a data product when it has all eight. The same list is used to assess what exists today and to define when a new product is done.

02 · DATA PRODUCT

1 Owner and purpose

A named owner, named consumers and the need the product serves.

owner · consumers · need

2 Data contract

Schema, meaning of each field, change notice and versioning rule, in writing.

schema · glossary · change rule

3 Quality and SLO

Quality checks, freshness and availability targets — measured, not assumed.

checks · freshness · availability

4 Discoverable

A catalogue entry with a description, glossary links and sample usage.

catalogue · description · examples

5 Access and classification

Personal data classified (KVKK); an access policy and a request path.

class · policy · request

6 Lineage and observability

Lineage from source to product; freshness, volume and errors monitored.

lineage · monitoring · alerts

7 Lifecycle

Versions, backward compatibility and a path to retire the product.

versions · compatibility · retirement

8 Usage and cost

Who uses the product and how much; what it costs to produce.

consumers · usage · cost

How existing data is assessed. Each existing dataset or data product is placed on each property: met, partly met, not met or not assessed. There is no weighted score; the gaps become the build list.

Three Phases — Design, Prove, Roll Out

KOMTAS

A fixed-price discovery first; a pilot that releases one to three data products to real consumers; then rollout in waves.

03 · PHASES

0 Discovery and Design

Fixed price · 3–4 weeks

- Inventory of existing datasets and data products
- Interviews with owners, consumers and the platform team
- Placement on the eight properties
- Candidate list and five-item gate
- Product spec, data contract draft, SLOs, output ports
- Roles, publication and access-request flow
- Pilot plan with KPIs and baseline
- Roadmap and price for pilot and rollout

1 Pilot

6–8 weeks · one to three products

- Design confirmed with owners and consumers
- Pipelines, contract and quality checks built
- Catalogue entry, access policy, lineage, monitoring
- Release to the named consumers
- KPIs measured before and after
- Close-out and wave plan

Typical pilot: a dataset that several teams already use and compute differently.

2 Rollout

In waves · by domain or product group

- Waves planned from the Phase 0 roadmap
- Fixed fee per wave, or capped time and materials
- Products handed over to their owners
- Optional managed service for product operations

Each wave repeats the pilot pattern on the next domain or product group.

Why start with discovery?

Phase 0 checks which datasets are worth turning into products, and whether each has an owner, a consumer, source access and a platform. The pilot is then priced against a known scope.

How It Fits Your Platform and Organisation

KOMTAS

Data products are built on the platform already in place, by a central team or by domain teams. A mesh transformation is not a precondition.

02 · YOUR LANDSCAPE

WHO BUILDS AND OWNS

Central data team

The data team builds the products; business owners own them and approve access.

Domain teams

Each domain builds and owns its products; the platform and the standard stay shared.

Same standard and the same publication flow in both models.

ON THE PLATFORM IN PLACE

- **Databricks** Unity Catalog
- **Snowflake** governed schemas and sharing
- **Google BigQuery** Dataplex
- **Microsoft Fabric** Purview catalogue
- **Informatica** catalogue and data marketplace
- **OpenMetadata** open source catalogue and contracts

No new platform is needed; Phase 0 confirms the editions in use.

OUTPUT PORTS · PER CONSUMER

- **SQL view / table** — analysts, BI, SQL tools
- **API** — applications and agents
- **File export** — partners and regulators
- **Event stream** — changes as they happen

One product, several ports — same contract, same access policy.

Operating-model change is optional. The service works with the current organisation. Where a move to domain ownership is planned, a readiness assessment for it is offered as a separate service.

What You Get and How It Is Measured

KOMTAS

Every deliverable stays with your teams. Progress is measured against a baseline set in Phase 0.

03 · OUTCOMES

WHAT YOU GET

- **Data product inventory** existing datasets on the eight properties
- **Candidate list** with gate results and routes
- **Spec and data contract** for each pilot product
- **Published data products** released to named consumers
- **Roles and access flow** owner, steward, platform; request path
- **A roadmap** waves, priorities and prices

HOW IT IS MEASURED

- **Products meeting the standard**
  share of pilot products meeting all eight properties
- **Time to data**
  from access request to data, before and after
- **Consumers and usage**
  number of consumers per product and actual usage
- **Quality SLO attainment**
  freshness, availability and quality targets met
- **Time to publish**
  for a new product, from the second rollout wave

Baseline first. The KPI baseline and the pilot's success criteria are agreed in Phase 0, so the pilot result is a measured difference rather than an opinion.

Next Step — Phase 0, and What Is Needed From You

KOMTAS

Four inputs make the discovery possible. Most of them already exist in your teams; Phase 0 collects them in one place.

04 · NEXT STEP

WHAT IS NEEDED FROM YOU

Shared datasets

Datasets used by more than one team or system today, and who owns them.

week 1

Owners and consumers

The people who own key datasets and the teams that use them, for interviews.

interviews

Platform and catalogue

Documentation of the data platform and of any catalogue or governance tool in use.

week 1

A sponsor for the pilot

One person who can choose the pilot product and its first consumers.

kick-off

NEXT STEPS

1. **Walkthrough** — today — you are here
2. **Scoping call** — candidate products and consumers
3. **Phase 0 proposal** — fixed price, 3–4 weeks
4. **Kick-off** — inventory request, interview plan

About 4–6 days of your team's time. That is the total customer effort across Phase 0, by size. The inventory, the gate results and the roadmap stay with you whichever way the pilot is run.

APPENDIX

Detail — for reference and questions

A **The standard and the gate**
The eight properties in detail · The candidate gate
p. 10 – 11

B **Output ports and roles**
Output ports and the product spec · Roles, publication and access
p. 12 – 13

C **Technology and scope**
Technology options · Scope and adjacent services
p. 14 – 15

The Eight Properties in Detail

KOMTAS

What each property requires, and how Phase 0 checks it for an existing dataset or data product.

PROPERTY	WHAT IS REQUIRED	HOW PHASE 0 CHECKS IT
1 Owner and purpose	Named owner, named consumers, the need served	owner named in documents and confirmed in interview
2 Data contract	Schema, semantics (glossary terms), change notice, versioning rule	written contract exists and is shared with consumers
3 Quality and SLO	Quality checks; freshness and availability targets, measured	checks run and results are recorded over time
4 Discoverable	Catalogue entry with description, glossary links, sample usage	entry found in the catalogue by a consumer
5 Access and classification	Classification (personal data, KVKK), access policy, request path	class recorded; access granted through a defined path
6 Lineage and observability	Source-to-product lineage; freshness, volume and error monitoring	lineage available; alerts reach a named person
7 Lifecycle	Versioning, backward compatibility, deprecation path	version rule written and followed in past changes
8 Usage and cost	Consumers and usage measured; cost of production visible	usage recorded; production cost can be attributed

Four placements, no score. Met · partly met · not met · not assessed. In the pilot the same eight properties are the definition of done for each product.

The Candidate Gate

KOMTAS

Five items checked for each candidate data product at the end of Phase 0; each item is met, partly met, not met or not assessed.

FIVE ITEMS

ITEM	WHAT IS CHECKED
1 Owner	a named owner who accepts the role
2 Consumer	at least one named consumer with a stated use
3 Source data	access to the source data confirmed
4 Platform	a platform where the product can be published and access-controlled
5 Funding and capacity	funding and people for the build

RESULT PER CANDIDATE

Ready for pilot
all five items met

Conditional
no item not met; at least one partly met or not assessed; each open item has a named owner and a date to close before the pilot build starts

Not ready
at least one item not met

IF NO CANDIDATE PASSES · WHERE THE GAP IS ADDRESSED

Ownership or operating model
→ Data mesh readiness assessment — separate service

Platform
→ Platform assessment or data modernization — separate service

Source data
→ Data integration work — separate service

One candidate is enough to start. If none passes, Phase 0 still closes with the inventory, the placement and a clear route.

Output Ports and the Product Spec

KOMTAS

How consumers receive a data product, and what is written down for each product before it is built.

OUTPUT PORTS · CHOSEN PER CONSUMER

PORT	SUITS	NOTES
SQL view / table	analysts, BI and SQL-based tools	most common; access policy applied on the platform
API	applications and AI agents	for row-level lookups; latency agreed as an SLO
File export	partners, regulators, tools that need files	scheduled; format and delivery in the contract
Event stream	consumers that need changes as they happen	event schema is part of the contract

One contract, several ports.
Every port of a product carries the same contract and the same access policy, so a report and an agent read the same definition. A product starts with one port; more are added when a consumer needs them.

PRODUCT SPEC · WRITTEN IN PHASE 0

- Name and purpose
- Owner and named consumers
- Source systems
- Output ports per consumer
- Data contract draft
- SLOs: freshness, availability, quality
- Classification and access policy
- Version and change notice

The contract can follow ODCS (Open Data Contract Standard).

Roles, Publication and Access

KOMTAŞ

Who does what on your side, who Komtaş brings, and how a product is published and requested.

YOUR SIDE

ROLE	RESPONSIBILITY
Data product owner	purpose, consumers, priorities; approves access
Data steward	glossary terms, classification, quality thresholds
Platform team	platform, catalogue and access control
Data engineers	build with Komtaş, or take over after the pilot
Consumers	state the use; accept the release

KOMTAŞ TEAM

- **Data product lead / architect** method, standard, design
- **Data engineer** pipelines and ports on your platform
- **Analytics engineer / data modeller** model, contract, SLOs
- **Governance and catalogue consultant** catalogue, classification, access
- **Project manager** part time

PUBLICATION AND ACCESS-REQUEST FLOW

Spec and contract
owner approves

→

Build
pipelines, checks

→

Release check
eight properties

→

Publish
catalogue entry

→

Access request
consumer states use

→

Grant
policy applies

→

Measure
usage, SLOs

Central or domain model. The roles are the same in both; what changes is whether the data engineers sit in a central team or in the domains. The flow runs on your platform and catalogue.

Technology Options

KOMTAS

The method is vendor-neutral. These are the options most often in place; Phase 0 works with what is already licensed.

OPTION	USED FOR	NOTES
Databricks	Products as tables and views in Unity Catalog; access, lineage, monitoring	Delta Sharing can serve as a port to partners.
Snowflake	Products as governed schemas, tables and views; access policies	Secure sharing can serve as a port to group companies and partners.
Google BigQuery with Dataplex	Products as datasets and views; catalogue, quality scans, lineage	Policy tags support column-level access.
Microsoft Fabric / Purview	Fabric items as products; catalogue, glossary and access requests	Purview can hold data products and their owners in governance domains.
Informatica	Catalogue, glossary, lineage and data quality; publication and access requests	Cloud Data Governance and Catalog with Cloud Data Marketplace. Komtaş is an Informatica partner.
OpenMetadata	Catalogue, glossary, lineage, data contracts, data quality tests	Open source. Access control stays on the data platform.

Product capabilities change. Phase 0 confirms current support for your exact products and editions before the pilot design is fixed.

Scope and Adjacent Services

KOMTAS

What the service covers, and the related work that is offered separately.

IN SCOPE

- Inventory and placement on the eight properties
- Candidate gate and pilot selection
- Product spec, data contract, SLOs and output ports
- Build and release of pilot and wave products
- Catalogue entries, access policies, lineage, monitoring
- Roles, publication and access flow; KPI measurement

OUT OF SCOPE · SEPARATE SERVICES

- Data mesh transformation or organisation design
- Platform build or migration
- A catalogue programme for the whole data estate
- Report and dashboard development
- Data quality fixes inside source systems
- Tool selection beyond choosing the adapter

Delivery, not transformation

The service builds data products with the organisation and platform in place. A move to domain ownership, a new platform or a catalogue for the whole estate are each scoped as separate services when they are needed.