KOMTAS

OPERATIONAL DATA GOVERNANCE ENABLEMENT

Blueprint — internal reference

Governance at creation and at change · six building blocks · Phase 0, pilot, rollout

1 **Positioning and market**
AI value proposition (360), why shift left, the analytical programme and adjacent services, sectors, triggers, first reference. — p. 2 – 6

2 **Method**
Six building blocks, development-model lever, system × block matrix, SDLC gate, DQ at entry. — p. 7 – 12

3 **Delivery**
Three phases, Phase 0, pilot and KPIs, rollout and pricing, team and effort, technology adapters. — p. 13 – 22

4 **Package status**
Files 0–6 and the open items from the asset assessment. — p. 23

SECTION 1

Positioning and Market

Why governance has to move into operational systems, where the service sits, who buys it and the first reference.

Where this service sits — AI value proposition p. 3

Why shift left — governance at creation and at change p. 4

Positioning — analytical programme and adjacent services p. 5

Market, triggers and first reference p. 6

Where This Service Sits — AI Value Proposition

KOMTAS

Four layers. Each layer consumes the one below. This service governs the foundation at the source — in the operational systems where data is created and changed.

Action 360
Intelligent Work Experience

Teams · Slack · WhatsApp · Web / Portal · Claude Desktop · API, Headless

Agent 360
Governed Digital Workforce

INDUSTRY: Manufacturing · Retail · Banking · Energy · Aviation · Other

FUNCTION: Customer Service · Sales · Finance · Procurement · Operations · Other

Context 360
Enterprise Context

Semantic Layer · Ontology · Knowledge Graph · Master Data · Corporate Memory

Data / Analytic 360
Trusted Data Foundation

THIS SERVICE · AT THE SOURCE

Datawarehouse · Lakehouse · Integration · BI · **Governance / MDM**

Operational systems — ERP, CRM, in-house apps, SaaS · where data is created and changed · this service works here

Governance usually starts at the warehouse. This service moves it to where the record is born — and to where agents will write.

RELATION TO NEIGHBOURING LAYERS

Home: Governance / MDM

The service sits in the Governance / MDM component of the foundation and reaches below it, into the operational systems that create the data.

Relation to Context 360

Glossary terms and master data are defined when the record or field is created, so the context layer starts from consistent meaning.

Relation to Agent 360 and Action 360

Agents increasingly create and change records in operational systems. The same point-of-entry rules and change gate apply to them: governed creation is a precondition for governed agentic actions.

Why Governance Has to Move Into Operational Systems

KOMTAS

Most programmes govern data after it lands in the warehouse. Errors are found late and fixed many times downstream; this service moves the checks to where data is created and changed.

01 · WHY SHIFT LEFT

WHERE DATA IS CREATED, MOVED AND USED

Operational application
record created or changed by a user, API or batch

→

Integration
interfaces, CDC, files

→

Warehouse / lakehouse
integrated and historised

→

Reports and AI
decisions, models, regulators

SHIFT LEFT · checks at creation and at change

← move governance upstream

TODAY · most catalogue and DQ checks

WHAT LATE GOVERNANCE LOOKS LIKE

Duplicate master records

The same customer or outlet is created twice; reports and deliveries disagree.

Fields without meaning

A new field goes live with no owner, definition or quality rule.


Personal data unflagged

Fields with personal data are found by a later scan, not when they are created.

Fixed many times

Each downstream team writes its own cleansing for the same source error.

THE 1-10-100 RULE OF THUMB



Relative cost per record, as commonly cited in the industry. Not a measured figure; no numbers are quoted to customers.

At change, governance becomes a gate on the release path. It is then funded and scheduled with delivery projects — a must-have instead of a nice-to-have.

Positioning — Extending the Data Governance Programme

KOMTAS

The analytical governance programme stays as it is. This service adds the operational side and the change process, and links to adjacent services without absorbing them.

01 · POSITIONING

	Analytical governance Komtaş Data Governance programme	Operational governance this service
Where checks run	warehouse, lakehouse, reports	operational applications and the release path
When errors are found	after load, often by report users	when the record is created or the field is added
Who owns the data	data owners per domain	process owners — the people who create the data
What it changes	catalogue, glossary, DQ dashboards	application checks, change templates, gates
How it is funded	governance budget	with delivery projects and releases
Rule set	DQ rules on stored data	the same rules, also called at creation

A delivery package, not an assessment: Phase 0 designs, the pilot builds, rollout runs in waves.

ADJACENT SERVICES · LINKED, NOT INCLUDED

Report governance
report inventory, certification, ownership

AI governance
model and use-case risk, policies

Full MDM implementation
hub and all domains; only a pilot slice here

Building new applications
integration work for the pilot only

Analytical catalogue programme
the programme this service extends

Boundary to be written down. The Komtaş Data Governance programme offering (RFP cluster 1, candidate aday-20) is not yet a catalogue package. Who delivers glossary and catalogue work for operational CDEs is fixed before the proposal template (file 4).

Market, Triggers and the First Reference

Who buys it, what makes them move, and where the first case stands.

KOMTAS

01 · MARKET

TARGET SECTORS

- FMCG
- Retail
- Distribution
- Banking
- Insurance
- Telecom
- Holdings

First market FMCG, retail and distribution: large customer, outlet and product masters created every day.
Second market banks and insurers: strong SDLC and regulatory pressure (KVKK, BDDK).

TRIGGERS

ERP or CRM programme
a release path to attach the gate to

Audit or KVKK finding
personal data or quality questioned

Duplicate master data
customer, outlet or product records

AI and analytics plans
source data has to be trusted first

Asset candidate status (aday-13: “Operasyonel sistemlerde data governance”)
Weighted score 83%. Open: S4 — no past effort records, so the effort on p. 18 is a first SAT estimate; S9 — no reference yet, CCI would be the first; repeatability needs a second concrete opportunity, most likely a bank or insurer. The eight Data Governance proposals in the RFP folder (cluster 1) are the first place to look for one.

FIRST REFERENCE CASE

Coca-Cola İçecek (CCI)

Status	first meeting, October 2026
Relationship	existing Komtaş customer
Request	data governance in operational systems
Tooling	Informatica already in place
Open	application landscape: SAP? partner? in-house apps?
Open	which Informatica IDMC services are licensed

Both open points are collected in Phase 0.

SECTION 2

Method

Six building blocks, the development-model lever, the system × block matrix, the SDLC gate and point-of-entry DQ.

Six building blocks — p. 8

The development model decides the lever — p. 9

System × building block matrix — example — p. 10

SDLC gate · point-of-entry DQ patterns — p. 11 – 12

Six Building Blocks

KOMTAS

A menu, not a fixed scope. Phase 0 decides which blocks apply to which system and through which lever.

02 · BUILDING BLOCKS

1 — at creation

Point-of-entry data quality

Rules defined once and published as REST endpoints. Applications call them when data is created; the analytical side reuses the same rules.

rule set · API · error rate at entry

2 — at change

Governance by design in the SDLC

Definition of done for data-affecting changes, as templates and gates in Jira / Azure DevOps, design review and CAB. The steward has a seat.

gate on the release path

3 — at change

Operational metadata and lineage

Scanners on operational databases and SAP. Lineage from application field to glossary term, warehouse column and report.

end-to-end lineage for CDEs

4 — creation + change

Ownership and stewardship

In operational data the owner is usually the process owner. Decision rights, issue workflow and escalation are written down.

roles · decision rights · issue workflow

5 — at creation

Classification and privacy at creation

Personal data is flagged when the field is created. Masking and access rules derive from the class (KVKK).

classified fields · access policy

6 — at creation

Master and reference data at creation

Matching and de-duplication when customer, outlet, product or supplier records are created. Full MDM stays a separate project.

match on create · MDM boundary

Out of scope, linked: report governance · AI governance · full MDM implementation · building new applications · analytical catalogue programmes (extended, not replaced)

The Application Development Model Decides the Lever

KOMTAS

The same building block is applied differently in an in-house application, an SAP system run with a partner and a SaaS product. This is the core question of Phase 0.

THREE MODELS, THREE LEVERS

DEVELOPMENT MODEL	LEVER	DQ AT ENTRY	SDLC GATE
In-house developed	Own SDLC — the team controls code and process	Application calls the DQ API directly (sync or async)	Own Jira / Azure DevOps templates, design review, CAB
SAP with an implementation partner	Partner's change process: functional spec template, transport approval	SAP-side validation or MDG, or a call to the DQ service via middleware — coexistence decided in Phase 0	Functional spec and transport gates
SaaS / packaged software	Vendor change process and the integration layer	Validation in the integration layer (API gateway / iPaaS)	Vendor release review, configuration change control

WHAT TO WATCH

In-house
Fastest pilot. The team can add the API call and the gate in the same release.

SAP + partner
The gate has to be in the partner's process and, where needed, its contract. Two rule sets are the main risk.

SaaS
No access to code. Checks sit in the integration layer or run asynchronously after write.

Output of Phase 0: a system × building block matrix. It states which block applies to which system, through which lever. Most landscapes mix all three models, so each system is classified on its own.

System × Building Block Matrix — Example

KOMTAS

The main output of Phase 0. Illustrative landscape of a distribution company; the values are examples, not a customer.

EXAMPLE MATRIX · ONE ROW PER SYSTEM

illustrative

SYSTEM	MODEL	1 DQ AT ENTRY	2 SDLC GATE	3 METADATA	4 OWNER	5 PRIVACY	6 MASTER	PLAN
Outlet onboarding app	in-house	API, sync	Jira DoD gate	DB scanner	sales operations	flag on create	match on create	pilot
ERP (SAP)	SAP + partner	MDG / middleware	spec + transport	SAP scanner	finance, supply	in field spec	MDG coexists	wave 1
CRM	SaaS	iPaaS check	release review	API metadata	sales	config control	match in iPaaS	wave 1
Distributor portal	in-house	API, async	ADO DoD gate	DB scanner	channel sales	flag on create	—	wave 2
HR system	SaaS	—	config control	scanner	HR	review	—	wave 2
Data warehouse	analytical	same rules, batch	—	lineage target	—	masking derives	—	existing

How it is read

Each cell is a decision: does the block apply, and through which lever. Empty cells are deliberate. The pilot takes one row; the waves take the rest. The analytical row shows where the same rules and classes are reused.

Order of the waves

1 CDEs with the most downstream issues
2 systems whose change process can carry the gate
3 systems with an upcoming release or programme

Governance by Design — The Gate on the Release Path

KOMTAS

A data-affecting change is not done until its governance items exist. The gate sits where the organisation already approves changes.

02 · SDLC GATE

RELEASE PATH · WHERE THE GATE SITS



DEFINITION OF DONE · DATA-AFFECTING CHANGE

- **Glossary term** — defined and approved
- **Catalogue entry** — field registered with its source
- **Owner and steward** — named, from the process
- **Privacy class** — KVKK class set; masking follows
- **DQ rule** — in the central set, or an explicit “none”
- **Lineage update** — field → term → column → report

WHERE IT IS IMPLEMENTED

In-house	Jira / Azure DevOps issue template with the six items; the workflow cannot move to Done while they are empty. Design review checklist and a CAB item.
SAP + partner	A section in the functional spec template; transport approval checks it. Written into the partner's process and, where needed, its contract.
SaaS	Vendor release review and configuration change control include the same checklist.

The steward has a seat in the change process. Changes that touch no critical data element pass with a one-line declaration, so the gate does not slow every release.

Point-of-Entry Data Quality — Three Patterns, One Rule Set

KOMTAS

Rules are defined once and published as services. Operational applications call them when data is created; the analytical side runs the same rules on stored data.

02 · POINT-OF-ENTRY DQ

One rule set

- defined once, owned by the steward
- versioned and tested centrally
- published as REST endpoints
- same rule ID at entry and in the warehouse

Synchronous · UI or API

few critical fields

The application calls the rule before saving. The user sees the error and fixes it at once.

Asynchronous · event or CDC

no added latency

The record is saved; an event or CDC stream triggers the check, and a steward task opens if it fails.

Batch remediation

existing data

Existing records are checked on a schedule; fix lists go to the owners until the backlog is cleared.

Analytical side

The warehouse or lakehouse runs the same rules on stored data. Scores are comparable from source to report, and there is no second rule set to maintain.

- batch run on loaded data
- DQ score per CDE and system
- issues traced back to the entry point

Design rules. Synchronous checks only where a bad record is costly and the latency is acceptable. If the rule service is unavailable, the record is saved and flagged for the asynchronous check — the business process does not stop.

SECTION 3

Delivery

Three phases, Phase 0, pilot and KPIs, rollout and pricing, team and effort, technology adapters, package status.

Three phases · Phase 0 deliverables — p. 14 – 15

Pilot and KPIs · rollout and pricing — p. 16 – 17

Team and effort — initial SAT estimate — p. 18

Technology adapters: Informatica, Talend, OpenMetadata, SAP — p. 19 – 22

Package files and open items — p. 23

Three Phases — Design, Prove, Roll Out

KOMTAS

Phase 0 sets the scope and the price of what follows. The pilot proves it on one process with measured results; rollout runs in waves.

03 · PHASES

0 Discovery and Design

3–4 weeks · fixed price

Focus	inventory, CDEs, change process, tooling
Scope	whole landscape, at design depth
Output	system × block matrix, operating model, pilot design, roadmap and price
Pricing	fixed price

1 Pilot

6–8 weeks · one process, one system

Focus	point-of-entry DQ live; gate in one real release
Scope	the CDEs of one business process
Output	running checks, lineage, steward workflow, KPIs before / after
Pricing	fixed price, set at the end of Phase 0

2 Rollout

in waves · by process or system

Focus	repeat the pilot patterns
Scope	one process or system scope per wave
Output	governed CDEs across the landscape
Pricing	per wave or capped T&M; optional managed service

Each phase ends with a decision.

Phase 0 delivers the price of the pilot and the first waves. The pilot delivers measured KPIs against the Phase 0 baseline; the rollout is decided on those numbers, not on the plan.

Phase 0 — Discovery and Design in Three to Four Weeks

KOMTAS

What is done each week and what the customer receives. The deliverables become the scope and the price of the pilot and the first waves.

WEEK BY WEEK · INDICATIVE

WEEK	WORK
1	Kick-off; application inventory and development model per system; tooling and licence check (e.g. licensed IDMC services)
2	CDE workshops: where each CDE is created, by whom, through which process; change process mapping (SDLC, CAB, SAP transports, vendor releases)
3	System × block matrix; target operating model draft (roles, decision rights); KPI baseline measured
4	Pilot selection with success criteria; roadmap and price for Phase 1–2; read-out

Three weeks for a small landscape, four for a larger one. The band is set in the input form (file 3).

DELIVERABLES

#	DELIVERABLE	CONTENT
D1	Application inventory	systems, owners, development model
D2	CDE register	where created, by whom, which process
D3	Change process map	SDLC, CAB, SAP transports, vendor releases
D4	Tooling and licence view	what is licensed and usable today
D5	System × block matrix	block, system and lever
D6	Operating model draft	roles, decision rights, issue workflow
D7	Pilot design	process, system, CDEs, success criteria, KPI baseline
D8	Roadmap and price	pilot and waves; Phase 1–2 price

What the customer provides

Application and process owners for interviews; change process documents (Jira / Azure DevOps workflows, CAB, transport procedure); the licence list; access to the implementation partner and SaaS vendors where relevant; one sponsor who can choose the pilot.

Pilot — One Process, One System, Measured

KOMTAS

The pilot proves both levers on real data: checks at creation and the gate in a real release. Success criteria and the baseline come from Phase 0.

03 · PILOT

TYPICAL PILOT SCOPES

- **Customer or outlet onboarding**
- **Product / material creation**

SELECTION CRITERIA

- high creation volume
- a known downstream issue
- a change process that can carry the gate
- a named process owner
- a release inside the pilot window

WHAT GOES LIVE

Point-of-entry DQ for the pilot CDEs (rules as APIs)	block 1
SDLC gate applied in one real release	block 2
Glossary and catalogue entries for the pilot CDEs	blocks 2 · 3
Lineage from application to warehouse and report	block 3
Steward workflow for issues found at entry	block 4
KPI measurement before and after	

KPIs · BASELINE IN PHASE 0

- **Share of CDEs with owner, glossary term and DQ rule**
- **Error rate at entry for the pilot CDEs**
- **Share of data-affecting changes that passed the gate**
- **Time to add a governed field**
- **Downstream data issues traced to source**

No default targets. Target values are agreed per customer in Phase 0 against the measured baseline; no percentage improvement is promised in advance.

Rollout and Pricing View

KOMTAS

After the pilot, the remaining rows of the matrix are delivered in waves. Each wave reuses the pilot patterns; the price follows the wave scope.

WHAT A WAVE CONTAINS

- CDE onboarding: glossary terms, owners, privacy classes
- Rules added to the central set and called at entry
- Gate rolled out to the teams of the systems in scope
- Scanners and lineage for the systems in scope
- Steward handover and KPI report for the wave

PRICING OPTIONS

OPTION	HOW	WHEN
Per wave	unit price per process or system scope	scope is clear after the pilot
Capped T&M	monthly, with a ceiling	landscape still uncertain
Managed service	rule and metadata operations, monthly	after rollout, optional

WHAT DRIVES THE SIZE OF A WAVE

Number of CDEs
terms, owners and classes to agree

Number of rules
each written, tested, published

Number of systems
scanners, lineage, gate per team

Development model
SAP partner coordination adds elapsed time

Entry pattern
sync needs more integration work than batch

No single fixed price for the whole landscape. Phase 0 and the pilot are fixed price; the wave list from Phase 0 is then priced wave by wave.

Team and Effort — Initial SAT Estimate

KOMTAS

Person-days per phase. There are no past effort records for this service yet (S4); every figure below needs delivery confirmation.

EFFORT PER PHASE

pending delivery confirmation

PHASE	DURATION	EFFORT (PD)	WHAT MOVES IT
Phase 0 — Discovery and Design	3–4 weeks	25–35	number of systems and CDEs in scope; number of workshops
Phase 1 — Pilot	6–8 weeks	60–90	entry pattern (sync / async), integration work, state of the tool set-up
Phase 2 — each rollout wave	per wave	40–80	number of CDEs, rules and systems in the wave

TEAM

ROLE	RESPONSIBILITY	PHASE 0	PILOT	WAVES
Governance lead / architect	method, operating model, matrix, design authority	●	●	●
DQ engineer (tool-specific)	rules, API publication, catalogue and lineage set-up	○	●	●
Integration developer	calls from the pilot application or the integration layer	—	●	as needed
Business analyst / process consultant	CDE workshops, process and change mapping	●	●	●
Project manager	plan, steering, reporting — part time	○	○	○

● main role ○ part time — not needed

Internal only. 25–35 pd over 15–20 working days is 1.3–2.3 people; 60–90 pd over 30–40 working days is 1.5–3 people. The customer deck shows durations, not effort.

Adapter 1 — Informatica IDMC

KOMTAS

First adapter. Komtaş is an Informatica partner, and the first reference customer already uses Informatica.

03 · ADAPTER · INFORMATICA

BUILDING BLOCK	COMPONENT	HOW IT IS USED	FIT
1 Point-of-entry DQ	Cloud Data Quality	rule specification enabled for API use and published as a REST endpoint through API Center	native
2 SDLC gate	Jira / ADO + CDGC	gate in the work tracker; checks that the CDGC glossary and catalogue entries exist	process
3 Metadata and lineage	Cloud Data Governance and Catalog	scanners on databases and SAP; lineage field → term → column → report	native
4 Ownership	CDGC stakeholders	owners and stewards on assets and glossary terms; issue workflow	native
5 Classification	CDGC data classification	personal data classes (KVKK) on assets; masking applied in target tools	partial
6 Master data	MDM SaaS	match and merge when customer, product or supplier records are created	separate licence

Why it is first

Native components for blocks 1, 3, 4 and 6; block 2 is process in the work tracker. The same rule specification runs in the warehouse pipelines and behind the REST endpoint, so there is one rule set and no second rule engine.

Checked in Phase 0

Which IDMC services are licensed; consumption (IPU) of real-time rule calls; API Center availability; scanner coverage for the customer's SAP version.

Sources: Informatica Success Accelerator “Real-time execution of data quality rule specification”; Informatica blog “Shift left: early data quality checks”. Product capabilities change; Phase 0 confirms support for the customer's exact editions.

Adapter 2 — Talend (Qlik Talend Cloud)

KOMTAS

For customers on the Talend / Qlik stack. Talend is a Komtaş product line.

03 · ADAPTER · TALEND

BUILDING BLOCK	COMPONENT	HOW IT IS USED	FIT
1 Point-of-entry DQ	Talend data quality	DQ rules built in Talend; exposure as a real-time service confirmed per edition	partial
2 SDLC gate	Jira / ADO + catalogue	same gate in the work tracker; checks the entries in the Talend catalogue	process
3 Metadata and lineage	Talend data catalogue	harvesting from databases and applications; lineage	native
4 Ownership	Talend Data Stewardship	tasks and campaigns for issue resolution; owner and steward roles	native
5 Classification	Catalogue classification	semantic types and tags for personal data	partial
6 Master data	Stewardship matching	match and merge tasks; a full MDM hub is a separate project	partial

When it is used
The customer already runs Talend or Qlik, or prefers that stack. The method, gate and matrix stay the same; only the components change.

Checked in Phase 0
Edition and licensed modules; how rules are published as a service (API / route); catalogue connector coverage for the operational sources.

Product names and packaging are moving into Qlik Talend Cloud. Product capabilities change; Phase 0 confirms support for the customer's exact editions.

Adapter 3 — OpenMetadata

KOMTAS

Open source; not resold by Komtaş. Strong on glossary, catalogue, lineage and data contracts — not a point-of-entry DQ engine.

03 · ADAPTER · OPENMETADATA

BUILDING BLOCK	COMPONENT	HOW IT IS USED	FIT
1 Point-of-entry DQ	Separate rule service	OpenMetadata tests run on stored data (SQL-based); checks at entry need another component	separate tool
2 SDLC gate	Data contracts + API	contract (ODCS import / export) as the checkable definition of done; the gate queries the API	native
3 Metadata and lineage	Connectors + OpenLineage	ingestion connectors for databases and applications; lineage incl. OpenLineage events	native
4 Ownership	Owners, domains, tasks	owners and experts on assets and terms; tasks for issue handling	native
5 Classification	Classification and tags	personal data tags and tiers on fields	partial
6 Master data	Not provided	no MDM; matching on create needs a separate tool	separate tool

Said plainly to the customer
OpenMetadata is not a point-of-entry runtime DQ engine. When it is chosen, block 1 needs a separate rule service and block 6 a separate matching tool.

Commercial view
Services only, no licence margin. Lower entry cost for the customer; more integration work in blocks 1 and 6, which Phase 0 prices.

Product capabilities change between releases; Phase 0 confirms support in the version the customer runs.

Adapter 4 — SAP-Centric Flows and Coexistence

KOMTAS

SAP MDG or application validations may already cover parts of blocks 1 and 6. Phase 0 decides how the central rule set and SAP live together.

03 · ADAPTER · SAP

WHAT SAP MAY ALREADY COVER

SAP MDG

blocks 1 · 6

governed creation of master data: workflows, validations, duplicate check

Application validations

block 1

mandatory fields, value checks and custom checks in SAP

Partner change process

block 2 lever

functional spec template and transport approval

COEXISTENCE OPTIONS

A — SAP keeps its checks; the central set mirrors them
+ no added latency; uses what runs today
– two rule sets to keep aligned

B — SAP calls the central DQ service via middleware
+ one rule set for SAP and non-SAP systems
– dependency and latency inside the SAP process

C — Split by domain
+ MDG for master data created in SAP; central rules elsewhere and on the analytical side
– the boundary must be written down

DECIDED IN PHASE 0

- Is MDG licensed and live, and for which domains?
- Who changes rules: customer or partner?
- How much latency the SAP process tolerates
- Middleware in place (e.g. SAP Integration Suite)
- Catalogue scanner coverage for the SAP version

Default starting position: option C. What MDG already enforces is not rebuilt; its rules are documented in the glossary and reused on the analytical side. Option B only where one rule set across SAP and non-SAP systems is a stated requirement.

Block 2 in SAP. The definition of done becomes a section of the functional spec template, and transport approval checks it. The implementation partner has to accept this in its process.

Package Files and Open Items

KOMTAS

Same numbering as the other service packages, with -en / -tr suffixes. This round: files 1 and 2 in English; Turkish versions and files 0, 3–6 after review.

#	FILE	STATUS	NOTE
0	process flow	after review	TR + EN
1	operational-data-governance-1-blueprint-en.pptx	ready	this document
2	operational-data-governance-2-musteri-sunumu-en.pptx	this round	20-minute main flow + appendix; no customer names or effort
3	input form	after review	landscape size, CDE count, development models → Phase 0 band
4a / 4b	proposal templates	after review	Phase 0 fixed price / pilot and rollout
5	customer question set	after review	first question: development model per system
6	internal question set	after review	proposal set S1–S14

OPEN ITEMS

- Delivery confirmation of effort and durations (Phase 0 25–35, pilot 60–90, wave 40–80 pd) — no past effort records (S4)
- CCI landscape: SAP or not, implementation partner, in-house applications, licensed IDMC services — collected in Phase 0
- Second concrete opportunity (a bank or insurer) to confirm repeatability; start with the eight Data Governance proposals in the RFP folder
- Boundary with the Komtaş Data Governance programme offering (aday-20): who delivers glossary and catalogue work
- Reference (S9): no reference case yet; CCI would be the first
- KARE check: whether a record already exists for this service or for the CCI request