

# Assignment 13

Utkarsh Surwade  
AI20MTECH11004

Download latex-tikz codes from

[https://github.com/utkarshsurwade/Matrix\\_Theory\\_EE5609/tree/master/codes](https://github.com/utkarshsurwade/Matrix_Theory_EE5609/tree/master/codes)

## 1 PROBLEM

Find a  $3 \times 3$  matrix for which the minimal polynomial is  $x^2$ .

## 2 DEFINITIONS

Characteristic Polynomial	For an $n \times n$ matrix $\mathbf{A}$ , characteristic polynomial is defined by, $p(x) =  x\mathbf{I} - \mathbf{A} $
Cayley-Hamilton Theorem	If $p(x)$ is the characteristic polynomial of an $n \times n$ matrix $\mathbf{A}$ , then, $p(\mathbf{A}) = \mathbf{0}$
Minimal Polynomial	Minimal polynomial $m(x)$ is the smallest factor of characteristic polynomial $p(x)$ such that, $m(\mathbf{A}) = \mathbf{0}$ Every root of characteristic polynomial should be the root of minimal polynomial

TABLE 1: Definitions

### 3 EXPLANATION

Statement	Solution
Assuming matrix <b>A</b> as follows:	Let us Consider $3 \times 3$ upper triangular matrix, $\mathbf{A} = \begin{pmatrix} e & a & b \\ 0 & f & c \\ 0 & 0 & d \end{pmatrix}$
Characteristic polynomial of <b>A</b>	$ x\mathbf{I} - \mathbf{A}  = \begin{vmatrix} x-e & -a & -b \\ 0 & x-f & -c \\ 0 & 0 & x-d \end{vmatrix}$ $= (x-e)(x-f)(x-d)$
Given	<p>The minimum polynomial is</p> $p(x) = x^2$ <p>Therefore <math>p(x)</math> must divide characteristic polynomial. This will be satisfied only if the values e,f,d are zeros.</p>
Characteristic polynomial when $e=0, f=0$ and $d=0$	$ x\mathbf{I} - \mathbf{A}  = x^3$
<p>Since <math>p(x) = x^2</math> Hence <math>p(\mathbf{A}) = \mathbf{A}^2 = \mathbf{0}_{3 \times 3}</math></p>	<p>Therefore calculating <math>p(\mathbf{A})</math> as follows:</p> $\begin{pmatrix} 0 & a & b \\ 0 & 0 & c \\ 0 & 0 & 0 \end{pmatrix} \begin{pmatrix} 0 & a & b \\ 0 & 0 & c \\ 0 & 0 & 0 \end{pmatrix} = \mathbf{0}_{3 \times 3}$ $\begin{pmatrix} 0 & 0 & ac \\ 0 & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} = \mathbf{0}_{3 \times 3}$

<p>With entries <math>a=0, e=0, f=0, d=0</math> The matrix <math>\mathbf{A}</math> will be:</p> <p>For <math>b=1, c=1</math></p>	<p>For <math>\mathbf{A}^2</math> to be a zero matrix, either <math>a=0</math> or <math>c=0</math></p> $\mathbf{A} = \begin{pmatrix} 0 & 0 & b \\ 0 & 0 & c \\ 0 & 0 & 0 \end{pmatrix}$ $\mathbf{A} = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 0 & 1 \\ 0 & 0 & 0 \end{pmatrix}$
<p>Conclusion</p>	<p>Thus the matrix,</p> $\mathbf{A} = \begin{pmatrix} 0 & 0 & 1 \\ 0 & 0 & 1 \\ 0 & 0 & 0 \end{pmatrix}$ <p>has the minimal polynomial as <math>x^2</math>.</p>

TABLE 2: Solution summary