
Assignment 8.3 - Solution

Magazine Layout Using Grid Areas


Desktop (1280px)



Tablet (768px)



Mobile (390px)



The grid-area CSS

```
.page {
  display: grid;
  grid-template-columns: 3fr 1fr;
  grid-template-rows: auto auto 1fr auto;
  grid-template-areas:
    "header  header"
    "nav     nav"
    "article sidebar"
    "footer  footer";
  gap: 1.5rem;
}
.masthead { grid-area: header; }
.nav      { grid-area: nav; }
.article  { grid-area: article; }
.sidebar  { grid-area: sidebar; }
.footer   { grid-area: footer; }
```

How the requirements are met

1. Sections

Header (masthead), navigation, main article, sidebar and footer are separate elements in **index.html**.

2. Grid container

.page { display: grid; } wraps all five sections.

3-4. grid-template-areas and named areas

The layout is drawn as text in **grid-template-areas**, and each section is given its name with **grid-area** (header, nav, article, sidebar, footer).

5. Article gets more space

grid-template-columns: 3fr 1fr makes the article column three times as wide as the sidebar.

6. Tested sizes and alignments

Three variants are shown on the next page. At 800px and below, the areas are rearranged into one column (header, nav, article, sidebar, footer) by redefining **grid-template-areas** in a media query.

Testing different sizes and alignments (1280px)


Variant A: sidebar on the left (1fr 3fr, areas reordered)

`grid-template-columns: 1fr 3fr; grid-template-areas: "header header" "nav nav" "sidebar article" "footer footer";`



Variant B: equal columns (1fr 1fr)

`grid-template-columns: 1fr 1fr;`



Variant C: 2fr 1fr with the sidebar widgets vertically centered

`grid-template-columns: 2fr 1fr; .sidebar { align-content: center; }`

ISSUE 42 · SATURDAY EDITION

The Daily Grid

Stories laid out with care

DESIGN

How a simple grid changed the way we read online

By Staff Writer · 6 min read

Long before screens, printers arranged columns of text on a grid so that readers always knew where to look next. The web has finally caught up.

For years, web pages were built from tables and floats, tools that were never meant for page layout. Designers worked around their limits with clever tricks, and readers often paid the price in cramped columns and awkward gaps.

Modern CSS Grid changed that. A designer can now describe a page as named regions, such as a header, a navigation bar, a main story and a sidebar, and let the browser place everything exactly where it belongs.

One layout, many screens

The same set of named areas can be rearranged for a small phone screen with only a few lines of code. The story moves to the top, the sidebar slides underneath, and nothing needs to be rewritten.

The result is pages that feel closer to a printed magazine: a clear hierarchy, generous white space, and a reading column that is easy on the eyes.

Trending

1. Five habits of clearer web pages
2. Why white space matters
3. A short history of the column
4. Typography tips for readers

Newsletter

One short email each Saturday. No spam.

Subscribe

© 2026 The Daily Grid. All rights reserved.

index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>The Daily Grid - Magazine Layout</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div class="page">

    <header class="masthead">
      <p class="issue">Issue 42 &middot; Saturday edition</p>
      <h1>The Daily Grid</h1>
      <p class="tagline">Stories laid out with care</p>
    </header>

    <nav class="nav" aria-label="Sections">
      <ul>
        <li><a href="#" class="active">Home</a></li>
        <li><a href="#">World</a></li>
        <li><a href="#">Tech</a></li>
        <li><a href="#">Culture</a></li>
        <li><a href="#">Science</a></li>
        <li><a href="#">Opinion</a></li>
      </ul>
    </nav>

    <main class="article">
      <p class="kicker">Design</p>
      <h2>How a simple grid changed the way we read online</h2>
      <p class="byline">By Staff Writer &middot; 6 min read</p>
      <p class="lead">Long before screens, printers arranged columns of text on a grid so that readers always knew where
       to look next. The web has finally caught up.</p>
      <p>For years, web pages were built from tables and floats, tools that were never meant for page layout. Designers
      worked around their limits with clever tricks, and readers often paid the price in cramped columns and awkward
      gaps.</p>
      <p>Modern CSS Grid changed that. A designer can now describe a page as named regions, such as a header, a
      navigation bar, a main story and a sidebar, and let the browser place everything exactly where it belongs.</p>
      <h3>One layout, many screens</h3>
      <p>The same set of named areas can be rearranged for a small phone screen with only a few lines of code. The story
       moves to the top, the sidebar slides underneath, and nothing needs to be rewritten.</p>
      <p>The result is pages that feel closer to a printed magazine: a clear hierarchy, generous white space, and a
      reading column that is easy on the eyes.</p>
    </main>

    <aside class="sidebar">
      <section class="widget">
        <h3>Trending</h3>
        <ol>
          <li>Five habits of clearer web pages</li>
          <li>Why white space matters</li>
          <li>A short history of the column</li>
          <li>Typography tips for readers</li>
        </ol>
      </section>
      <section class="widget">
        <h3>Newsletter</h3>
        <p>One short email each Saturday. No spam.</p>
        <a href="#" class="btn">Subscribe</a>
      </section>
    </aside>

    <footer class="footer">
      <p>&copy; 2026 The Daily Grid. All rights reserved.</p>
      <ul>
        <li><a href="#">About</a></li>
        <li><a href="#">Contact</a></li>
        <li><a href="#">Privacy</a></li>
      </ul>
    </footer>

  </div>
</body>
</html>
```

style.css

```
:root {
  --ink: #1c2a26;
  --muted: #5d6b66;
  --line: #d5ddd8;
  --paper: #fbfaf6;
  --card: #ffffff;
  --accent: #1f6f5c;
  --gap: 1.5rem;
}

* { box-sizing: border-box; margin: 0; padding: 0; }

body {
  font-family: Georgia, "Times New Roman", serif;
  color: var(--ink);
  background: var(--paper);
  line-height: 1.7;
}
ul, ol { list-style: none; }
a { color: inherit; text-decoration: none; }
a:focus-visible { outline: 3px solid #f2b705; outline-offset: 2px; }

/* ===== Grid container with named areas ===== */
.page {
  display: grid;
  grid-template-columns: 3fr 1fr;            /* article gets 3x the sidebar */
  grid-template-rows: auto auto 1fr auto;
  grid-template-areas:
    "header  header"
    "nav     nav"
    "article sidebar"
    "footer  footer";
  gap: var(--gap);
  max-width: 1100px;
  min-height: 100vh;
  margin: 0 auto;
  padding: 1.5rem;
}

/* ===== Assign each section to a named area ===== */
.masthead { grid-area: header; }
.nav      { grid-area: nav; }
.article  { grid-area: article; }
.sidebar  { grid-area: sidebar; }
.footer   { grid-area: footer; }

/* ===== Header ===== */
.masthead {
  text-align: center;
  padding-bottom: 1rem;
  border-bottom: 3px double var(--ink);
}
.issue { font-family: "Segoe UI", system-ui, Arial, sans-serif; font-size: .8rem; letter-spacing: .1em; text-transform:
      uppercase; color: var(--muted); }
.masthead h1 { font-size: 3.2rem; line-height: 1.1; }
.tagline { font-style: italic; color: var(--muted); }

/* ===== Navigation ===== */
.nav {
  font-family: "Segoe UI", system-ui, Arial, sans-serif;
  border-bottom: 1px solid var(--line);
}
.nav ul {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: .5rem 2rem;
  padding-bottom: .75rem;
}
.nav a { font-weight: 600; color: var(--muted); }
.nav a:hover, .nav a.active { color: var(--accent); }

/* ===== Main article ===== */
.article { min-width: 0; }
.kicker { font-family: "Segoe UI", system-ui, Arial, sans-serif; font-size: .8rem; font-weight: 700; letter-spacing:
      .1em; text-transform: uppercase; color: var(--accent); }
.article h2 { font-size: 2.3rem; line-height: 1.2; margin: .25rem 0 .5rem; }
.byline { font-family: "Segoe UI", system-ui, Arial, sans-serif; font-size: .9rem; color: var(--muted); margin-bottom:
      1.25rem; }
.lead { font-size: 1.25rem; font-style: italic; margin-bottom: 1rem; }
```

```
.article p { margin-bottom: 1rem; }
.article h3 { font-size: 1.4rem; margin: 1.5rem 0 .5rem; }

/* ===== Sidebar ===== */
.sidebar {
  display: grid;
  align-content: start;                       /* stack widgets at the top */
  gap: var(--gap);
  font-family: "Segoe UI", system-ui, Arial, sans-serif;
  min-width: 0;
}
.widget {
  background: var(--card);
  border: 1px solid var(--line);
  border-radius: 10px;
  padding: 1.25rem;
}
.widget h3 { font-size: 1.1rem; margin-bottom: .5rem; }
.widget ol { padding-left: 1.2rem; list-style: decimal; }
.widget li { padding: .25rem 0; }
.btn {
  display: inline-block;
  margin-top: .5rem;
  padding: .6rem 1.2rem;
  border-radius: 8px;
  background: var(--accent);
  color: #fff;
  font-weight: 600;
}

/* ===== Footer ===== */
.footer {
  display: flex;
  flex-wrap: wrap;
  justify-content: space-between;
  align-items: center;
  gap: 1rem;
  padding-top: 1rem;
  border-top: 1px solid var(--ink);
  font-family: "Segoe UI", system-ui, Arial, sans-serif;
  font-size: .9rem;
  color: var(--muted);
}
.footer ul { display: flex; gap: 1.5rem; }

/* ===== Small screens: same areas, new arrangement ===== */
@media (max-width: 800px) {
  .page {
    grid-template-columns: minmax(0, 1fr);
    grid-template-rows: auto;
    grid-template-areas:
      "header"
      "nav"
      "article"
      "sidebar"
      "footer";
    padding: 1rem;
  }
  .masthead h1 { font-size: 2.3rem; }
  .article h2 { font-size: 1.8rem; }
  .footer { justify-content: center; text-align: center; }
}
```