

Siebel CRM Update Guide and Known Issues

Siebel CRM 26.2 Update
February 2026

Required Patches

NOTE: Immediately after installing the 26.2 Monthly Update, one or more patches must be installed on Linux systems as listed below.

You are not in a supported configuration if any required patch is not installed.

Platform	Required Patch
Linux	39181424
Windows	

Effect of Encryption Upgrade in 25.10 and Later

The 25.10 Monthly Update includes an upgrade to the encryption used by Siebel CRM. **This will require brief downtime—that is, Rolling Updates will not work when crossing the 25.10 boundary.** Please review the links for the feature *AES 256 Replacement Using OpenSSL* below.

Information about this Siebel CRM Monthly Update:

- [Required Downloads](#)
- [Update Basics](#)
- [Repository Updates](#)
- [Features and Bug Fixes by Release](#)
- [Known Issues](#)

NOTE: For an HTML version of this document, please download the first ZIP file in the corresponding patch. The HTML version provides responsive tables and the ability to expand/collapse areas, making the information easier to consume.

NOTE: If you need an earlier or later version of this document, you can find all of them on My Oracle Support at <https://support.oracle.com/support/?kmExternalId=KB825124>.

Required Downloads

Each Monthly Update patch available on [My Oracle Support](#) is divided into a series of archive (ZIP) files. Depending on the Siebel Application Server operating system and the features you wish to deploy, you do not need to download all the files associated with the Monthly Update. Please use the following information to assist in selecting the files that you must download.

The ZIP files provided in the Monthly Update will all have a name of the form p<patch>_<updateversion>_<platform>_<XofY>.zip, where:

- **<patch>** refers to the MOS patch number for the Monthly Update. It will be an eight-digit number, such as 37386170.

- **<updateversion>** refers to the Monthly Update's release in the form YYM, without a separator, such as "262" for 26.2.
- **<platform>** refers to one of the supported platforms:

<platform>	Description
MSWIN-x86-64	Microsoft Windows x64
Linux x86-64	Linux x86-64
AIX64-5L	IBM AIX on POWER Systems

NOTE: As of the 25.5 release, Solaris and HP-UX are no longer available for download.
For more information, please review MOS article [3081239.1](#).

- **<XofY>** makes identifies the specific ZIP file within the series, such as "5of14".

An example representing ZIP file 5 of 14 for Windows, Siebel Monthly Update 24.12 would be:

p37386170_2412_MSWIN-x86-64_5of14.zip

The ZIP files for Windows versus the other supported platforms are different, as some components (such as DISA) only run on Windows platforms. Expand the link below that is relevant to your environment.

NOTE: You do not need to download everything—for example, if you are not using DISA, there is no requirement to download that ZIP file.

Windows Archive Files

Archive Number	Content Description	Required?
1	ReadMe File	Optional
2	• Installer • Siebel Binaries and Shared Files • Enterprise Components • Application Interface • Mobile Web Client • Siebel Tools • Siebel Mobile • Siebel Outlook Add-in for SSSE • Oracle Database Connectivity	Required for each release
3	Siebel Non-English (US) Safeboot	Required for non-English (US) deployments only
4	Siebel Standard Repository	Required for new deployments
5	Siebel Approval Manager	Optional
6	Siebel Desktop Integration (DISA)	Optional
7	Siebel IAA XML Connector	Optional
8	Siebel Email Marketing Server	Optional
9	Siebel Open Integration	Optional
10	Siebel Smart Answer	Optional
11	Oracle Database SE2	Required for new installations of the Siebel Mobile Web Client
12	Siebel Ancestor Repositories	Required for Upgrades from pre-IP2017

Linux/Unix Archive Files

Archive Number	Content Description	Required?
1	ReadMe File	Optional

2	• Installer • Siebel Binaries and Shared Files • Enterprise Components • Application Interface • Mobile Web Client • Siebel Tools • Siebel Mobile • Oracle Database Connectivity	Required for each release
3	Siebel Non-English (US) Safeboot	Required for non-English (US) deployments only
4	Siebel Standard Repository	Required for new deployments
5	Siebel Approval Manager	Optional
6	Siebel Email Marketing Server	Optional
7	Siebel Open Integration	Optional
8	Siebel Ancestor Repositories	Required for Upgrades from pre-IP2017

Update Basics

A Monthly Update provides new product features and available fixes. Beyond this document, please review these related items:

- **Installation instructions:** For more about this Siebel CRM Update, including instructions for preparing the product media and for installing Siebel CRM, see the latest version of the *Installation Guide* in *Siebel Bookshelf* from the [Siebel CRM Documentation](#) site.
- **Third-Party Certifications:** For a list of Third-Party Certifications, please visit My Oracle Support and search for “Siebel Industry Applications” on the *Certifications* tab.
- **FAQ:** The Siebel CRM Continuous Release Model ([Doc ID 2378034.1](#)).

NOTE: This document contains two years (24 months) of rolling content. For bug fixes and known issues in versions released before the scope of this document, please download earlier versions from Oracle Support ([DOC ID 2382435.1](#)).

[Back to top](#)

Repository Updates

Some features require Repository, Seed, or Manifest changes in order to take advantage of the feature. These changes must be imported through execution of the *RepositoryUpdate* utility in the Development environment. Please refer to the *Database Upgrade Guide* for information on how to use RepositoryUpdate.

NOTE: Not all features require Repository changes. Examine the “Repository Update Required” column in the [New Features](#) tables below to see if such changes are required for a particular feature.

[Back to top](#)

Features and Bug Fixes by Release

In addition to the documentation provided in the listed guides from [Siebel Bookshelf](#), please visit the [Siebel CRM Learning Subscription](#) site where authorized partners and customers can find free courses and transfer of information (TOI) videos on some Siebel CRM features.

New Features and Bug Fixes in Siebel CRM Monthly Update 26.2

New Features in Siebel CRM 26.2

There are no new features in 26.2.

Fixes in Siebel CRM 26.2

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	38679336	Promotions	Previously, when you cancelled an upgrade promotion and then tried to start a new upgrade with a different promotion, the system would incorrectly show the name of the previous promotion instead of the newly selected one. Now, the system correctly displays the name of the promotion you select during the second attempt.	Instructions for 38679336
Siebel CRM Deployment	31264888	Database Upgrade	Addresses an issue during Upgrades that the license key for Siebel Tools is not active by default, blocking the upgrade from running.	
Siebel CRM Deployment	38792489	Server Infrastructure	Improved DNS Lookup Performance	
Siebel CRM Deployment	38685764	Server Infrastructure	Resolution for the inability to save Siebel tab layout after making changes (after applying a specific patch/POC)	
Siebel CRM Deployment	38603047	Server Infrastructure	Addressed "ACCESS TO USER PREFERENCE FILE ON LINUX RETURNS: FAILED TO OPEN PREFERENCE FILE. ERROR INFO = 11 " error which caused the file not to be read.	
Siebel CRM Development	38250077	Configuration Tools	Web Tools now correctly respects the session timeout setting even if it is large.	
Siebel CRM Documentation	29468742	Task UI Guide	Documents the ProcessArgAsc parameter that will enforce the order of updating Business Component Fields in a Task Siebel Operation Step.	
Siebel CRM End User	12599692	Reports	Enabled Excel template support functionality in Siebel Reports	
Siebel CRM Integration	38681800	EAI	When the EAI HTTP Transport Business Service receives a blank set-cookie response from an external application it will be handled correctly.	

Siebel CRM Integration	38779291	Open Integration	Fixed an issue to publish Operation field in Integration component.	Instructions for 38779291
Siebel CRM Integration	38176388	SSSE	Improves the PIMSI Dispatcher's ability to recover from a failed state.	

Special Configuration Instructions for Release 26.2

Instructions for 38679336--Previously, when you cancelled an upgrade promotion and then tried to start a new upgrade with a different promotion, the system would incorrectly show the name of the previous promotion instead of the newly selected one. Now, the system correctly displays the name of the promotion you select during the second attempt.

Background

To resolve the issue causing an incorrect Promotion Name to appear in the Promotion Upgrade Staging View.

Steps

Repository Changes


1. Edit the Workflow Process *ISS Promotion Finish Upgrade Sub Process* as follows:
 - i. Add a Business Service WF Step *Empty Header BC* between *Done?* and *Empty Source BC* WF Steps.
 - ii. For the WF Step *Empty Header BC*, set the following properties.

Name	Business Service Name	Business Service Method
Empty Header BC	InMemory Upgrade Data Service	Invoke BC Method

- iii. For the WF Step *Empty Header BC*, add the following Input Arguments.

Input Argument	Type	Value
BC Name	Literal	ISS Promotion Upgrade Header VBC
Method Name	Literal	EmptyRecord

- iv. Modify the existing WF Branch Connector between WF Step *Done?* and WF Step *Empty Source BC* to connect WF Step *Done?* with the new WF Step *Empty Header BC*.
Note: Make sure the connector type is *Default*.
- v. Add a WF Branch Connector between WF Step *Empty Header BC* and WF Step *Empty Source BC*.



Instructions for 38779291--Fixed an issue to publish Operation field in Integration component.

Background

User creation via the *User* Integration Component of the *Users* Integration Object fails as the Open API specification for the Integration Object does not have a required field *operation*. This is because the *operation* field is marked as a “system” field in the *User* Integration Component definition, while the Siebel Open API specification only includes the fields that marked as “data”. To ensure the *operation* field is included in the Open API specification, it must be changed to a Data field.

Steps

Repository Changes

Perform the following changes to convert the *operation* field from “system” to “data”:

1. Select the *Users* Integration Object.
2. Select the child Integration Component *User*.
3. Select the child Integration Component Field *operation*.
4. Modify the Type attribute to “Data”.

New Features and Bug Fixes in Siebel CRM Monthly Update 26.1

New Features in Siebel CRM 26.1

Feature Name	Description	Documentation	Repository Update Required?
Preserve Customer Configuration Changes During Monthly Updates	This feature decreases the time and effort to uptake new features released in Monthly Updates. Effective with this feature, the RepositoryUpgrade process has been replaced with "RepositoryUpdate". This new process reduces the number of changes made by the utility, with an overall benefit of a smoother uptake of the content introduced in a Siebel Monthly Update, allowing customers to leverage new features more easily than before. <u>Background</u> Formerly, during a Monthly Update, there was a process known as "RepositoryUpgrade", which updated the Siebel CRM environment to incorporate Repository changes, schema changes, seed data, and other modifications introduced by new features. This utility delivered optional Repository changes made by the Oracle Siebel CRM development team. During execution, the RepositoryUpgrade utility imported data from the intervening releases since the last time it was run.	• Database Upgrade Guide	No

If the Siebel CRM environment was not kept up-to-date regularly with the latest Siebel CRM Monthly Updates, then the number of Repository changes that must be applied increased as well, leading to greater effort and cost involved with applying a Siebel CRM Monthly Update.

Anticipated benefits of Repository Update

- Fewer conflicts to resolve by decreasing the payload from the utility to include only attribute-level changes (as opposed to entire objects).
- With a more focused set of changes, the time taken to resolve any possible conflicts drops significantly.
- Because Oracle will now provide only atomic level changes, the chance of overwriting customer Repository changes will be significantly reduced.

Training on this feature is available on [Oracle University](#).

User Experience – Web Component Framework

Oracle JavaScript Extension Toolkit (Oracle JET) is a complete, modular JavaScript development toolkit helping developers build engaging user interfaces. Based on industry standards and popular open-source frameworks, Oracle JET adds advanced functionality and services to help developers build better applications faster. To facilitate the seamless interoperation for UI development between Siebel CRM and Oracle JET, a Web Component framework has been introduced. This provides a user experience aligned with Oracle Redwood aesthetics and components, with the following benefits:

- The Web Component Framework will expose the functionality of the OJET component within the Siebel application context through “binding”, enabling seamless interoperation with application data. is enables the creation of more reusable UI elements that in turn can be used to build more engaging user experiences.
- Accelerates innovation with shorter development cycles and faster feature delivery.

- Configuring Siebel Open UI

Yes

- Reduces total cost of ownership by minimizing custom code.
- Improves user satisfaction and adoption through a consistent Redwood experience.

In summary, the Web Component Framework will provide more options for Siebel customers to create bespoke user experiences based on industry standards and popular open-source frameworks.

Event-Based Reward Triggers for Loyalty Members	A good loyalty program recognizes events in their member's life or journey with the brand by rewarding members at specific milestones. Loyalty programs often use "surprise and delight" marketing to re-engage dormant customers by exceeding their expectations with unexpected perks and gestures. These tactics create a positive emotional experience and make customers feel valued, which can remind them why they enjoyed their brand experience in the first place. Siebel Loyalty now facilitates the automatic creation of transactions for members who meet certain triggers such as birthdays, anniversaries, referral completion, specific redemption, non-activity, and so on. These transactions are then processed to reward members. This new functionality allows Loyalty Administrators and Program Managers to enhance their loyalty programs with the ability to create and process transactions to reward members at defined milestones or special occasions.	• Loyalty Administration Guide	Yes
Support for Microsoft Azure SQL Databases	Consistent with Siebel CRM's strategic approach to open-platform support, we are announcing certification for Microsoft's Azure SQL Database platform for Siebel Enterprise Application. This will allow our customers more options as they look to move their Siebel CRM instances into a cloud platform. Note that this is only an announcement of support for the Azure SQL Database and does not affect any past or future statements regarding support for the Azure platform itself. Training on this feature is available on Oracle University.	• Installation Guide	No

Redwood UX for Tablet Applications	Redwood UX for Tablet Applications provides all the functionality of our feature-rich Siebel application, but with a new Redwood user-experience. Tablet users will enjoy a refreshed interface that aligns visually and functionally with the desktop experience. Recognizing the unique demands of tablet usage, the redesign focuses on streamlining information and minimizing navigation—helping users complete tasks quickly on the go. The design reduces excessive information, displaying only the most relevant actions and essential data	• Siebel Mobile Guide	Yes
------------------------------------	--	---	-----

Fixes in Siebel CRM 26.1

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	38294294	Order Management	Corrects the Siebel product configurator behavior to make LineltemlCField property work every time instead of it working from second time onward.	
Siebel Apps - Customer Order Management	38506349	Promotions	Importing a bundle promotion is possible when the Promotion field "Promotion Id" (S_PROD_INT.PART_NUM) is different from the ROW_ID without giving error gives 'SBL-CNG-00137' using "SWI Promotion Import" business service.	
Siebel Apps - Marketing	38955753	Campaign Management	Information on how to create Analysis equivalent to Segment from 25.11 onward release.	
Siebel Apps - Marketing	39006748	Segmentation	Steps to pass the column detail to Analysis in the absense of load format.	
Siebel CRM Cloud Applications	38775206	Siebel Cloud Manager	This fix eliminates prevention of Siebel CRM deployment due to incorrect auto-generation of URLs for Application Interface (AI) for Siebel CRM.	
Siebel CRM Deployment	28882704	Database Configuration	Provides support for Azure SQL Databases. Please refer to the Features section, Bookshelf, and the TOI for more information.	
Siebel CRM Deployment	38856646	Installation	Outlook addin is now delivered as part of outlook_addin folder under Siebel Web Client home directory.	
Siebel CRM Deployment	36099145	Monthly Update Issues	Addresses the issue of customer Repository changes being overwritten	

without warning by the RepositoryUpgrade application. For more information on this exciting fix, please review the new RepositoryUpdate feature described in the new features list for 26.1 and the Siebel Bookshelf.			
Siebel CRM Deployment	38703534	Server Infrastructure	Improved saving of Siebel Tab Layout personalization
Siebel CRM Deployment	38704783	Server Infrastructure	Improved NFS behavior by reverting a optimization.
Siebel CRM Deployment	37558530	Test Automation	Fixed duplicate test step generation when recording eConfigurator picklist actions.
Siebel CRM End User	38561775	Reports	Addresses an issue while deploying custom Siebel Java archive (JAR) files to Oracle BI Publisher Server for Report Generation
Siebel CRM Integration	38290455	SSSE	This fixes the issue of "maximum open cursor exceeded" while running PIMSI Engine

New Features and Bug Fixes in Siebel CRM Monthly Update 25.12

New Features in Siebel CRM 25.12

Feature Name	Description	Documentation	Repository Update Required?
Siebel Intelligent Data Archival	The Siebel Data Archival solution helps optimize system performance by offloading rarely accessed data—typically 80–90% of historical records—while helping to ensure compliance with data retention policies. With configurable archival rules and secure access to archived data, it reduces database size, minimizes upgrade downtime, and lowers hardware and maintenance costs. The archival solution offers a flexible and configurable rule creation process. Customers can define rules with options such as: • Archival Mode selection • Whether to include attachments in the archive	• Application Administration Guide	No

- Option to generate an archival summary (Field Based or AI based)
- Archive job execution frequency and scheduled time window
- Selection of archive destinations such as Database & File System

This allows organisations to tailor the archival process to their operational and compliance needs.

Training on this feature is available on [Oracle University](#).

NOTE: Siebel Intelligent Data Archival is a new component on the Siebel Price List. Engage with your Oracle Sales team to obtain the required licenses.

Siebel Open Integration	It is common with customers that have been using Siebel CRM for many years now to have customized their application in a variety of ways to incorporate their unique business processes. A lot of investment has gone into developing these processes and code in Siebel CRM to meet business requirements, with business processes and workflows operating in a mission-critical manner. In certain cases, many processes have been designed to be tightly coupled with the Siebel UI, to be instantiated by users, making it difficult to re-use the same processes for invocation through APIs to support advanced use-cases and omni-channel capability. In addition, enterprise applications have evolved in a way that makes seamless interoperability of paramount importance across an IT eco-system. Applications operating in a “headless” mode can increase re-use, improve interoperability, and enable a seamless customer journey across multiple systems, orchestrated by invoking APIs	• Siebel REST API Guide • Installation Guide	No
-------------------------	---	---	----

(including in Siebel CRM and other applications).

To address these needs and challenges, Siebel Open Integration is our solution to easily expose artifacts such as Business Components, Business Services, Applets, Workflows, etc. within Siebel CRM to external applications through REST APIs.

There are key benefits with this feature:

- Sophisticated integration for UX, AI and beyond - this provides complete “headless” operation for the Siebel CRM application which is performant and scalable.
 - Simplified and accelerated creation of bespoke user interfaces outside of the Siebel CRM UI framework
 - Tighter interoperability for Siebel CRM with Oracle CX Industry applications.
 - Supporting IoT driven event flows that would provide end to end, straight-through-processing of existing Siebel CRM business processes.
 - The use of advanced A.I. solutions such as Agentic AI to execute against a Siebel CRM application deployment for both data access and process execution.
- Maximum re-use - as part of the REST API generation process, customizations are preserved. The REST APIs generated honor the unique processes customers have developed over the years, providing maximum re-use and minimal development overhead. Currently, if a third-party application needs to access UI level processes, they need to be re-written as business services or workflows creating considerable amounts of technical debt and more configuration effort. This effort is now eliminated.

- Advanced interoperability - In addition to the processes, the REST APIs also provide metadata information from Siebel CRM to assist developers when generating a new UI with an alternate framework to Open UI. The APIs can also greatly simplify the mashing up of applications with a common interface.

NOTE: Siebel Open integration is a new component on the Siebel Price List. Engage with your Oracle Sales team to obtain the required licenses.

Siebel Test Automation: Logical Looping for Enhanced Scenario Coverage	Siebel Test Automation now supports logical looping, allowing you to repeat a set of test steps until a specified condition is met or a predetermined number of iterations is reached. For example, you might want to do this if your test case could automatically query a record multiple times to verify whether a value has changed due to a Workflow process running in the background. This new feature enhances your ability to automate more complex testing scenarios, delivering a more robust and comprehensive test coverage. With logical looping, Siebel Test Automation offers improved control and efficiency, helping you reduce costs and maximize productivity in your testing process. Training on this feature will be available soon on Oracle University.	• Testing Siebel Business Applications Guide	No
Siebel CRM Observability - Data Visualization and Metrics Monitoring for Oracle Databases	Modern enterprises depend on observability to maintain performance, reliability, and rapid issue resolution across critical systems. The Siebel CRM Observability and Monitoring solution is enhanced with Oracle Database Metrics Exporter, which delivers unified visibility into Oracle databases deployed on Kubernetes — both on-premises or in the cloud.	• Deploying Siebel CRM Containers on Kubernetes using Siebel Cloud Manager	No

This capability provides production-ready OpenTelemetry and Prometheus-compatible metrics for performance monitoring and diagnostics, alongside customizable business-level insights defined via Tom's Obvious, Minimal Language (TOML) configuration.

Organizations can monitor database health and operational behavior in real time, while also surfacing business-state metrics from live data queries — all visualized in familiar dashboards such as Grafana. This results in accelerated troubleshooting, better decision support, and a more resilient Siebel CRM environment.

Therefore, this feature allows you to:

- Easily pull data from Oracle database tables and display it as clear, visual metrics — helpful for understanding business performance, monitoring data pipeline progress, and more.
- Keep an eye on the health of your Oracle database that works with Siebel CRM on Kubernetes (deployed through Siebel Cloud Manager), whether it's running in the cloud or in your own data center.

Event Pub/Sub
Communications:
High-Performance
Data Exchange with
Avro Serialization

Siebel CRM Event Pub/Sub is enhanced to deliver faster, smarter, and more efficient data communication with Avro Serialization.

Built on the powerful Apache Hadoop framework, Avro Serialization combines JSON-based schema definitions with a compact binary format, ensuring every data exchange is lightweight, consistent, and future-ready.

By enabling Avro Serialization within Siebel CRM's Event Pub/Sub, organizations can seamlessly optimize data storage, accelerate integrations,

• System
Administration
Guide

No

and simplify schema management — all while maintaining enterprise-grade reliability.

Key benefits:

- Efficiency at Scale: Experience faster data transfer and reduced storage consumption with Avro's ultra-compact binary serialization — ideal for high-volume enterprise systems.
- Future-Proof Flexibility: Effortlessly adapt to evolving data models. Avro's built-in schema evolution supports forward and backward compatibility, minimizing disruption as your business grows.
- Seamless Integration: Extend the power of Siebel CRM with an industry-standard serialization framework trusted across the modern data ecosystem.

Siebel UCM: Event Driven Architecture - Approve and Merge Request

This feature includes two enhancements for UCM Event Driven Architecture (EDA):

1. Publish the approval of a "golden record" based on data steward's action.
2. Edge systems can submit request to merge using EDA.

- Oracle Customer Hub (UCM) Master Data Management Reference

Yes

By providing an integration with Kafka for Siebel UCM, integrators can dramatically simplify the effort and maintenance of having multiple integrations to many other customer systems in the organization to process changes to core customer master data.

Training on this feature is available on [Oracle University](#).

Fixes in Siebel CRM 25.12

Product Name	Reference	Category	Description	Configuration Instructions
--------------	-----------	----------	-------------	----------------------------

Siebel Apps - Clinical Trials Management System	38389227	Site Management	Addresses issue where transferring multiple subjects via the Subject API fails with a record modified by another user error due to concurrent updates to the Net Transfer Count field on the Clinical Protocol Site.
Siebel Apps - Customer Order Management	38429722	Product Administration	While migrating bundle promotions from test to production environment using Workspace Projects and Full Export option, Effective Start Date on Workspace Project can be used to restrict exporting of bundle promotions in Upgrade To and Upgrade From paths as defined in Administration – Product-> Product Promotions -> Upgrade view. Only bundle promotions whose version's Start Date (Administration – Product -> Product Promotions -> Versions) earlier than Effective Start Date of Workspace Project are exported.
Siebel Apps - Customer Order Management	38196156	Promotions	Get Promotion Upgrade Path API and the workflow is rectified to return correct promotion ids when aggregate upgrade paths are defined using product lines or product class. Instructions for 38196156
Siebel Apps - Marketing	38129718	Responses	During launch campaign in DEU application it fails with TinyMCE
Siebel CRM Deployment	38469767	Application Interface	Resolved Issue where Tomcat throws HTTP 500 errors on Siebel Server Shutdown *** This fixed bug was previously documented as a Known Issue ***
Siebel CRM Deployment	38397401	Database Upgrade	When running the RepositoryUpgrade utility, this fix ensures that the "Workspace Inactive Flag" (WS_INACTIVE_FLG) is set correctly to "Y" for List of Values (LOVs) in all Workspaces except the target Integration Workspace. This will ensure that any new LOVs are only visible in the RepositoryUpgrade Workspace until it is delivered.
Siebel CRM Deployment	38245133	Installation	Properly Migrated AuthToken from previous siebel versions to improve login scenarios.

Siebel CRM Deployment	38319184	Migration	When the irrendversion parameter is not specified when executing a migration plan through REST, the application will use the latest version of the Workspace by default.
Siebel CRM Deployment	38593766	Server Infrastructure	Removed possibility of "SERVER BUSY ERROR" by improving system stability in LINUX
Siebel CRM Deployment	37294722	Test Automation	This release introduces a feature that lets you repeat a set of test steps until a specified condition is met. For details, see the New Features section.
Siebel CRM Development	38195429	Configuration Tools	Manually adjusting a Form Applet Control (using the mouse) is now comparable in response time to using the Format Toolbar in Web Tools.
Siebel CRM Development	38177259	Scripting	Using the EAI Siebel Adapter in the script debugger will successfully display the data returned from queries.
Siebel CRM End User	31116567	Reports	Addresses a problem in Siebel Reports where there was an issue to select Report output type as "ALL" to choose any defined output types during run time.
Siebel CRM Integration	38438442	EAI	REST calls to dynamically created Integration Objects will correctly handle all the Fields in the query.
Siebel CRM Integration	38479780	EAI	Invalidating instances of objects in the JBS Pool will happen within the time defined in JBSSessKeepAlive parameter.
Siebel CRM Integration	38006819	SSSE	Fixes the issue with all day activities not showing in Outlook because they are missing the Duration

Special Configuration Instructions for Release 25.12

Instructions for 38196156--Get Promotion Upgrade Path API and the workflow is rectified to return correct promotion ids when aggregate upgrade paths are defined using product lines or product class.

Background

Get Promotion Upgrade Path REST API and the workflow is rectified to return correct promotion ids when aggregate upgrade paths are defined using product lines or product class.

Steps

Repository Changes

2. Make the following changes for *ISS Promotion WS - In Memory Upgrade Process-Quote* and *ISS Promotion WS - In Memory Upgrade Process-Order* workflows.
 - i. Add the following process property.

Name	In/Out	Business Object	Data Type
Target Promotion Id	In/Out	Account	String

- ii. In the *GetPenalty Details* WF Step, rename the following property name in the Output Arguments as shown below.

Old Property Name	New Property Name
New Promotion Id	Target Promotion Id

- iii. In the *In Memory Promotion Upgrade Process* WF Step, update the Input Arguments as shown below.

Name	Type	Value
New Promotion Id	Expression	IIF([&New Promotion Id] is NULL, [&Target Promotion Id], [&New Promotion Id])

New Features and Bug Fixes in Siebel CRM Monthly Update 25.11

New Features in Siebel CRM 25.11

Feature Name	Description	Documentation	Repository Update Required?
Siebel Marketing - Leveraging Analysis for Segmentation Replacement	Siebel Marketing is enabled to use the Analysis feature from Oracle Analytics Server (OAS) to perform campaign management and segmentation. The existing segmentation feature of Oracle Business Intelligence Enterprise Edition (OBIEE) is de-supported in future releases. Key benefits: - In the new solution, customers can create analyses to retrieve segmented targets and specify the data columns needed for the Campaign Load and List Export. Siebel Marketing now offers equivalent Screens and Views for marketing segmentation functionality incorporating the latest analysis approaches. - Oracle Analytics Server delivers fast responses, a user-friendly interface, and flexible export options. Analysis results can be saved, shared, and used with Siebel Marketing. - The new solution will benefit both existing and new Siebel Marketing customers.	Siebel Marketing Administration Guide	Yes

Training on this feature can be found on [Oracle University](#).

Multilingual
Support for Web
Tools on
Containerized
Deployments

Accelerate your global business operations with the new multilingual support for Web Tools in containerized Siebel CRM deployments. This feature enables seamless delivery of Web Tools in any Siebel-supported language, ensuring consistent end-user experiences across regions.

Leverage the Siebel Installer within Siebel Cloud Manager to effortlessly build Web Tools containers in your preferred language simply by specifying the desired language codes. The system automatically creates and pushes these language-specific containers to your designated container registry, enabling rapid and reliable deployment on your Kubernetes clusters via Siebel Cloud Manager.

Key Benefits:

- **Global Reach & Diversity:** Extend Siebel Web Tools functionality to Developers in any supported language, empowering international Development teams.
- **Streamlined Automation:** Integrates seamlessly with Siebel Cloud Manager, automating your delivery pipeline—from container creation to deployment on Kubernetes—reducing manual intervention and operational overhead.
- **Consistent User Experience:** Ensure language consistency and compliance across all environments by standardizing the Web Tools deployment processes.
- **Operational Efficiency:** Save time and resources by building and managing multilingual containers centrally, optimizing the deployment lifecycle for modern, scalable architectures.

Transform your Siebel implementation with agile, containerized, and multilingual Web Tools—ready for deployment wherever your business operates.

Training on this feature can be found on [Oracle University](#).

- Deploying Siebel CRM Containers on Kubernetes using Siebel Cloud Manager

No

Enhanced Digital APIs for Insightful Buying Journeys	This feature helps both agents and customers easily find relevant promotions and receive personalized add-on recommendations. It also provides clear shopping cart price summaries and visibility into the benefits included in subscribed packages, empowering informed decisions and improving the digital buying experience. Key Benefits: • Promotion Browsing by Product Category and Line: Agents and customers can browse promotions by product line and service category, making it simple to discover relevant offers independently. • Add-On Recommendations: Suggestions for add-ons connected to a customer's current assets or items in their cart, allowing users to easily expand or customize their services. • Shopping Cart Price Summary: Customers see a clear breakdown of shopping cart totals—including calculations with and without taxes and discounts—as well as Monthly Recurring Charges (MRC) and Non-Recurring Charges (NRC), ensuring full cost transparency before purchase. • Package Benefit Visibility: Customers can view detailed information about the benefits included with their subscribed packages, such as data, SMS, and voice minutes, increasing transparency and building trust. Training on this feature can be found on Oracle University.	• Siebel REST API Guide • Siebel Order Management Guide	Yes
--	--	--	-----

Fixes in Siebel CRM 25.11

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	38304438	Order Management	Sales reps can provide Due Date for sales order while using two task based UIs, viz. Create Order for Existing Customer and Create Order for New Customer	Instructions for 38304438

Siebel Apps - Customer Order Management	38358239	Quotes & Orders	Display Synchronize button on Accounts List --> Special Rating Profiles applet once in eCommunications application.	Instructions for 38358239
Siebel CRM Deployment	37471010	Database Platform and ODBC	Added lower case Table Owner Name support for DDLIMP	
Siebel CRM Deployment	38430013	Migration	The Migration Rules View and the functionality provided have been removed from the application since they are not supported. Customers should use the Siebel Application Deployment Manager component (ADM).	
Siebel CRM Deployment	38355372	Perf/Scalability/Reliability	Resolved Siebel Server Component Start up Issue	
Siebel CRM Development	38285513	Workspaces	Labels stored in the Coherence Cache in a multi-lingual environment will now correctly display in the application.	
Siebel CRM Development	37849599	Workspaces	When you have many delivered Developer Workspaces to delete (1000+) the deletedelivereddevws command will now successfully delete them.	
Siebel CRM Documentation	32747606	Security Guide	Provides documentation on Single Sign-On between Siebel CRM and Identity Cloud Service through SSO or Open ID	
Siebel CRM End User	37924781	Accessibility	Accessible name is now reflected for Toggle Controls.	
Siebel CRM End User	38274965	User Interface	Added default for Browser Spellcheck in Siebel Editor	
Siebel CRM Integration	38216232	Enterprise Integration Manager	After importing List Of Values (LOVs) via Enterprise Integration Manager (EIM), this fix ensures that the Workspace Inactive Flag (WS_INACTIVE_FLG) is properly set to "N" when the	

			LOV is delivered to its parent Integration Workspace.
Siebel CRM Integration	38249096	REST	When a Workflow Process is invoked through an inbound REST request, any error messages will successfully be passed back to the caller.

Special Configuration Instructions for Release 25.11

Instructions for 38304438--Sales reps can provide Due Date for sales order while using two task based UIs, viz. Create Order for Existing Customer and Create Order for New Customer

Background

In the Task based UI flow, this change allows sales agent to update the Due Date for the Order. Due Date Control is added in the Order Line Item and Order Header for Order Summary View.

Steps

Repository Changes

3. For Applet **CUT Shopping Cart with Shipping and Billing Address Task List Applet**,
 - i. Update List Column with read only and add new column as below

Name	Field	HTML List Edit	Display Name	Display Name – String Reference	HTML Type	Runtime	Read Only	Text Alignment
Due Date	Due Date	✓	Due Date	SBL_DUE_DATE-1004231038-2R2	Text	✓		Left
Eligibility Reason							✓	
Expected Delivery Date							✓	
Line Number							✓	
Service Id							✓	

- ii. Add the following Applet Web Templates:

Name	Type	Web Template
Edit List	Edit List	Applet List (Base/EditList)

iii. For Edit List Applet Web Template, add below Applet Web Template Items

Name	Control	Item Identifier	Type
Action Code	Action Code	508	List Item
Due Date	Due Date	142	List Item
HTML PositionOnRow	HTML PositionOnRow	144	Control
Outline Number	Outline Number	147	List Item
Product	Product	501	List Item
Quantity	Quantity	502	List Item
Promotion	Promotion	503	List Item
Line Total MRC	Line Total MRC	504	List Item
Line Total NRC	Line Total NRC	505	List Item
Service Id	Service Id	512	List Item
Service Account	Service Account	514	List Item
Eligibility Status	Eligibility Status	515	List Item
Eligibility Reason	Eligibility Reason	516	List Item
Expected Delivery Date	Expected Delivery Date	540	List Item
Pricing Adjustment Amount	Pricing Adjustment Amount	629	List Item
Billing Account	Billing Account	633	List Item

4. For Applet **CUT TaskUI Order Totals Form Horizontal Task Applet**,

i. Add the following Controls

Name	Field	Caption	Caption - String Reference	Field Type	Display Format	Read Only	Runtime	Text Alignment
Due Date	Requested Ship Date	Due Date	SBL_DUE_DATE-1004231038-2R2	BC Field	Date Time	No	✓	Left

ii. For Edit Applet Web Template, add below Applet Web Template Items

Name	Control	Item Identifier	Type	Row Span	Column Span	Grid Property
Due Date	Due Date	4070	Control	3	15	FormattedHtml

Due DateLabel	Due Date	1070	Control	3	15	FormattedLabel
---------------	----------	------	---------	---	----	----------------

iii. Add below Applet User Property

Name	Value
List Columns	4

iv. Update below Applet User Property

Name	Value
ClientPMUserProp	Form Layout Read Only,List Columns

5. For View **CUT TaskUI Order Review and Submit Task View**, change the Applet Mode from Base to Edit List for the Applet **CUT Shopping Cart with Shipping and Billing Address Task List Applet** in the View Web Template Item.

Applet	Applet Mode
CUT Shopping Cart with Shipping and Billing Address Task List Applet	Edit List

Instructions for 38358239--Display Synchronize button on Accounts List --> Special Rating Profiles applet once in eCommunications application.

Background

In the Special Rating List Applet, there are 2 synchronize buttons. The fix is to inactivate the duplicate one

Steps

Repository Changes

1. In Applet 'SWI Special Rating List Applet', under "Edit List" Applet Web Template, query for "Applet Web Template Item" with "Name" = "Synrhronize" and inactivate it.

Name	Inactive
Synchronize	Y

New Features and Bug Fixes in Siebel CRM Monthly Update 25.10

New Features in Siebel CRM 25.10

Feature Name	Description	Documentation	Repository Update Required?
Intelligent Search	Intelligent Search provides a modern enterprise search capability in Siebel CRM that leverages OpenSearch and AI to deliver fast, intuitive, and context-aware search across business entities. The unified global search interface supports both keyword and semantic search, enabling accurate data retrieval and improved decision-making. Intelligent Search has been designed for scalability, to ensure it can cater for large enterprise data sets.	Siebel Search Administration Guide	No

Anticipated benefits and primary use-cases include:

- Prebuilt adapter enabling a modern Siebel Search UX powered by OpenSearch for enhanced productivity and usability.
- Unified Search UX with object filters delivering an intuitive, user-friendly interface for fast data retrieval.
- Integrated solution supporting keyword and semantic search across global business objects and file attachments to retrieve relevant results.
- Enterprise-grade, scalable search handling vast amounts of information efficiently and reliably.

AES 256 Replacement Using OpenSSL

Data encryption is being migrated to AES 256 encryption leveraging OpenSSL. This change applies to data stored in the Siebel Database, the Siebel Gateway Registry, and Siebel Server services.

- Security Guide
- Install Guide

No

NOTE: Customers will require at least some minimal downtime for this encryption replacement. This applies to this Monthly Update (25.10), but if, for example, a customer is later updating from 24.9 to 25.12, the downtime required for this change will occur at that time. For more information on this, please see the following documentation:

- For customers on traditional Siebel CRM architectures, please review My Oracle Support Alert *Special Considerations for Updating Siebel from pre-25.10 to 25.10 or Later* ([Doc ID 3107936.1](#))
- For customers who are on a Siebel CRM container deployment, please additionally review My Oracle Support Alert *Special Considerations for Updating Siebel from pre-25.10 to 25.10 or Later When Running on Containers* ([Doc ID 3107887.1](#))

Training on this feature is available on [Oracle University](#).

Fixes in Siebel CRM 25.10

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Communications & Energy	38134413	Quotes	While configuring a Quote with Customizable Product(s) using the Build button, line items with a quantity greater than one will stay unexploded in the Quote. This behavior is now consistent with opening Configurator in	Instructions for 38134413

			the Quote object for individual Customizable Products..	
Siebel Apps - Customer Order Management	38304485	Order Management	Sales reps will be able to complete Task Based UI for creating an account when 'Enable AIA Comms' system preference is set to Y.	Instructions for 38304485
Siebel Apps - Customer Order Management	38299477	Promotions	Upsert method on SWI Promotion Import business service now works with eai object manager in all the languages.	
Siebel CRM Deployment	38290372	Database Upgrade	Resolves an issue where Web Templates larger than 4,000 characters are not imported to the Repository during upgrades to modern versions.	
Siebel CRM Deployment	38346786	Installation	Fixed issue with DataDirect Driver migration being skipped in silent mode.	
Siebel CRM Deployment	37885208	Installation	Fixed Postinstalldbsetup to not show error related to [ODBC Oracle Driver]	
Siebel CRM Deployment	36035494	Migration	The Migration Rules View and the functionality provided have been removed from the application since they are not supported. Customers should use the Siebel Migration Application.	
Siebel CRM Development	38146329	Workflow	Clicking on the "New Partner" Link in the Partner Portal application will work correctly.	
Siebel CRM Documentation	21524073	System Admin Gd	When the Object Manager parameter: ENABLEDBSESSCORRELATION is set to TRUE, you can more easily correlate a user with the SQL generated by the Object Manager.	
Siebel CRM End User	38320502	Redwood UI	The Redwood UX enables tab style navigation in addition to the existing sidebar, presenting Screens and Views as tabs at the top of the page.	
Siebel CRM Integration	36071973	Event Pub/Sub	This fix enhances resiliency in event processing during subscription in Event Pub/Sub when the Object Manager instance is unavailable	

Special Configuration Instructions for Release 25.10

Instructions for 38134413--While configuring a Quote with Customizable Product(s) using the Build button, line items with a quantity greater than one will stay unexploded in the Quote. This behavior is now consistent with opening Configurator in the Quote object for individual Customizable Products..

Background

While configuring quote with customizable product(s) using Build button, line items with quantity greater than one will continue to stay unexploded in the quote. This behavior is now consistent with opening configurator in Quote object for individual CP.

For more information on the Auto Explode flag behavior, please see the *Order Management Guide* in the *Siebel Bookshelf*.

Steps

Repository Changes


- For Workflow Process *SIS OM Sync Quote Document Sub Process*, add the following WF Process Prop

Name	Display Name	In/Out	Data Type	Default String
Disable Auto Explode	Disable Auto Explode	In	String	N

- Add a new Decision WF Step *Disable Auto Explode?* after WF Step *Get Charged Amount*.
- Move the existing WF Branch Connector between WF Step *Get Charged Amount* and WF Step *Explode Quote Line Item* to connect WF Step *Get Charged Amount* with the new WF Step *Disable Auto Explode?*
- Move the existing WF Branch Connector *No* between WF Step *Promotion Component Level Commitment?* and WF Step *Explode Quote Line Item* to connect WF Step *Promotion Component Level Commitment?* with the new WF Step *Disable Auto Explode?*
- Add a WF Branch Connector between new WF Step *Disable Auto Explode?* and existing WF Step *Explode Quote Line Item*. Modify the connector's Name to *No* and Type to *Default*.
- Add a WF Branch Connector between new WF Step *Disable Auto Explode?* and existing WF Step *Set Product Instance (EAI Op)*. Modify the connector's Name to *Yes* and Type to *Condition*.
- Right-click on the conditional connector and add the following condition.

Compare To	Object	Operation	Values
Process Property	Disable Auto Explode	All Must Match (Ignore Case)	Y

- Click on Add button and click on OK button.



- For Workflow Process *SIS OM Sync Order Document Sub Process*, add the following WF Process Prop


Name	Display Name	In/Out	Data Type	Default String
Disable Auto Explode	Disable Auto Explode	In	String	N

- Add a new Decision WF Step *Disable Auto Explode?* after WF Step *Get Charged Amount*.
- Move the existing WF Branch Connector between WF Step *Get Charged Amount* and WF Step *Explode Order Line Item* to connect WF Step *Get Charged Amount* with the new WF Step *Disable Auto Explode?*

17. Move the existing WF Branch Connector *No* between WF Step *Promotion Component Level Commitment?* and WF Step *Explode Order Line Item* to connect WF Step *Promotion Component Level Commitment?* with the new WF Step *Disable Auto Explode?*
18. Add a WF Branch Connector between new WF Step *Disable Auto Explode?* and existing WF Step *Explode Order Line Item*. Modify the connector's Name to *No* and Type to *Default*.
19. Add a WF Branch Connector between new WF Step *Disable Auto Explode?* and existing WF Step *Set Product Instance (EAI Op)*. Modify the connector's Name to *Yes* and Type to *Condition*.
20. Right-click on the conditional connector and add the following condition.

Compare To	Object	Operation	Values
Process Property	Disable Auto Explode	All Must Match (Ignore Case)	Y

21. Click on Add button and click on OK button.



22. For Workflow Process *SIS OM Finish Quote Instance*, WF Step *Sync Document*, add the following Input Arguments.

Subprocess Input	Type	Value
Disable Auto Explode	Expression	GetProfileAttr ("DisableAutoExplode")

23. For Workflow Process *SIS OM Finish Order Instance*, WF Step *Sync Document*, add the following Input Arguments.

Subprocess Input	Type	Value
Disable Auto Explode	Expression	GetProfileAttr ("DisableAutoExplode")

Seed Data Changes

1. Go to Administration – Runtime Events, in the “Event” section, query for the existing event with following,

Object Type	Object Name	Event	Action Set Name
Application	Siebel Power Communications	WebSessionStart	CUT eSales Web Session Start Action Se

2. Drill down on the action set “CUT eSales Web Session Start Action Set”, create a new action with following,

Name	Action Type	Active	Sequence	Profile Attribute	Set Operator	V
Disable Auto Explode	Attribute Set	✓	4	DisableAutoExplode	Set	Y

3. This configuration sets the profile attribute “DisableAutoExplode” to “Y” when the user is using the *Siebel Power Communications* application.

Instructions for 38304485--Sales reps will be able to complete Task Based UI for creating an account when 'Enable AIA Comms' system preference is set to Y.

Background

In the TBUI flow, when System Preference “Enable AIA Comms” is set to TRUE, ‘Contact Last Name’ is made as required field due to a User Property. This is not needed in this flow and needs to be inactivated

Steps

Repository Changes

1. In Business Component ‘*CUT Com Invoice Profile (No Link)*’, for the Field ‘Contact Last Name’, inactivate the Field User Property “Required”

Name	Inactive	Value
Required	Y	If ([Active View Name] IS NOT NULL, If ((SystemPreference("Enable AIA Comms") = "TRUE") AND (SystemPreference("Enable AIA Utility") = "FALSE") , "Y" , "N"), "N")

New Features and Bug Fixes in Siebel CRM Monthly Update 25.9

New Features in Siebel CRM 25.9

Feature Name	Description	Documentation	Repository Update Required?
PII Detection AI service in CTMS	This feature introduces enhanced AI-driven data governance in the Siebel Clinical Trials Management System (CTMS) through the configurable integration of AI services. The automatic detection and reporting of Personally Identifiable Information (PII) entered into non-designated fields is enabled. This capability is designed to uphold regulatory and privacy compliance standards by preventing the inadvertent collection of PII where it is not permitted or expected. Using AI, configured via the Siebel AI framework, it is possible to continuously monitor data inputs and provide alerts to users of potential PII entries. Alerts are generated to support remediation and configurable data masking. By embedding this layer of intelligent oversight, organizations can improve data quality, strengthen patient data protections, and reduce the risk of costly compliance violations. This also aligns with industry best practices for protecting sensitive information while maintaining operational efficiency across global clinical programs. Training on this course will be available soon on Oracle University.	• CTMS Guide	Yes

CTMS PowerTrials Integration- Billing Grid	The enhanced integration of Oracle CTMS with PowerTrials addresses a key challenge in clinical research: ensuring accurate and timely billing for healthcare services and procedures conducted within research settings. This release introduces new capabilities that empower hospitals and academic medical centers to manage charge sheets with greater precision, associating current procedure costs and assigning billing to the correct categories with ease. By leveraging the strengths of both systems, organizations can streamline study operations, eliminate redundant data entry, and provide seamless visibility to researchers, clinicians, and hospital administrators alike. Our mission is to reduce administrative burden so that healthcare professionals can focus less on systems and more on delivering exceptional patient care and advancing research. Training on this course will be available soon on Oracle University.	CTMS Guide	Yes
---	--	--	-----

Fixes in Siebel CRM 25.9

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Clinical Trials Management System	37786328	Site Management	Deleting a visit type from a subject removed the visits but did not delete the corresponding CRF Tracking records; the system now correctly removes both visits and their associated CRF records.	
Siebel Apps - Clinical Trials Management System	38136796	Site Management	Addressed Protocol and Site Level Dashboard issues with spacing and missing info.	
Siebel Apps - Clinical Trials Management System	38021961	Site Management	Follow-up items with status = Open become locked when the Trip Report Visit Status "Open" LOV value is inactivated indicating that Trip Report Visit Status and Follow-Up Item Status are incorrectly linked.	

Siebel Apps - Clinical Trials Management System	38097917	Site Management	Dashboards at site and Protocol level required fields indicator (*) is not displayed next to the fields.	
Siebel Apps - Clinical Trials Management System	37818709	Site Management	Protocol-specific activity templates were incorrectly displayed for all protocols. Now, activity templates will only appear in the template dropdown for the protocol they are explicitly assigned to preventing accidental use across unrelated protocols	
Siebel Apps - Clinical Trials Management System	37488586	Site Management	When using Protocol and Region team management, changing the Primary member of a Protocol Team and performing a “Position Rolldown” triggers the Primary assignment in the underlying Region Team to change as well. This behavior occurs even if the Region’s Primary previously differed and was explicitly set. As a result, Region-specific Primary assignments are unintentionally overwritten, potentially causing workflow disruptions or incorrect team responsibilities.	
Siebel Apps - Clinical Trials Management System	37818746	Site Management	Milestone activity templates defined for a specific protocol were incorrectly available for all protocols. Now, milestone templates appear only in the dropdown for the protocol they are assigned to.	
Siebel Apps - Customer Order Management	38144636	Customizable Prod/Configurator	Use existing extra field functionality instead of extra BD query to retrieve External Integration Id	Instructions for 38144636
Siebel Apps - Customer Order Management	37319007	Order Management	Allows creating follow-on order for a bundle promotion even if any of the component has Track As Asset set to N.	Instructions for 37319007
Siebel Apps - Customer Order Management	37520877	Quotes & Orders	During API calls for Shopping cart or sales order, Web Channel Product Eligibility & Compatibility Driver Workflow is corrected to consider only products with Check	Instructions for 37520877

			Eligibility flag set to Y instead of selecting all products.
Siebel CRM Deployment	12564408	Database Configuration	Addresses an issue on DB2 where the Siebel "loadstats.sql" script was incorrectly being executed against SYSIBM.SYSTABLES.
Siebel CRM Deployment	38211132	Installation	Improved AIX Gateway Migration function for certain use cases.
Siebel CRM Deployment	33531342	Installation	Added Siebebenv.csh to postinstallldbsetup .
Siebel CRM Deployment	33304159	Server Infrastructure	Addressed scheduling issue related to daylight savings time.
Siebel CRM Deployment	31542761	Test Automation	Recording and playback of query steps on MVG field now works fine
Siebel CRM Development	38176942	Business Logic	Full migrations will not produce duplicate Runtime Events in your target environment
Siebel CRM Development	37898412	Business Logic	Full migrations will not produce duplicate Runtime Events in your target environment
Siebel CRM Development	37158761	Configuration Tools	Inner functions (functions defined within other functions) are supported in eScript and Web Tools.
Siebel CRM Development	37929557	Workflow	Search criteria handling has been corrected for methods in the Inbound E-mail Database Operations Business Service.
Siebel CRM Development	38077583	Workspaces	Inspecting the Developer Workspace created by RepositoryUpgrade (This is not recommended.) will not produce runtime errors.
Siebel CRM Documentation	38090063	Siebel Approval Manager Guide	Siebel Approval Manager (SAM), as of 25.8, supports both HTTPS enabled REST APIs for the service type. If you are updating from a version before 25.8, you must manually configure HTTPS within SAM to enable HTTPS REST calls after SAM has been installed or updated.
Siebel CRM Documentation	38286103	System Admin Gd	Explains the local port settings for the SSH tunnels on the Siebel Server.
Siebel CRM Documentation	37793055	Using Siebel Tools	The System Preference "WS Merge Default Res-From" may be used to

			change the default behavior during rebases.
Siebel CRM End User	37253237	Communications Panel/Dashboard	Crash prevention when calling Persistent Customer Dashboard business service
Siebel CRM End User	38149837	User Interface	Added Help > Technical Support > "Repository Version" label
Siebel CRM End User	37840997	User Interface	Editor now displays character count.
Siebel CRM Integration	38512180	EAI	Fixes a slight memory leak in the JMSReceiver.
Siebel CRM Integration	38268378	Email	Address outbound email failure related to SMTP OAuth token refresh
Siebel CRM Integration	38242380	Event Pub/Sub	This enhancement eliminates the usage of KafkaAdminClient class in Event Pub/Sub, thereby eliminating the need for additional privileges while connecting to Kafka brokers or services .
Siebel CRM Integration	37802806	REST	The PATCH method for outbound REST requests is supported.
Siebel CRM Integration	38117390	REST	The PATCH method for outbound REST requests is supported.

Special Configuration Instructions for Release 25.9

Instructions for 38144636--Use existing extra field functionality instead of extra BD query to retrieve External Integration Id

Background

API of SWI Cfg Object Broker should not run BC query in SetExternalId function. Instead, add a BC field 'External Integration Id' to the business component 'Cfg ISS Obj Details' so that the field value can be retrieved as an extra field during the loading time of the parent VOD object.

Repository Changes

24. For business component *Cfg ISS Obj Details*, add the following business component fields,

Name	Calculated	Calculated Value	Join	Column
Vod External Id			Vod Header	AIA_INTEG_ID
Product External Id			S_PROD_INT	AIA_INTEG_ID
External Integration Id	Y	IIF([Product External Id] IS NOT NULL, [Product External Id], [Vod External Id])		

25. For the business component field 'External Integration Id' of the business component '*Cfg ISS Obj Details*', add the following Field User Property,

Name	Value
------	-------

Cfg UI Field	TRUE
--------------	------

Instructions for 37319007--Allows creating follow-on order for a bundle promotion even if any of the component has Track As Asset set to N.

Background

In the Follow-On Order flow, while modifying an open order, products with 'Track as Asset' set to 'N' should also be properly handled.

Steps

Repository Changes

- For Workflow Process *SIS OM Edit Complex Asset Workflow*, Workflow Step *Trim*, modify the Input Argument as mentioned below.

Input Argument	Type	Value
KeepSpec	Expression	IIF([&Number of Assets] = '0', "[Convert To Asset Flag] = 'N' OR [Convert To Asset Flag] = 'Y'", "[Convert To Asset Flag] = 'Y'")

Instructions for 37520877--During API calls for Shopping cart or sales order, Web Channel Product Eligibility & Compatibility Driver Workflow is corrected to consider only products with Check Eligibility flag set to Y instead of selecting all products.

Background

In the API flow, Eligibility and Compatibility rules should apply only to products with the "Check Eligibility" flag set to TRUE.

Steps

Repository Changes

- For Workflow Process *Web Channel Product Eligibility & Compatibility Driver Workflow*, add the following WF Process Prop

Name	Display Name	In/Out	Data Type	Default String
IsEmpty	IsEmpty	None	String	Y

- For WF Step *Set ALL Rows to Pre Pick*, update the following Input Arguments

Input Argument	Old Value	New Value
On Default 1	{Row.Pre Pick}='Y'	{Row.Pre Pick} = IfNull({Row.Pre Pick}, 'Y')
On True 1_1	{Row.Pre Pick}='Y'	{Row.Pre Pick} = IfNull({Row.Pre Pick}, 'Y')

- For WF Step *Set ALL Rows to Pre Pick*, add the following Input Arguments

Input Argument	Type	Value
On Default 7	Literal	{Row.Account Id}=IfNull({Row.Account Id}, {Context.Account Id})
On True 1_7	Literal	{Row.Account Id}=IfNull({Row.Account Id}, {Context.Account Id})

- Add a new Business Service WF Step *Check Projected Asset Size* after WF Step *Set ALL Rows to Pre Pick*.
- For WF Step *Check Projected Asset Size*, set the following properties.

Name	Business Service Name	Business Service Method
Check Projected Asset Size	ISS Promotion Management Service	GetNextChild

6. For WF Step *Check Projected Asset Size*, add the following Input Argument.

Input Argument	Type	Property Name
ParentPropertySet	Process Property	Projected Assets

7. For WF Step *Check Projected Asset Size*, add the following Output Argument.

Property Name	Type	Output Argument
IsEmpty	Output Argument	IsEmpty

8. Add a new Decision WF Step *Is Empty?* after WF Step *Check Projected Asset Size*.
9. Add a new Business Service WF Step *Set Projected Asset with RowSet* after WF Step *Is Empty?*.
10. For WF Step *Set Projected Asset with RowSet*, set the following properties.

Name	Business Service Name	Business Service Method
Set Projected Asset with RowSet	Workflow Utilities	Echo

11. For WF Step *Set Projected Asset with RowSet*, add the following Input Argument.

Input Argument	Type	Property Name
RowSet	Process Property	RowSet


12. For WF Step *Set Projected Asset with RowSet*, add the following Output Argument.

Property Name	Type	Output Argument
Projected Assets	Output Argument	RowSet

13. Move the existing WF Branch Connector between WF Step *Set All Rows to Pre Pick* and WF Step *Product E & C* to connect WF Step *Set All Rows to Pre Pick* with the new WF Step *Check Projected Asset Size*.
14. Add a WF Branch Connector between new WF Step *Check Projected Asset Size* and new WF Step *Is Empty?*.
15. Add a WF Branch Connector between new WF Step *Is Empty?* and existing WF Step *Product E & C*. Modify the connector's Name to *N* and Type to *Default*.
16. Add a WF Branch Connector between new WF Step *Is Empty?* and new WF Step *Set Projected Asset with RowSet*. Modify the connector's Name to *Y* and Type to *Condition*.
17. Right-click on the conditional connector and add the following condition.

Compare To	Object	Operation	Values
Process Property	IsEmpty	All Must Match (Ignore Case)	Y

18. Add a WF Branch Connector between new WF Step *Set Projected Asset with RowSet* and existing WF Step *Product E & C*.



New Features and Bug Fixes in Siebel CRM Monthly Update 25.8

New Features in Siebel CRM 25.8

Feature Name	Description	Documentation	Repository Update Required?
Siebel Test Automation Dashboard and Productivity Enhancements	Siebel Test Automation now provides dashboards with data snapshots for quick metrics and pending actions. Enhancements include: - Test Results can be stored at Test Step level and causes of failure can be assigned for each failed Test Script, so that improvements can be focused and measured. Assigning the reason or categorizing failed results improves planning for improvement actions. For example, if 20% of tests fail in certain runs, the failure reasons must be identified to take corrective actions. If the reasons are determined to be environment-related issues, that Test Scripts need updating, an application change caused regression, or a combination thereof, remediation actions can be taken accordingly. Correct identification and remediation of recurring issues can significantly improve efficiencies and save recurring manual effort involved to analyze, fix, rerun, and so on. - Persistent Profiles store various parameters centrally, reducing effort involved in kicking off automation batch runs. Profiles enhance	Testing Siebel Business Applications Guide	No

visibility, eliminate repeated manual efforts, and reduce errors.

- Landing pages provide a snapshot of Test Management, in terms of Test Scripts, Data Sets, and Master Suites. Dashboards provide details of Test executions, pending analysis (such as assigning category or causes to fail results), and root causes summary for actions.

Expected benefits from these enhancements are:

- Improved scale and effectiveness of Test Automation
- Better analysis with a next actions summary, such as failure analysis and corrective actions.

Training on this course will be available soon on [Oracle University](#).

Siebel AI Framework - Generated Satisfaction (GSAT) Score

Powered by Generative AI, the Generated Satisfaction (GSAT) Score produces intelligent, real-time insight by aggregating across a variety of important customer satisfaction indicators. These indicators: Customer Effort, Agent Effort, Agent Knowledge, and Empathy are evaluated after every interaction or purchase—helping businesses elevate service quality and boost customer satisfaction:

- Customer Effort Score measures the effort it takes for a customer to interact with a company, resolve issues, or complete purchases.
- Agent Effort Score measures the ease with which an agent can accomplish their tasks and/or resolve issues.
- Agent Empathy Score measures the degree of empathy conveyed.
- Agent Knowledge Score evaluates how well an agent uses and applies their knowledge to manage customer interactions.

The GSAT Score is derived from this set of “defined factors” and can be triggered based on the user's chosen workflows. The AI-powered feature allows instant access to customer satisfaction score, without manually checking emails or interaction logs. Developers who wish to include the GSAT

• Applications Administration Guide

Yes

Score into their workflows or agent screens/views can do so via the Siebel AI Framework and caters to both on-premises and cloud customers.

The anticipated benefit from this intelligent scoring is the enablement for organizations to deliver better agent customer experience.

Siebel AI Framework - Multimodal AI

Multimodal AI integrates and processes multiple types of data—such as text, and images—to generate more comprehensive insights and responses. This bridges the gap between vision and language, interpreting the context, and delivering results in a contextually relevant response.

• Applications Administration Guide

Yes

Multimodal AI represents a significant advancement over traditional AI as it blends different data types, such as text and images, to offer a more holistic understanding of information. Furthermore, it understands context by recognizing patterns across various media types.

With Multimodal AI, you can achieve image-based use cases, such as:

- On closing a Service Request, the Service Desk Agent can generate a Summary of the interaction based on all Inbound, Outbound communications (text) and Service Request Attachments (images).
- Image-text retrieval relevant for Sales use cases, such as Charts and Graphs.
- In an Insurance scenario, a Claims Representative can analyze damaged vehicles via photos.
- While entering the necessary fields associated with a Service Request (for example: Changing Customer Address), a Customer Service Representative can use Multimodal AI extract text from documents uploaded and auto populate the correct values into the respective fields.

The Siebel AI Framework enables Developers to use Multimodal LLMs (For example: Llama 3.2 90B) to process both text and images. Access is available through chat interfaces, APIs, or dedicated endpoints.

Fixes in Siebel CRM 25.8

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	37707524	Order Administration	Updating the quantity of a sub-item during quote customization now retains all related child line items as expected.	
Siebel Apps - Customer Order Management	37958015	Product Administration	When exporting product and promotions using product workspace projects, External Integration Id field is included for below child entities: For Products - Constraints For Promotion - Compatibility - Eligibility - Component Pricing - Aggregate Pricing External Integration Id is added to appropriate Integration and Business Component fields.	Instructions for 37958015
Siebel Apps - Customer Order Management	37379731	Promotions	"Synchronize" button can be triggered either in UI (in promotion designer) or from this REST API, https://phoenix226718.appsdev1.fusionappsdpdx1.oraclevcn.com:16690/siebel/v1.0/service/ISS Promotion CP Admin Service/GetCurrentProduct?matchrequestformat=y <pre>{ "BCType": "", "ReloadCPStruct": "Y", "Is Constrained": "Y", "XA Modified Flag": "N", "Sub Obj VOD Num": "88-3EIM9N", /*Product Id of Customizable Product, such as TestBundle*/ "Promotion Id": "88-3EIGTA", /*Promotion Id for TestPromotion*/ "Promotion Item Id": "88-3EIMB6" /*Id of Root Promotion Item, such as TestBundle under TestPromotion*/ }</pre>	
Siebel Apps - Field Service	37259996	Dispatch Board	Addresses a problem with drag and drop of an activity to the dispatch board.	

Siebel CRM Deployment	36911481	DB2 z/OS	Address an issue on DB2 z/OS databases where the ddlimp utility incorrectly attempts to change system tables rather than only the tables in the Siebel Repository as expected.
Siebel CRM Deployment	37785376	Installation	Improved ODBC Migration behavior.
Siebel CRM Deployment	38012994	Migration	The System Preference "Use Old Migration Signature" is now correctly handled in all Migration types, FullIRR, IRR, and Cross Version Migration.
Siebel CRM Development	38065927	Business Logic	The application now correctly handles json arrays defined in multiple top level entities.
Siebel CRM Development	38049843	Configuration Tools	Precision and Scale properties for a Column are now correctly set across databases. MSSQL Server uses the Business Component settings, other databases use the values defined for the Table.
Siebel CRM Documentation	16708933	Database Upgrade Gd	Removes obsolete and inaccurate information regarding the removal of an Unshipped Language from the Siebel Enterprise.
Siebel CRM Documentation	22993343	Database Upgrade Gd	Provides documentation on how RUNSTATS can be run from Windows for IBM DB2 platforms.
Siebel CRM End User	37815610	User Interface	Addresses an issue where the Product Configuration page showed as blank when opened as a Portlet.
Siebel CRM Integration	37629652	EAI	Fixes issue with certificates for some out of the box .jar files that cause an HTTP 500 error.

Special Configuration Instructions for Release 25.8

Instructions for 37958015--When exporting product and promotions using product workspace projects, External Integration Id field is included for below child entities:

Background

When exporting Product and Promotions through Product Workspace Projects, it is essential to include the External Integration Id along with the other fields for all its child entities.

Steps

Repository Changes

1. For Business Component *ISS Delete Rule Manager Admin BusComp*, add the following Field:

Name	Column	Text Length	Type	Force Active
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

2. For Business Component *ISS Product Rule Manager Admin BusComp*, add the following Field:

Name	Column	Text Length	Type
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT

3. For Business Component *ISS Release Rule Manager Admin BusComp*, add the following Field:

Name	Column	Text Length	Type	Force Active
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

4. For Business Component *ISS Promotion Pricing Components*, add the following Field:

Name	Column	Text Length	Type	No Copy
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

5. For Business Component *ISS Promotion Pricing Rules Summary*, add the following Field:

Name	Column	Text Length	Type	No Copy
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

6. For Business Component *ISS Promotion Product Compatibility - Object*, add the following Field:

Name	Column	Text Length	Type	No Copy
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

7. For Business Component *ISS Promotion Product Compatibility - Subject*, add the following Field:

Name	Column	Text Length	Type	No Copy
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

8. For Business Component *ISS Promotion Product Compatibility - Object ImpExp*, add the following Field:

Name	Column	Text Length	Type	No Copy
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

9. For Business Component *ISS Promotion Product Compatibility - Subject ImpExp*, add the following Field:

Name	Column	Text Length	Type	No Copy
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓

10. For Integration Object *ISS Promotion WS*, Integration Component *ISS Promotion Pricing Components*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	ExternalIntegrationId

11. For Integration Component *ISS Promotion Pricing Rules Summary*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	ExternalIntegrationId

12. For Integration Component *ISS Promotion Product Compatibility - Object*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	External Integration Id

13. For Integration Component *ISS Promotion Product Compatibility - Subject*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	External Integration Id

14. For Integration Object *ISS Promotion*, Integration Component *ISS Promotion*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	90	90	External Integration Id

15. For Integration Component *ISS Promotion Pricing Components*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	External Integration Id

16. For Integration Component *ISS Promotion Pricing Rules Summary*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	External Integration Id

17. For Integration Component *ISS Promotion Product Compatibility - Object*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	External Integration Id

18. For Integration Component *ISS Promotion Product Compatibility - Subject*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	24	24	External Integration Id

New Features and Bug Fixes in Siebel CRM Monthly Update 25.7

New Features in Siebel CRM 25.7

Feature Name	Description	Documentation	Repository Update Required?
Oracle Enterprise Data Quality – Enriched Data and Matching Accuracy	Siebel CRM and Oracle Enterprise Data Quality (OEDQ) are integrated using OEDQ connector. The OEDQ connector is further enhanced to improve matching effectiveness, bringing stronger candidates to the top of the list by sorting on the <i>Key Priority Number</i> field. Not only does this improve matching accuracy but it also provides better performance. OEDQ provides richer information about the match result such as the matching rule used by the engine, and the list of attributes that contributed to the match. Training on this feature is available on Oracle University.	Data Quality for Oracle Customer Hub Guide	Yes
Siebel UCM - Event Driven Architecture Support for Kafka Partitioning	The Siebel UCM Event Publish/Subscribe functionality has been extended to include support for Kafka partitions. One of the key benefits of Kafka partitions is to improve the scalability of Kafka usage. This feature also enables Query using Event Driven Architecture that helps developers to integrate with new external systems with single protocol (Kafka and JSON messaging). Training on this feature is available on Oracle University.	Oracle Customer Hub (UCM) Master Data Management Reference	Yes

Fixes in Siebel CRM 25.7

Product Name	Reference	Category	Description	Configuration Instructions
--------------	-----------	----------	-------------	----------------------------

Siebel Apps - Customer Order Management	37412291	Generic/Other	Corrects the behavior to handle large number of records from business components used in timeline control in dashboard.	
Siebel Apps - Customer Order Management	37551714	Pricing Mgmt	Corrects the pricing procedure workflow Pricing Procedure - Calculate Net Price to honor effectivity dates on discount matrix defined in Administration - Pricing--> Discount Matrices	Instructions for 37551714
Siebel Apps - Customer Order Management	37859992	Product Administration	The APIs below are enhanced to include Primary Organization Name in their responses: /siebel/v1.0/data/Price List/Price List /siebel/v1.0/service/SWI Product/QueryPage /siebel/v1.0/workflow/ISS Promotion WS - GetProductPromotionDetails QBE	Instructions for 37859992
Siebel Apps - Customer Order Management	37949371	Product Administration	Corrects inbound API SWI Product Import method Upsert so Payment Type field for simple and customizable product is saved.	Instructions for 37949371
Siebel Apps - Customer Order Management	37886062	Promotions	Corrects inbound SWI Promotion Import API to allow clearing proration plan associated with bundle promotion definition	Instructions for 37886062
Siebel Apps - Hospitality, Travel, and Transportation	37952229	Other	Enables application configurators to change the legal message displayed on the Home Screen of TNT CMT application.	
Siebel Apps - Mobile	37540322	Mobile - Sales	In mobile application Date Time labels are not shown when user select the Tile Mode.	
Siebel Apps - UCM	37671150	Universal Customer Master	To improve matching accuracy, this enhancement extends Siebel schema to store Key Priority in S_DQ_ORG_KEY, S_DQ_CON_KEY and S_DQ_PRSP_KEY tables. Refer to Siebel 25.7 Transfer of Information Enterprise Data Quality Connector - Enriched Data and Matching Accuracy.	
Siebel CRM Cloud Applications	38057854	Siebel Cloud Manager	Siebel Cloud Manager (SCM) now supports /configuration API for simulation and verification of deployment on Kubernetes without actual physical deployment on "lift-	

			and-shift" scenarios when such deployments are done using Siebel Installer for SCM - for example, in the in user's data center or on cloud.
Siebel CRM Cloud Applications	38057821	Siebel Cloud Manager	Siebel Cloud Manager now supports using Git repository branches instead of the need to use mainline or top level. For example, while building images containing customizations specific to the customer, or for using different git repo branches for different Siebel CRM environments.
Siebel CRM Cloud Applications	38057868	Siebel Cloud Manager	This fix addresses an issue with the use of persistent volume provided in deployment payload for use by the Siebel CRM Migration Application.
Siebel CRM Deployment	37181302	Application Interface	Updated JDBC driver
Siebel CRM Deployment	37903882	Database Upgrade	Addresses an issue specific to Microsoft SQL Server DB platforms where the empty string "" was being inserted instead of NULL during execution of the manifest.sql script.
Siebel CRM Deployment	36629356	Database Upgrade	Addresses an issue on DB2 databases where PostInstallDBSetup was incorrectly picking up System tables while reading the schema.
Siebel CRM Deployment	37851078	Installation	Added SQLLOADER utility to the Oracle Client Tools in the product
Siebel CRM Deployment	37720111	Migration	Workspace version is now correctly updated when choosing a Workspace while using Siebel Migration Application.
Siebel CRM Deployment	37352110	Migration	With runtime environments using multiple application interfaces, migrations using FilePrepareAndDeploy will complete successfully.
Siebel CRM Deployment	37487530	Migration	Siebel log files have now been consolidated into the Siebel File System.
Siebel CRM Development	37008618	Business Logic	Multi-dimensional JSON arrays are correctly handled.
Siebel CRM Development	37889005	Workflow	Workflow Processes that have Runtime Events associated will successfully execute after they are migrated to the runtime environment.

Siebel CRM Development	36529052	Workspaces	Allows successful delivery of Workspaces after a rebase has been executed on the Workspace.
Siebel CRM Documentation	38100742	Marketing User Gd	File name should not contain wild character while importing a file
Siebel CRM Documentation	37926505	Order Mgmt Guide	Address an issue of documenting business services newly added for configuring multiple customizable products in Order Management Infrastructure Guide.
Siebel CRM Documentation	37545382	Using Siebel Tools	Oracle does not recommend inspecting the Development Workspace created by the RepositoryUpgrade utility. Rather, deliver it to its parent and use that Workspace context.
Siebel CRM End User	38380614	Document Generation	Siebel 25.7 onwards update supports Microsoft Office 2024
Siebel CRM End User	37927505	User Interface	Improved Data Handling for TinyMCE
Siebel CRM Integration	37964493	EAI	Java Messaging Service (JMS) queue connections are correctly closed and not left in CLOSE_WAIT.
Siebel CRM Integration	38036721	EAI	Fixes issue with certificates for some out of the box .jar files that cause an HTTP 500 error.
Siebel CRM Integration	36912247	SSSE	The bug fixes the problem with the removal of attendee from the activity during synchronization because the same email address is linked to multiple contacts or employees in the system.

Special Configuration Instructions for Release 25.7

Instructions for 37551714--Corrects the pricing procedure workflow Pricing Procedure - Calculate Net Price to honor effectivity dates on discount matrix defined in Administration - Pricing--> Discount Matrices

Background

Effective dates were not considered while applying discount matrix adjustments. The fix for this issue addresses this problem.

Steps

Repository Changes

1. Edit the Workflow Process *Pricing Procedure - Calculate Net Price*.
2. In the Step *Product Based Adjustment*, change the Input Argument as follows:

Input Argument	Old Value	New Value
----------------	-----------	-----------

Search Specification	[Adjustment Group Name]={Context.Adjustment Group Name} AND ([Product Id]={Row.Product Id} OR [Product Id] IS NULL) AND ([Account Type] IS NULL OR [Account Type]={Context.Account Type})	[Adjustment Group Name]={Context.Adjustment Group Name} AND ([Product Id]={Row.Product Id} OR [Product Id] IS NULL) AND ([Account Type] IS NULL OR [Account Type]={Context.Account Type}) AND [Effective Start Date] <= {Context.Effective Pricing Date} AND ([Effective End Date] IS NULL OR [Effective End Date] >= {Context.Effective Pricing Date})
----------------------	--	---

Instructions for 37859992--The APIs below are enhanced to include Primary Organization Name in their responses:

Background

The field Primary Organization is missing in the GET responses of the below APIs. This is a pre-existing gap and needs to be addressed as it is an important requirement for integration using these REST Endpoints:

- /siebel/v1.0/data/Price List/Price List
- /siebel/v1.0/service/SWI Product/QueryPage
- /siebel/v1.0/workflow/ISS Promotion WS - GetProductPromotionDetails QBE

Steps

Repository Changes

1. For Integration Object *Base Price List*, Integration Component *Price List*, modify the Integration Component Field:

Name	Inactive
Primary Organization	N

2. For Integration Object *SWI Admin ISS Product Definition*, Integration Component *SWI Internal Product VOD*, modify the Integration Component Field *Primary Organization* property:

Name	Inactive
Primary Organization	N

3. For Integration Object *ISS Promotion WS*, Integration Component *ISS Promotion*, add the Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
Primary Organization	DTYPE_TEXT	50	Primary Organization	DTYPE_TEXT	50	97	97	Primary Organization
Primary Organization Id	DTYPE_ID		Primary Organization Id	DTYPE_ID		98	98	Primary OrganizationId

Instructions for 37949371--Corrects inbound API SWI Product Import method Upsert so Payment Type field for simple and customizable product is saved.

Background

Payment Type should be set properly when a value is passed while creating a product using SWI Product Import REST service.

Steps

Seed Data Changes

1. Navigate to Screen *Administration – Integration, View Data Map Editor*
2. Query for Integration Object Map *Product Integration*
3. Query for Integration Component Map *Product*
4. Add the following Integration Field Map

Source Expression	Target Field Name
[Payment Type]	Payment Type

Instructions for 37886062--Corrects inbound SWI Promotion Import API to allow clearing proration plan associated with bundle promotion definition

Background

Prorate Plan should be cleared when an empty value is passed for it in promotion sub-components using SWI Promotion Import REST service.

Steps

Repository Changes

19. For Business Component *SWI Promotion Product Override VBC*, add the following Field:

Name	Type
Prorate Plan Id	DTYPE_TEXT

20. For Field *Prorate Plan Name*, modify the following property:

Name	Value
Prorate Plan Name	ISS Promotion Prorate Plan PickList

21. Add a new Pick Map with the following values:

Field	Picklist Field
Prorate Plan Id	Id
Prorate Plan Name	Name

22. For Integration Object *SWI ISS Promotion*, Integration Component *SWI ISS Promotion CP Items* add the following Integration Component Field:

Name	Data Type	External Name	External Data Type	External Sequence	XML Sequence	XML Tag
Prorate Plan Id	DTYPE_ID	Prorate Plan Id	DTYPE_ID	43	43	ProratePlanId

23. For Integration Component Field *Prorate Plan Name*, add the following Integration Component Field User Prop:

Name	Value
PICKLIST	Y

24. For Integration Object *SWIPromotionIntegrationIO*, Integration Component *SWI Promotion Product Override VBC*, add the following Integration Component Field:

Name	Data Type	External Name	External Data Type	External Sequence	XML Sequence	XML Tag
Prorate Plan Id	DTYPE_ID	Prorate Plan Id	DTYPE_ID	4053	4053	ProratePlanId

Seed Data Changes

5. Navigate to Screen *Administration – Integration, View Data Map Editor*
6. Query for Integration Object Map *SWI Promotion Override Internal to External*
7. Query for Integration Component Map *Product Override*
8. Add the following Integration Field Map

Source Expression	Target Field Name
[Prorate Plan Id]	Prorate Plan Id

New Features and Bug Fixes in Siebel CRM Monthly Update 25.6

New Features in Siebel CRM 25.6

Feature Name	Description	Documentation	Repository Update Required?
Siebel CRM Event Pub Sub: Enhanced Security in Kafka Integration with OAuth 2.0	This enhancement enables Siebel CRM Event Pub/Sub to use SASL/OAUTHBEARER for authentication with a Kafka server. The ability to use the popular OAuth 2.0 framework for this integration further expands the options to set up secure integrations with Apache Kafka from Siebel CRM. Training on this feature is available on Oracle University.	• System Administration Guide	No
Performance Improvements in Application Login and Metadata Caching	This feature improves application performance related to application login, component startup times, API throughput, and general navigation by using metadata caching. Logins to any object manager from APIs and the user interface and component startup times are faster. This increases the transactions per second possible through our APIs. Additionally, navigation throughout the application improves as compiled object definitions are cached. From our testing, inbound REST requests performance improved by up to 66% allowing many more requests to be handled increasing throughput and scalability. Additionally, component startup times and	• Configuring Siebel Business Applications • Object Interfaces Reference	No

application login times have been greatly reduced. Since we are caching compiled object definitions, these are no longer queried from the database at the time of navigation but are retrieved from the cache making navigation faster.

To take advantage of these improvements, Coherence Community Edition (packaged with the Siebel CRM Monthly Update) will automatically be installed for on-premises customers. For an OCI deployment, the customer must manually install and configure Coherence.

Training on this feature is available on [Oracle University](#).

Intuitive Process Driven UX for Assisted Ordering

Introducing a modernized Siebel Redwood process-driven, conversational UX for agent assisted ordering, designed to help communications service providers manage customer relationships and deliver better experiences. This feature streamlines key processes, including customer creation and order capture, for a seamless experience across new and existing customers. By providing a more intuitive and efficient user interface, customer-facing agents can deliver personalized services and identify upsell/cross-sell opportunities with ease.

- Order Management Guide Addendum for Communications

Yes

Key Benefits

- **Improved User Experience:** Improves user adoption by delivering a guided, efficient user experience.
- **Improved First Call Resolution:** Streamlined workflows and reduced clicks enable agents to onboard customer quickly and efficiently.
- **Increased Operational Efficiency:** Simplified onboarding, and optimized order capture, reduce operational costs and improve agility.

Training on this feature is available on [Oracle University](#).

Update to Java 21

Updating to Java 21 allows Oracle and our customers to take advantage of the improvements made to the platform and presents a more modern, secure

- Overview: Siebel Enterprise Application Integration Guide

No

environment for interoperability with other systems.

IMPORTANT: Customers who have compiled their own JAR files must recompile them using a Java 21 JDK.

IMPORTANT: Customers who have modified the *server.xml* files on their Application Interface Containers must manually re-make their changes, as the file(s) will be overwritten.

Please review “Java 21 Update Planning” in the *Database Upgrade Guide* for more details.

Training on this feature is available on [Oracle University](#).

- Database Upgrade Guide
- Testing Siebel Business Applications Guide

Provide Siebel Installers for DISA, EMS, and SAM

This feature offers an enhanced installation experience for the Desktop Integrated Support Agent (DISA), the Siebel Email Marketing Server (EMS), and Siebel Approval Manager (SAM). The usage flow can be reused for both installation and configuration, ensuring a consistent user experience.

Additionally, silent mode scripting is available for automated deployment. Customers installing or updating to the new DISA version will need to perform a reinstallation for security compliance, they can then update the application with Monthly Updates as required.

Training on this feature is included in the [Java 21 training on Oracle University](#).

- Desktop Integration Siebel Agent Guide
- Approval Manager Guide
- Marketing Installation and Administration

No

Fixes in Siebel CRM 25.6

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	37372825	Customizable Prod/Configurator	Addresses an issue of products in a list are displayed incorrectly within configurator when cardinality rules are defined on the relationship and a product in the list has UI property Excluded set to Y.	

Siebel Apps - Customer Order Management	37481866	Customizable Prod/Configurator	When Cfg State Code value is Engine Picked Item on an asset, the item may be dropped silently during modify and re-customization process. Hence, while creating new assets, Cfg State Code value should be updated as User Requested Item. This behavior is enabled by System Preference SET_ASSET_TO_USER_REQ_ITEM with value as TRUE.	Instructions for 37481866
Siebel Apps - Customer Order Management	37306361	Customizable Prod/Configurator	Corrects the configurator behavior to allow deleting the object product by setting quantity of 0 when product model has a requires constraint and max cardinality is violated for subject product.	
Siebel Apps - Customer Order Management	37757728	Product Administration	Fix of this bug allows clearing Prorate Plan while updating bundle promotion definition using SWI Promotion Import API.	Instructions for 37757728
Siebel Apps - Customer Order Management	37707024	Product Administration	This change includes External Integration Id field in the exported definition of class, product and bundle promotion.	Instructions for 37707024
Siebel Apps - Customer Order Management	37280572	Promotions	Addresses an issue of querying for a product from aggregate relationship of a bundle promotion in Edit Promotion User Interface in quote or Sales Order.	Instructions for 37280572
Siebel Apps - Customer Order Management	37773435	Promotions	When various product administration entities are copied under Administration - Product and Administration - Pricing screens, External Integration Id field is not copied.	Instructions for 37773435
Siebel Apps - Loyalty	37735025	Accruals	In case of cancellation promotion action the accrual item should be taken into consideration for entire day and timestamp should be ignored.	
Siebel CRM Deployment	30385865	Perf/Scalability/Reliability	SIEBEL STARTUP PROCESS TAKING TOO MUCH IN IP2017 AND LATER	

Siebel CRM Deployment	37152449	Repository Utilities	Prevents custom function-based indexes from being rebuilt at every execution of DDLIMP (for example, during Migration).
Siebel CRM Deployment	37688838	Server Infrastructure	Improved SIEBSVC renaming to the intended target process name for Linux
Siebel CRM Deployment	33981560	Test Automation	Siebel Test Automation dependencies are upgraded for Java 21 compatibility
Siebel CRM Deployment	34383003	Usage Pattern Tracking	The Workflow Batch Manager component no longer crashes on exit when Usage Pattern Tracking is enabled
Siebel CRM Documentation	37024601	Int Platform Tech: EAI	Documents the Integration Component User Prop "Format" and its valid values for Date vs. Datetime
Siebel CRM Integration	37876713	EAI	JMS Receiver connections are now correctly closed and not left in a CLOSE_WAIT status.
Siebel CRM Integration	36198510	EAI	Siebel CRM now supports Java 21. Instructions for 36198510

Special Configuration Instructions for Release 25.6

Instructions for 37481866--When Cfg State Code value is Engine Picked Item on an asset, the item may be dropped silently during modify and re-customization process. Hence, while creating new assets, Cfg State Code value should be updated as User Requested Item. This behavior is enabled by System Preference SET_ASSET_TO_USER_REQ_ITM with value as TRUE.

Background

When *Cfg State Code* value is *Engine Picked Item* on an *asset*, the item may be dropped silently during modify and re-customization process. Hence, while creating new assets *Cfg State Code* value should be updated as *User Requested Item*. This behavior is enabled by System Preference SET_ASSET_TO_USER_REQ_ITM with value as TRUE.

Steps

Repository Changes

- For Workflow SIS OM Apply Completed Service Order Line Item to Service Profile, add the following Workflow Process Property

Name	Display Name	In/Out
Set Asset To User Requested Item	Set Asset To User Requested Item	None

- For Workflow *SIS OM Apply Completed Service Order Line Item to Service Profile*, add new WF Step called *Get Sys Pref* after existing WF step *Convert Del Items* with Business Service Name as *Workflow Utilities* and Business Service method as *Echo*
- Add the following Output Arguments for *Get Sys Pref* WF Step

Property Name	Type	Value
Set Asset To User Requested Item	Expression	IIF(SystemPreference("SET_ASSET_TO_USER_REQ_ITM") = 'TRUE', 'Y', 'N')

- Delete WF Branch Connector from WF Step *Convert Del Items* to WF Step *Data Transformation*
- For WF Step *Convert Del Items*, add the WF Branch Connector to *Get Sys Pref* WF Step instead of to WF Step *Data Transformation*
- Delete WF step *Data Transformation*
- Add new WF condition step called *Set Asset Cfgstatecode?* after *Get Sys Pref* with compose a condition
- For WF Step *Get Sys Pref*, connect the WF Branch Connector to *Set Asset Cfgstatecode?*
- Add new WF Step *Update Cfg State Code* after *Set Asset Cfgstatecode?* with Business Service Name as *SIS OM PMT Service* and Business Service method as *Update CfgStateCode* with the following Input Arguments

Input Argument	Type	Property Name
SiebelMessage	Process Property	Asset

Output Arguments

Property Name	Type	Output Argument
Asset	Output Argument	SiebelMessage

- For WF Condition Step *Set Asset Cfgstatecode?*, connect the WF Branch Y Connector to *Update Cfg State Code* and WF Branch N Connector to *Sync Asset*

Property Name	Value
Compare To	Process Property
Operation	All Must Match(Ignore Case)
Object	Set Asset To User Requested Item
Values	Y

- Update WF Branch N Connector from *Set Asset Cfgstatecode?* to *Sync Asset* with Condition Type to *Default*
- For WF Step *Update Cfg State Code*, connect the WF Branch Connector to *Sync Asset*.

Instructions for 37757728--Fix of this bug allows clearing Prorate Plan while updating bundle promotion definition using SWI Promotion Import API.

Background

Prorate Plan should be cleared when an empty value is passed for it in promotion components using SWI Promotion Import REST service.

Steps

Repository Changes

- For Business Component *SWI Promotion Product Components VBC*, add the following Field:

Name	Type
------	------

Prorate Plan Id	DTYPE_TEXT
-----------------	------------

26. For Field *Prorate Plan Name*, modify the following property:

Name	Value
Prorate Plan Name	ISS Promotion Prorate Plan PickList

27. Add a new Pick Map with the following values:

Field	Picklist Field
Prorate Plan Id	Id
Prorate Plan Name	Name

28. For Integration Object *SWI ISS Promotion*, Integration Component *SWI ISS Promotion Product Components* add the following Integration Component Field:

Name	Data Type	External Name	External Data Type	External Sequence	XML Sequence	XML Tag
Prorate Plan Id	DTYPE_ID	Prorate Plan Id	DTYPE_ID	40	40	ProratePlanId

29. For Integration Component Field *Prorate Plan Name*, add the following Integration Component Field User Prop:

Name	Value
PICKLIST	Y

30. For Integration Object *SWIPromotionIntegrationIO*, Integration Component *SWI Promotion Product Components VBC*, add the following Integration Component Field:

Name	Data Type	External Name	External Data Type	External Sequence	XML Sequence	XML Tag
Prorate Plan Id	DTYPE_ID	Prorate Plan Id	DTYPE_ID	4115	4115	ProratePlanId

Seed Data Changes

- Navigate to Screen *Administration – Integration*, View *Data Map Editor*
- Query for Integration Object Map *SWI Promotion*
- Query for Integration Component Map *SWI Promotion Product Component*
- Add the following Integration Field Map

Source Expression	Target Field Name
[Prorate Plan Id]	Prorate Plan Id

Instructions for 37707024--This change includes External Integration Id field in the exported definition of class, product and bundle promotion.

Background

When exporting Product and Product Class through Workspace Projects, it is essential to include the External Integration Id along with the other fields.

Steps

Repository Changes

- For Business Component *Object Product ImpExp BC*, add the following Field:

Name	Column	Text Length	Type	No Copy	Force Active
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓	✓

- For Business Component *Object Rules ImpExp BC*, add the following Field:

Name	Column	Text Length	Type	No Copy	Force Active
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓	✓

3. For Business Component *VOD ImpExp BC*, add the following Field:

Name	Column	Text Length	Type	No Copy	Force Active
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT	✓	✓

4. For Integration Object *ISS Attr Def ImpExp*, Integration Component *VOD ImpExp BC*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	18	18	External Integration Id

5. For Integration Object *ISS Class Def ImpExp*, Integration Component *Object Rules ImpExp BC*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	18	18	External Integration Id

6. For Integration Component *VOD ImpExp BC*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	18	18	External Integration Id

7. For Integration Object *ISS Prod Def ImpExp*, Integration Component *Object Rules ImpExp BC*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	18	18	External Integration Id

8. For Integration Component *VOD ImpExp BC*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	18	18	External Integration Id

9. For Integration Component *Object Product ImpExp BC*, add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
------	-----------	--------	---------------	--------------------	-----------------	-------------------	--------------	---------

External Integrati on Id	DTYPE_ TEXT	150	External Integrati on Id	DTYPE_ TEXT	150	18	18	Externall ntegrati onId
--------------------------------	----------------	-----	--------------------------------	----------------	-----	----	----	-------------------------------

Instructions for 37280572--Addresses an issue of querying for a product from aggregate relationship of a bundle promotion in Edit Promotion User Interface in quote or Sales Order.

Background

Resolve error in querying for Product Name or Description on Add Product pop applet in Edit Promotion User Interface.

Steps

Repository Changes

26. For Business Component *ISS Promotion Related Product Data*, add the following fields:

Field	Calculated	Calculated Value	Type
Display Description	Y	If ([Locale Description] IS NULL, [Description], [Locale Description])	DTYPE_TEXT
Display Name	Y	If ([Locale Name] IS NULL, [Name], [Locale Name])	DTYPE_TEXT

Instructions for 37773435--When various product administration entities are copied under Administration - Product and Administration - Pricing screens, External Integration Id field is not copied.

Background

The External Integration Id field, which stores the Launch Id in Siebel, was incorrectly being duplicated when users performed a "copy record" operation through the user interface. This bug fix prevents the External Integration Id from being copied during record duplication operations.

Steps

Repository Changes

1. For the following Business Component / Field combinations, create or set a Field User Prop as shown:

Business Component	Field	Field User Prop	Value
<i>Catalog Category Admin</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Catalog Category</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>ISS Promotion</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Price Config Item</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Price List Item – Import</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Price List</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Pricer Bundle Discount Item</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Catalog</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Class Eligibility BusComp</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Compatibility - Object Product Line</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Compatibility - Object</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Compatibility - Subject Product Line</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Compatibility - Subject</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Compatibility</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Eligibility BusComp</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product Line Eligibility BusComp</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>

<i>SWI Internal Product VOD</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Class Definition BusComp</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Class Definition BusComp</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Promotion Pricing Components</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Promotion Pricing Product Class</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Promotion Pricing Product Line</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Promotion</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Price List</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Product Class Defn VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Product Definition VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Promotion Pricing Components VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Promotion Pricing Product Class VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Promotion Pricing Product Line VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Promotion VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI ISS Product Rule Manager Admin BusComp</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>SWI Product Rule Manager VBC</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Price List Item</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>
<i>Product-Based Adjustment</i>	<i>External Integration Id</i>	<i>No Copy</i>	<i>Y</i>

- For the following Business Components, create or set the following BusComp User Props:

Business Component	Field Property	Value
<i>Price List Item</i>	<i>Keep No Copy Field Prop: External Integration Id</i>	<i>Y</i>
<i>Product-Based Adjustment</i>	<i>Keep No Copy Field Prop: External Integration Id</i>	<i>Y</i>

Instructions for 36198510--Siebel CRM now supports Java 21.

Background

The 25.6 monthly update uses the Java 21 Java Runtime Engine (JRE). All Siebel CRM java classes have been recompiled using the Java 21 Java Development Kit (JDK). To work with Java 21 there are a few considerations.

- 3rd Party Java classes must be re-compiled using the Java 21 JDK.
- Your 3rd party java classes must be in the correct location.
- You should backup your server.xml and re-implement any customizations to it after the install.
- AIX environments have a few special needs.

Steps

Location for 3rd Party .jar Files

For the Configuration Agent (CA) Tomcat to find any third party .jar files that you may be using, they should be placed in this location. No matter where you have been placing them, this is the location for your 3rd party .jar files that do not ship with the Siebel application's installation.

Note: Before installing any Monthly Update, back up your third-party jar files so they can be easily and safely moved to the below location or any future location that we specify.

applicationcontainer_internal/webapps/siebel/WEB-INF/lib

Compatibility of 3rd Party .jar Files

The Siebel CRM installation includes .jar files that have already been compiled using Java 21. It is your third party or custom java classes that must be compiled with Java 21. This means you must re-compile them using the Java 21 JDK. One example of such files is for customers that use third party JMS files with the Siebel application. They started out in the javax package and in 2020 were moved to the jakarta package. They both were compiled and worked with Java 8. To use them with Java 21, you must either obtain the jakarta packaged .jar files compiled with Java 21, or obtain the jakarta packaged java source files and compile them yourselves. There are three situations that require a recompilation of java files.

1. You have custom java code compiled for using Java 8.
 - a. You recompile source code using Java 21 and place the resulting .jars in the *applicationcontainer_internal/webapps/siebel/WEB-INF/lib* folder.
2. You have older *javax* JMS classes that have been compiled using Java 8.
 - a. You obtain *jakarta* JMS source code and compile using java 21 and place the resulting .jars in the *applicationcontainer_internal/webapps/siebel/WEB-INF/lib* folder.
3. You have newer jakarta JMS classes and source files.
 - a. You recompile the source code using Java 21 and place the resulting .jars in the *applicationcontainer_internal/webapps/siebel/WEB-INF/lib* folder.

Note: The Siebel application installation does not include the Java Development Kit (JDK). Customers wishing to compile java files must install the Java 21 JDK separately.

Note: You must have the Java 21 compatible .jar files available in the correct directory before bringing up your Tomcat instance to avoid errors trying to work with incompatible java code.

Server.xml Modifications

The installer will overwrite the server.xml file. If you have customized this file, your changes will be lost.

1. Backup the server.xml file prior to starting the installation of the monthly update.
2. Complete the Monthly Update.
3. Re-implement your customizations to the server.xml file.
 - a. **Note:** The installer will attempt to merge the server.xml file that you have and the one coming from the install. But some of the settings that are specific to Tomcat 9 may remain in the server.xml file after the merge. For those, make sure they have been changed to the values that support the latest Tomcat version (10) or your server may not start.

AIX considerations for Java 21

1. Make sure that you are on a version of AIX that is certified with Siebel CRM.
2. Back up your Zookeeper Registry. (This is the “version-2” folder in your Siebel CRM installation.)
3. Zookeeper must be up and running during the installation as there is a migration utility that must reference the running Zookeeper registry.
4. Rolling Updates: In a Gateway cluster environment, once you have updated a node, other nodes can continue to function. But they should only be restarted once they have been updated.
 - a. Update a node, bring it back up while the others function in a non-updated capacity.
 - b. Update the next node and bring it up.
 - c. Keep doing this until, one-by-one, each node has been updated.
 - d. Once any node has been updated and is up and running, do not restart any of the non-updated nodes until they have been updated.
5. The migration utility will produce a log. Before running the migration utility, set the AIX environment variable *SBL_AIXMIG_LOG_LEVEL* to one of these values ("FATAL", "ERROR", "WARN", "INFO", "DEBUG", "TRACE") depending on your requirements. The logs will be found in the <SIEBEL_HOME>/cfgtoollogs folder.

- Any class files or third-party files that you use in your CLASSPATH for executing java processes should point to the correct files. Various third-party jar files may have changed their names and when we updated to their latest versions the names of one or more of them may no longer be the same so make sure that your CLASSPATH is referencing the correct files.

Steps

Repository Changes

<Delete this section, including the header "Repository Changes", if not applicable>

Seed Data Changes

<Delete this section, including the header "Seed Data Changes", if not applicable>

Other Changes

<Delete this section, including the header "Other Changes", if not applicable>

New Features and Bug Fixes in Siebel CRM Monthly Update 25.5

New Features in Siebel CRM 25.5

There are no new features in 25.5.

Fixes in Siebel CRM 25.5

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	37567612	Customizable Prod/Configurator	Addresses an issue in parallel configurator view while deleting child components of a customizable product in modify scenario using Build button on quote or Sales Order when integration with Digital Business Experience is enabled using system preference "AIA COMMS".	Instructions for 37567612
Siebel Apps - Customer Order Management	37323320	Pricing Mgmt	Provides flexibility to include Pricing Designer information for leaf level products of a customizable products that are part of bundle promotion or promotion group. UI Navigation: Administration - Product --> Promotion Promotions -> Pricing --> Components --> Drill down on a CP. See configuration instructions for details on making Repository changes or Run-Time Events to enable or disable this option. Disabling this information provides	Instructions for 37323320

			better performance for GetProductPromotionDetails method of the ISS Promotion WS Business Service.	
Siebel Apps - Customer Order Management	37532258	Promotions	Corrects the compatibility in Quote and Sales Order by filtering line items with Action Code of Deleted during modify scenarios. Refer to configuration instructions for required Workflow changes.	Instructions for 37532258
Siebel Apps - Customer Order Management	37595296	Quotes & Orders	This bug addresses an issue of Sales Order with Cancelled status being considered in Eligibility & Compatibility workflow.	Instructions for 37595296
Siebel Apps - Hospitality, Travel, and Transportation	37560269	Other	Enables application configurators to change the legal message displayed on the Home Screen of TNT CMT application.	
Siebel Apps - Marketing	37498030	Email Mktg - ESD	When SMTP authentication is enabled, ESD is failing to send mail in the versions like 24.10 , 24.11 and 24.12.	
Siebel CRM Deployment	37390801	Database Configuration	On the Microsoft SQL Server database platform, there were scenarios where a "LONG" column could be created as "TEXT" or "NTEXT", which are deprecated. This has been addressed--such columns will now be created as VARCHAR(max) or NVARCHAR(max) respectively.	
Siebel CRM Deployment	37167864	Database Upgrade	Provides a new utility, LongDataTypeMigration, which does the following. --Oracle: Convert columns built on the deprecated "LONG" datatype to "CLOB". --MSSQL: Converts TEXT and NTEXT columns to VARCHAR(max) and NVARCHAR(max). Please refer to the Database Upgrade Guide in Siebel Bookshelf for details of its usage.	
Siebel CRM Deployment	36706453	Incremental Repository Merge	For customers who incorrectly activated "Composer Mode" in IP2016 in their active Development	

			environment, this fix provides a new utility (WSCleanup) to remove the Composer-mode artifacts from their IP2016 Repository. This will allow the customer to successfully perform an Upgrade to modern versions of Siebel (IP2017 and later).
Siebel CRM Deployment	36517374	Repository Utilities	Addresses an issue where the "dbchck" utility incorrectly indicates inconsistencies between Function Based Index definitions in the Repository versus the Physical Database.
Siebel CRM Development	37575849	Workflow	Previously, the S_ESCL_REQ.REQ_ID column did not allow values larger than one billion. We extended this column to 15 digits providing for larger values.
Siebel CRM End User	37693977	User Interface	Fix to properly display browser scripts after consecutive full RR migrations.
Siebel CRM Integration	37248798	SSSE	Fixes sending the duplicate email invitations for any change in Sync fields on Siebel side.
Siebel CRM Integration	37492725	SSSE	The bug fixes the issue of deleting the employee during second synchronization when an external organizer creates a meeting with a sync user as an attendee

Special Configuration Instructions for Release 25.5

Instructions for 37567612--Addresses an issue in parallel configurator view while deleting child components of a customizable product in modify scenario using Build button on quote or Sales Order when integration with Digital Business Experience is enabled using system preference "AIA COMMS".

Background

When the system preference "Enable AIA Comms" (that controls whether to enable the Oracle Application Integration Architecture Communications integration features) is set to "TRUE" as opposed to default value of "FALSE", we observe error indicating empty value for "Exclude Pricing Flag" which does not allow nulls. This is because the operation for synchronization is set to "upsert" as opposed to "insert", which bypasses pre-default value defined for "Exclude Pricing Flag".

Steps

Repository Changes

- For Workflow Process *SIS OM Sync Quote Document Sub Process*, for Workflow Step *Copy Integration Id*, change value for the following input arguments:

Input Argument	Type	Value - Old	Value - New
Field To Copy	Literal	Integration Id	Integration Id, Exclude Pricing Flag
Field To Paste	Literal	Integration Id	Integration Id, Exclude Pricing Flag

28. For Workflow Process *SIS OM Sync Order Document Sub Process*, for Workflow Step *Copy Integration Id*, change value for the following input arguments:

Input Argument	Type	Value - Old	Value - New
Field To Copy	Literal	Integration Id, Depends on Id	Integration Id, Depends on Id, Exclude Pricing Flag
Field To Paste	Literal	Integration Id, Depends on Id	Integration Id, Depends on Id, Exclude Pricing Flag

Instructions for 37323320--Provides flexibility to include Pricing Designer information for leaf level products of a customizable products that are part of bundle promotion or promotion group.

Background

We disabled the query on 'Product Promotions Relationship VBC' and 'Product Relationship VBC' business component for web services to improve performance. However, since the query is still needed in certain scenarios, we are implementing changes to dynamically re-enable it at runtime when necessary.

Steps

Repository Changes

- For Business Component *Product Promotions Relationship VBC*, add following business component user property:

Name	Value	Comments
Enable Web Service Execute	Y	If that's Y, we will enforce querying on the BC even in the event of web service call. If this user property is not defined or set to values other than Y or y, we will skip querying the BC during web service call for better performance.

- For Business Component *Product Relationship VBC*, add same business component user property:

Name	Value	Comments
Enable Web Service Execute	Y	If that's Y, we will enforce querying on the BC even in the event of web service call. If this user property is not defined or set to values other than Y or y, we will skip querying the BC during web service call for better performance.

- For promotion group functionality, do the same for business component *Product Promotion Group Membership Relationship VBC* and *Product Promotion Group Relationship VBC*

Seed Data Changes

Alternatively, runtime events can be applied without repository change. The effect would be equivalent to repository change.

- In Administration – Runtime Events -> Action Sets, add a new action set with following values:

Action Set Name	Action Name	Action Type	Sequence	Active	Method Name	Comments
EnableExecute	EnableExecute	Invoke Method	1	✓	EnableExecute	If set active, we will

						enforce querying on the BC even in the event of web service call. Otherwise, we will skip querying the BC during web service call for better performance.
--	--	--	--	--	--	---

2. In Administration – Runtime Events -> Events, add a new event with following values,

Sequence	Object Type	Object Name	Event	Action Set Name
1	BusComp	Product Promotions Relationship VBC	PreQuery	EnableExecute
1	BusComp	Product Relationship VBC	PreQuery	EnableExecute

3. For promotion group functionality, do the same for business component *Product Promotion Group Membership Relationship VBC* and *Product Promotion Group Relationship VBC*

Instructions for 37532258--Corrects the compatibility in Quote and Sales Order by filtering line items with Action Code of Deleted during modify scenarios.

Background

Ignore the deleted line while doing compatibility rules evaluation.

Steps

Repository Changes

13. For Workflow Process *Product Compatibility - Default*, WF Step *Filter Duplicate Row Set* add the following Input Argument

Input Argument	Type	Value
Process Condition	Literal	{Row.Action Code} IS NULL OR ({Row.Action Code} IS NOT NULL AND {Row.Action Code} <> LookupValue('DELTA_ACTION_CODE','Deleted'))

14. For WF Step *Set PAC Parameter*, change the WF Branch Connector to WF Step *Skip PAC Retrieve?* instead of WF Step *Excluded Deleted*.
15. For WF Step *Excluded Deleted*, change the following property.

Property Name	Value
Inactive	Y

Instructions for 37595296--This bug addresses an issue of Sales Order with Cancelled status being considered in Eligibility & Compatibility workflow.

Background

Ignore the cancelled order line while doing compatibility rules evaluation.

Steps

Repository Changes

1. For Workflow Process *Product Compatibility - Default*, WF Step *PAC Retrieve* add the following Input Argument

Input Argument	Type	Value
Optional Order Search Expression	Literal	[Order Status] <> LookupValue("FS_ORDER_STATUS","Cancelled")

New Features and Bug Fixes in Siebel CRM Monthly Update 25.4

New Features in Siebel CRM 25.4

Feature Name	Description	Documentation	Repository Update Required?
Siebel CRM to Fusion Knowledge Management Integration	The integration of Siebel CRM with Fusion Knowledge Management allows a service agent to capture, organize, manage, and make use of the knowledge and expertise inside an organization more effectively. Not only can Knowledge Management be used to solve employee and customer issues, it offers capabilities that help organizations manage and access their knowledge better, with search and content management. The tight integration with Siebel CRM will enable easy access for users to search, read, rate, and suggest changes to the knowledge articles while staying within Siebel CRM application. Training on this feature can be found on Oracle University.	• Siebel Field Service Guide	Yes
Support OAuth 2.0 with Siebel EMR for Outbound Protocol SMTP	With this enhancement, OAuth 2.0 authentication is supported for outbound SMTP communication for email, which is required by Microsoft Office 365 mail servers. Training on this feature can be found on Oracle University.	• Email Administration Guide	No
CTMS Dashboards	Dashboards provide a centralized information that manages risk, increases efficiency, and improves insight. The goal is to improve study forecast by providing insights into the progress of trip reports and key milestones. Dashboards will help to improve focus for study managers by displaying real time insights, visualized data,	• Clinical Trial Management System Guide	Yes

and help in key decision making. Users will have increased productivity through consolidated study and site details without requiring navigation to multiple screens.

Training on this feature can be found on [Oracle University](#).

CTMS Milestones	This new feature will help the users to define, create, track and close the key events of a Clinical Trial. Milestones provide clear project tracking for improved planning and supports the timely execution of Study milestones by providing an ability to create, track and complete the milestones within the CTMS application. Key benefits: • Improved Study Efficiency • Centralised management and setup of milestones across all clinical trials • Provide end-to-end visibility to trial progress and risks Training on this feature can be found on Oracle University.	• Clinical Trial Management System Guide	Yes
-----------------	--	--	-----

Fixes in Siebel CRM 25.4

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Clinical Trials Management System	37305093	Site Management	There has been a limitation in the Product where when a CTMS user selects more than 50 Sites for documents to be pushed, system is limiting to only 50 Sites and all other Sites are missing for the documents to be pushed. This issue has been fixed now and the documents shall be saved for all the Sites selected.	
Siebel Apps - Clinical Trials Management System	37334481	Site Management	There is an issue that when a Subject is associated with a Protocol SVT initially and later the Subject is moved to a different Protocol, still the earlier associated SVT is being used which has been corrected now.	
Siebel Apps - Clinical Trials Management System	37309917	Site Management	When a Site Account is replaced in the CTMS application, the existing account should be set to 'inactive', if replaced from Site Management or Regions >	

			Sites. However, there is an issue currently it is not working as expected when change is done from Regions > Sites. The issue has been fixed now in 25.4.
Siebel Apps - Clinical Trials Management System	37180206	Site Management	The "Status History" tab in CTMS should keep an audit of only the Site status changes, whereas currently it is tracking all the changes of Site which are not required. A fix has been provided in 25.4 to address this and 'Status History' will audit only Site status changes.
Siebel Apps - Clinical Trials Management System	37350969	Site Management	In CTMS smart script, when users configures questions with an answer of type, 'None' radio button, and when the user selects 'None', the answers are not getting saved by the system. There has been issue with the 'None' type radio button which has been fixed now.
Siebel Apps - Clinical Trials Management System	36157060	Trip Report	As part of one of the enhancements delivered to ClinicalOne integration, there can be multiple Visit and CRF records for repeating visits created with introduction of 'Repeating number'. This has been addressed in the current release.
Siebel Apps - Customer Order Management	37364636	Customizable Prod/Configurator	Addresses an issue of loading default configuration instance (including child products and attribute values) while customizing product if Skip Loading Default Cfg Instance user property in the "Order Entry - Line Items" business component is set to Y.
Siebel Apps - Customer Order Management	37279012	Product Administration	Removes an extra section of CfgObject from the output for method GetProdStruct of business Service Cfg Object Broker when 'Full' flag is set to Y.
Siebel Apps - Customer Order Management	37227478	Product Administration	Addresses below issue of customizing or validating some customizable products: [1]Error invoking service 'Cfg Web UI Service Loader', method 'LoadCfgUIService' at step 'Go to UI'.(SBL-BPR-00162) [2]Unable to load message 0x1(SBL-GEN-00001) [3]Error getting new worker. Fatal error completing model.

			Exception 29 in Worker module: The port does not exist for this item..(SBL-CFG-00124)
Siebel Apps - Customer Order Management	37237803	Promotions	Addresses an issue of a failure in the second promotion application during a Split Bundle Promotion scenario.
Siebel Apps - Mobile	27169907	Mobile - Sales	The bug fix allows a mobile application developer to test their config before checking to the main workspace
Siebel CRM Development	37381771	Scripting	Numbers in eScript will have enough digits to accurately represent the numerical value.
Siebel CRM End User	34998179	User Interface	Resolved issue with browser script refresh when moving from DR to RR
Siebel CRM Integration	37758508	EAI	Fixes issue where messages greater than 50 KB sent in outbound Web Service calls were not successful.
Siebel CRM Integration	37199958	Email	Support OAuth 2.0 for SMTP Outbound Protocol with Siebel Email Response
Siebel CRM Integration	36876315	Email	Support OAuth 2.0 with Siebel Email Response for Outbound Protocol SMTP
Siebel CRM Integration	37525669	Enterprise Integration Manager	Increases the length of the EIM_TMPL_PLNITM.ATTR_DESC_TEXT column to match the length of the mapped base column, S_ASSESS_ATTRIB.DESC_TEXT

New Features and Bug Fixes in Siebel CRM Monthly Update 25.3

New Features in Siebel CRM 25.3

Feature Name	Description	Documentation	Repository Update Required?
In-memory Support for Subscription Web Services - C O/M	This feature provides in-memory processing for change, suspend, disconnect, and upgrade/downgrade web services. This processing creates a document (quote or order) from an existing asset. Self-service eCommerce applications will have the flexibility to perform multiple operations in the shopping cart or on a sales order before persisting the information in the database. The Web services have additional flags to enable pricing and eligibility/compatibility workflows as needed.	Web Services Guide	Yes

By optimizing the subscription web services, unassisted channels (eCommerce application, IVR, etc.) will experience a faster response.

Training on this feature can be found on [Oracle University](#).

Siebel AI Framework - Access Large Language Models (LLMs) with APIs	The Siebel AI Framework has been enhanced to include a feature that enables developers to effortlessly connect the Siebel CRM application to large language models (LLMs) that support their specific GenAI use cases. The new feature provides the following functionality: • Easy access to the Cohere & Meta models available on Oracle Cloud Infrastructure (OCI) supporting a wide range of use cases, like writing assistance, summarization, analysis, chat, and more. • The API-based integration methodology not only caters to the needs of developers looking to use out-of-the-box LLMs on OCI, but also to easily access LLMs from various model providers through a single interface, simplifying and accelerating development. • The API can be invoked using external clients like Postman or from any Siebel interface layer. • The API request includes "provider" and "model" as parameters. The other configuration parameters that are required vary depending on the model provider and the chosen LLM. • Additionally, the API provides the option to call different GenAI endpoints. We anticipate that the new API will help developers accelerate building their GenAI use cases for Siebel CRM and give the business more flexibility to test out and select the appropriate LLMs for their specific use cases. Training on this feature can be found at Oracle University.	• Siebel Applications Administration Guide	Yes
Redwood UX for Siebel Partner Relationship Management	Redwood UX for Siebel Partner Relationship Management delivers a fresh, modern, and restyled user interface in line with the desktop application, enabling a consistent user experience across employee-facing and	• Siebel Partner Relationship Management Administration Guide	Yes

customer-facing applications. Key features include:

- Modern UX: Redwood design-based Screens, Views and, Homepage with simplified Header and Redwood stripe eliminates clutter. With New Styles, Colors, Icons, and Fonts, users will experience a cleaner, more cohesive interface that aligns with contemporary design standards and enhances overall usability.
- Visual consistency: Redwood introduces a unified visual language across all applications brand owner companies use to engage with their channel and alliance partners, distributors, resellers, agents, brokers, or dealers, making it easier for users to switch between applications without any re-training.
- Intuitive usability: With the improved layout and simplified navigation, the Redwood UX ensures that even first-time users can navigate the system with ease.
- Improved Productivity: The screens and layouts are designed to complete processes with minimal mouse movements and locate menu items quicker.
- Advanced search and filtering: The enhanced search and filtering functionality allows users to find what they need quickly and efficiently.
- Enhanced accessibility: Redwood UX is designed to be accessible to everyone, including those with disabilities, offering a truly inclusive experience.

The Redwood UX is enabled for the following applications:

- *Siebel PRM Portal*
- *Siebel Public Sector Provider Portal*
- *Siebel eDealer Partner Portal*
- *Siebel Loyalty Partner Portal*
- *Siebel HTIM Partner Portal*

Training on this feature can be found on [Oracle University](#).

Siebel Web Tools
MVG/Tree/Pick
Applet Wizards

New object wizards in Web Tools that allow developers to quickly create MVG, Pick and Tree Applets, improving productivity and overall developer experience.

- Configuring Siebel Business Applications

No

	Training on this feature can be found on Oracle University .		
REST APIs for Universal Customer Master	This feature provides REST APIs for Inbound Universal Customer Master (UCM) processes using the JSON format and outbound REST APIs to publish JSON format messages to external systems. By adding modern, scalable, and flexible REST APIs the throughput and scale are improved for integrated system deployments. Siebel UCM now has improved integration capabilities with both REST APIs and Kafka Event Pub/Sub. Training on this feature can be found on Oracle University.	Oracle Customer Hub (UCM) Master Data Management Reference	Yes

Fixes in Siebel CRM 25.3

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	25293830	Customizable Prod/Configurator	Addresses an issue of Find and Query Assistant not working as expected for constraint templates while creating constraints in Product Administration	
Siebel Apps - Customer Order Management	37364401	Order Management	Addresses an issue of incorrect currency code on assets when an account has orders in two different currencies and auto-asset is triggered	Instructions for 37364401
Siebel Apps - Customer Order Management	37386074	Promotions	The fix precludes duplicate records from getting created in aggregate discount item entity via REST API by providing external integration id	Instructions for 37386074
Siebel Apps - Customer Order Management	37391028	Promotions	Addresses an issue of missing data in Billing Profile and Ship To Address fields on line items while Upgrading a bundle promotion. See special instructions for repository changes.	Instructions for 37391028
Siebel CRM Cloud Applications	37688472	Siebel Cloud Manager	This fixes a bug in Siebel File System "lift-and-shift" capabilities of Siebel Cloud Manager to eliminate manual intervention in the event of a failure.	

Siebel CRM Cloud Applications	37686508	Siebel Cloud Manager	This enhancement allows SCM offer using ZFS as an option for file system persistence
Siebel CRM Cloud Applications	37357970	Siebel Cloud Manager	This enhancement enables the use of any combination of alphanumeric characters, including all numeric or all letters for SCM prefix that is used during resource provisioning in OCI.
Siebel CRM Deployment	36670026	Application Deployment Manager	Migrations between different operating systems will successfully complete
Siebel CRM Deployment	37510139	Migration	Fixes issue where a synchronous full migration failed if the Migration Package Location parameter was left blank in the Siebel Management Console(SMC). Instructions for 37510139
Siebel CRM Deployment	37487612	Migration	Corrects issue receiving an HTTP 500 response when running MigrationFilePrepareAndDeploy from an inbound REST request.
Siebel CRM Deployment	37252882	Migration	Migrations where there are many languages (22 or more), will succeed
Siebel CRM Deployment	37391411	Repository Utilities	Addresses an issue on AIX where a function-based index defined with more than 100 characters causes a failure during execution of "ddldict" *** This fixed bug was previously documented as a Known Issue ***
Siebel CRM Development	37424141	Business Logic	Product Attribute numerical precision is up to 7 digits for all database platforms.
Siebel CRM Development	32903743	Business Logic	Creating workflow connectors now correctly populates the Event Visibility column
Siebel CRM Development	31923173	Configuration Tools	Workflow Processes no longer appear editable in Web Tools/Siebel Tools when not in an editable Workspace
Siebel CRM Development	36847067	Scripting	Fixed an issue where the input arguments to eScript method Clib.fread were being ignored
Siebel CRM Development	37511170	Task Based UI	Fixed error when launching a Task where the User Id is more than 15 characters

Siebel CRM Development	37190379	Task Based UI	Launching Tasks by users with user id's that are greater than 15 characters has been fixed
Siebel CRM Development	36802681	Workspaces	Fixed crash when inspecting a modified Workflow Process
Siebel CRM Documentation	37629563	Database Upgrade Gd	Explains that the DBUTIL_LOG_EVENTS environment variable should only be set for specific troubleshooting situations.
Siebel CRM Documentation	34979118	Install Siebel	Corrected documentation for new repository installation
Siebel CRM Documentation	34461783	Testing Siebel Bus Apps	Instructions to run Siebel Test Execution without Jenkins, is now included
Siebel CRM End User	37162938	User Interface	Siebel Editor is improved to not change values in source control field.
Siebel CRM Integration	37646074	EAI	Fixes error sending outbound POST requests through SOAP. *** This fixed bug was previously documented as a Known Issue ***
Siebel CRM Integration	37608409	EAI	Fixes issue where outbound GET requests were changed to POST requests.

Special Configuration Instructions for Release 25.3

Instructions for 37364401--Addresses an issue of incorrect currency code on assets when an account has orders in two different currencies and auto-asset is triggered

Background

Map 'Currency Code' Integration Component Field in SIS OM Asset Integration Object to 'Asset Currency Code' Field

Steps

Repository Changes

31. Contact Tech Support to request the SIF file *Bug37364401.sif*.
32. Launch Siebel Tools against your Development (DR) environment.
33. For Integration Object *SIS OM Asset*, at *Line Item* Integration Component, update the *External Name* for the following Integration Component Field:

Name	External Name
Currency Code	Asset Currency Code

Instructions for 37386074--The fix precludes duplicate records from getting created in aggregate discount item entity via REST API by providing external integration id

Background

Adding a new field External Integration Id in Aggregate Discounts at the level of Discount Details to persist Id of the external system.

Steps

Repository Changes

1. Contact Tech Support to request the SIF file *Bug37386074.sif*.
2. Launch Siebel Tools against your Development (DR) environment.
NOTE: This is a schema level change that is not yet available in Web Tools.
3. Lock the project Table *Table BundlePricing*.
4. Import the archive file *Bug37386074.sif*
5. Query the Name column of the Table object for *S_BDL_DISC_ITEM*
6. Click the *Apply/DDDL* button.
7. Select the *Apply* radio button, then click OK.
8. In the *Apply Schema* window, select *Current Query* from the *Tables* dropdown list.
9. Fill in the appropriate Database User, Password, and ODBC data source information.
10. Click the *Apply* button.

NOTE: This process is only required in the Design Repository (DR) environment. The changes will automatically be propagated to downstream Runtime Repository environments at the next full or incremental migration.

11. For Business Component *Pricer Bundle Discount Item*, add the following field:

Name	Column	Text Length	Type
External Integration Id	AIA_INTEG_ID	150	DTYPE_TEXT

12. For Integration Object *Base Pricer Bundle Discount*, Integration Component *Pricer Bundle Discount Item* add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	25	25	External Integration Id

Instructions for 37391028--Addresses an issue of missing data in Billing Profile and Ship To Address fields on line items while Upgrading a bundle promotion. See special instructions for repository changes.

Background

In Upgrade Promotion flow, Address and Billing Profile details are missing in the new order created.

Steps

Repository Changes

16. For Workflow Process *In Memory Promotion Upgrade Process*, WF Step *Get Account Details* modify the following Output Argument

Property Name	Type	Business Component	Business Component Field
Billing Profile Id	Business Component	Account	Primary Billing Profile Id

17. For WF Step *Get Active Document* add the following Input Argument

Property Name	Type	Input Argument	Sequence
Account Id	Process Property	Field: Ship To Account Id	18

Instructions for 37510139--Fixes issue where a synchronous full migration failed if the Migration Package Location parameter was left blank in the Siebel Management Console(SMC).

Background

Bug 36922460 introduced an issue where the Migration Application could not find the migration package. As a workaround for that bug, KB162087 on My Oracle Support suggested that the EAI Object Manager (or any clone that the Migration Application would use) should point its File System parameter to a local drive such as C:\fs. With bug 37510139, the issue has been fixed and if you have performed this configuration as a workaround undo it and restore the Object Manager's File System parameter to a network drive.

Steps

Repository Changes

You can change the File System parameter using the user interface or Server Manager. Follow the instructions in KB162087 to reverse any changes you made to the File System parameter for your EAI Object Manager.

New Features and Bug Fixes in Siebel CRM Monthly Update 25.2

New Features in Siebel CRM 25.2

Feature Name	Description	Documentation	Repository Update Required?
Siebel Cloud Manager – Deploy Siebel CRM on Kubernetes in Oracle Compute Cloud@Customer (OC3)	This feature facilitates Siebel CRM deployment on Kubernetes in Oracle Compute Cloud@Customer (OC3) using Siebel Cloud Manager. OC3 is a fully managed, rack-scale distributed cloud platform that lets you use Oracle Cloud Infrastructure (OCI) Compute anywhere. OC3 is installed at a data center or location of your choosing and is the simplest way to run your Siebel CRM application on cloud infrastructure, while meeting your needs for data residency, security, and low-latency connections to existing resources and real-time operations. Key features of OC3 applicable to your Siebel CRM deployment: - Lets you run Siebel CRM with OCI compute, storage, and networking services - Enables you to meet data residency requirements	Deploying Siebel CRM Containers on Kubernetes using Siebel Cloud Manager	No

- Addresses the need for low-latency connections to existing data center assets and real-time operations
- Employ the same OCI services, APIs, and automation as the rest of Oracle's distributed cloud
- Container Automation using Oracle Cloud Infrastructure Container Engine for Kubernetes (OKE). This is a managed Kubernetes service that simplifies the operations of enterprise-grade Kubernetes at scale.
- Consistent management - the infrastructure is fully managed and supported by Oracle so scarce IT resources can focus on meeting crucial business needs.
- Lower cost, via low consumption pricing based on usage and affordable infrastructure subscriptions providing significant savings
- Flexible storage, with 150 TB of storage capacity that is incrementally expandable to 3.65 PB meets the needs of data-intensive workloads. Pay consumption costs only for the amount of storage used instead of the amount installed to reduce costs.

With this new feature, customers can now deploy Siebel CRM on Kubernetes in their OC3 instances with SCM without the need to do any custom work. Customers can quickly start to take advantage of the benefits of OC3 with SCM:

- Brings the convenience of SCM along with a cloud native Observability stack
- Use SCM to run and operate your Siebel CRM deployment in OC3 with ease, saving time and additional expense.
- Complete support from Oracle for deployment operations with SCM and OC3 infrastructure.

Training on this feature is available on Oracle University at

<https://mylearn.oracle.com/ou/course/-/147378>.

Siebel Cloud Manager – GitOps Repository Deployment Flexibility	This enhancement for Siebel Cloud Manager (SCM) enables customers to use their existing Git repositories hosted in leading distributions (like OCI DevOps, GitHub, Bitbucket, and so on) to deploy and manage Siebel CRM on Kubernetes with GitOps.	• Deploying Siebel CRM Containers on Kubernetes using Siebel Cloud Manager	No
---	---	--	----

GitOps is a framework that uses Git to manage infrastructure and application code deployments. GitOps is an operational framework based on DevOps best practices, like continuous integration/continuous delivery (CI/CD) and version control, which automates infrastructure and manages software deployment.

There are many key benefits with this new feature in SCM. Vendor restrictions for Git repository choices are removed, providing an open approach to the selection of repositories in Git distributions that may be consistent with your wider organizational practices. This may lead towards improved efficiency and security, a better developer experience, reduced costs, and faster deployments.

Training on this feature is available on Oracle University at <https://mylearn.oracle.com/ou/course/-/147376>.

Replacement of DataDirect Drivers with Oracle Drivers for ODBC	This feature replaces the legacy ODBC drivers (DataDirect) provided with previous versions of Siebel CRM. The benefit of the new drivers is to provide better compatibility with modern Oracle database versions and sets the scene for eventual 64-bit ODBC integration. Training on this feature will be available on Oracle University soon.	• Deployment Guide	No
--	--	--	----

Fixes in Siebel CRM 25.2

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	37313308	Order Management	This enhancement allows 1) saving shopping cart for anonymous user using either Client Id or Email and 2) enables Personal View Mode on Account object to restrict data via REST APIs based on user id. Please refer to last section of https://mylearn.oracle.com/ou/course/siebel-crm-2025-toi-in-memory-support-for-subscription-web-services-com/148806/	

Siebel Apps - Hospitality, Travel, and Transportation	37403227	Functions	Fixes issue to reflect the correct Inventory Status when Start/End Time is changed.
Siebel CRM Deployment	37309461	Application Interface	Improved logging behavior for Apache Tomcat
Siebel CRM Deployment	37313011	Migration	Runtime Repository migration imports can now handle files larger than 3 GB
Siebel CRM Deployment	37327885	Monthly Update Issues	Provides delete capability for the Monthly Update history.
Siebel CRM Deployment	37180393	Test Automation	The Test Automation keyword or action InboundWebServiceCall now supports using values from Data Sets as well
Siebel CRM Documentation	37017646	Install Siebel	Improved Unix Configuration instructions for launching uninstall/install
Siebel CRM Documentation	35099209	Install Siebel	Improve unintall steps for Unix in install guide.
Siebel CRM Documentation	20774239	Loyalty Admin Guide	Create voucher steps in Loaylty Admin Guide needs to beupdated with correct field lable.
Siebel CRM Documentation	22163907	Loyalty Admin Guide	In bulk tier change product name is not required and this information needs to be updated in the Loyalty Admin GUiide.
Siebel CRM Documentation	22368016	Loyalty Admin Guide	Steps in order level promotions needs to be updated in Loaylty Admin Guide.
Siebel CRM Documentation	21381281	Loyalty Admin Guide	Loyalty interactive engine functionality is not relvant hence needs to be removed from the Loyalty Admin Guide.
Siebel CRM Documentation	37758104	MOS Certifications	Documents support for OAS7.6 on Siebel CRM 24.x versions on the Certifications tab on My Oracle Support.
Siebel CRM Documentation	37471192	REST API Guide	The REST API Guide has been updated to show how to use a customer header field for OAuth authorization information.
Siebel CRM End User	34692017	User Interface	Improved session timeut behavior for OpenID use cases
Siebel CRM Integration	35077794	EAI	Allows a custom header field to be specified in the SMC for OAuth created authorization information. For more information consult the REST API Guide.

Siebel CRM Integration	37217368	REST	Incoming REST requests now correctly interpret time zone information
------------------------	----------	------	--

New Features and Bug Fixes in Siebel CRM Monthly Update 25.1

New Features in Siebel CRM 25.1

Feature Name	Description	Documentation	Repository Update Required?
Web Tools Properties Pane	The Web Tools Properties Pane allows developers to quickly see and change the property values of an object, saving them time and improving the developer experience. Get training on this feature here: https://eeho.fa.us2.oraclecloud.com/fscmUI/redwood/learner/learn/redirect?learningItemId=302947933466993&learningItemType=ORA_COURSE	Using Siebel Tools	No
Installing Siebel Cloud Manager and Siebel CRM on Kubernetes using Siebel Installer	This feature facilitates installation of Siebel CRM on an existing CNCF Certified Kubernetes cluster (for example, an OCNE cluster), on-premises or in the cloud, using Siebel Cloud Manager via a standard Siebel Installer. Get training on this feature here: https://mylearn.oracle.com/ou/course/-/147321	Deploying Siebel CRM Containers on Kubernetes using Siebel Cloud Manager	No

Fixes in Siebel CRM 25.1

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	35796976	Customizable Prod/Configurator	This enhancement allows easy searching in drop-down lists (combo boxes) within Siebel product configurator. User can type in the text and list will be filtered based on the text.	Instructions for 35796976

Siebel Apps - Customer Order Management	37267327	Product Administration	This enhancement adds Synchronize method to SWI Price List Business Service. This method allows associating organization(s) to the price list.	Instructions for 37267327
Siebel Apps - Customer Order Management	37037241	Product Administration	This enhancement allows pricing administrator to associate product-based discount matrix adjustment to price list. Pricing Procedure - Calculate Net Price workflow step Product Based Adjustment uses the name configured in the price list to apply the discount. If price list does not have discount matrix configured, AIA2.4DiscountMatrix will be referred using changes in workflow Dynamic Pricing Procedure step Check Header Price List.	Instructions for 37037241
Siebel Apps - Field Service	37226294	Scheduling	Addresses an issue where the Warranty and Entitlement was not getting Swapped during Parent Asset Swap	Instructions for 37226294
Siebel Apps - Hospitality, Travel, and Transportation	37137197	Functions	Fixes issue to reflect the correct Inventory Status when Start/End Time is changed.	
Siebel CRM Deployment	37145311	Migration	Migration of large Repositories will now successfully complete.	
Siebel CRM Development	32869263	Configuration Tools	Properties Pane added to Siebel Web Tools.	
Siebel CRM Development	36773866	Configuration Tools	Adding new controls to Form Applets will not distort the previous layout	
Siebel CRM Development	37193476	Configuration Tools	All object types successfully display in the SIF Attributes Differences Applet after RepositoryUpgrade	
Siebel CRM Development	37246991	Workflow	Workflow Processes with Runtime Events defined in the Start Step are correctly compiled during migration	
Siebel CRM Development	36950111	Workspaces	Rebase will correctly create child records in a Workspace.	
Siebel CRM End User	37154869	User Interface	improved editor for base and edit scenario use cases to correctly save data.	

Siebel CRM Integration	37343885	Event Pub/Sub	This feature describes how to integrate Siebel CRM Event Pub/Sub with OCI Streaming with Apache Kafka service
------------------------	----------	---------------	---

Special Configuration Instructions for Release 25.1

Instructions for 35796976--This enhancements allows easy searching in drop-down lists (combo boxes) within Siebel product configurator. User can type in the text and list will be filtered based on the text.

Background

Introduce easy searching in drop-down lists (combo boxes) within product configurator. User can type in the text and list will be filtered based on this text.

Steps

Repository Changes

Applet "Cfgr Cx Runtime Instance Frame (JS HI)", add the following Applet User Properties

Name	Value
ClientPMUserProp1	Enable Auto-Complete
Enable Auto-Complete	TRUE

Instructions for 37267327--This enhancement adds Synchronize method to SWI Price List Business Service. This method allows associating organization(s) to the price list.

Background

Provide a method to synchronize Pricelist using Business Service *SWI Price List BS*.

Steps

Repository Changes

29. For Business Service *SWI Price List BS*, add the following Business Service Method:

Name	Display Name – String Reference
Synchronize	SBL_SYNCHRONIZE-1004224621-1H4

30. For the above created Business Service Method, create following Business Service Method Arg:

Name	Data Type	Integration Object	Optional	Type	Display Name – String Reference	Storage Type
SiebelMessage	Integration Object	SWI Price List IO	N	Input / Output	SBL_SWI_PRICE_LIST_IO	Hierarchy
StatusObject	String		Y	Input	SBL_STATUS_OBJECT-1004225318-10K	Property

31. For Business Component *SWI Price List*, create a new Join with following configuration:

Name	Alias
S_ADJ_GROUP	S_ADJ_GROUP

32. Create new Fields with the following configuration:

Name	Join	Column	Picklist
Adjustment Group Id		ADJ_GROUP_ID	
Adjustment Group Name	S_ADJ_GROUP	ADJ_GROUP_NAME	Adjustment Group Picklist
External Integration Id		AIA_INTEG_ID	

33. Add the following Pick Map for Field *Adjustment Group Name*:

Field	Picklist Field
Adjustment Group Id	Id
Adjustment Group Name	Name

34. Add the following Join Specification for Join *S_ADJ_GROUP*:

Name	Destination Column	Source Field
Adjustment Group Id	ROW_ID	Adjustment Group Id

35. For Integration Object *SWI Price List IO*, Integration Component *Price List* add the following Integration Component Field:

Name	Data Type	Length	External Name	External Data Type	External Length	External Sequence	XML Sequence	XML Tag
Adjustment Group Id	DTYPE_ID	15	Adjustment Group Id	DTYPE_ID	15	50	50	AdjustmentGrouppld
Adjustment Group Name	DTYPE_TEXT	50	Adjustment Group Name	DTYPE_TEXT	50	51	51	AdjustmentGrouppName
Bundle Sequence Id	DTYPE_ID	15	Bundle Sequence Id	DTYPE_ID	15	52	52	BundleSequenceId
Bundle Sequence Name	DTYPE_TEXT	50	Bundle Sequence Name	DTYPE_TEXT	50	53	53	BundleSequenceName
External Integration Id	DTYPE_TEXT	150	External Integration Id	DTYPE_TEXT	150	54	54	ExternalIntegrationId

36. Activate the Integration Component Field *Primary Organization Id*:

Field	Inactive
Primary Organization Id	N

37. Add the following Integration Component Key Field for Integration Component Key *Status Key:1*:

Name	Field
Adjustment Group Id	Adjustment Group Id
Adjustment Group Name	Adjustment Group Name
Bundle Sequence Id	Bundle Sequence Id
Bundle Sequence Name	Bundle Sequence Name
External Integration Id	External Integration Id
Primary Organization Id	Primary Organization Id

Instructions for 37037241--This enhancement allows pricing administrator to associate product-based discount matrix adjustment to price list. Pricing Procedure - Calculate Net Price workflow step Product Based Adjustment uses the name configured in the price list to apply the discount. If price list does not have discount matrix configured, AIA2.4DiscountMatrix will be referred using changes in workflow Dynamic Pricing Procedure step Check Header Price List.

Background

Provide a way to associate Discount Matrix with Price List from Siebel Application

Steps

Repository Changes

1. Create a new Applet with following configuration:

Note: If you would prefer to import a SIF file with the new Applet definition, please contact Tech Support to request the SIF file 'Bug37037241.sif'.

Name	Business Component	Project	Class	Upgrade Behavior	Search Specification	Type	Title – String Reference
Discount Matrix Pick Applet	Adjustment Group	Fixed Rule Adjustment	CSSFrame List	Preserve	[Adjustment Group Type]=LookupValue ("ADJ_GROUP_TYPE","Product-Based Adjustment")	Pick List	SBL_DISCOUNT_MATRIXES

2. Create new Controls with following configuration:

Name	Caption - String Reference	HTML Bitmap	HTML Disabled Bitmap	HTML Only	HTML Type	Method Invoked
CloseApplet	SBL_CANCEL-1004230137-1J7			N	MiniButton	CloseApplet
ExecuteQuery	SBL_GO-1004224654-095			Y	MiniButtonQuery	ExecuteQuery
GotoNextSet		RECNAV_NEXTSET_ON	RECNAV_NEXTSET_OFF	Y	RecNavNxt	GotoNextSet
GotoPreviousSet		RECNAV_PREVSET_ON	RECNAV_PREVSET_OFF	Y	RecNavPrv	GotoPreviousSet
LabelFind	SBL_FIND-1004224512-0V7			N	Text	
Labelstartingwith	SBL_STARTING_WITH-1005113158-3CG			N	Text	
List	SBL_LIST-1009090938-8PN			N	Text	
NewQuery	SBL_QUERY-1005111820-1VI			Y	MiniButtonEdit	NewQuery

PickRecord	SBL_OK-1004224735-0D4			Y	MiniButton	PickRecord
PopupQueryComboBox	SBL_FIND-1004224512-0V7			N	Text	
PopupQueryExecute	SBL_GO-1004224654-095			N	MiniButton	Find
PopupQuerySrchsSpec	SBL_STARTING_WITH-1005113158-3CG			N	Text	
PositionOnRow		ROW_OFF	ROW_ON	Y	PositionOnRow	PositionOnRow
UndoQuery	SBL_CANCEL-1004230137-1J7			N	MiniButtonQuery	UndoQuery

3. Create new List with following configuration:

Name
List

4. Create List Column with following configuration:

Name	Field	Display Name - String Reference	HTML Type
Name	Name	SBL_NAME-1004224644-1K5	Field
Status	Status	SBL_STATUS-1004224352-0BB	Field
Type	Adjustment Group Type	SBL_TYPE-1004233548-79D	Field

5. Create new Applet Web Templates with the following configuration:

Name	Type	Web Template
Base	Edit List	Popup List
Query	Query	Popup Query

6. Add the following Applet Web Template Item for Applet Web Template *Base*:

Name	Control	Item Identifier	Type
CloseApplet	CloseApplet	153	Control
GotoNextSet	GotoNextSet	123	Control
GotoPreviousSet	GotoPreviousSet	122	Control
InlineExecuteQuery	ExecuteQuery	107	Control
InlineUndoQuery	UndoQuery	108	Control
LabelFind	LabelFind	160	Control
Labelstartingwith	Labelstartingwith	162	Control
Name	Name	501	List Item
NewQuery	NewQuery	106	Control
PickRecord	PickRecord	152	Control
PopupQueryComboBox	PopupQueryComboBox	161	Control
PopupQueryExecute	PopupQueryExecute	164	Control
PopupQuerySrchsSpec	PopupQuerySrchsSpec	163	Control

PositionOnRow	PositionOnRow	147	Control
Status	Status	503	List Item
Type	Type	502	List Item

7. Add the following Applet Web Template Item for Applet Web Template *Query*:

Name	Control	Item Identifier	Type
CancelQuery	UndoQuery	108	Control
ExecuteQuery	ExecuteQuery	107	Control
Name	Name	1,301	List Item
Type	Type	1,302	List Item
Status	Status	1,303	List Item

8. Create a new Symbolic String with following configuration:

Name	Current String Value	Project	Type
SBL_DISCOUNT_MATRIX	Discount Matrix	Symbolic Strings	Conversion

9. For Applet *Price List Form Applet – Child* add new Control with following configuration:

Name	Caption - String Reference	Field	HTML Sequence	Pick Applet	HTML Width	HTML Height	HTML Type
Discount Matrix	SBL_DISCOUNT_MATRIX	Adjustment Group Name	11	Discount Matrix Pick Applet	136	24	Field

10. For Applet Web Templet *Edit* add Applet Web Template Item with following configuration:

Name	Control	Row Span	Column Span	Item Identifier	Type	Grid Property
Discount Matrix	Discount Matrix	3	17	14017	Control	Formatted Html
Discount MatrixLabel	Discount Matrix	3	13	14004	Control	FormattedLabel

11. For Applet *Price List Form Applet* add new Control with following configuration:

Name	Caption - String Reference	Field	HTML Sequence	Pick Applet	HTML Width	HTML Height	HTML Type
Discount Matrix	SBL_DISCOUNT_MATRIX	Adjustment Group Name	12	Discount Matrix Pick Applet	136	24	Field

12. For Applet Web Templet *Edit* add Applet Web Template Item with following configuration:

Name	Control	Row Span	Column Span	Item Identifier	Type	Grid Property
Discount Matrix	Discount Matrix	17	3	14016	Control	Formatted Html
Discount MatrixLabel	Discount Matrix	13	3	14003	Control	FormattedLabel

Instructions for 37226294--Addresses an issue where the Warranty and Entitlement was not getting Swapped during Parent Asset Swap

Background

The fix for bug 36903564 causes a regression during in the Field Service asset swap process due to duplicate records appearing in query result for the business component Asset Mgmt - Asset.

Steps

Repository Changes

1. For Business Component *Asset Mgmt - Asset*, Join *S_VOD_VER*, find the join constraint with Name *Active*, update to the following value:

Name	Destination Column	Value
Current Ver	CURR_VER_FLG	Y

New Features and Bug Fixes in Siebel CRM Monthly Update 24.12

New Features in Siebel CRM 24.12

Feature Name	Description	Documentation	Repository Update Required?
Siebel CRM Event Pub Sub - Enhanced JSON Message Structure for Kafka Integration	This enhancement simplifies the Kafka integration with a JSON message structure sent from Siebel CRM using Runtime Events (RTE). The new structure format is more user-friendly and will provide the following benefits: • Intuitive message structure for easier integration • Improved readability • Aligned with industry-standard JSON for business entities such as Account, Contacts, and so on. • Easier processing of messages Also, in both the cases of RTE and Custom Business Service script usage, single instances of child entities (Business Components) will be array members instead of being a JSON object in the payload posted to Kafka from Siebel CRM. Get training on this feature here: https://mylearn.oracle.com/ou/course/siebel-crm-2024-toi-siebel-crm-event-pub-sub-enhanced-json-payload-structure/144846/	• System Administration Guide	No
Kafka Partition Support in Siebel CRM Event Pub Sub	The Siebel CRM Event Pub Sub functionality has been extended to now include support for Kafka partitions. One of the key benefits of Kafka partitions is to improve the scalability of Kafka usage. Further details of Siebel CRM Event Pub Sub are found in the System Administration Guide of Siebel CRM Bookshelf. Get training on this feature here: https://mylearn.oracle.com/ou/course/-/147303.	• System Administration Guide	No

CTMS-PowerTrials Integration	The integration of Oracle CTMS with PowerTrials provides the best experience for patients, researchers, clinicians, and hospital administration. Utilizing both integrated systems optimizes study operations, eliminates duplicate data entry and ensures all researchers, clinicians, and hospital administration have visibility to the information they need for patient care and study participant management. Our goal is to enable healthcare research users to spend less time in front of a computer and more time doing what matters the most: <i>focusing on the patients while enabling research.</i> Get training on this feature here: https://mylearn.oracle.com/ou/course/siebel-crm-2024-toi-ctms-powertrials-integration/144757/	• CTMS Guide	Yes
Purge Old Versions of Products, Classes, and Attributes	This feature provides a Business Service and REST API to enable Product Administrators to purge old versions of products, classes, and attributes easily, whilst retaining a specified number of versions of those objects. Purging old versions simplifies product administration and improves performance. Get training on this feature here: https://mylearn.oracle.com/ou/course/siebel-crm-2024-toi-purge-old-versions-of-product-class-attribute/145319/	• REST API Guide	Yes

Fixes in Siebel CRM 24.12

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Clinical Trials Management System	36722771	Program / Protocol	In CTMS application, if an Account is associated with multiple protocols and a user selects second or subsequent protocol on the Accounts view, then CTMS UI defaults to 1st protocol when clicking tabs in Protocol View instead of retaining the selected protocol. This issue has been fixed now. System shall display the appropriate Protocol that the Account is associated with.	
Siebel Apps - Clinical Trials Management System	37066921	Program / Protocol	In the CTMS application under Protocol / Region > Activities view, when Status is set to Done, system gives an error. After hitting OK button	

			the error disappears and Status is Done so it was saved. Expectation is that the error should not pop-up. The issue has been fixed now.
Siebel Apps - Clinical Trials Management System	36803762	Site Management	In 'Case Report Form Tracking' under the 'Clinical Site Visits List', when user clicks on 'Add Unscheduled' button the user is able to see the 'UnScheduled Visits' Master Subject Visits where the expectation is that Master Subject Visits shall not be displayed. This is fixed now.
Siebel Apps - Clinical Trials Management System	37017979	Site Management	When users do a query/go at the Activities tab, and navigate back to the Activity plans tab to change the planned date and save, system is throwing an error. The issue is fixed now.
Siebel Apps - Clinical Trials Management System	36566646	Site Management	At Protocol/Region level, "Planned" date is in sync between Activity Plans > Activities view and Activities view where as, at the Site level, it is not matching with the "Planned" date between Protocol Site List > Activities view and Protocol Site List > Activity Plans > Activities view. The issue has been fixed now.
Siebel Apps - Clinical Trials Management System	36875776	Site Management	In Site Management , select a site and click on Verison MVG and click on QueryGo arrow button. The system is displaying all SVT's irrespective of the Study instead of displaying the respective SVT related to that study. The issue has been fixed now.
Siebel Apps - Clinical Trials Management System	36828051	Site Management	When users update the Planned start date at activity plan, at activities level Planned field is not recalculated according to lead units defined at template level, which is incorrect. The issue has been fixed now so that the Planned date gets recalculated at the Activities too.
Siebel Apps - Clinical Trials Management System	36824557	Site Management	An issue has been reported that sort is not working as expected on the 'My Site Visits' view, where the system is expected to sort the Visits by latest Visit Start Date. Issue has been fixed now, where Visits under My Site Visits

			shall be sorted by Visit Start Date in descending order of the Visit Start Date.	
Siebel Apps - Clinical Trials Management System	36011197	Subject	There was an issue occurring when the user is trying to create a Subject with status as Screened from the Site management screen. The issue has been fixed now.	
Siebel Apps - Customer Order Management	35282009	Customizable Prod/Configurator	Address an issue of Cfg State Code field for root line item set to User Requested Item instead of Saved Item after completing product configurator session	
Siebel Apps - Customer Order Management	37076228	Product Administration	Introducing new method RemoveOldReleasedVersions on SWI Cfg Object Broker business service to delete old versions of product, class and attributes while retaining specified number of versions. See REST API Guide for details.	Instructions for 37076228
Siebel Apps - Customer Order Management	32769080	Product Administration	This enhancement allows users to retain specified number of versions while purging old versions of products, classes and attributes.	
Siebel Apps - Customer Order Management	37098350	Promotions	Addresses an issue of child product that exists on an asset getting inadvertently deleted during bundle promotion upgrade.	
Siebel CRM Deployment	25142799	Database Upgrade	Addresses issues during upgrade when converting calendar records to new schema when there are multiple languages deployed. Applies only to releases from pre-IP2016.	
Siebel CRM Deployment	26002310	Database Upgrade	Addresses an issue where the "UPG_DATA_AFTER_SEED.SQL" script may fail during calendar schema conversion from pre-IP2016 upgrades.	
Siebel CRM Deployment	30217145	Database Upgrade	Eliminates the auto-execution of the Repository Crawler utility (RepCrawler). The utility is still available, and Oracle recommends executing it, but it is ultimately the customer's choice.	
Siebel CRM Deployment	36922460	Migration	Corrects issue finding the exportmanifest.mf file during a full migration.	

Siebel CRM Development	35489321	Configuration Tools	Improved performance using the Attribute Differences Tree Applet in Web Tools
Siebel CRM Integration	36205575	Event Pub/Sub	1. Support for Kafka Partitions introduced under Siebel CRM Event Pub/Sub. 2. Single Child Business Component data to be posted to Kafka from Siebel CRM as member of array instead of as JSON Object
Siebel CRM Integration	36453718	Event Pub/Sub	Siebel CRM Event Pub/Sub to enable subscribing from Apache Kafka topics bearing names up to 249 characters long.

Special Configuration Instructions for Release 24.12

Instructions for 37076228--Introducing new method RemoveOldReleasedVersions on SWI Cfg Object Broker business service to delete old versions of product, class and attributes while retaining specified number of versions. See REST API Guide for details.

Background

Provide a utility to purge old released versions for the versioned objects including product, class, and attribute.

A rest API *SWI VOD Versions* is provided to facilitate understanding the versions before the purge is performed.

Steps

Repository Changes

38. For Business Component *ISS VOD Import Export Versions BusComp*, add the following fields:

Field	Column	Force Active	Text Length	Type
Required Start Date	START_DT	Y		DTYPE_UTCDATETIME
Required End Date	END_DT	Y		DTYPE_UTCDATETIME
Active Flg	ACTIVE_FLG	Y	1	DTYPE_BOOL
Comments	DESC_TEXT	Y	250	DTYPE_TEXT

39. Create a new Business Component *SWI VOD Versions BusComp* with the following details:

Property	Value
Name	SWI VOD Versions BusComp
Class	CSSBusComp
Comments	Versions Query BC for all VOD Types
No Delete	TRUE

No Insert	TRUE
No Merge	TRUE
No Update	TRUE
Sort Specification	Version (DESCENDING)
Table	S_VOD_VER
Project	Web Service Integration

40. Add the following Joins to the Business Component *SWI VOD Versions BusComp*:

Alias	Table	Outer Join Flag
Class VOD	S_VOD	Y
S_ISS_OBJ_DEF	S_ISS_OBJ_DEF	Y
S_VOD	S_VOD	

41. Add the following Fields for the above Business Component *SWI VOD Versions BusComp*:

Field	Join	Column	Force Active	Required	Text Length	Type
Active Flg		ACTIVE_FLG			1	DTYPE_BOOL
Comments		DESC_TEXT			250	DTYPE_TEXT
Object Name	S_VOD	VOD_NAME			100	DTYPE_TEXT
Object Number	S_VOD	OBJECT_NUM			15	DTYPE_ID
Object Type	S_VOD	VOD_TYPE_CD			30	DTYPE_TEXT
Parent Class Name	Class VOD	VOD_NAME			100	DTYPE_TEXT
Parent Class Vod Id	S_ISS_OBJ_DEF	PAR_VOD_ID			15	DTYPE_ID
Required Start Date		START_DT				DTYPE_UTCDATETIME
Required End Date		END_DT				DTYPE_UTCDATETIME
Released Flg		RELEASED_FLG		Y	1	DTYPE_BOOL
VOD Id		VOD_ID	Y	Y	15	DTYPE_ID

Version		VER_NUM	Y	Y		DTYPE_NUMBER
---------	--	---------	---	---	--	--------------

42. Add a calculated field Object Type LIC as follows :

Field	Calculated	Calculated Value	Force Active	Type
Object Type LIC	Y	LookupName("ISS_VOD_TYPE", [Object Type])	Y	DTYPE_TEXT

43. Add the Join Specifications for the Joins in table 4 as follows:

Join Alias	Join Spec Name	Destination Column	Source Field
Class VOD	Class VOD Id	OBJECT_NUM	Parent Class Vod Id
S_ISS_OBJ_DEF	Detail	VOD_ID	VOD Id
S_VOD	Id	ROW_ID	VOD Id

44. Add a new Business Object *SWI VOD Versions* with the following details:

Name	Project	Query List Business Component
SWI VOD Versions	Web Service Integration	Query List

45. Add the following Business Object Component to Business Object *SWI VOD Versions*:

Bus Comp
SWI VOD Versions BusComp

46. Add a new Integration Object *SWI VOD Versions* with the following details:

Name	Project	External Name	Base Object Type	XML Tag
SWI VOD Versions	Web Service Integration	SWI VOD Versions	Siebel Business Object	ListOfSwiVODVersions

47. Add the Integration Component *SWI VOD Versions BusComp* to the above Integration Object *SWI VOD Versions* with the following details:

Property	Value
Name	SWI VOD Versions BusComp
External Name	SWI VOD Versions BusComp
Adapter Info	SWI VOD Versions BusComp
Cardinality	Zero or More
External Sequence	1

XML Sequence	10001
XML Tag	SwiVODVersionsBuscomp

48. Add the following Integration Component Fields of the Integration Component *SWI VOD Versions BusComp*. Due to the number of properties of the Integration Component Fields, details are separated into three different tables listed in 10, 11 and 12.

Name	Data Type	Length	Required	Type	User Visible
Active Flg	DTYPE_BOOL	1		Data	Y
Comments	DTYPE_TEXT	250		Data	Y
Object Name	DTYPE_TEXT	100		Data	Y
Object Number	DTYPE_ID	15		Data	Y
Object Type	DTYPE_TEXT	30		Data	Y
Parent Class Name	DTYPE_TEXT	100		Data	Y
Parent Class Vod Id	DTYPE_ID	15		Data	Y
Required Start Date	DTYPE_UTCDATETIME			Data	Y
Required End Date	DTYPE_UTCDATETIME			Data	Y
Released Flg	DTYPE_BOOL	1	Y	Data	Y
VOD Id	DTYPE_ID	15	Y	Data	Y
Version	DTYPE_Number		Y	Data	Y
Conflict Id	DTYPE_ID	30		System	Y
Created	DTYPE_DATETIME	30		System	Y
Created By	DTYPE_ID	30		System	Y
Id	DTYPE_ID	30		System	Y
Mod Id	DTYPE_ID	30		System	Y
Updated	DTYPE_DATETIME	30		System	Y
Updated By	DTYPE_ID	30		System	Y
operation	DTYPE_TEXT	30		System	Y
searchspec	DTYPE_TEXT	250		System	Y

49. Continued from item 10, for the Integration Component *SWI VOD Versions BusComp*, set the following details to the Integration Component Fields as follows:

Name	External Name	External Data Type	External Length	External Sequence
Active Flg	Active Flg	DTYPE_BOOL		12
Comments	Comments	DTYPE_TEXT	250	13
Object Name	Object Name	DTYPE_TEXT	100	15
Object Number	Object Number	DTYPE_ID		14
Object Type	Object Type LIC	DTYPE_TEXT	30	16
Parent Class Name	Parent Class Name	DTYPE_TEXT	100	22
Parent Class Vod Id	Parent Class Vod Id	DTYPE_ID		23
Required Start Date	Required Start Date	DTYPE_UTCDATETIME		18
Required End Date	Required End Date	DTYPE_UTCDATETIME		19
Released Flg	Released Flg	DTYPE_BOOL		17
VOD Id	VOD Id	DTYPE_ID	15	20
Version	Version	DTYPE_Number		21
Conflict Id	Conflict Id	DTYPE_ID		6
Created	Created	DTYPE_DATETIME		2
Created By	Created By	DTYPE_ID		3
Id	Id	DTYPE_ID		1
Mod Id	Mod Id	DTYPE_ID		7
Updated	Updated	DTYPE_DATETIME		4
Updated By	Updated By	DTYPE_ID		5
operation	operation	DTYPE_TEXT		8
searchspec	searchspec	DTYPE_TEXT		9

50. Continued from item 10, for the Integration Component *SWI VOD Versions BusComp*, set the following details to the Integration Component Fields as follows:

Name	XML Tag	XML Style	XML Sequence
Active Flg	ActiveFlg	Element	12

Comments	Comments	Element	13
Object Name	ObjectName	Element	15
Object Number	ObjectNumber	Element	14
Object Type	ObjectType	Element	16
Parent Class Name	ParentClassName	Element	22
Parent Class Vod Id	ParentClassVodId	Element	23
Required Start Date	RequiredStartDate	Element	18
Required End Date	RequiredEndDate	Element	19
Released Flg	ReleasedFlg	Element	17
VOD Id	VODId	Element	20
Version	Version	Element	21
Conflict Id	ConflictId	Element	6
Created	Created	Element	2
Created By	CreatedBy	Element	3
Id	Id	Element	1
Mod Id	ModId	Element	7
Updated	Updated	Element	4
Updated By	UpdatedBy	Element	5
operation	operation	Element	8
searchspec	searchspec	Element	9

51. For Business Service *SWI Cfg Object Broker*, add the following Business Service Method:

Name
RemoveOldReleasedVersions

52. For the Business Service Method *RemoveOldReleasedVersions* of the Business Service *SWI Cfg Object Broker*, add the following Business Service Method Args:

Name	Data Type	Type	Optional	Storage Type
CurrentActiveVer	String	Output	Y	Property
NumVersToRetain	String	Input		Property
ObjName	String	Input	Y	Property

ObjNum	String	Input	Y	Property
ObjType	String	Input		Property
NoCommitFlag	String	Input	Y	Property
VersRemained	String	Output	Y	Property
VersRemoved	String	Output	Y	Property
Comments	String	Output	Y	Property
Committed	String	Output	Y	Property
Versions	Hierarchy	Output	Y	Hierarchy

53. Add a new Business Service *SWI VOD Versions* as follows, take the default value for the rest properties:

Name	Project	Class	Display Name
SWI VOD Versions	Web Service Integration	CSSEAIDataSyncService	Versions

54. Add a new Business Service Method *QueryPage* to the business service *SWI VOD Versions* as follows:

Name	Display Name – String Reference
QueryPage	SBL_QUERY_PAGE-1004225110-OLY

55. Add the following Business Service Method Arg to the Business Service Method *QueryPage*:

Name	Data Type	Integration Object	Type	Optional	Storage Type
LastPage	String		Output	Y	Property
PageSize	Number		Input	Y	Property
SiebelMessage	Integration Object	SWI VOD Versions	Input / Output		Hierarchy
SortSpec	String		Input	Y	Property
StartRowNum	Number		Input	Y	Property
ViewMode	String		Input	Y	Property

56. Add the following new Business Service User Props to the Business Service *SWI VOD Versions*:

Name	Value
Application Services Interface	Y
Internal Integration Object	SWI VOD Versions

New Features in Siebel CRM 24.11

Feature Name	Description	Documentation	Repository Update Required?
Siebel Upgrade Factory 2.0	Upgrade Factory 2.0 extends the capabilities of the original release of the Upgrade Factory, providing an easier experience for customers and partners who leverage Upgrade Factory for their Siebel Upgrades. New features include: • <u>Performance Improvements</u>–Both Schema and Data Migration scripts are executed in parallel, increasing the performance of the upgrade <u>including Production</u>. <i>Customers and partners who have used the techniques implemented in Upgrade Factory 2.0 have seen a reduction in production upgrade times taking 33% to as low as 4% of the time previously taken on multi-terabyte production databases.</i> • <u>Production Upgrades</u>–it is now possible to leverage the Upgrade Factory for non-Development upgrades. • <u>Applicability</u>–Upgrade Factory can now be used to upgrade environments from 7.8.2 or later. <i>Previously, only 8.0 and later were supported.</i> • <u>Pre-Assessment Report</u>–Summarizes critical conflicts and schema changes <i>before</i> performing the upgrade. • <u>Observability & Monitoring</u>–Provides for rapid detection and evaluation of upgrade-related issues. • <u>Language Support</u>–All 22 shipped languages are supported. Get training on this feature here: https://mylearn.oracle.com/ou/course/siebel-crm-2024-toi-siebel-crm-upgrade-factory/144117	• Database Upgrade Guide	No

Fixes in Siebel CRM 24.11

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	36898371	Customizable Prod/Configurator	This bug addresses an issue of incorrect reset of the browser Busy Cursor within product configurator while adding a product for a product model having constraint and DynamicHide user property based on CfgEval expression to hide another product and uses checkbox control. This transpires in a long delay for end-user, equals to Busy	

			Cursor Timeout System Preference with default value of 10 minutes.
Siebel Apps - Customer Order Management	36795708	Customizable Prod/Configurator	Addresses an issue of adding a product within product configurator when names of two products are different considering case sensitivity and DynamicReadOnly ExprReadOnly is set to Y to one of them
Siebel CRM Deployment	36244796	Application Interface	Improved cancelled file download function to eliminate SBL-UIF-00335 message.
Siebel CRM Deployment	24817706	Database Upgrade	Reduces the time taken to migrate seed data when upgrading from a pre-IP2016 version.
Siebel CRM Deployment	35884464	Installation	Updated LOG4J version to 2.20
Siebel CRM Deployment	36944053	Platforms (OS)	fixed DDLIMP failure case on case insensitive columns with DB2 database.
Siebel CRM Deployment	31776829	Test Automation	Addresses dependency on Siebel Quality Management license key for using some features of Siebel Test Automation. License key is not required
Siebel CRM Development	36948746	Workspaces	Fixed an issue where delivery of Workspaces with 1000+ Symbolic Strings on MS SQLServer was not successful
Siebel CRM Development	36952142	Workspaces	Fixed an issue delivering large Workspaces on Microsoft SQLServer
Siebel CRM Development	35160343	Workspaces	Web Tools Workspaces and their versions are now fully available through scrollbars and Applet buttons.
Siebel CRM End User	36847744	User Interface	Improved focus control for selected records on tree control.
Siebel CRM End User	36279147	User Interface	Optimized list applet header layout

New Features and Bug Fixes in Siebel CRM Monthly Update 24.10

New Features in Siebel CRM 24.10

There are no new features in 24.10, but please review the change below.

Additional Changes

Change	Description
Default Speech-to-Text AI Service now uses the “Whisper” model	From 24.10 onwards, the “Whisper” model is the default model for Speech-to-Text transcription. This is a change from the default in previous versions, which was the “Oracle Speech Model”. To revert to the “Oracle Speech Model”, modify the Business Component User Prop <i>modelType</i> to “ORACLE”.

Fixes in Siebel CRM 24.10

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	36790252	Pricing Mgmt	Addresses an issue of missing integration object name from ISS Promotion Management Service REST API method GetPromotionUpgradePaths response.	Instructions for 36790252
Siebel Apps - Customer Order Management	36903564	Product Administration	This issue corrects the search specification for Asset Mgmt - Asset business component to support purging of product versions in subsequent Siebel update.	Instructions for 36903564
Siebel Apps - Customer Order Management	36893153	Product Administration	This fix addresses an intermittent issue seen during Price List creation using REST API. Start Date and End Date fields in a few Integration Objects are sequenced incorrectly and lack field dependency setting. This leads to instances where End Date gets persisted first before Start Date causing validation errors.	Instructions for 36893153
Siebel Apps - Customer Order Management	36946129	Product Administration	This fix addresses an issue of product creation using SWI Product Import when both Billing Type and Composition Type fields are passed in the input payload.	Instructions for 36946129
Siebel Apps - Customer Order Management	36884689	Promotions	Addresses an issue of Save All button giving an error while quitting from parallel configurator view invoked from staging view during upgrade process and Enable AIA Comms is TRUE.	Instructions for 36884689
Siebel Apps - Hospitality, Travel, and Transportation	36862254	Functions	Fixes unexpected behavior of "Copy" on Functions Detail due to the configured Runtime Event	

Siebel Apps - Hospitality, Travel, and Transportation	36822901	Functions	Ensures updates to the "Guaranteed" value for Order level updates only the "Menu Per Person" record
Siebel Apps - Hospitality, Travel, and Transportation	36900291	Line Items	Allows creation of "Negotiated Room Rate Records" even if "Blocked" / "Projected" are "0" for a Room Block Line Item.
Siebel CRM Deployment	32842593	Application Deployment Manager	Ensures SmartScript formatting is retained during ADM Migration
Siebel CRM Deployment	29609640	Database Configuration	Corrects out-of-the-box Repository to remove non-ASCII characters that were preventing SIF import on DB2 z/OS or other non-Unicode databases. <i>*** This fixed bug was previously documented as a Known Issue ***</i>
Siebel CRM Deployment	36953035	Database Upgrade	Resolves an issue found during the Upgrade of an 8.1.1.11 Microsoft SQL Server Production Database to a current version wherein previously the process was attempting to run Development Upgrade steps.
Siebel CRM Deployment	36340331	DB2 z/OS	Addresses an issue in the DB2 z/OS upgrade scripts which selects an incorrect Repository during the merge process
Siebel CRM Deployment	36888151	DB2 z/OS	Resolves an error in DB2 for z/OS new database installation process at the step "Insert S_REST_BUSOBJ"
Siebel CRM Deployment	36677244	Migration	Fixes issue in IRR Export where Validation Flag Set to "Y"
Siebel CRM Deployment	36799056	Migration	Allows correct execution of a Migration Plan via REST
Siebel CRM Development	34167413	Business Logic	PostInstallDBSetup rebuilds indices allowing Tasks paused before a Monthly Update to be resumed after after the update.
Siebel CRM Development	36640088	Configuration Tools	Allows Workflow/Task Process Properties to Be Deleted in the Editor
Siebel CRM Documentation	36927644	Database Upgrade Gd	Clarifies when "Direct SQL"--including Data Definition Language (DDL) and Data Manipulation Language (DML)--can and cannot be used against a Siebel CRM Database.

Siebel CRM Documentation	36394736	REST API Guide	Documents that you can only specify a single Integration Object for any Business Object (there is a one to one relationship) in the Administration Web Services -> Inbound REST API Access View
Siebel CRM Integration	36814413	Event Pub/Sub	Errors in preserving correct array structures in records consumed into Siebel CRM from Apache Kafka fixed in Siebel CRM Event Pub/Sub.
Siebel CRM Integration	36394701	REST	Disallows listing two different Business Objects for Integration Object Access View

Special Configuration Instructions for Release 24.10

Instructions for 36790252--Addresses an issue of missing integration object name from ISS Promotion Management Service REST API method GetPromotionUpgradePaths response.

Instructions for 36790252

Background

This fix deals with displaying Integration Object name in the response of GetPromotionUpgradePaths API

Steps

Repository Changes

1. Create a new Integration Object *GetPromotionUpgradePaths* from scratch by following the below steps:

Note: If you would prefer to import a SIF file with the new Integration Object, please contact Tech Support to request the SIF file 'Bug36790252.sif'.

- a. Create a new Integration object with the following properties using wizard.

Project	Business Service	Source Object	Source Root	Integration Object
Account	EAI Siebel Wizard	Account	ISS Promotion Upgrade Aggregate VBC	GetPromotionUpgradePaths

2. Select the *ISS Promotion Management Service* Business Service and add the following User Properties

Name	Value
Integration Object	GetPromotionUpgradePaths

Instructions for 36903564--This issue corrects the search specification for Asset Mgmt - Asset business component to support purging of product versions in subsequent Siebel update.

Background

Update the search spec on Asset Mgmt – Asset as the old spec [Cfg Version] = 1 is wrong in case the first product version is purged.

Steps

Repository Changes

57. For Business Component Asset Mgmt – Asset, update the search specification to:

Buscomp	Search Specification	Comment
Asset Mgmt - Asset	[Cfg Version] >= 1	36903564 old spec [Cfg Version] = 1

58. For Business Component Asset Mgmt – Asset, Join *S_VOD_VER*, add the following join constraint

Name	Destination Column	Value
Active	ACTIVE_FLG	Y

Instructions for 36893153--This fix addresses an intermittent issue seen during Price List creation using REST API. Start Date and End Date fields in a few Integration Objects are sequenced incorrectly and lack field dependency setting. This leads to instances where End Date gets persisted first before Start Date causing validation errors.

Background

This fix addresses an intermittent issue seen during Price List creation using REST API. Start Date and End Date fields in a few Integration Objects are sequenced incorrectly, and also lack field dependency setting. This leads to instances where End Date gets persisted first before Start Date causing validation errors.

Steps

Repository Changes

1. For the Integration Object *Base Price List*, query for the Integration Component *Price List Item* and modify the following Integration Component Fields

Name	External Sequence	XML Sequence
End Date	69	69
Start Date	24	24

For the Integration Component Field *End Date*, add the following Integration Component Field User Prop

Name	Value
FieldDependency	Start Date

2. For the Integration Object *SWI Admin ISS Product Definition*, query for the Integration Component *Price List Item* and modify the following Integration Component Fields

Name	External Sequence	XML Sequence
End Date	69	69
Start Date	24	24

For the Integration Component Field *End Date*, add the following Integration Component Field User Prop

Name	Value
FieldDependency	Start Date

3. For the Integration Object *SWIProductIntegrationIO*, query for the Integration Component *SWI Price List Item VBC* and modify the following Integration Component Fields

Name	External Sequence	XML Sequence
------	-------------------	--------------

Price End Date	23	23
Price Start Date	19	19

Instructions for 36946129--This fix addresses an issue of product creation using SWI Product Import when both Billing Type and Composition Type fields are passed in the input payload.

Background

This fix addresses an issue of product creation using SWI Product Import. It occurs when both Billing Type and Composition Type fields are passed in the payload.

Steps

Repository Changes

1. For the Business Component *SWI Internal Product VOD*, query for the Field *Composition Type* and modify the Pick Map for the queried field.

Name	Inactive
Billing Type	Y

Instructions for 36884689--Addresses an issue of Save All button giving an error while quitting from parallel configurator view invoked from staging view during upgrade process and Enable AIA Comms is TRUE.

Background

When the system preference “Enable AIA Comms” (that controls whether to enable the Oracle Application Integration Architecture Communications integration features) is set to “TRUE” as opposed to default value of “FALSE”, we observe error indicating there is no integration component field corresponding to 'Depends on Id'. This is because the field is specific to Order Item, but is absent from Quote Item.


Steps

Repository Changes

1. For Workflow Process *SIS OM Sync Quote Document Sub Process*, for Workflow Step *Copy Integration Id*, change value for the following input arguments:

Input Argument	Type	Value - Old	Value - New
Field To Copy	Literal	Integration Id, Depends on Id	Integration Id
Field To Paste	Literal	Integration Id, Depends on Id	Integration Id

2. Modify existing Workflow Branch *No* between Workflow Step *Added any service charge?* and Workflow Step *Sync Line Item*. Move this *No* branch connecting from Workflow Step *Added any service charge?* to Workflow Step *Skip Sync?*.



New Features and Bug Fixes in Siebel CRM Monthly Update 24.9

New Features in Siebel CRM 24.9

Feature Name	Description	Documentation	Repository Update Required?
Oracle AI for Siebel CRM	<u>Oracle AI for Siebel CRM Framework</u> The AI Framework provides the ability to interoperate with prebuilt machine learning AI models and Generative AI services. The original Siebel AI Framework, which was released in Siebel CRM 22.10, already provided out-of-the box integration for the OCI Language and OCI Speech Services. The new enhancements to the AI Framework provide organizations a faster route to leveraging the OCI Generative AI service for a variety of use cases. <u>Built-in AI Capabilities for the Siebel Application</u> A collection of out-of-the box functional use cases are provided to leverage the AI Framework within both user-driven and automated task flows. The benefit is to improve productivity, accuracy, and customer experience. Acting as if it were a co-worker or assistant, the standard use case (which can be customized), provides the following functionality: - Classification: Utilize the pre-trained OCI Language AI Service model to classify incoming requests and auto-populate the Area and Subarea fields that are often used for efficient routing. - Sentiment Analysis: Use Generative AI to determine the sentiment of all inbound communication so that a Call Center Agent can better understand how a customer is feeling about their current service or product concern.	Siebel Applications Administration Guide	Yes

- Auto-Summarization: When closing a Service Request, the Call Center Agent has the option to auto-generate a summary of the Service Request using Generative AI that can be reviewed and revised before sharing with the customer.
- In-Flight Summarization: In situations when the Call Center Agent must transfer or collaborate with a subject matter expert (SME) to help resolve a Service Request, a summary can automatically be generated using Generative AI, which will help the SME come up to speed quickly on the issue.

The key benefits and ROI that the built-in AI capabilities provide for the Service use case include:

- Reduce resourcing cost for everyday processes
- Reduce manual errors
- Improve productivity for agents and reduce fatigue
- Provide valuable sentiment insight that allows the agent to improve the customer experience
- Save time writing activity summaries for closing or transferring service requests

Oracle AI for Siebel CRM in a Service Scenario

In this out-of-the-box functional use case a new Service Request is handled via automation with the Oracle Generative AI Service in the following ways:

1. Automatic SR classification
2. Sentiment Analysis
3. Summarization

Enhancements to Existing Features

- Detection of Private Health Information (PHI) in addition to Personally Identifiable Information (PII)
- Speech-to-text transcription in new languages including French, German, Italian, Spanish, and Portuguese, as well as more input formats, including WAV, MP3, OGG, OGA, WEBM, MKV, AC3, AAC, M4A, MP4, FLAC, and AMR

Get training on this feature here:

<https://mylearn.oracle.com/ou/course/siebel-crm-2024-toi-oracle-ai-for-siebel-crm/142234/229861>

Configuring List and Form Applets to Display a Color Based on a Field Value	Using the Applet Presentation Model (PM) User Property, you can configure list applet columns or form applet controls to highlight a field with colors based on the value selected. You can add a CSS definition to show the columns or controls in the specified color. For example, if the Customer Service Center wants to easily highlight customer “sentiment” for Service	• Configuring Siebel Open UI Guide	Yes
---	--	------------------------------------	-----

Requests to assist Service Agents, then this is easily done. Where sentiment is pre-defined - potentially via Oracle AI Services - developers can make a column in a list applet appear in a specific color if the sentiment column has a value positive, negative, or neutral.

This simple feature reduces development and configuration effort, whilst making the UX more intuitive for users.

Get training on this feature here:

<https://mylearn.oracle.com/ou/course/siebel-crm-2024-toi-configuring-list-and-form-applets-to-display-a-color-based-on-the-value-selected/142854/>

Fixes in Siebel CRM 24.9

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	36816001	Pricing Mgmt	Addresses an issue with rounding of price list line items to five digits instead of seven digits when price list line items are created using REST API	Instructions for 36816001
Siebel Apps - Customer Order Management	36823091	Promotions	Addresses an issue that precludes product administrator to create compatibility rule using correct bundle promotion when two bundle promotions with same name but different organization exists in the product catalog	Instructions for 36823091
Siebel Apps - Marketing	36518998	Email Mktg - ESD	The error encountered during the creation of the Mailing Directory during a Campaign Launch has been resolved.	
Siebel Apps - Marketing	36091151	Email Mktg - ESD	AUTH PLAIN authentication is now supported by the Siebel Email Marketing Server Email Sending Daemon (ESD).	
Siebel CRM Cloud Applications	36954894	Siebel Cloud Manager	Validations added to issue warning messages to confirm that an SCM Deployment must use appropriate user with right privileges on the the customer's registry	
Siebel CRM Development	35136461	Business Logic	Exposes "User Status" as an out-of-the-box List Column on the Employee List Applet. Note that if this value is set to "Inactive", the user will not be able to log into the Siebel CRM application.	Instructions for 35136461

			Refer to the Siebel Bookshelf Security Guide for more information about the User Status value and how to use it as the preferred approach for deactivation of an employee.
Siebel CRM Development	36614090	Configuration Tools	Fixes issue where Applet Controls are distorted when the browser is zoomed to 65% or less
Siebel CRM Development	36234977	Workflow	Fixes an issue where inactive Workflow Processes were displayed as "Active" on the Workflow Process Monitoring Configuration View.
Siebel CRM End User	36723986	Accessibility	Increased the contrast for the "New Record" icon for better accessibility
Siebel CRM End User	36802884	Redwood UI	The homepage of the Siebel Migration Application is now displayed in Redwood style.
Siebel CRM Integration	36697283	Artificial Intelligence	OCI AI Language "batch-detect-pii-entities" API now supports three masking modes: "REPLACE", "MASK", and "REMOVE".
Siebel CRM Integration	36779771	EAI	Restores date formatting when using ToChar() in Expressions when running on a Linux operating system.
Siebel CRM Integration	36706127	Email	Prevents the Siebel Communications Inbound Processor component from crashing when real time processing is disabled for a Siebel Email Response Group
Siebel CRM Integration	36843878	REST	Fixes issue when calling the SiebelOCIAIWebService web service

Special Configuration Instructions for Release 24.9

Instructions for 36816001--Addresses an issue with rounding of price list line items to five digits instead of seven digits when price list line items are created using REST API

Background

This fix addresses the round off issue for List Price and Promotional Price fields in Price List Item.

Steps

Repository Changes

59. Add the Precision and Scale value for the following Business Component Fields.

Business Component	Name	Precision	Scale
Price List Item	Original List Price	22	7
	Promotional Price	22	7

Price List Item - Import	Original List Price	22	7
	Promotional Price	22	7

60. For the following Integration Objects, query the Integration Component and modify the Precision and Scale value of the below mentioned Integration Component Fields.

Integration Object	Integration Component	Integration Component Field	Precision	Scale	External Precision	External Scale
ISS Price List	Line Item	Original List Price	22	7	22	7
		Promotional Price	22	7	22	7
Base Internal Product	Price List Item	Original List Price	22	7	22	7
		Promotional Price	22	7	22	7
Base Price List	Price List Item	Original List Price	22	7	22	7
		Promotional Price	22	7	22	7
SWI Admin ISS Product Definition	Price List Item	Original List Price	22	7	22	7
		Promotional Price	22	7	22	7
ISS Promotion WS	Price List Item	Original List Price	22	7	22	7
		Promotional Price	22	7	22	7
SWIISSPriceListItemIO	Price List Item - Import	Original List Price	22	7	22	7
		Promotional Price	22	7	22	7

Instructions for 36823091--Addresses an issue that precludes product administrator to create compatibility rule using correct bundle promotion when two bundle promotions with same name but different organization exists in the product catalog

Background

In product promotion compatibility, component product may have Integration Id that is different from Row Id due to migration of product model. In that case, the existing field in product promotion compatibility will be lost.

Steps

Repository Changes

- For Business Component *ISS Promotion Product Compatibility - Subject*, for Field *Base Product*, change the Pick Map Field *Prod Prom Rule Id* as following:

Field	Pick Map Field	Pick Map Picklist Field - Old	Pick Map Picklist Field - New
-------	----------------	-------------------------------	-------------------------------

Base Product	Prod Prom Rule Id	Id	Integration Id
--------------	-------------------	----	----------------

2. For Field *Rel Base Product*, change the Pick Map Field *Rel Prod Prom Rule Id* as following:

Field	Pick Map Field	Pick Map Picklist Field - Old	Pick Map Picklist Field - New
Rel Base Product	Rel Prod Prom Rule Id	Id	Integration Id

3. For Business Component *ISS Promotion Product Compatibility - Object*, for Field *Base Product*, change the Pick Map Field *Prod Prom Rule Id* as following:

Field	Pick Map Field	Pick Map Picklist Field - Old	Pick Map Picklist Field - New
Base Product	Prod Prom Rule Id	Id	Integration Id

4. For Field *Rel Base Product*, change the Pick Map Field *Rel Prod Prom Rule Id* as following:

Field	Pick Map Field	Pick Map Picklist Field - Old	Pick Map Picklist Field - New
Rel Base Product	Rel Prod Prom Rule Id	Id	Integration Id

5. This current fix builds on top of the changes delivered for Bug 36506596 (EXPORTING PROMOTIONS DOES NOT EXPORT ALL THE PROMOTION'S CHILD ENTITIES) in Siebel 24.7 Update. If you have already applied these changes either by manually making the changes in 24.7, or by running RepositoryUpgrade or by directly upgrading to 24.7, you can disregard the below steps. If not, please ensure that the below instructions are followed to ensure that the required fields are pointing to Integration Id instead of Row Id.

6. For the Business Component *ISS Promotion Product Compatibility - Object*, make changes to the Joins with alias *Promotion Component* and *Rel Promotion Component* (both tables are *S_PROM_ITEM*) and change their Join Specification Destination Columns as follows:

Join Alias	Join Spec Name	Old Column	New Column	Source Field
Promotion Component	Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Prod Prom Rule Id
Rel Promotion Component	Rel Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Rel Prod Prom Rule Id

7. For the Business Component *ISS Promotion Product Compatibility - Subject*, make changes to the Joins with alias *Promotion Component* and *Rel Promotion Component* (both tables are *S_PROM_ITEM*) and change their Join Specification Destination Columns as follows:

Join Alias	Join Spec Name	Old Column	New Column	Source Field
Promotion Component	Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Prod Prom Rule Id
Rel Promotion Component	Rel Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Rel Prod Prom Rule Id

Instructions for 35136461--Exposes "User Status" as an out-of-the-box List Column on the Employee List Applet. Note that if this value is set to "Inactive", the user will not be able to log into the Siebel CRM application.

Background

An employee can log into Siebel CRM if all the following conditions are met.

1. Has one or more Positions
2. Has one or more Responsibilities
3. Does not have a User Status of “Inactive” (or no User Status set)
4. Has a valid set of login credentials for whatever authority (e.g., OIM, LDAP, DB) is providing access

The recommended approach to inactivate a customer is to change the User Status to “Inactive” and (optionally) remove any login credentials for the authentication authority being used. That is, there is no reason to remove Positions or Responsibilities (although that can be done optionally).

NOTE: It is never recommended to delete an Employee/User record. Please see the Siebel Bookshelf Security Guide for detailed information.

This change requires Repository changes. There are several approaches to making this capability available in the Siebel CRM Enterprise Application as documented below.

Option #1—New / Upgraded Installations

For new database installations and pre-IP2017 Upgrades, the feature will be available from 24.9 onwards.

Option #2—Repository Upgrade

For customers who run RepositoryUpgrade after 24.9, the required Repository changes will be added.

Option #3—Special Configuration Instructions

For customers for whom Option #1 is not available and Option #2 is not a desirable option at this time, the changes below must be made to the Repository manually.

Steps

Repository Changes

1. Query for the *Employee* Business Component.
2. Add a new Field with the following attributes:

Attribute	Value
Name	User Status
Join	S_USER
Column	STATUS_CD
Picklist	User Status Picklist
PreDefault Value	Expr: 'LookupValue ("USER_STATUS", "Active")'
Text Length	30
Type	DTYPE_TEXT

NOTE: The Column *S_USER.STATUS_CD* and the Picklist *User Status Picklist* have existed in the Repository since pre-IP2017, so there is no need to add them first.

3. Create a child Pick Map for this Field as follows:

Attribute	Value
Field	User Status
Picklist Field	Value

4. Navigate to the *Employee List Applet*.
5. Add a new List Column with the following attributes:

Attribute	Value
Name	User Status
Field	User Status
Available	TRUE
Display Name – String Reference	SBL_USER_STATUS-1004233658-7EI
Display Name	User Status

HTML Display Mode	EncodeData
HTML List Edit	TRUE
HTML Row Sensitive	TRUE
HTML Type	Field
Runtime	TRUE
Text Alignment	Left
Show in List	TRUE
Text Alignment-Label	Left

6. For the same Applet, choose the *Edit List* Applet Web Template to add the newly created List Column to any empty placeholder in the list.
7. Unit test the changes:
 - a. Open and Inspect the Workspace to ensure that the new column appears in the UI and can be changed from Active to Inactive and vice versa.
 - b. Change the status to Inactive for some different known user.
 - c. Logout
 - d. Attempt to log in as the other user → This should fail as the User Status is “Inactive”.
 - e. As the administrative user, change the other user’s status to “Active”
 - f. Attempt to log in as the other user → This should succeed as the User Status is “Active”

New Features and Bug Fixes in Siebel CRM Monthly Update 24.8

New Features in Siebel CRM 24.8

Feature Name	Description	Documentation	Repository Update Required?
List and Form Applet Wizards for Web Tools	New object wizards in Web Tools that allow developers to quickly create List and Form Applets, improving productivity and the developer experience. Get training on this feature here: Siebel CRM 2024 - List and Form Applet Wizards for Web Tools	Configuring Siebel Business Applications	No
CTMS Integration Logging	Reliable data flow between mission critical clinical systems is crucial for Life Sciences customers to enable real-time updates and decision making. When issues arise with integrations through transmission failures, CTMS admins require easy access to the integration issues to enable rapid resolution. This feature enables CTMS Administrators, who can set up one or more integrated systems, to have easy and quick access to the logs. By doing this they can easily investigate error scenarios, providing detailed problem statements to Support groups when logging the tickets, ultimately leading to the faster resolution of issues. Get training on this feature here: Siebel CRM 2024 TOI: CTMS Integration Logging	Clinical Trial Management System Guide	Yes

Siebel Mobile – Automatic Data Synchronization	This feature allows data synchronization for the mobile user to happen in the background automatically with minimal user intervention. This improves mobile user experience. Some of the salient features are: • System Administrator can set the frequency for auto-synchronization based on usage patterns. • Any data created in the offline application will get synchronized automatically as soon as the user goes online. • The user's database gets synchronized automatically when the user is working online ensuring that user always have the latest data, whenever they go offline. • Automatic Data Synchronization feature comes as part of Siebel Mobile Disconnected. • Fast performance, since automatic data synchronization applies to incremental data only, the number of transactions created by the user when they were offline isn't likely to be large. In addition, synchronization happens via a separate thread which takes care of synchronization in the background and doesn't affect usability.	• Siebel Mobile Guide: Disconnected	No
--	---	---	----

Get training on this feature here: [Siebel CRM 2024 TOI: Siebel Mobile Seamless Data Synchronization](#)

Fixes in Siebel CRM 24.8

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Clinical Trials Management System	36323298	Integration	For the Clinical One integrated Studies, when a Visit with Parenthesis is identified, we need to check if the 'Repeating Flag' for the Visit is 'Y' and only then categorise the Visit as a Dynamic Visit.	
Siebel Apps - Clinical Trials Management System	36322778	Payment	There is an issue found in CTMS that, when a user sets the payment amount in different currencies (Other than USD), in the EDC Item Library and then clicks on Refresh Activities, the payment amount is not being reflected with correct currency in the Visit activities in Visit template. The	

			issue has been fixed now, so that correct currency shall be displayed under the Activities.	
Siebel Apps - Clinical Trials Management System	36474464	Site Management	In the CTMS application, the 'Planned' field under the Activities list applet at a Site level is displayed as a 'Date' field. Whereas, the 'Planned' field at a Protocol/Region level is a free text field. For consistency across, the 'Planned' field is changed to 'Date' field at Protocol and Region level.	
Siebel Apps - Clinical Trials Management System	36474475	Site Management	In the CTMS application, when the Principal Investigator (PI) value is updated from Regions > Sites tab level, we are getting an error with the PI value not getting updated. Issue has been fixed now, where the users shall be able to update the PI value from Regions --> Sites without any issues and the values get saved.	
Siebel Apps - Clinical Trials Management System	36517178	Site Management	The issue has been fixed that users should be able to update the PI first name and PI last name from the Site Contacts section and save the values successfully.	
Siebel Apps - Customer Order Management	36641306	Promotions	Addresses an issue that precludes user from customizing a customizable product added using Favorites when System Preference "Promotion Group Compatibility" is set to Y. The issue gives below error: No integration component field corresponding to 'Root Prod Prom Instance Id'(SBL-EAI-04394).	Instructions for 36641306
Siebel Apps - Customer Order Management	36506615	Quotes & Orders	Address the issue where the upgrade bundle promotion overlooks open orders on the component product, causing updates in the upgrade document (quote or sales order) to be missed.	Instructions for 36506615
Siebel Apps - Marketing	36082917	Campaign Management	The newly created Assignment Rule is triggering correctly during the Assignment Manager run for campaign contacts.	
Siebel Apps - Mobile	36310184	Mobile - Sales	Fixes the crash issue for mobile database extract component when there are many calculated fields	

Siebel CRM Deployment	36628247	Database Upgrade	The RepCrawler process has been removed from the Upgrade process. It is recommended that customers still run this, but they can do it asynchronously to the upgrade.
Siebel CRM Deployment	36764619	Database Upgrade	Improves performance of Calendar-related SQL statements executed during an upgrade from pre-IP2016 to current versions.
Siebel CRM Deployment	36628256	Database Upgrade	Addresses an issue where if a developer has a Repository Project locked on the previous version (pre-IP2017), the IRM/Upgrade process could fail.
Siebel CRM Deployment	36628324	Database Upgrade	Addresses an issue where an existing, customer-defined index exists in the Repository and Oracle releases a new out-of-the-box index with the same definition, various utilities would fail.
Siebel CRM Deployment	36557875	Installation	Installer now updates the application interface "server.xml" file with TLSV1.3 and current TLS Ciphers
Siebel CRM Deployment	36447135	Migration	Fixes Issue Where Function Based Indexes Are Rebuilt Unnecessarily
Siebel CRM Deployment	36205890	Repository Utilities	Corrects Issue During Full Migration With Function Based Indexes
Siebel CRM Deployment	27046384	Test Automation	Addresses copying most of the field values instead of just the header when you copy a Test Execution record to create a new one
Siebel CRM Deployment	36581312	Upgrade Factory--OCI	Addresses an issue where the Upgrade Factory would not retrigger to continue from the last step when interrupted due to an error condition.
Siebel CRM Deployment	36624869	Upgrade Factory--OCI	Solves issue where Upgrade Factory running on Siebel Cloud Manager (SCM) could fail when using a full database dump.
Siebel CRM Deployment	36628476	Upgrade Factory--On-Premises	Addresses an issue where the Upgrade Factory could not be retriggered to continue from the last step when interrupted due to an error condition in On Premises implementations.
Siebel CRM Development	35616559	Business Logic	Corrects Issue Importing Personalization Action Sets During Migration

Siebel CRM Development	36747881	Scripting	Fixed Increasing Execution Times of Runtime Business Services on Linux Servers
Siebel CRM Development	34821623	Workspaces	Corrects Setting WS_MIN_VER for Modified LOVs
Siebel CRM Documentation	36911607	System Admin Gd	Clarifies requirements for configuring the proxy employee for Event Pub/Sub.
Siebel CRM End User	34670840	User Interface	Addresses the issue that scrolling does not work properly in Tile Visualization mode when running in the Arabic (ARA) language.
Siebel CRM Integration	36629970	CTI	Enable New Query button to support CTI call transfer
Siebel CRM Integration	36625183	Email	Display actual email body in Comments fields of Activities
Siebel CRM Integration	36800111	Event Pub/Sub	Addresses an issue where the SessionPoolSize parameter in aieventconfig.txt is not correctly interpreted for all possible values, including the default value.

Special Configuration Instructions for Release 24.8

Instructions for 36641306--Addresses an issue that precludes user from customizing a customizable product added using Favorites when System Preference "Promotion Group Compatibility" is set to Y. The issue gives below error: No integration component field corresponding to 'Root Prod Prom Instance Id'(SBL-EAI-04394).

Background

This fix addresses an issue of customizing a CP from Product Favorites view, when Promotion Group Compatibility system preference is enabled.

Steps

Repository Changes

61. For Business Component *Template Item*, add the following Fields.

Name	Join	Column	Text Length	Type
Root Integration Id	Root Quote Item	ASSET_INTEG_ID	30	DTYPE_TEXT
Root Prod Prom Instance Id	Root Quote Item	PROM_INTEG_ID	30	DTYPE_TEXT

62. For the Integration Object *Template*, query for the Integration Component *Template Item* and add the following Integration Component Fields.

Name	Data Type	External Name	External Data Type	Length	External Length	XML Tag
Root Integration Id	DTYPE_TEXT	Root Integration Id	DTYPE_TEXT	30	30	RootIntegrationId

Root Prod Prom Instance Id	DTYPE_TEXT	Root Prod Prom Instance Id	DTYPE_TEXT	30	30	RootProdPromInstanceId
----------------------------	------------	----------------------------	------------	----	----	------------------------

Instructions for 36506615--Address the issue where the upgrade bundle promotion overlooks open orders on the component product, causing updates in the upgrade document (quote or sales order) to be missed.

Background

In Memory Promotion Upgrade should consider Open Order line items.

Steps

Repository Changes

63. Create a new Workflow Process *SIS OM Active Document Sub-Process* from scratch by following the below steps:

Note: If you would prefer to import a SIF file with the new Workflow definition, please contact Tech Support to request the SIF file 'Bug36506615.sif'.

- i. Create a new Workflow Process with following properties.

Process Name	Workflow Mode	Group	Project	Description	State Manager Type	Business Object
SIS OM Active Document Sub-Process	Service Flow	Asset Based Ordering	ISS Promotion Workflow	Find active document without creating any new order/quote. If can't find, reset profile value to NULL	Stateful	Order Entry - Line Items

- ii. Add the following WF Process Prop.

Name	Display Name	In/Out	Default String	Data Type
Account Id	Account Id	In/Out		String
Active Document Id	Active Document Id	Out		String
Are Orders Present	Are Orders Present	In/Out	N	String
Delta Document	Delta Document	In/Out		Hierarchy
Order IO Name	Order IO Name	In/Out		String
Prod Prom Instance Id	Prod Prom Instance Id	In/Out		String
Target Document	Target Document	In/Out		String

- iii. Add a Start WF Step.

- iv. Add a Decision WF Step *Go to Order?*.

- v. Add a Siebel Operation WF Step *Get Future Order* after WF Step *Go to Order?*.

- vi. For the WF Step *Get Future Order*, set the following properties.

Name	Operation	Business Component Name
Get Future Order	Query	Order Entry - Line Items

- vii. For the WF Step *Get Future Order*, add the following Search Spec Input Argument.

Expression Business Component	Filter Business Component	Type	Search Specification
Order Entry - Line Items	Order Entry - Line Items	Expression	"([Order Status] <> " + LookupValue('FS_ORDER_STATUS', 'Cancelled') + " AND [Order Status] <> " + LookupValue('FS_ORDER_STATUS', 'Rejected') + ") AND ([Status] <> " + LookupValue('FS_ORDER_STATUS', 'Cancelled') + " AND [Status] <> " + LookupValue('FS_ORDER_STATUS', 'Rejected') + " AND [Status] <> " + LookupValue('FS_ORDER_STATUS', 'Complete') + ") AND [Processed Flag] = 'N' AND [Order Active Flag] = 'Y' AND [Due Date] > " + Today() + " AND [Asset Integration Id] = " + [&Prod Prom Instance Id] + " AND [Order Header Id] <> ""

- viii. For the WF Step *Get Future Order*, add the following Output Argument.

Property Name	Type	Business Component Name	Business Component Field
Active Document Id	Business Component	Order Entry - Line Items	Order Header Id

- ix. Add a Decision WF Step *Future Order Exists?* after WF Step *Get Future Order*.
x. Add a Business Service WF Step *Get Order Details* after WF Step *Future Order Exists?*.
xi. For the WF Step *Get Order Details*, set the following properties.

Name	Business Service Name	Business Service Method
Get Order Details	EAI Siebel Adapter	Query

- xii. For the WF Step *Get Order Details*, add the following Input Arguments.

Input Argument	Type	Value	Property Name
OutputIntObjectName	Process Property		Order IO Name
SearchSpec	Expression	'[Header.Id] = ' + "" + [&Active Document Id] + "" AND ([Line Item.Root Prod Prom Instance Id] = "" + [&Prod Prom Instance Id] + "" OR [Line Item.Asset Integration Id] = "" + [&Prod Prom Instance Id] + "")	

- xiii. For the WF Step *Get Order Details*, add the following Output Arguments.

Property Name	Type	Output Argument	Value
Delta Document	Output Argument	SiebelMessage	
Are Orders Present	Literal		Y

- xiv. Add an End WF Step after WF Step *Get Order Details*.
xv. Add a WF Branch Connector between WF Step *Start* and WF Step *Go to Order?*.
xvi. Add a WF Branch Connector between WF Step *Go to Order?* and WF Step *Get Future Order*. Modify connector's Name to *Yes* and Type to *Condition*.
xvii. Right-click on the conditional connector and add the following condition.


Compare To	Operation	Object	Value
------------	-----------	--------	-------

Process Property	All Must Match (Ignore Case)	Target Document	Order
------------------	------------------------------	-----------------	-------

- xviii. Click on Add button and click on OK button.
- xix. Add a WF Branch Connector between WF Step *Go to Order?* and WF Step *End*. Modify connector's Name to *No* and Type to *Default*.
- xx. Add a WF Branch Connector between WF Step *Get Future Order* and WF Step *Future Order Exists?*.
- xxi. Add an Error Exception WF Branch Connector between WF Step *Get Future Order* and WF Step *End*.
- xxii. Add a WF Branch Connector between WF Step *Future Order Exists?* and WF Step *Get Order Details*. Modify connector's Name to *yes* and Type to *Condition*.
- xxiii. Right-click on the conditional connector and add the following condition.

Compare To	Operation	Object
Process Property	Is Not Null	Siebel Operation Object Id

- xxiv. Click on Add button and click on OK button.
- xxv. Add a WF Branch Connector between WF Step *Future Order Exists?* and WF Step *End*. Modify the connector's Name to *no* and Type to *Default*.
- xxvi. Add a WF Branch Connector between WF Step *Get Order Details* and WF Step *End*.



64. Edit the Workflow Process *SIS OM Find Open Order Workflow* as follows:

- i. Add the following WF Process Prop.

Name	Display Name	In/Out	Default String	Data Type
Are Orders Present	Are Orders Present	In/Out	N	String

- ii. For the WF Step *Load Open Order Line Items*, add the following Output Argument.

Property Name	Type	Output Argument Name
Are Orders Present	Output Argument	Are Orders Present

65. Edit the Workflow Process *ISS Promotion Modify Complex Asset Workflow* as follows:

- i. Add the following WF Process Prop.

Name	Display Name	In/Out	Default String	Data Type
Are Orders Present	Are Orders Present	In/Out	N	String

- ii. For the WF Step *Find Open Orders*, add the following Output Argument.

Property Name	Type	Subprocess Output
Are Orders Present	Output Argument	Are Orders Present

- iii. Add a Decision WF Step *Open Order?* after Sub Process WF Step *Find Open Orders*.
- iv. Move the existing WF Branch Connector between WF Step *Find Open Orders* and WF Step *Set Requested Product Instance* to connect WF Step *Find Open Orders* with the new WF Step *Open Order?*.
- v. Add a Business Service WF Step *Set Field Value* after WF Step *Open Order?*.
- vi. For the WF Step *Set Field Value*, set the following properties.

Name	Business Service Name	Business Service Method
Set Field Value	SIS OM PMT Service	Set Field Value

- vii. For the WF Step *Set Field Value*, add the following Input Arguments.

Input Argument	Type	Value	Property Name
ConditionFieldNames	Literal	Product Type Code	
Value	Expression	LookupValue("DELTA_ACTION_CODE","Deleted")	
ConditionValues	Expression	LookupValue("PROD_CD","Promotion")	
Field Name	Literal	Action Code	
SiebelMessage	Process Property		Delta Document

- viii. For the WF Step *Set Field Value*, add the following Output Argument.

Property Name	Type	Output Argument
Delta Document	Output Argument	SiebelMessage

- ix. Add a WF Branch Connector between WF Step *Open Order?* and WF Step *Set Field Value*. Modify the connector's Name to *Yes* and Type to *Condition*.


- x. Right-click on the conditional connector and add the following condition.

Compare To	Operation	Object	Value
Process Property	All Must Match (Ignore Case)	Are Orders Present	Y

- xi. Click on Add button and click on OK button.

- xii. Add a WF Branch Connector between WF Step *Open Order?* and WF Step *Set Requested Product Instance*. Modify the connector's Name to *No* and Type to *Default*.

- xiii. Add a WF Branch Connector between WF Step *Set Field Value* and existing WF Step *Transfer IO to PS*.



66. Edit the Workflow Process *ISS Promotion Finish Upgrade Sub Process* as follows:

- i. For the WF Step *Sync Quote*, modify the Business Service Name as mentioned below.

Property Name	Old Value	New Value
Business Service Name	EAI Siebel Adapter	SIS OM PMT Service

- ii. For the WF Step *Sync Order*, modify the Business Service Name as mentioned below.

Property Name	Old Value	New Value
Business Service Name	EAI Siebel Adapter	SIS OM PMT Service

67. Edit the Workflow Process *In Memory Promotion Upgrade Process* as follows:

- i. Add the following WF Process Prop.

Name	Display Name	In/Out	Default String	Data Type
Are Orders Present	Are Orders Present	In/Out	N	String
Account	Account	None		String
Price List	Price List	None		String

- ii. Add a Sub Process WF Step *Find Active Document* after WF Step *Get Account Details*.
 iii. For the WF Step *Find Active Document*, set the Sub Process Name as *SIS OM Active Document Sub-Process*.
 iv. For the WF Step *Find Active Document*, add the following Input Arguments.

SubProcess Input	Type	Property Name
Target Document	Process Property	Target Document
Order IO Name	Process Property	Order IO Name
Prod Prom Instance Id	Process Property	Prod Prom Instance Id

- v. For the WF Step *Find Active Document*, add the following Output Arguments.

Property Name	Type	SubProcess Output
Delta Document	Output Argument	Delta Document
Active Document Id	Output Argument	Active Document Id
Are Orders Present	Output Argument	Are Orders Present

- vi. Add a Decision WF Step *Existing?* after Sub Process WF Step *Find Active Document*.
 vii. Move the existing WF Branch Connector between WF Step *Get Account Details* and WF Step *Create Doc Header?* to connect WF Step *Get Account Details* with the new WF Step *Find Active Document*.
 viii. Add a WF Branch Connector between WF Step *Find Active Document* and WF Step *Existing?*.
 ix. Add a WF Branch Connector between WF Step *Existing?* and WF Step *Get Active Document*. Modify the connector's Name to *No* and Type to *Default*.
 x. Add a WF Branch Connector between WF Step *Existing?* and WF Step *Store target Promotion Id*. Modify the connector's Name to *Yes* and Type to *Condition*.
 xi. Right-click on the conditional connector and add the following condition.

Compare To	Operation	Object
Process Property	Is Not Null	Active Document Id

- xii. Click on Add button and click on OK button.
 xiii. For the WF Step *Modify Assets*, add the following Input Argument.

SubProcess Input	Type	Property Name
Are Orders Present	Process Property	Are Orders Present

- xiv. For the WF Step *Get Account Details*, add the following Output Arguments.

Property Name	Type	Business Component Name	Business Component Field
Account	Business Component	Account	Name
Price List	Business Component	Account	Price List


- xv. For the WF Step *Get Active Document*, add the following Input Arguments.

Input Argument	Type	Property Name
Field: Price List	Process Property	Price List

Field: Account	Process Property	Account
----------------	------------------	---------

xvi. Delete the following steps from the workflow

- Create Doc Header?
- Go To Order?
- Get Active Quote
- Get Active Order
- Get Active Header



New Features and Bug Fixes in Siebel CRM Monthly Update 24.7

New Features in Siebel CRM 24.7

Feature Name	Description	Documentation	Repository Update Required?
Siebel Test Automation - Conditional Expression for Test Steps	Enhancements to the OpenUI Test Automation functionality, specifically for runtime control and reuse, are extended with the addition of conditional expressions for Test Steps. It is now possible to add a conditional expression to individual Test Steps, which get evaluated at run time. As a result, this determines which Test Steps are executed. This provides much greater flexibility and re-use for Test Scripts, including: • Fewer Test Scripts need to be created since they can be made dynamic with conditional expressions • It is possible to run the same Test Script across different test environments without having to maintain a separate Test Script for each • Reduced Test Script creation, leads to improve productivity and efficiency Get training on this feature here: Siebel CRM 2024 TOI: Test Automation - Condition Expression for Test Steps	• Testing Siebel Business Applications	No

Additional Changes

Change	Description
CKEditor Replacement with TinyMCE	The rich text editor third party control, previously CKEditor, has been replaced TinyMCE. For most customers, this change will be transparent other than small changes to the look and feel in the user interface. If you have performed customization (for example, via a custom Presentation Model or Physical Renderer) related to the CKEditor control, they will need to be remade for TinyMCE. For instructions on customizing the User Interface, please review the <i>Configuring Siebel Open UI</i> guide in Siebel Bookshelf.

Fixes in Siebel CRM 24.7

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	36506647	Promotions	Addresses an issue of displaying promotion group compatibility message on Verify of quote or sales order	Instructions for 36506647
Siebel Apps - Customer Order Management	36506561	Promotions	Addresses an issue of length of the Include rule on attributes of product included in a bundle promotion so the rule is evaluated properly. Refer to User property Maximum Exclude Rule Size of Business Service ISS Promotion CP Admin Service.	Instructions for 36506561
Siebel Apps - Customer Order Management	36506627	Promotions	Addresses an issue of displaying eligibility rules while upgrading a bundle promotion within a quote or sales order document	Instructions for 36506627
Siebel Apps - Customer Order Management	36506596	Promotions	Addresses an issue of exporting child entities of bundle promotion: Eligibility & Compatibility rules, Split and Merge paths, Upgrade - Aggregate path, User Interface and Category	Instructions for 36506596
Siebel Apps - UCM	36522866	Universal Customer Master	Addresses an issue of crash in UCM Cross Reference Service method LookupChildrenSiebldToExtId	
Siebel Apps - UCM	36366349	Universal Customer Master	Addresses an issue of SOAP request for UCM Transaction Manager inadvertently appending InQueryMode="true" in the response	
Siebel CRM Cloud Applications	36667821	Siebel Cloud Manager	Enhanced options introduced for reliable DNS resolution of Database and other hosts' IP addresses for Siebel Cloud	

			Manager (SCM) Lift Utility to eliminate potential connectivity issues.
Siebel CRM Deployment	36363973	Application Interface	Improved TOMCAT cookie handling to support heterogeneous AIX environments.
Siebel CRM Deployment	36706403	Monthly Update Issues	Addresses an issue in the PostInstallDBSetup payload that created Event Driven Architecture objects in the Repository without associating to a Project.
Siebel CRM Deployment	36604904	Repository Utilities	Translations for Error Message in Bug 34547254 Now Available
Siebel CRM Deployment	36205755	Test Automation	Enhanced for advanced logic to use Condition expression for Test Steps, to dynamically determine whether to run the Test Step or to skip it
Siebel CRM Development	36674408	Scripting	Fixed Increasing Execution Times of Runtime Business Services on Linux Servers <i>*** This fixed bug was previously documented as a Known Issue ***</i>
Siebel CRM Development	36564301	Workflow	Prevents Task/Workflow Process Monitoring Levels from Migrating to Other Environments
Siebel CRM Development	32075520	Workspaces	Allows the Deletion of Delivered Developer Workspaces
Siebel CRM End User	30135132	Calendar	Fixes performance issue in case of large calendar records for a user.
Siebel CRM End User	36622548	Calendar	Fixes the performance issue with Calendar when there are large number of records.
Siebel CRM End User	34781652	User Interface	Corrects Wrong Date/Time Values When Underlying Column is Joined From an External Business Component.
Siebel CRM End User	36370201	User Interface	Session timeout dialog is now displayed when cancelling a warning popup
Siebel CRM Integration	36619042	EAI	Fixes Issue Where Custom Response Headers for Outbound Web Services Were Not Returned on Linux
Siebel CRM Integration	36690341	REST	Removes a Fix Introduced in Bug 36394701 Attempting to Disallow Duplicate Records for IO Mappings

Special Configuration Instructions for Release 24.7

Instructions for 36506647--Addresses an issue of displaying promotion group compatibility message on Verify of quote or sales order

Background

Addresses an issue of displaying promotion group compatibility message on *Verify* of quote or sales order

Steps

Repository Changes

Edit the Workflow Process *ISS Promotion Asset Membership Compatibility Workflow* as follows:

- In the Step *Check Incompatible - No Membership Association*, change the Input Arguments as follows:

Input Argument	Old Property Name	New Property Name	Old Value	New Value
Match Row Set	Unique Compatibility Rules	Unique Projected Assets - Qty		
Row Set	Unique Projected Assets - Qty	Unique Compatibility Rules		
Search Specification			IIF (ToNumber({Match.Min Qty}) > 0, {Row.Promotion Group Id} = {Match.Promotion Group Id} AND {Row.Membership Id} = {Match.Membership Id}, ToNumber({Match.Min Qty}) = 0)	IIF (ToNumber({Row.Min Qty}) > 0, {Row.Promotion Group Id} = {Match.Promotion Group Id} AND {Row.Membership Id} = {Match.Membership Id} AND {Row.Product Id} = {Match.Product Id}, ToNumber({Row.Min Qty}) = 0)
On No Match 1	{Match.Min Qty}, [Max Qty] = {Match.Max Qty}, [Count] = {Match.Count}}		{Output Row Set} += New("Row", [Product Id] = {Match.Product Id}, [Membership Id] = {Match.Membership Id}, [Promotion Group Id] = {Match.Promotion Group Id}, [Product Name] = {Match.Product Name}, [Membership] = {Match.Membership}, [Promotion Group] = {Match.Promotion Group}, [Min Qty] = {Match.Min Qty}, [Max Qty] = {Match.Max Qty}, [Count] = {Match.Count})	{Output Row Set} += New("Row", [Product Id] = {Row.Product Id}, [Membership Id] = {Row.Membership Id}, [Promotion Group Id] = {Row.Promotion Group Id}, [Product Name] = {Row.Product Name}, [Membership] = {Row.Membership}, [Promotion Group] = {Row.Promotion Group}, [Min Qty] = {Row.Min Qty}, [Max Qty] = {Row.Max Qty}, [Count] = {Row.Count})

- In the Step *Check Incompatible - No Membership Association*, change the Output Arguments as follows: Save the Workflow changes.

Output Argument	Old Property Name	New Property Name
Row Set	Unique Projected Assets - Qty	Unique Compatibility Rules
Match Row Set	Unique Compatibility Rules	Unique Projected Assets - Qty

Instructions for 36506561--Addresses an issue of length of the Include rule on attributes of product included in a bundle promotion so the rule is evaluated properly. Refer to User property *Maximum Exclude Rule Size of Business Service ISS Promotion CP Admin Service*.

Background

If a product has an attribute with many values and is associated to a Bundle Promotion, and only few of the attribute values are allowed using Include rule, then user should be able to add it to a line item and select included values.

However, if the multiplication of the number of values that are excluded (because of the Include rule) and the length of each of the attribute rule exceeds 10,000 characters, then user gets an error while selecting the attribute.

Steps

Repository Changes

By looking at the rule generated, developer can adjust the value of the Business Server User Prop *Maximum Exclude Rule Size of Business Service ISS Promotion CP Admin Service*. With a smaller rule size value, each rule can have longer expression with a total of 10,000 characters limit.

Name	Value	Comment
Maximum Exclude Rule Size	100	Set this to a smaller number. As an example, setting it to 50 will allow $10,000 / 50 = 200$ characters per rule can be evaluated.

Instructions for 36506627--Addresses an issue of displaying eligibility rules while upgrading a bundle promotion within a quote or sales order document

Background

This fix addresses an issue of displaying eligibility rules while upgrading a promotion from document.

Steps

Repository Changes

Select the *ISS Promotion Upgrade Aggregate VBC* Business Component and add the following Business Component User Props:

Name	Value
Instance Uniform Name EAI Object:Order Entry (Sales)	ISS Order
PSP: Enabled BO: Order Entry (Sales)	Y
PSP: Enabled BO: Quote	Y
Instance Uniform Name EAI Object:Quote	ISS Quote

Seed Data Changes

1. In the Siebel application, navigate to *Site Map* → *Administration - Order Management* → *Variable Maps*.
2. Select the Variable Map *Promotion Upgrade Eligibility Variable Map - Context*.
3. Lock the variable map by checking the *Locked Flag* field.
4. In the Versions list, click the "Work Space" hyperlink to drill down on the variable map version.
5. Click the Modes tab to access the Modes view from 3rd level menu.

6. Define the following variable map modes.

Mode	Object Name
Any	AccountHeader
Order	Header
Quote	Header

7. Click the Details tab to access the variable definitions from third level menu.
 8. In the Variable Sources list, define the following variable sources for each mode

Variable Name	Mode	Source path	Source Type
Account Contracted Products Only Flag	Order	\$Current/Header/Account Contracted Products Only Flag	Instance
	Quote	\$Current/Header/Account Contracted Products Only Flag	Instance
	Any	\$Current/AccountHeader/Use Contracted Products Only Flag	Instance
Account Id	Order	\$Current/Header/Account Id	Instance
	Quote	\$Current/Header/Account Id	Instance
	Any	\$Current/AccountHeader/Id	Instance
Account Type	Order	\$Current/Header/Account Type	Instance
	Quote	\$Current/Header/Account Type	Instance
	Any	\$Current/AccountHeader/Type	Instance
City	Order	\$Current/Header/City	Instance
	Quote	\$Current/Header/City	Instance
	Any	\$Current/AccountHeader/City	Instance
Country	Order	\$Current/Header/Country	Instance
	Quote	\$Current/Header/Country	Instance
	Any	\$Current/AccountHeader/Country	Instance
Postal Code	Order	\$Current/Header/Postal Code	Instance
	Quote	\$Current/Header/Postal Code	Instance
	Any	\$Current/AccountHeader/Postal Code	Instance
Price List Id	Order	\$Current/Header/Price List Id	Instance
	Quote	\$Current/Header/Price List Id	Instance
	Any	\$Current/AccountHeader/Price List Id	Instance
State	Order	\$Current/Header/State	Instance
	Quote	\$Current/Header/State	Instance
	Any	\$Current/AccountHeader/State	Instance

9. Save the changes.
 10. Navigate back to the Variable Maps List Applet and click the *Release New Version* button to release the variable map version.
 11. Select the *Clear Cache* option from the applet menu and relaunch the client to see the changes.

Instructions for 36506596--Addresses an issue of exporting child entities of bundle promotion: Eligibility & Compatibility rules, Split and Merge paths, Upgrade - Aggregate path, User Interface and Category

Background

When exporting a Promotion from Workspace-projects, the objects below do not get exported:

- E&C rules
- Split
- Merge
- Upgrade - Aggregate
- User Interface
- Category

Steps

Repository Changes

1. Open Siebel Tools (not Web Tools—this procedure requires functionality currently only available in the traditional 32-bit Tools client)
 2. Query for the *ISS Promotion Import Export* and *ISS Promotion* Business Objects (query in the Name field for “ISS Promotion Import Export” or “ISS Promotion”)
 3. Select both records, then right-click and select “Compare Objects” → “Selected”
 4. In the Compare Objects popup window, select the → or ← button, depending on the position to add the following Business Components to the *ISS Promotion Import Export* Business Object.
 - *Catalog Category*
 - *ISS Promotion Product Compatibility - Object*
 - *ISS Promotion Product Compatibility - Subject*
 - *Product Eligibility BusComp*
 - *ISS Promotion Upgrade Aggregate*
 - *ISS Promotion Upgrade To Aggregate*
 - *ISS Promotion Split*
 - *ISS Promotion Split Component*
 - *ISS Promotion Merge*
 - *ISS Promotion Merge Component*
- NOTE:** If a given Integration Component record already exists, then there's no need to add. If the record "ISS Promotion Split Component No Sequence" already exists, then do not add "ISS Promotion Split Component" as it would cause conflicts.
5. Click on File → New Object, then click on “EAI” tab and select “Integration Object”.
 6. Select *ISS Promotion Admin* as the project and “EAI Siebel Wizard” as the source system for the new Integration Object, and then click “Next”.
 7. Select *ISS Promotion Import Export* as the source object for the new Integration Object and then select *ISS Promotion* as the source root for the new integration object.
 8. Give a unique name to the new integration object—for example, “Temp ISS Promotion”
NOTE: We will not keep this new integration object. The purpose is to make the change to the existing *ISS Promotion* Integration Object more easily.
 9. Remove the check sign from the root level *ISS Promotion* to deselect all, and then click only the integration components which name appear in the list above.
 10. Click on “Next” and then “Finish”.
 11. Query for the *ISS Promotion* integration object and the new integration object just created (for example, *Temp ISS Promotion*).
 12. Select both records, then right-click and select “Compare Objects” → “Selected”
 13. In the “Compare Objects” popup window, select → or ← depending on the position to add the following integration components to the *ISS Promotion* integration object.
 - *Catalog Category*
 - *ISS Promotion Product Compatibility - Object*
 - *ISS Promotion Product Compatibility - Subject*

- *Product Eligibility BusComp*
- *ISS Promotion Upgrade Aggregate*
- *ISS Promotion Upgrade To Aggregate*
- *ISS Promotion Split*
- *ISS Promotion Split Component*
- *ISS Promotion Merge*
- *ISS Promotion Merge Component*

NOTE: If a given Integration Component record already exists, then there's no need to add. If the record "ISS Promotion Split Component No Sequence" already exists, then do not add "ISS Promotion Split Component" as it would cause conflicts.

14. While still on *ISS Promotion* Integration Object, open the Integration Component *Catalog Category*, expand "Integration Component Key" in the Object Explorer and add the following Integration Component Key:

Integration Component Key Name	Key Sequence Number	Key Type
User Key:1	1	User Key

15. Add the following Integration Component Key Fields to this Integration Component Key:

Name	Field Name
Catalog Id	Catalog Id
Effective End Date	Effective End Date
Name	Name

16. For the same (*ISS Promotion*) Integration Object, expand the Integration Component *ISS Promotion Upgrade Aggregate*, and then select the Integration Component Key *V77 Wizard-Generated User Key:1*. Ensure that the following Integration Component Key Fields exist—if not, add them.

Name	Field Name
Relationship Type	Relationship Type
Product Line	Product Line
Class Name	Class Name

17. For the same (*ISS Promotion*) Integration Object, expand the Integration Component *ISS Promotion Upgrade To Aggregate*, and then select the Integration Component Key *V77 Wizard-Generated User Key:1*. Ensure that the following Integration Component Key Fields exist—if not, add them.

Name	Field Name
Relationship Type	Relationship Type
Product Line	Product Line
Class Name	Class Name

18. Within the *ISS Promotion* Integration Object, inactivate the following Integration Component Fields by checking the "Inactive" Checkbox:

Integration Component Name	Integration Component Field
Catalog Category	Catalog Name
	Catalog Name 3
ISS Promotion Product Compatibility - Object	Adjustment Group Id
	Base Product Id
	Component Product Id
	Product Class Id
	Product Id
	Product Line Id

	Rel Base Product Id
	Rel Component Product Id
	Rel Product Class Id
	Rel Product Id
	Rel Product Line Id
ISS Promotion Product Compatibility - Subject	Adjustment Group Id
	Base Product Id
	Component Product Id
	Product Class Id
	Product Id
	Product Line Id
	Rel Base Product Id
	Rel Component Product Id
	Rel Product Class Id
	Rel Product Id
	Rel Product Line Id
ISS Promotion Upgrade	Original Promotion Id
	Target Promotion Id
ISS Promotion Upgrade Aggregate	Original Id
	Target Promotion Id
	Product Line Id
ISS Promotion Upgrade To	Original Promotion Id
	Target Promotion Id
ISS Promotion Upgrade To Aggregate	Original Promotion Id
	Target Id
	Product Line Id
Product Eligibility BusComp	Adjustment Group Id

19. Add the following Integration Component Field to the *Product Eligibility BusComp* Integration Component:

Property	Value
Name	Adjustment Group Name
Data Type	DTYPE_TEXT
Length	50
External Name	Adjustment Group Name
External Data Type	DTYPE_TEXT
External length	50
XML Tag	AdjustmentGroupName

20. Under the *Adjustment Group Name* Integration Component Field just created, add the following Integration Component Field User Prop:

Name	Value
PICKLIST	Y

21. In the *ISS Promotion Items for Import* Integration Component, ensure the following fields exist, adding them if necessary:

Integration Component Field	Data Type	Length	External Name	External Type	External Length	XML Tag
Display Control	DTYPE_TEXT	30	Display Control	DTYPE_TEXT	30	DisplayControl
Hide Control Flag	DTYPE_BOOLEAN	1	Hide Control flag	DTYPE_BOOLEAN	1	HideControlFlag
Hide Image Flag	DTYPE_BOOLEAN	1	Hide Image Flag	DTYPE_BOOLEAN	1	HideImageFlag
Read Only Flag	DTYPE_BOOLEAN	1	Read Only Flag	DTYPE_BOOLEAN	1	ReadOnlyFlag
Sequence	DTYPE_NUMBER		Sequence	DTYPE_NUMBER		Sequence

The following changes are required for import and export compatibility:

- Copy the Business Component *ISS Promotion Product Compatibility – Object* and rename the copy “ISS Promotion Product Compatibility - Object ImpExp”
- In the copy *ISS Promotion Product Compatibility – Object ImpExp*, for the Field *Base Product*, do the following:

- Change the picklist from “ISS Promotion Product Components PickList” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Base Product	Name
Base Product Id	Id

- For the Field *Component Product*, do the following:
 - Change the picklist from “ISS Promotion Compatibility Component Product Picklist” to “PickList Internal Orderable Product”.
 - Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Component Product	Name
Component Product Id	Id

- For the Field *Product*, inactivate all child Pick Map records, except the following:

Field	PickList Field
Product	Name
Product Id	Id

- For the Field *Product Class*, inactivate all child Pick Map records, except the following:

Field	PickList Field
Product Class	Name
Product Class Id	VOD Id

- For the Field *Product Line*, inactivate all child Pick Map records, except the following:

Field	PickList Field
Product Line	Name

Product Line Id	Id
-----------------	----

7. For the Field *Rel Base Product*, do the following:

- Change the picklist from “ISS Promotion Product Components PickList” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Rel Base Product	Name
Rel Base Product Id	Id

8. For the Field *Rel Component Product*, do the following:

- Change the picklist from “ISS Promotion Compatibility Component Product Picklist” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Rel Component Product	Name
Rel Component Product Id	Id

9. For the Field *Rel Product*, inactivate all child Pick Map records, except the following:

Field	PickList Field
Rel Product	Name
Rel Product Id	Id

10. Copy the Business Component *ISS Promotion Product Compatibility – Subject* and rename the copy “ISS Promotion Product Compatibility – Subject ImpExp”

11. In the copy *ISS Promotion Product Compatibility – Subject ImpExp*, for the Field *Base Product*, do the following:

- Change the picklist from “ISS Promotion Product Components PickList” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Base Product	Name
Base Product Id	Id

12. For the Field *Component Product*, do the following:

- Change the picklist from “ISS Promotion Compatibility Component Product Picklist” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Component Product	Name
Component Product Id	Id

13. For the Field *Product*, inactivate all child Pick Map records, except the following:

Field	PickList Field
Product	Name
Product Id	Id

14. For the Field *Rel Base Product*, do the following:

- Change the picklist from “ISS Promotion Product Components PickList” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
-------	----------------

Rel Base Product	Name
Rel Base Product Id	Id

15. For the Field *Rel Component Product*, do the following:

- Change the picklist from “ISS Promotion Compatibility Component Product Picklist” to “PickList Internal Orderable Product”.
- Inactivate all the child Pick Map records, except the following:

Field	PickList Field
Rel Component Product	Name
Rel Component Product Id	Id

16. For the Field *Rel Product*, inactivate all child Pick Map records, except the following:

Field	PickList Field
Rel Product	Name
Rel Product Id	Id

17. Create the following Link objects:

Name	Project	Parent Business Component	Child Business Component	Source Field	Destination Field	Cascade Delete
ISS Promotion/ISS Promotion Product Compatibility - Object ImpExp	ISS Promotion Admin	ISS Promotion	ISS Promotion Product Compatibility - Object ImpExp	Id	Rel Product Id	None
ISS Promotion/ISS Promotion Product Compatibility - Subject ImpExp	ISS Promotion Admin	ISS Promotion	ISS Promotion Product Compatibility - Subject ImpExp	Id	Product Id	None

18. In the *ISS Promotion Import Export Business Object*, under Business Object Component, create the following two new Business Object Components:

Business Component	Link
ISS Promotion Product Compatibility - Object ImpExp	ISS Promotion/ISS Promotion Product Compatibility - Object ImpExp
ISS Promotion Product Compatibility - Subject ImpExp	ISS Promotion/ISS Promotion Product Compatibility - Subject ImpExp

19. For Integration Object, *ISS Promotion*, change the External Name property for each of the Integration Components as shown below:

Old External Name	New External Name
ISS Promotion Product Compatibility – Object	ISS Promotion Product Compatibility - Object ImpExp
ISS Promotion Product Compatibility – Subject	ISS Promotion Product Compatibility - Subject ImpExp

20. For the Business Component *ISS Promotion Product Compatibility - Object*, make changes to the Joins with alias *Promotion Component* and *Rel Promotion Component* (both tables are *S_PROM_ITEM*) and change their Join Specification Destination Columns as follows:

Join Alias	Join Spec Name	Old Column	New Column	Source Field
------------	----------------	------------	------------	--------------

Promotion Component	Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Prod Prom Rule Id
Rel Promotion Component	Rel Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Rel Prod Prom Rule Id

21. For the Business Component *ISS Promotion Product Compatibility - Subject*, make changes to the Joins with alias *Promotion Component* and *Rel Promotion Component* (both tables are *S_PROM_ITEM*) and change their Join Specification Destination Columns as follows:

Join Alias	Join Spec Name	Old Column	New Column	Source Field
Promotion Component	Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Prod Prom Rule Id
Rel Promotion Component	Rel Prod Prom Rule Id	ROW_ID	INTEGRATION_ID	Rel Prod Prom Rule Id

NOTE: In addition to the changes above, the following should be considered before importing any promotions to a target environment:

- When Promotion A can upgrade to Promotion B, or split to Promotion C and D, or has a merge definition of Promotion E and F, or has compatibility of some components with Promotion G, when Promotion A is to be imported, all other promotions need to be imported before importing actual promotion; otherwise, the definition cannot be found.
- Eligibility and Compatibility matrices are not part of the import, so the same E&C matrices should exist on both environments.
- Product Lines are not part of the import, so the same Product Lines must exist in both environments.

New Features and Bug Fixes in Siebel CRM Monthly Update 24.6

New Features in Siebel CRM 24.6

Feature Name	Description	Documentation	Repository Update Required?
Redwood UX for Siebel CRM	This feature provides a new User Experience (UX) for Siebel CRM called “Redwood” that draws inspiration from the Oracle Redwood Design experience. The new UX is built on the OpenUI framework yet offers more than just aesthetics; it is not just a new OpenUI theme or skin. It includes the following exclusive features: • Ask Oracle: introducing a new application home and global navigation experience that allows users to access Navigation, Notifications, Search—all in one place. Furthermore, it is easier to search for Screens, access tools available from a List view, navigate through Level 1 and Level 2 views, and receive Desktop Alerts / Toast notifications. • Oracle Redwood styling: new styles, colors, icons, and fonts in line with Oracle Redwood design that includes a new style sheet, neutral colors, sleek icons, and contemporary fonts. The fonts and colors are chosen to reflect the	• Configuring Siebel Open UI • Open UI Siebel Fundamentals Guide	Yes

new color schemes introduced across Oracle's portfolio and are designed to reduce eyestrain. Bigger icons and less clutter also make it easier to navigate the UI.

- Restyled Homepage, Screens and Views: the application Homepage has been fully re-designed with a simplified header, fewer elements, and cleaner designs. The uncluttered layout comes with larger buttons and menus, emphasizing a less dense look and opening up space between page elements. The Application Toolbar and Menu Toolbar appear together as a single toolbar to be both user-friendly and consistent with other products in Oracle's portfolio.
- The new Redwood UX is available as an opt-in feature with no forced migration.

Get training on this feature here: [Siebel CRM 2024 TOI - Redwood UX](#)

Modern Siebel CRM Observability - Monitoring and Log Analytics

This feature provides Modern Observability functions of Metrics Monitoring and Logging Analytics for the Siebel CRM application setup on OCI OKE by Siebel Cloud Manager (SCM).

- It makes available for view, search, and analysis a comprehensive array of metrics covering all aspects of a Siebel CRM deployment, including Siebel Servers, Application Interfaces, Gateways, Oracle Database, Containers, all Kubernetes cluster objects (such as pods and services), and all other infrastructure in use, including VCNs, Vault, Nodes, Load Balancer, and so on.
- Logs generated by Siebel CRM deployment

- Deploying Siebel CRM on OCI using Siebel Cloud Manager

It also provides ability to customise and extend the solution due to its open nature.

This solution uses best of breed tools, including Prometheus, Grafana, Oracle OpenSearch, Fluentd, OCI Services, and others. It is delivered through Siebel Cloud Manager, which is listed in Oracle Cloud Marketplace.

This observability stack will align the Siebel CRM architecture more closely with cloud native deployment best practices. Information obtained from this stack could also be used for operational enhancements, such as dynamic scaling of a

Siebel CRM deployment, early detection of potential failures (deterministic/AI-based/probabilistic/other strategies), and automated corrective actions for large scale deployments.

Get training on these topics here:

- [Siebel CRM 2024 TOI: Modern Siebel CRM Observability - Log Analytics](#)
- [Siebel CRM 2024 TOI: Modern Siebel CRM Observability - Monitoring](#)

Fixes in Siebel CRM 24.6

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	35278424	Product Administration	Addresses an issue of exporting and importing product model where a deleted responsibility shows up in exported file with empty name causing product import failure.	Instructions for 35278424
Siebel Apps - Customer Order Management	36201792	Product Administration	Addresses an issue of defining compatibility when products with same name but from different organizations are referred in the compatibility rule. Compatibility rule includes intended organization so correct products are selected.	Instructions for 36201792
Siebel Apps - Customer Order Management	36130743	Product Administration	Addresses the issue of exporting and importing a product model with responsibility associated to a user interface where exported definition was missing the responsibility section.	Instructions for 36130743
Siebel Apps - Customer Order Management	36462982	Promotions	Addresses an issue when an agent tries to add a product using pick applet in the promotion group definition, a session warning message is thrown.	Instructions for 36462982
Siebel Apps - Customer Order Management	36462961	Quotes & Orders	Addresses issue of creating a Favorite from a quote that contains customizable product with a child product associated with coupon promotion.	Instructions for 36462961
Siebel Apps - Customer Order Management	36463000	Quotes & Orders	Addresses an issue of seven (7) digits after decimal points for Previous Net Price field in quote and sales order line item to match with other pricing fields.	Instructions for 36463000

Siebel CRM Deployment	36344781	Data Model	Addresses an issue where the S_UF_STEPS_LOG table is not created by PostInstallDBSetup nor RepositoryUpgrade.
Siebel CRM Deployment	36266671	Migration	Migration Durations have been Improved By Removing the dbcheck Utility From Migration Process
Siebel CRM Deployment	34547254	Repository Utilities	Notifies User When Trying to Execute a Migration Plan While the Server is Down
Siebel CRM Deployment	36267630	Siebel File System	SFSPartition utility ensures that the file gets deleted on the source after the utility is successfully completed.
Siebel CRM Development	10470304	Business Logic	Fixes Workflow Policy Triggers Generated for Extension Columns and Tables
Siebel CRM Development	35709804	Configuration Tools	Fixes Error While Debugging Scripts When UseThreadPool Parameter is Set to True
Siebel CRM Development	36451624	Configuration Tools	Removes extra click when simulating a Workflow Process
Siebel CRM Development	36370341	Scripting	Clib.Asctime Now Renders Correct Date
Siebel CRM Development	36396711	Workflow	Now Allows Visibility of All Steps in a Workflow Process in the Editor
Siebel CRM Development	35928316	Workspaces	Fixes Error When Incorrect Value Passed to Siebdevcli Utility
Siebel CRM Development	36348516	Workspaces	Fixes Issue With Flatten Workspace Where More Than One Repository Exists in Database
Siebel CRM Documentation	36658937	REST API Guide	Provides documentation on the "PageSize" parameter for inbound REST, which allows a GET operation to specify the number of layers to retrieve (e.g., Child/Grandchild/Great Grandchild/etc.)
Siebel CRM End User	31811373	User Interface	Screen Default View Optimization to only load once in logs and applets
Siebel CRM End User	36312029	User Interface	Restores Previous Browser Script Behavior When Business Component Not in Query Mode
Siebel CRM Integration	36494274	SSSE	This bug ensures that the seed data needed for PIMSI Business Contact Inbound Map is updated during RESPUPGRADE

Instructions for 35278424--Addresses an issue of exporting and importing product model where a deleted responsibility shows up in exported file with empty name causing product import failure.

Background

During data migration, responsibility data cleanup after the responsibilities have been used by product definitions leads to orphaned data in the UI Option and Responsibility intersection table. It further leads to Product Definition importing error due to invalid responsibilities in the exported file.

Steps

Repository Changes

68. For the Link *ISS Product Group Styles Buscomp/Cfg Responsibility* and *ISS Product Group Styles Buscomp/Responsibility*, uncheck the flag “No Inter Delete”.

Join	No Inter Delete
ISS Product Group Styles Buscomp/Cfg Responsibility	N
ISS Product Group Styles Buscomp/Responsibility	N

69. For Business Component *Object UI Option Resp ImpExp BC*, update the Join “Rest Info” as follows :

Join	Outer Join Flag
Rest Info	N

Instructions for 36201792--Addresses an issue of defining compatibility when products with same name but from different organizations are referred in the compatibility rule. Compatibility rule includes intended organization so correct products are selected.

Background

In product compatibility, if products from suppliers (those that are from a different organization) are used, compatibility will now include the organization information so that the correct products are selected.

Steps

Repository Changes

1. For Business Component *Internal Product - ISS Admin*, set Force Active for following two fields to TRUE:

Field	Force Active
Primary Organization	✓
Vendor	✓

2. For Business Component *Product Compatibility - Subject*, rename the following Fields and set the Predefault Values as shown:

Old Name	New Name	Predefault Value
Product Organization	Product Organization Id	Parent: 'Internal Product - ISS Admin.Primary Organization Id'
Product Vendor	Product Vendor Id	Parent: 'Internal Product - ISS Admin.Vendor Id'
Rel Product Organization	Rel Production Organization Id	
Rel Product Vendor	Rel Product Vendor Id	

3. Create four new Joins with the following configuration:

Table	Alias	Outer Join Flag	Join Specification Name	Join Specification Destination Column	Join Specification Source Field
S_BU	Product Organization		Product Organization Id	PAR_ROW_ID	Product Organization Id
S_ORG_EXT	Product Vendor	✓	Product Vendor Id	PAR_ROW_ID	Product Vendor Id
S_BU	Rel Product Organization		Rel Product Organization Id	PAR_ROW_ID	Rel Product Organization Id
S_ORG_EXT	Rel Product Vendor	✓	Rel Product Vendor Id	PAR_ROW_ID	Rel Product Vendor Id

4. Create four new Fields (one for each Join created above):

Field	Join	Column	Force Active	Predefault Value
Product Organization	Product Organization	NAME	✓	Parent: 'Internal Product - ISS Admin.Primary Organization'
Product Vendor	Product Vendor	NAME	✓	Parent: 'Internal Product - ISS Admin.Vendor'
Rel Product Organization	Rel Product Organization	NAME	✓	
Rel Product Vendor	Rel Product Vendor	NAME	✓	

5. Add the following Pick Maps for the existing Field *Rel Product*:

Field	Picklist Field
Rel Product Organization	Primary Organization
Rel Product Organization Id	Primary Organization Id
Rel Product Vendor	Vendor
Rel Product Vendor Id	Vendor Id

6. For Business Component *Product Compatibility - Object*, rename the following Fields and set the Predefault Values as shown:

Old Name	New Name	Predefault Value
Product Organization	Product Organization Id	
Product Vendor	Product Vendor Id	
Rel Product Organization	Rel Production Organization Id	Parent: 'Internal Product - ISS Admin.Primary Organization Id'
Rel Product Vendor	Rel Product Vendor Id	Parent: 'Internal Product - ISS Admin.Vendor Id'

7. Create four new Joins with the following configuration:

Table	Alias	Outer Join Flag	Join Specification Name	Join Specification Destination Column	Join Specification Source Field
S_BU	Product Organization		Product Organization Id	PAR_ROW_ID	Product Organization Id
S_ORG_EXT	Product Vendor	✓	Product Vendor Id	PAR_ROW_ID	Product Vendor Id

S_BU	Rel Product Organization		Rel Product Organization Id	PAR_ROW_ID	Rel Product Organization Id
S_ORG_EXT	Rel Product Vendor	✓	Rel Product Vendor Id	PAR_ROW_ID	Rel Product Vendor Id

8. Create four new Fields (one for each Join created above):

Field	Join	Column	Force Active	Predefault Value
Product Organization	Product Organization	NAME	✓	
Product Vendor	Product Vendor	NAME	✓	
Rel Product Organization	Rel Product Organization	NAME	✓	Parent: 'Internal Product - ISS Admin.Primary Organization'
Rel Product Vendor	Rel Product Vendor	NAME	✓	Parent: 'Internal Product - ISS Admin.Vendor'

9. Add the following Pick Maps for the existing Field *Product*:

Field	Picklist Field
Product Organization	Primary Organization
Product Organization Id	Primary Organization Id
Product Vendor	Vendor
Product Vendor Id	Vendor Id

10. For Business Component *ISS Promotion*, create two new Joins with the following configuration:

Table	Alias	Outer Join Flag	Join Specification Name	Join Specification Destination Column	Join Specification Source Field
S_BU	Primary Organization - S_BU		Primary Organization Id	PAR_ROW_ID	Primary Organization Id
S_ORG_EXT	S_ORG_EXT	✓	Vendor Id	PAR_ROW_ID	Vendor Id

11. Create two new Fields based on the new Joins

Field	Join	Column	Force Active
Primary Organization	Primary Organization - S_BU	NAME	✓
Vendor	S_ORG_EXT	NAME	✓

12. Similarly, for Business Component *ISS Promotion Product Components*, create two new Fields:

Field	Join	Column
Primary Organization Id	S_PROD_INT	BU_ID
Vendor Id	S_PROD_INT	VENDR_OU_ID

13. Create two new Joins with the following configuration:

Table	Alias	Outer Join Flag	Join Specification Name	Join Specification Destination Column	Join Specification Source Field
S_BU	Primary Organization - S_BU		Primary Organization Id	PAR_ROW_ID	Primary Organization Id
S_ORG_EXT	S_ORG_EXT	✓	Vendor Id	PAR_ROW_ID	Vendor Id

14. Create two new Fields based on the new Joins from the previous step for the same business component:

Field	Join	Column	Force Active
Primary Organization	Primary Organization - S_BU	NAME	✓
Vendor	S_ORG_EXT	NAME	✓

15. For Business Component *ISS Promotion Product Compatibility* - Subject, rename the following Fields and set the Predefault Values as shown:

Old Name	New Name	Predefault Value
Base Product Organization	Base Product Organization Id	Parent: 'ISS Promotion.Primary Organization Id'
Base Product Vendor	Base Product Vendor Id	Parent: 'ISS Promotion.Vendor Id'
Rel Base Product Organization	Rel Base Production Organization Id	
Rel Base Product Vendor	Rel Base Product Vendor Id	

16. Create four new Joins with the following configuration:

Table	Alias	Outer Join Flag	Join Specification Name	Join Specification Destination Column	Join Specification Source Field
S_BU	Base Product Organization		Base Product Organization Id	PAR_ROW_ID	Base Product Organization Id
S_ORG_EXT	Base Product Vendor	✓	Base Product Vendor Id	PAR_ROW_ID	Base Product Vendor Id
S_BU	Rel Base Product Organization		Rel Base Product Organization Id	PAR_ROW_ID	Rel Base Product Organization Id
S_ORG_EXT	Rel Base Product Vendor	✓	Rel Base Product Vendor Id	PAR_ROW_ID	Rel Base Product Vendor Id

17. Create four new Fields based on the new Joins from the previous step:

Field	Join	Column	Force Active	Predefault Value
Base Product Organization	Base Product Organization	NAME	✓	Parent: 'ISS Promotion.Primary Organization'
Base Product Vendor	Base Product Vendor	NAME	✓	Parent: 'ISS Promotion.Vendor'
Rel Base Product Organization	Rel Base Product Organization	NAME	✓	
Rel Base Product Vendor	Rel Base Product Vendor	NAME	✓	

18. Add the following Pick Maps for the existing Field *Rel Base Product*:

Field	Picklist Field
Rel Base Product Organization	Primary Organization
Rel Base Product Organization Id	Primary Organization Id

Rel Base Product Vendor	Vendor
Rel Base Product Vendor Id	Vendor Id

19. For Business Component *ISS Promotion Product Compatibility - Object*, rename the following Fields and set the Predefault Values as shown:

Old Name	New Name	Predefault Value
Base Product Organization	Base Product Organization Id	
Base Product Vendor	Base Product Vendor Id	
Rel Base Product Organization	Rel Base Production Organization Id	Parent: 'ISS Promotion.Primary Organization Id'
Rel Base Product Vendor	Rel Base Product Vendor Id	Parent: 'ISS Promotion.Vendor Id'

20. Create 4 new joins with the following configuration,

Table	Alias	Outer Join Flag	Join Specification Name	Join Specification Destination Column	Join Specification Source Field
S_BU	Base Product Organization		Base Product Organization Id	PAR_ROW_ID	Base Product Organization Id
S_ORG_EXT	Base Product Vendor	✓	Base Product Vendor Id	PAR_ROW_ID	Base Product Vendor Id
S_BU	Rel Base Product Organization		Rel Base Product Organization Id	PAR_ROW_ID	Rel Base Product Organization Id
S_ORG_EXT	Rel Base Product Vendor	✓	Rel Base Product Vendor Id	PAR_ROW_ID	Rel Base Product Vendor Id

21. Create four new Fields based on the new Joins created in the previous step:

Field	Join	Column	Force Active	Predefault Value
Base Product Organization	Base Product Organization	NAME	✓	
Base Product Vendor	Base Product Vendor	NAME	✓	
Rel Base Product Organization	Rel Base Product Organization	NAME	✓	Parent: 'ISS Promotion.Primary Organization'
Rel Base Product Vendor	Rel Base Product Vendor	NAME	✓	Parent: 'ISS Promotion.Vendor'

22. Add the following Pick Maps for the existing field *Base Product*:

Field	Picklist Field
Base Product Organization	Primary Organization
Base Product Organization Id	Primary Organization Id
Base Product Vendor	Vendor
Base Product Vendor Id	Vendor Id

23. For the Pick List *ISS Promotion Compatibility Component Product Picklist*, check the “Bounded” property.

Field	Bounded
-------	---------

ISS Promotion Compatibility Component Product Picklist	✓
--	---

24. **Product compatibility from Matrix view:** Out of the box, *Subject - Component Product* is read-only. If customer modifications have been made, similar changes will need to be made to *Product Compatibility* Business Component.

Instructions for 36130743--Addresses the issue of exporting and importing a product model with responsibility associated to a user interface where exported definition was missing the responsibility section.

Background

When the Business Service *ISS Authoring Import Export Service* methods *CleanupSingleObject* and *ReleaseSingleObject* are invoked, *UI Option Responsibility* entries are not cleaned up, which causes the exported workspace.xml to be missing data block under the *UI Option Resp Imp Exp BC* when *Administration – Product → Workspace Projects* “Export Contents” event is invoked.

Steps

Repository Changes

Add the following Business Object Business Component for the Business Object *ISS VOD Import Export BusObj*:

Business Component
ISS Delete UI Option Responsibility BusComp

Add the following BusComp User Prop for the Business Component *ISS VOD Import Export BusComp*

Name	Value
ISS_PROD_DEF15	ISS Delete UI Option Responsibility BusComp

Instructions for 36462982--Addresses an issue when an agent tries to add a product using pick applet in the promotion group definition, a session warning message is thrown.

Background

This fix addresses an issue that when you try to add a product in the *Promotion Group Definition Applet*, a Session Warning message is thrown.

Steps

Repository Changes

1. Edit the Workflow Process *Pricing Procedure - Promotion Group Discount*.
2. In the step *Look-Up Reward Discount*, for the Input Argument “On Match 1”, update the value as described below.

Input Argument	New Value
On Match 1	{Row.Temp Reward Use This Adjustment} = IIF ({Row.Product Id} = {Match.Product Id} AND {Row.PG Rule Type} = "RewardPdt" AND {Match.Type} = LookupValue ("PROM_PRI_TYPE_CD","Promotion Group Reward")), "Y", IIF ({Row.PG Product Line Id} = {Match.Product Line Id} AND {Row.PG Rule Type} = "CompProdLn" AND {Match.Type} = LookupValue ("PROM_PRI_TYPE_CD","Reward Aggregate - Conditional")), "Y", IIF ({Row.PG Class Id} = {Match.Class Id} AND {Row.PG Rule Type} = "CompCls" AND {Match.Type} = LookupValue ("PROM_PRI_TYPE_CD","Reward Aggregate - Conditional")), "Y", IIF ({Match.Type} = LookupValue

	("PROM_PRI_TYPE_CD","Reward Aggregate - Default") AND {Row.Temp Reward Current Type} IS NULL), "Y", "N"))))
--	---

Instructions for 36462961--Addresses issue of creating a Favorite from a quote that contains customizable product with a child product associated with coupon promotion.

Background

Addresses issue of creating a Favorite from a quote that contains customizable product with a child product associated with coupon promotion.

Steps

Repository Changes

70. Add the following fields to the *Template Item (Simple)* Business Component:

Name	Column	Text Length	Data Type
Prod Prom Id	PROMOTION_ID	15	DTYPE_ID
Prod Prom Instance Id	PROM_INTEG_ID	15	DTYPE_ID
Prod Prom Rule Id	PROM_ITEM_ID	15	DTYPE_ID

71. Add the following Join to the *Template Item* Business Component:

Property	Name
Table	S_PROD_INT
Alias	ISS Promotion
Outer Join Flag	TRUE

72. Add the following Join Specification for the new Join:

Property	Name
Name	Prod Prom Id
Destination Field	ROW_ID
Source Field	Prod Prom Id

73. Add the following Fields to the Business Component:

Name	Column	Join	Text Length	Data Type
Prod Prom Name	NAME	ISS Promotion	100	DTYPE_TEXT
Prod Prom Instance Id	PROM_INTEG_ID		15	DTYPE_ID

74. Select the *Template* Integration Object, then the child Integration Component *Line Item* and add the following fields:

Name	External Name	Length & External Length	Data Type & External Data Type
Prod Prom Name	Prod Prom Name	100	DTYPE_TEXT
Prod Prom Id	Prod Prom Id	15	DTYPE_ID

75. Copy the Link *Quote/ISS Promotion PSP Signalable Line Item VBC* and set the following values on the copied record:

Property	Value
Name	Template/ISS Promotion PSP Signalable Line Item VBC
Project	ISS Promotion Integration
Parent Business Component	Template
Child Business Component	ISS Promotion PSP Signalable Line Item VBC

Source Field	Id
Destination Field	Dummy Doc Id

76. Add the Business Component below to the *Template* Business Object:

Property	Value
BusComp	ISS Promotion PSP Signalable Line Item VBC
Link	Template/ISS Promotion PSP Signalable Line Item VBC

NOTE: You must deliver the Workspace including the Repository Changes above before making the Seed Data Changes listed below.

Seed Data Changes

1. In a Siebel application, navigate to Administration - Application > Data Map Administration.
2. Select the *OrderToTemplate* Data Map, then the child *Line Item* Data Map Component, and then add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination	Advanced Option
24	Field	Prod Prom Id	Field	Prod Prom Id	
25	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id	
26	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id	Name=MapId, Value=Order Entry - Line Items (Simple)

3. Select the *TemplateToOrder* Data Map, then the child *Line Item* Data Map Component, and then add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination	Advanced Option
27	Field	Prod Prom Id	Field	Prod Prom Id	
28	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id	
29	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id	Name=MapId, Value=Template Item

4. Select the *TemplateToQuote* Data Map, then the child *Line Item* Data Map Component, and then add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination	Advanced Option
24	Field	Prod Prom Id	Field	Prod Prom Id	
25	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id	
26	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id	Name=MapId, Value=Template Item

5. Select the *QuoteToTemplate* Data Map, then the child *Line Item* Data Map Component, and then add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination	Advanced Option
24	Field	Prod Prom Id	Field	Prod Prom Id	
25	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id	

26	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id	Name=MapId, Value=Quote Item (Simple)
----	-------	-----------------------	-------	-----------------------	---------------------------------------

- Click the "Clear Cache" button.

Instructions for 36463000--Addresses an issue of seven (7) digits after decimal points for Previous Net Price field in quote and sales order line item to match with other pricing fields.

Background

Addresses an issue of seven (7) digits after decimal points for Previous Net Price field in quote and sales order line item to match with other pricing fields.

Steps

Repository Changes

- Contact Tech Support to request the SIF file *Bug36463000.sif*.
- Launch Siebel Tools against your Development (DR) environment.
NOTE: This is a schema level change that is not yet available in Web Tools.
- Lock the project Table *NetworkOrderManagement*
- Import the archive file *Bug36463000.sif*
- Query the Name column of the Table object for *S_QUOTE_ITEM_OM* or *S_ORDER_ITEM_OM*
- Click the *Apply/DDL* button.
- Select the *Apply* radio button, then click OK.
- In the *Apply Schema* window, select *Current Query* from the *Tables* dropdown list.
- Fill in the appropriate Database User, Password, and ODBC data source information.
- Click the *Apply* button.

NOTE: This process is only required in the Design Repository (DR) environment. The changes will automatically be propagated to downstream Runtime Repository environments at the next full or incremental migration.

New Features and Bug Fixes in Siebel CRM Monthly Update 24.5

New Features in Siebel CRM 24.5

There are no new features in 24.5.

Fixes in Siebel CRM 24.5

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Customer Order Management	36351629	Customizable Prod/Configurator	Addresses an issue of adding or removing child products using product model script when user clicks on Done button in product configurator while using remote product configurator.	
Siebel Apps - Customer Order Management	36366098	Promotions	This bug addresses an issue with Deep Copy of bundle promotion where relationships, component cardinalities and attribute values are incorrectly copied while using Oracle database.	Instructions for 36366098

Siebel Apps - Customer Order Management	36366116	Quotes & Orders	Addresses issue with suspending and resuming a subscription of bundle promotion with a commitment that incorrectly reactivates previously inactivated subscription.	Instructions for 36366116
Siebel CRM Cloud Applications	36617101	Siebel Cloud Manager	OCI Object Storage Namespace naming convention change incorporated into Siebel Cloud Manager (SCM) Lift Utility to aid seamless upload of Siebel CRM artifacts from on-premises into OCI bucket in the cloud for subsequent deployment into Oracle Kubernetes Engine by SCM while retaining all customizations.	
Siebel CRM Deployment	27779782	Installation	Improved display of second language in deployment section during a migration installation. <i>*** This fixed bug was previously documented as a Known Issue ***</i>	
Siebel CRM Deployment	36353333	Server Infrastructure	Improved Gateway AI process to reduce open file handles	
Siebel CRM Development	36039399	Business Logic	Improved EAI Object Manager credential handling	
Siebel CRM Documentation	36335966	eScript Lang Ref	Documentation Now Correctly Described the ECMAScript Date Format.	
Siebel CRM Documentation	35255270	Order Mgmt Guide	Address an issue of documenting business services newly added for configuring multiple customizable products in Order Management Infrastructure Guide.	
Siebel CRM End User	36299948	Communications Panel/Dashboard	Addresses hang issue when using Siebel Chat Frequently Used Text (FUT)	
Siebel CRM Integration	35171047	SSSE	The bug fix ensures that the title field is synchronized from Siebel to Outlook or vice versa.	Instructions for 35171047

Special Configuration Instructions for Release 24.5

Instructions for 36366098--This bug addresses an issue with Deep Copy of bundle promotion where relationships, component cardinalities and attribute values are incorrectly copied while using Oracle database.

Background

This bug addresses an issue with Deep Copy of bundle promotion where relationships, component cardinalities and attribute values are incorrectly copied while using Oracle database.

Steps

Repository Changes

For the Business Component *ISS Promotion Items for Import*, add the following Sort Specification:

```
Created (Ascending)
```

Instructions for 36366116--Addresses issue with suspending and resuming a subscription of bundle promotion with a commitment that incorrectly reactivates previously inactivated subscription.

Background

Imagine you have a bundle promotion subscription for two products (a magazine and a movie service) with a commitment (for a minimum subscription time). When you first sign up (base order), both products are active in your agreement. Now, let's say you want to change your subscription (modify order) and remove the magazine. This should make the magazine inactive in your agreement. So far, so good.

If you then suspend your entire subscription (suspend order) and later resume it (resume order), the magazine (which was previously set to inactive agreement line item) becomes active again. This is unexpected.

What Should Happen

- When you remove a product with a commitment period, it should become inactive and stay that way.
- Suspending and resuming your entire subscription shouldn't affect the individual agreement line item's activation status.

Steps

Repository Changes

1. Edit the Workflow Process *ISS Promotion Create Agreement Details* as follows:
 - a. For the Step *Deactivate*, using the Multi Value Property Windows, change the Search Specification to

```
IIF([&Component Asset Integration Id] IS NOT NULL, '[Asset Integration Id] = '' +  
[&Component Asset Integration Id] + ''', '[Root Promotion Integration Id] = ' + '' +  
[&Asset Integration Id] + ''')
```
 - b. Select the Step *Resume/Suspend*, and change the Search Specification to:

```
IIF([&Component Asset Integration Id] IS NOT NULL, '[Asset Integration Id] = '' +  
[&Component Asset Integration Id] + ''', '[Root Promotion Integration Id] = ' + '' +  
[&Asset Integration Id] + ''')
```
2. Edit the Workflow Process *ISS Promotion Agreement Management Sub Process* as follows:
 - a. For the Step *Suspend/Resume Promotion*, change the Search Specification to:

```
'[Asset Integration Id] = ' + '' + [&Asset Integration Id] + '' OR [Root Promotion  
Integration Id] = ' + '' + [&Asset Integration Id] + '' AND [Status] <> LookupValue  
('SRV_AGREE_STATUS', "Inactive")'
```

Instructions for 35171047--The bug fix ensures that the title field is synchronized from Siebel to Outlook or vice versa.

Background

When a new contact is created in Siebel or Outlook with an honorific, such as Mr./Mrs./Dr., the field is not synchronized in between Siebel and Exchange. This fix addresses that problem.

Steps

Repository Changes

1. For the Integration Object *PIMSI Intermediate Business Contact* / Integration Component *BusinessContact*, add the following:

Field	MM
Name	MM
Data Type	DTYPE_TEXT
Type	Data
External Name	MM
External Sequence	19
XML Sequence	19
XML Style	Element
XML Tag	MM

2. For the Integration Object *PIMSI Intermediate EWS Business Contact* / Integration Component *BusinessContact*, add the following:

Field	0x3a45
Name	0x3a45
Data Type	DTYPE_TEXT
Type	Data
External Name	0x3a45
External Sequence	23
XML Sequence	23
XML Style	Element
XML Tag	0x3a45

3. For the Integration Object *GetItem* / Integration Component *ExtendedFieldURI*, add the following:

Field	PropertyTag
Name	PropertyTag
Data Type	DTYPE_TEXT
Type	Data
External Name	PropertyTag
External Sequence	0
XML Sequence	0
XML Style	Attribute
XML Tag	PropertyTag

4. For the Integration Object *PIMSI Business Contact* / Integration Component *Contact*, activate the *M/M* Field

Seed Data Changes

1. Navigate to *Site Map* → *Administration - PIM Server Integration* → *PIM Domains*, select the “Exchange Contact” domain, and add a new field as follows:

Name	Title
------	-------

Field Identifier	0x3a45
Field Type	Salutation
Data Type	Unicode String

2. Navigate to the *Configuration* view, select the “Exchange Contact” profile, and add a new Configuration Profile as follows:

Name	Title
Parameter	WSPROPERTYNAME
Value	ExtendedFieldURI:PropertyTag=0x3a45:PropertyType=String:

3. Navigate to the *Siebel Domains* view, select the “Siebel Business Contact” domain, and create a new Siebel Domain Field as follows:

NOTE: You will need to add the Related BusComp Name and Parent columns to the list applet by using the Applet Menu “Columns Displayed” feature.

Name	M/M
Field Identifier	MM
Field Type	Salutation
Data Type	String
Related BusComp Name	Contact
Parent	BusinessContact

4. Navigate to the *Domain Map* view, select the “Siebel-Exchange Business Contact Map” domain, and create a new Field Map as follows:

Siebel Field	M/M
PIM Field	Title
Sync Enabled	True

5. Navigate to the *Site Map → Administration - Integration → Domain Map Editor* view and add new Integration Component Maps as shown here:

Integration Object Map	Integration Component Map	Source Component Name
PIMSI EWS Create Contact Outbound Map	ExtednedValue7 MM Map NOTE: Incorrect spelling “of Extended” should be used as shown for this Map	BusinessContact
PIMSI EWS Create Contact Outbound Map	ExtendedFieldURI7 MM Map	BusinessContact
PIMSI EWS Update Contact Outbound Map	ExtendedProperty7 MM Map	BusinessContact
PIMSI EWS Update Contact Outbound Map	ExtendedFieldURI7 MM Map	BusinessContact
PIMSI EWS Update Contact Outbound Map	ExtednedValue7 MM Map	BusinessContact

6. Navigate to the *Site Map → Administration - Integration → Domain Map Editor* view and add new Integration Component Maps as shown here:

Integration Object Map	Integration Component Map	Source Expression	Target
PIMSI Business Contact Inbound Map	BusinessContact_Contact	[MM]	M
PIMSI Business Contact Outbound Map	Contact_BusinessContact	[M/M]	M
PIMSI EWS Create Contact Outbound Map	ExtendedFieldURI7 MM Map	"0x3a45"	Pr
PIMSI EWS Create Contact Outbound Map	ExtendedFieldURI7 MM Map	"String"	Pr
PIMSI EWS Create Contact Outbound Map	ExtednedValue7 MM Map	[0x3a45]	Va

PIMSI EWS Update Contact Outbound Map	ExtendedFieldURI7 MM Map	"0x3a45"	Pr
PIMSI EWS Update Contact Outbound Map	ExtendedFieldURI7 MM Map	"String"	Pr
PIMSI EWS Update Contact Outbound Map	ExtendedValue7 MM Map	[0x3a45]	Va

New Features and Bug Fixes in Siebel CRM Monthly Update 24.4

New Features in Siebel CRM 24.4

Feature Name	Description	Documentation	Repository Update Required?
CTMS Mobile SmartScript	Siebel Clinical Trials Management System (CTMS) provides Site Visit and Trip Reports functionality to conduct clinical site monitoring as required by industry guidance and regulations. These features are some of the most used features in Siebel CTMS on the desktop or mobile. These new features provide more consistency between CTMS Mobile Site Visits on tablets and the desktop version of Site Visits. The new functionality includes Mobile capabilities, such as support for adding attendees, comments, subject accrual snapshot, as well as SmartScript functionality in trip report questions, and improved navigation for Mobile trip reports. Due to limited or unreliable Internet/Wi-Fi connectivity in hospitals, medical centers, clinics, doctor's offices, and remote areas where clinical trials may be conducted, Mobile offline capabilities are now available. This enables Clinical Research Associates to complete trip reports in a Mobile offline mode even if there's unreliable connectivity at the site, or the CRA wishes to work on the Trip Report in transit while traveling to/from a clinical site. Get Training on this feature here: Siebel CRM 2024 TOI - CTMS Mobile SmartScript	CTMS User Guide	Yes
Web Tools - Applet Format Toolbar	This new feature in Web Tools for Form Applets provides the capability to select controls on Form Applets and re-size, move, or align them with just a simple click of a toolbar button saving your developers time and effort. This feature improves the developer experience and provides a more consistent and visually compelling user experience in the application. Training will be posted on Oracle University as soon as available. Please refer to the	Using Siebel Tools	No

documentation in Siebel Bookshelf until it is available.

Get Training on this feature here: [Siebel CRM 2024 TOI: Web Tools Applet Format Toolbar](#)

UCM using Event Driven Architecture

This new feature for Siebel UCM takes advantage of the Siebel CRM Event Pub Sub framework for event-driven communications between Siebel CRM and external systems.

- Oracle Customer Hub (UCM) Master Data Management Reference

Yes

This allows event publishing to and consuming from Kafka for various use cases in a typical Siebel UCM implementation.

Kafka is a distributed event store and stream-processing platform used widely in the industry because it is scalable, fast, and fail-safe.

By providing an integration with Kafka for Siebel UCM, integration and maintenance effort with external systems will be simplified.

The supported use cases for the Kafka integration are Insert, Update, and Delete request events for Account, Contact, Household, and Financial Account objects. Data Steward actions, including Link & Update, Create New, and Merge events, are also available for publication to Kafka.

Get Training on this feature here: [Siebel CRM 2024 TOI - Siebel UCM using Event Driven Architecture](#)

Fixes in Siebel CRM 24.4

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Marketing	35582923	List Management	The error in promoting a prospect with a duplicate address has been resolved with this fix.	
Siebel Apps - Marketing	35635945	List Management	The fix delivered in this bug is to address the error occurring during trying to promote a prospect which is already promoted.	
Siebel CRM Deployment	34066233	Database Upgrade	Resolves an issue where custom Web Templates are not being properly converted during a Siebel Upgrade, causing UI distortion, missing controls, etc.	

Siebel CRM Deployment	36144550	DB2 z/OS	Addresses an error encountered upgrading a DB2 z/OS database from IP2013 to modern versions during the execution of the "ddldict" utility. The error message was, "szexpression flag is invalid".
Siebel CRM Deployment	35999330	Repository Utilities	Ensures Correct Watermark File and Workspace Version are Used During Migrations
Siebel CRM Deployment	36269573	Repository Utilities	Fixes Issue With Creating Integration Workspace During RepositoryUpgrade Execution *** This fixed bug was previously documented as a Known Issue ***
Siebel CRM Development	33862839	Configuration Tools	Introduces Applet Format Toolbar to Web Tools
Siebel CRM End User	27423153	Calendar	This bug ensures that all the team events are visible to the team members with the parameter to the team members with Applet User Properties "Enable Owner Picker" set to "N". *** This fixed bug was previously documented as a Known Issue ***
Siebel CRM End User	36156277	User Interface	Removed required screen refresh after error message for certain use cases.
Siebel CRM End User	36153190	User Interface	Optimized right-click on next record set in list controls to optimize usability
Siebel CRM Integration	36127303	EAI	Fixes Spelling Error in siebel.properties File
Siebel CRM Integration	35079973	SSSE	The fix allows PIMSI configuration to migrate from one environment to another environment by importing XML file
Siebel CRM Integration	36222478	SSSE	Addresses the issue where a Calendar event with past alarm gets synched with Siebel
Siebel CRM Integration	35781993	SSSE	Addresses an issue where meeting attendees are not removed during sync with Job Parameter "SupressOutboundContactAttendees" set to True when an Account is associated with a Contact

Special Configuration Instructions for Release 24.4

Instructions for 27423153--This bug ensures that all the team events are visible to the team members with the parameter to the team members with Applet User Properties "Enable Owner Picker" set to "N".

[Instructions for 27423153](#)

[Instructions for 35079973](#)

Background

For calendar applets which are used as children of other objects, such as an Opportunity Calendar, visibility should be controlled by the link between the parent object and the calendar, not the current user. This fix ensures that all the team events are visible to every members.

Steps

Repository Changes

There are two options available to address this issue:

1. Run RepositoryUpgrade, which will make the Repository changes to the out-of-the-box objects that require this change, or
2. Manually follow the instructions in Bookshelf for using the “Enable Owner Pick” User Property for the Applet as shown below:

Applet	Applet User Properties	Value
Campaign Calendar Monthly Grid Applet	Enable Owner Picker	N
eCalendar Monthly Applet Without Employee	Enable Owner Picker	N

Instructions for 35079973--The fix allows PIMSI configuration to migrate from one environment to another environment by importing XML file

Background

An Administrator is unable to import changes (XML export file) from SSSE configuration in a development or Test environment to production environment which forces the customer to create those changes again in the production environment. This bug ensures that the import XML from “PIMSI Import Popup Applet” works properly.

Steps

Repository Changes

Search for the applet “PIMSI Import Popup Applet”, navigate to applet’s control and add the following Control User properties to existing controls:

Browse	ClientPMUserProp	UploadTriggerControl
	UploadTriggerControl	Import
Import	ClientPMUserProp	FileUploadControl
	FileUploadControl	Browse
	Sequence	+1

New Features and Bug Fixes in Siebel CRM Monthly Update 24.3

New Features in Siebel CRM 24.3

There are no new features in 24.3.

Fixes in Siebel CRM 24.3

Product Name	Reference	Category	Description	Configuration Instructions
--------------	-----------	----------	-------------	----------------------------

Siebel Apps - Customer Order Management	36117209	Promotions	Addresses an issue whereby bundle promotion components are now mapped to correct bundle promotion when line items are created using Favorites. Existing promotion-based Favorites should be re-created.	Instructions for 36117209
Siebel Apps - Customer Order Management	35710735	Quotes & Orders	Addresses an issue of showing alert message in parallel configurator view when switching to child CP for an incomplete root CP. Also enhances navigation in the explorer applet.	Instructions for 35710735
Siebel Apps - Marketing	35778722	List Management	Fixed problem in Marketing Import job error occurring when fields have exact match when using joined columns.	
Siebel CRM Deployment	36160652	Installation	Optimized backup process for installer to miniize required backup content.	
Siebel CRM Deployment	35713810	Installation	lproved Siebel Gateway Registry upgrade from older versions.	
Siebel CRM Deployment	35884434	Installation	Optimized user limit (ULIMIT) MAX STACK SIZE in SIEBENV shell scripts	
Siebel CRM Deployment	35682784	Server Infrastructure	Improved Server Command performance by optimizing library paths.	
Siebel CRM Development	34307226	Business Logic	Fixes double invocation of BusComp_PreSetFieldValue event for Immediate Post Changes UI Controls.	
Siebel CRM Development	36142196	Scripting	Fixes issue when multiplying two numbers in eScript to provide the correct rounding.	
Siebel CRM Development	36135275	Scripting	Correctly handles InvokeMethod in browser script.	
Siebel CRM Development	35895048	Workspaces	Correctly handles running FlattenWorkspace after installing a new language.	
Siebel CRM Development	35880158	Workspaces	Correctly handles inspecting the Integration Workspace created by RepositoryUpgrade.	
Siebel CRM Documentation	35879186	Database Upgrade Gd	Documents that the ServerSessionLoopSleepTime parameter should not be set lower than 60.	
Siebel CRM Documentation	34393584	EIM Admin Guide	Documents how to prevent EIM from deleting data from the Audit Trail when removing records from base tables.	
Siebel CRM Documentation	34585492	Implmntng Siebel on DB2 z/OS	Documents that all Enterprises running on DB2 z/OS must have the same	

			encoding scheme across Dev, Test, Production, etc.
Siebel CRM Documentation	34522921	System Admin Gd	Documents the full set of tables that are maintained by the Server Table Cleanup (SrvTblCleanup) Server Component
Siebel CRM Documentation	36299391	System Admin Gd	Provides information on using the "/ip" command line argument for Server Manager (srvrmgr), which allows an encrypted password to be used for logging in
Siebel CRM End User	36073877	User Interface	Improved formatting for activity recent record.
Siebel CRM End User	35703326	User Interface	Improved File drag and drop in bulk mode.
Siebel CRM Integration	35989854	REST	Correctly handles simulation using the PRM ANI Utility Service to provide inputs for an outbound REST call.

Special Configuration Instructions for Release 24.3

Instructions for 36117209--Addresses an issue whereby bundle promotion components are now mapped to correct bundle promotion when line items are created using Favorites. Existing promotion-based Favorites should be re-created.

Background

Fix addresses an issue whereby Promotion Products are not mapped to correct Promotions when Line Items are created from Favorites.

Steps

Repository Changes

1. Select the Business Component "Template Item (Simple)" and add the following fields:

Name	Column	Text Length	Data Type
Prod Prom Id	PROMOTION_ID	15	DTYPE_ID
Prod Prom Instance Id	PROM_INTEG_ID	15	DTYPE_ID
Prod Prom Rule Id	PROM_ITEM_ID	15	DTYPE_ID

2. Select the Business Component "Template Item" and add the following fields:

Name	Column	Text Length	Data Type
Prod Prom Instance Id	PROM_INTEG_ID	15	DTYPE_ID

Seed Data Changes

1. Navigate to Administration - Application → Data Map Administration and select the "OrderToTemplate" Data Map.
 - a. For the "Line Item" Data Map Component, add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination
24	Field	Prod Prom Id	Field	Prod Prom Id
25	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id

26	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id
----	-------	-----------------------	-------	-----------------------

- b. For the Data Map Field “Prod Prom Instance Id” which was just added, create the following Advanced Option:

Name	Value
MapId	Order Entry - Line Items (Simple)

2. Select the “TemplateToOrder” Data Map.

- a. For the “Line Item” Data Map Component, add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination
27	Field	Prod Prom Id	Field	Prod Prom Id
28	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id
29	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id

- b. For the Data Map Field “Prod Prom Instance Id” which was just added, create the following Advanced Option:

Name	Value
MapId	Template Item

3. Select the “TemplateToQuote” Data Map.

- a. For the “Line Item” Data Map Component, add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination
24	Field	Prod Prom Id	Field	Prod Prom Id
25	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id
26	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id

- b. For the Data Map Field “Prod Prom Instance Id” which was just added, create the following Advanced Option:

Name	Value
MapId	Template Item

4. Select the “QuoteToTemplate” Data Map.

- a. For the “Line Item” Data Map Component, add the following Data Map Fields:

Order	Source Type	Source	Destination Type	Destination
24	Field	Prod Prom Id	Field	Prod Prom Id
25	Field	Prod Prom Rule Id	Field	Prod Prom Rule Id
26	Field	Prod Prom Instance Id	Field	Prod Prom Instance Id

- b. For the Data Map Field “Prod Prom Instance Id” which was just added, create the following Advanced Option:

Name	Value
MapId	Quote Item (Simple)

5. Click Clear Cache.

NOTE: Any existing Promotion-based favorites need to be re-created. The old favorites will not have the Prod Prom Id, Prod Prom Instance Id, nor Prod Prom Rule Id fields populated and hence are not compatible with this fix.

Instructions for 35710735--Addresses an issue of showing alert message in parallel configurator view when switching to child CP for an incomplete root CP. Also enhances navigation in the explorer applet.

Background

In the Parallel Configuration flow, while customizing products, if there is an incomplete configuration then a red bell is shown. When the user tries to switch between one Root product to another Root product, an alert message is generated as follows:

The configuration you are trying to save is incomplete. Click the Cancel button to return and complete your configuration. Click the OK button to continue saving the incomplete configuration.

This message is not expected while switching to a child Customizable Product (CP) within the root CP.

Note that in addition to above, this bug enhances the user experience as follows:

- The focus on the selected customizable product (highlighted in blue) is retained while navigating across pages or expanding / collapsing in the explorer applet. Clicking on a root CP changes focus and loads the new CP.
- The explorer applet identifies Bundle Promotion (BP) and CPs within it using Promotion Role icons.
- The red bell is promoted to the Bundle Promotion for incomplete CPs within the bundle.

Steps

Repository Changes

1. In the Business Component *SIS OM Configuration List VBC* add the following Fields with the attributes as follows:

Field	Attribute	Value
Product Type Code	<none needed>	
Promotion Icon	Calculated	True
	Calculated Value	IIF([Product Type Code] = 'Promotion', 'Bundled Promotions', IIF([Id] IS NOT NULL, 'Promotion Component', ''))

2. Append the following values to the existing Business Component User Properties (do not replace!)

PrivateFields	Root Id, Product Type Code, Prod Prom Instance
Reconfigure Complex Product Field Name::Order Entry (Sales)	Product Type Code:Product Type Code
Reconfigure Complex Product Field Name::Quote	Product Type Code:Product Type Code

3. In the Applet *SIS OM Order Item Simple List Applet*, add a List Column as follows:

Name	Promotion Icon
Field	Promotion Icon
Display Name – String Override	Promotion Icon
HTML Icon Map	Promotions Visual Indicators
HTML Type	CheckBox
Read Only	True

4. For the same Applet, add a new Applet Web Template Item under the existing *Base_latest* Applet Web Template:

Name	Promotion Icon
Control	Promotion Icon
Item Identifier	501

5. In the Applet *SIS OM Quote Item Simple List Applet*, add a List Column as follows:

Name	Promotion Icon
------	----------------

Field	Promotion Icon
Display Name – String Override	Promotion Icon
HTML Icon Map	Promotions Visual Indicators
HTML Type	CheckBox
Read Only	True

6. For the same Applet, add a new Applet Web Template Item under the existing Base_latest Applet Web Template:

Name	Promotion Icon
Control	Promotion Icon
Item Identifier	501

New Features and Bug Fixes in Siebel CRM Monthly Update 24.2

New Features in Siebel CRM 24.2

There are no new features in 24.2.

Fixes in Siebel CRM 24.2

Product Name	Reference	Category	Description	Configuration Instructions
Siebel Apps - Clinical Trials Management System	36100318	Site Management	For the Clinical one integrated Studies, when a new SVT version is updated, only for Visits where the 'Repeating' flag is Y, the Completed and Completed date values must be reset. So after Scheduling the Subject, data should be retained for Static visit ONLY, but Master visit data should be reset (which in case is not happening and system is resetting the 'Completed' flag and 'Completed Date' for both the Visits where Repeating flag is Y and N). A fix has been provided to address this issue.	
Siebel CRM Deployment	34233779	Database Upgrade	Addresses an issue where RepositoryUpgrade would re-import Oracle-provided changes imported in previous versions.	
Siebel CRM Deployment	34947236	Test Automation	Automation attributes are updated in order to invoke a Task Based UI (TBUI) through automation, even when the display Name for Task group and Task are the same	
Siebel CRM Development	35909354	Configuration Tools	Addresses issue where a Workflow Process Property with an accented character hindered debugging	

Siebel CRM Documentation	35856860	Database Upgrade-DB2 for z/OS	Corrects missing and incorrect documentation on the switches used by the RepositoryUpgrade utility.
Siebel CRM Documentation	36236552	EIM Admin Guide	Clarifies that customers are solely responsible for the decision to delete data using EIM or other tools consistent with regulatory and business considerations as applicable for their implementation.
Siebel CRM Documentation	35595890	Implmntng Siebel on DB2 z/OS	Removes outdated versions from Monthly Update Guide
Siebel CRM Documentation	34158622	Order Mgmt Guide	Addresses a documentation issue of Trim method of Product Manipulation Toolkit (PMT) business service.
Siebel CRM End User	31088183	User Interface	Resolved selection issues in multiselect feature of list applets. <i>*** This fixed bug was previously documented as a Known Issue ***</i>
Siebel CRM Integration	35933555	Chat Integration	Enable filtering Siebel Chat Frequently Used Text (FUT) templates by languages
Siebel CRM Integration	36068073	CTI	Enabling CTI bookmark generation to support call transfer
Siebel CRM Integration	36109497	Event Pub/Sub	Provides support for SASL authentication (SASL/SCRAM-SHA-256 and SASL/SCRAM-SHA-512) for Siebel CRM Event Pub/Sub for Siebel CRM-Kafka integration
Siebel CRM Integration	36040506	Event Pub/Sub	Provides support for SASL authentication (SASL/SCRAM-SHA-256 and SASL/SCRAM-SHA-512) for Siebel CRM Event Pub/Sub for Siebel CRM-Kafka integration

Known Issues

Siebel CRM 26.2 Update February 2026

Siebel CRM Known Issues document the most current information on known product anomalies and workarounds (where available) for the Siebel CRM 26.2 Monthly Update. The information contained in the current version of the this document supersedes the content of all documentation provided with or for Siebel

CRM Applications. It is important that you thoroughly review the Known Issues prior to the installation and use of the software to ensure a smooth installation and update process. For the legal notice applicable to Siebel CRM Known Issues (Release Notes), review: **Oracle Release Notes Legal Notice (Doc ID 547098.1)**.

In some cases, Oracle's Siebel CRM products and features are not available in the release or are not available with certain databases, Siebel Enterprise Server operating systems, or Siebel CRM international localizations. Many of these limitations are due to third-party product support limitations. Product and feature availability exceptions are not documented in the Known Issues database. System Requirements and Platform Certifications are available from the Certifications tab on [My Oracle Support](#). For more information on certifications, see: **Using Certifications on My Oracle Support for Siebel CRM Products (Doc ID 1492194.1)**.

Known Issues by Category

Configuration

Web Tools Script Debugger Service Not Installed

Category	Configuration
Subcategory	Web Tools/Scripting
Bug No	32130652

On Windows server machines that do not have the "Visual C++ Redistributable for Visual Studio 2015" pre-installed, the Siebel Debugger Service ("DbgService") is not properly created as a Windows Service.

Symptom: After installing the Monthly Update for the Siebel Server, no "DbgService" Windows Service appears in the Windows Service Control Panel.

Remediation

If the service is not created automatically, it can be created manually as follows.

1. Download and install the 64-bit Visual C++ Redistributable for Visual Studio 2015 from <https://www.microsoft.com/en-us/download/details.aspx?id=48145>.
2. Run the InstallDbgService.bat file from the siebsrvr\bin folder.
3. Verify that the service is created in the Windows Services Control Panel.

NOTE: The service can be set to start automatically if desired.

Flattening an Integration Workspace Results in an Error

Category	Configuration
Subcategory	Workspaces
Bug No	32819291

When attempting to flatten an Integration Workspace, the following error is shown:

"The same values for '<?>' already exist."

Remediation

Set the System Preference "Enable Concurrent WS Deliver" to "False" before attempting to flatten an Integration Workspace.

Validation Log Is Not Workspace Aware

Category Configuration
Subcategory Workspaces
Bug No 33789590

The log file saved from a Validation session is not Workspace aware. When you re-load the validation log and navigate to objects listed in the file, if the current Workspace is not the one used to create the validation log then the objects in the current Workspace may not have those issues.

Remediation

1. After saving the file in the browser, rename it so that the Workspace from which it originated is obvious.
 - a. Example: (Validation was performed in the MyWorkspace workspace)
 - b. After saving the file as validation.log, rename it as *WS_MyWorkspace_validation.log*
 2. Open the same Workspace (MyWorkspace) as was used for the validation log.
 3. Now the issues found in the log should be in the current Workspace unless they have been fixed since the validation was executed.
-

Validation of Multiple Versions of a Workspace Will Not Provide Workspace Information

Category Configuration
Subcategory Workspaces
Bug No 33816160

When validating a Workspace that has more than one version, you have the option of validating all the versions of that Workspace. If an object has an error or a warning after validation, the error or warning will not include which version of the Workspace that object is in.

Remediation

Since you will not get the version of the Workspace with any error or warning, choose a specific version of the Workspace to validate. This ensures the results are from the Workspace version you chose to examine.

1. In Web Tools navigate to the Workspace View by clicking on the cube icon in the application menu.
 2. In the Workspace Screen choose a Workspace with multiple versions to examine.
 3. Once the Workspace is chosen, in the middle of the screen you can choose which version of that Workspace to validate by clicking on a row with the version containing the objects for validation.
-

SubTasks Must Have Responsibilities Added to Allow Full Access

Category Configuration
Subcategory Tasks
Bug No 34109166

SubTasks called from a parent Task, when paused, create an Inbox Item that may be resumed later. But when they are resumed the navigation buttons in the Task are disabled so the Task cannot be completed.

Remediation

Just as you added the user's Responsibility to the parent Task, add the SubTask to the list of Registered Tasks and also add the user's Responsibility to the SubTask. It will be addressed in a future Monthly Update.

This is accomplished in the application by:

1. Navigate to Administration Application > Tasks
2. Add the SubTask to the Registered Tasks Applet.
3. Add the appropriate Responsibility to the Responsibilities Applet.

Add Sequence Number to View Task Groups for Flattening Workspaces

Category Configuration


Subcategory Task

Bug No 34243866

When there are two or more View Task Groups associated to a View and any of them do not have a Sequence defined, flattening Workspaces may fail with an error.

SBL-GEN-00000: Unable to load message 0xffff

The *Sequence* for a View Task Group defines the order in which the Tasks in a View Task Group will appear in the Task Pane.




	Task Group	Changed	Application	Sequence	Sequence - Language
☒	Asset Contr	☒			
☐	Account Order	☒			


Remediation

If you wish to flatten your Workspaces and have defined View Task Groups, make sure they have a Sequence defined for each View Task Group. This is accomplished by the following.

1. Choose the View object type in the Object Explorer.
 - a. If the child object (View Task Group) is not visible, enable it by clicking the edit (pencil) icon and choosing View Task Group child object under the View object type.



- b. Click the Save icon.



2. For each View Task Group for the View, add a Sequence value such as 1, 2, 3... et cetera.

Tomcat AI Internal Service Needs Restart After Installing Siebel Monthly Update

Category Configuration

Subcategory Siebel Management Console

Bug No 38085364

After performing Siebel CRM Monthly Update from an older Siebel build version to Siebel 25.6 or later, if the user attempts to login to SMC, an alert saying, "SERVER ERROR FOR RESOURCE: /DEPLOYMENTS/CACHESERVER." pops up. This alert does not cause any functional issue, but prevents the user from continuing.

Remediation

Restart the Tomcat *applicationcontainer_internal* Service.

General

TXNPROC Is hanging with "Connecting to the Database" status

Category General
Subcategory Siebel Remote
Bug No 38083262

Transaction Processor (Siebel Remote Component) is intermittently hanging with the error "Connecting to the database" status for only AIX/DB2 390 environment and works without any issues for all other environments. The following error is displayed:

```
SQLException Recovery Info 2 00000000268510132:0 2025-06-17 06:18:20 Link Failure Detected.  
Restarting...  
Trace Trace 3 00000000268510132:0 2025-06-17 06:18:20  
08001: [IBM][CLI Driver] SQL30082N Security processing failed with reason "24" ("USERNAME AND/OR  
PASSWORD INVALID"). SQLSTATE=08001
```

Remediation

Please follow the workaround options, keeping in mind that the problem is intermittent:

Option 1

Manually start the component TxnProc

```
start task for comp TxnProc with sleeptime=5
```

If it hangs with "Connecting to database", perform the following steps:

```
stop task txnproc  
start task txnproc  
sist task for comp txnproc
```

The task should be in running state and start iterating as specified by the *sleeptime*.

Option 2

If Option 1 does not work, then try the following:

Manually start the component TxnProc

```
start task for comp TxnProc with sleeptime=5
```

If it hangs with "Connecting to database"

- In Server Manager: stop task txnproc
- Exit from Server Manager
- Reconnect to Server Manager
- Set server to the server name where txnproc is failing
set server xxxxx
- start task txnproc
- list task for comp txnproc

The task should be in running state and start iterating as specified by the *sleep*time.

Option 3

If neither Option 1 nor Option 2 do not work, then try the following:

Manually start the component txnproc

```
start task for comp TxnProc with sleeptime=5
```

If the task hangs with “Connecting to database”

- stop task txnproc
- Specify the DB authentication username and password for TxnProc
 - change param username=xxxxx for comp txnproc
 - change param password=xxxxx for comp txnproc
- start task txnproc
- list task for comp txnproc

The task should be in running state and start iterating as specified by the *sleep*time.

Installation & Deployment

Removal of the Gateway from SMC Does Not Remove the Registry

Category Installation & Deployment

Subcategory Gateway Configuration

Bug No 30861789

When the Gateway Registry and Service are configured on different hosts, upon removing the Gateway from the Settings page of SMC, only Service node is removed and not the Registry.

Remediation

Clean up the Gateway Registry host manually.

Adjusted display resolution required for certain install use cases

Category Installation & Deployment

Subcategory UI Installation

Bug No 37899053

Oracle Universal Installer requires a minimum of at least 1024 x 768 display resolution. Windows systems may display the installer GUI wizard at a larger size, impacting screen content, navigation, and usability.

Remediation

Either of the following workarounds can be used:

1. Hide the Windows taskbar so that the buttons on the Installer screen will be visible.
 2. When using Remote Desktop, go to Display Settings on your client machine, and under the Scale and Layout section, change the scale to 100%. Reconnect to the remote server and restart the installer.
-

Internally Created Caches Visible in the Siebel Management Console May Be Ignored

Category Installation & Deployment
Subcategory Enterprise Cache
Bug No 38498327

In the Siebel Management Console (SMC) under the Enterprise Cache section on the Siebel Server machine to which you have deployed your Enterprise Cache **Client** Profile, you may see more cache names than you have deployed. The default name of the cache that the Siebel Application uses is “siebelcache”, though you may have named your cache differently. All other cache names are internal to the Coherence application and do not interact with the Siebel application. They should be ignored. In a future update we will filter these from the Enterprise Cache Applet.

Example cache names to ignore:

- executor-assignments
- executor-executors
- executor-tasks
- locks-exclusive
- locks-read-write
- semaphores

Remediation

Ignore these additional cache names and ensure only that your deployed Coherence cache is in the list. We will filter these internal cache names from the Applet in a future update.

Fully Enabling Enterprise Cache Features in the Siebel Management Console

Category Installation & Deployment
Subcategory Enterprise Cache
Bug No 38991619

Some of the Fields in the Siebel Management Console for the Enterprise Cache Tab require minimal manual configuration to allow them to act in a consistent and intuitive way. Once the underlying issue is resolved, this manual configuration will no longer be needed.

Remediation

Please follow the steps below to display values in the Enterprise Cache Tab in SMC:

For Windows:

1.Navigate to the following location and run the command:

```
<Siebel Install Directory>\ses\applicationcontainer_internal\bin>tomcat10w.exe  
//ES//<SiebelApplicationContainer_Internal_Instance Name>
```

Example:

```
C:\2026_03_PRE\sese\applicationcontainer_internal\bin>tomcat10w.exe  
//ES//SiebelApplicationContainer_Siebel_Home_c_2026_03_PRE_sese_Internal
```

2. In the Java tab for the window that pops up, add the following parameters:

```
-Dtangosol.coherence.machine=<machinename> <machinename> must be replaced with the host  
name of the Coherence Node during configuration.  
-Dcoherence.management=all  
-Dcoherence.management.remote=true
```

3. Restart Application Internal.

4. Clear the browser cache and launch the SMC again.

5. Redeploy the Coherence Server Profile.

For Linux:

1. Update the setenv.sh file under ses/applicationcontainer_internal/bin and add the following entries:

```
CATALINA_OPTS="$CATALINA_OPTS -Dcoherence.management=all -  
Dcoherence.management.remote=true -Dtangosol.coherence.machine=<machinename>"  
  
export CATALINA_OPTS
```

Note: <machinename> must be replaced with the host name of the Coherence Node during configuration.

2. Restart Application Internal.

3. Clear the browser cache and launch the SMC again.

4. Redeploy the Coherence Server Profile.

Integration

Installation of SSSE Outlook Add-in Requires Specific Manual Steps

Category	Integration
Subcategory	SSSE Outlook Add-in
Bug No	30539399

The installation of the Siebel Server Sync for Exchange (SSSE) Outlook Add-in requires a very specific installation order and small manual changes to the installation media.

Remediation

NOTE: The following can be performed by an administrator and pushed to client machines via corporate desktop management software.

1. Install the 8.1.1 [21111] base build of the Siebel Outlook Add-In.
2. Navigate to folder where you have installed 8.1.1 base Siebel Outlook Add-In, such as:
C:\Program Files (x86)\Siebel\8.1\Outlook Add-In\bin
3. Backup and then remove the following files:
 - libarm.dll
 - siebolaimod.dll
 - siebolaires.dll
 - sscfcmn.dll
 - sslcosa.dll
 - sslcosd.dll
 - sslcrsa.dll
 - sslcrsa56.dll
 - sslcshar.dll

- sslcsym.dll
 - sslczlib.dll
4. Locate the network installation image for the IP2017 (17.0.0.0 [23073]) Outlook Add-in. For example, this might be located at C:\Siebel_Install_Image\17.0.0.0\Windows\Client\Siebel_Outlook_Addin
 5. Verify that the siebel.ini file has the values highlighted in red. If not, correct it and save the file.

```
[Startup]
VersionBanner = 8.1.1.17 SIA [23073] LANG_INDEPENDENT
Vertical = sia
Encoding =
AppGUID = 0a87bf1e-2f87-bf97-3ea6-516493d6fc76
AppName = Siebel Business Applications
AppCode = OLADDIN
AppModule = Siebel Outlook Add-In
AppKey = sieboladdin.dll
AppVersion = 8.1.1.17 SIA
AppCollision = bin\sieboladdin.dll
Language = LANG_INDEPENDENT
LanguageCode = LANG_INDEPENDENT
SharedInstall = no
HideBackground = no
NoFolder = no
Patch = yes
HotFix = no
```

6. Install the 17.0 release on top of the 8.1.1 build.
7. Locate the network installation image for the desired target version "YY.MM" where "YY" is the year of the Monthly Update and "MM" is the month. For example, the August 2021 release will be named "21.8" and its installer might be found at:

C:\Siebel_Install_Image\21.8.0.0.update\Windows\Client\Siebel_Outlook_Addin.

8. In the siebel.ini file, replace the YYMM values wherever indicated.

```
[Startup]
VersionBanner = 8.1.1.17.YYMM SIA [23073] LANG_INDEPENDENT
Vertical = sia
Encoding =
AppGUID = 685cbc10-ef46-14c8-d82f-e0d2478f533b
AppName = Siebel Business Applications
AppCode = OLADDIN
AppModule = Siebel Outlook Add-In
AppKey = sieboladdin.dll
AppVersion = 8.1.1.17.YYMM SIA
AppCollision = bin\sieboladdin.dll
Language = LANG_INDEPENDENT
LanguageCode = LANG_INDEPENDENT
SharedInstall = no
HideBackground = no
NoFolder = no
Patch = yes
HotFix = yes
```

For example--for the 21.8 release-the YYMM is "2108", so the siebel.ini file would look as follows:

```
[Startup]
VersionBanner = 8.1.1.17.2108 SIA [23073] LANG_INDEPENDENT
Vertical = sia
Encoding =
AppGUID = 685cbc10-ef46-14c8-d82f-e0d2478f533b
AppName = Siebel Business Applications
AppCode = OLADDIN
AppModule = Siebel Outlook Add-In
AppKey = sieboladdin.dll
AppVersion = 8.1.1.17.2108 SIA
AppCollision = bin\sieboladdin.dll
Language = LANG_INDEPENDENT
LanguageCode = LANG_INDEPENDENT
```

```
SharedInstall = no
HideBackground = no
NoFolder = no
Patch = yes
HotFix = yes
```

NOTE: Do not put a "." between "YY" and "MM" in the INI file—for example, use "8.1.1.17.2108".

NOTE: The prefix will *always* be "8.1.1.17"—only the value after the last decimal place will change.

9. Install the YY.MM release on top of the 17.0.0.0 build.
10. To ensure that a secure and reliable connection can be made from the Add-in, the following changes are commended for the Control Panel Internet Options:
 - a. On the Advanced tab, ensure that the TLS version used by the Siebel Application Interface is selected (e.g., TLS 1.2)
 - b. On the Security tab, Trusted Sites, make the following changes:
 - i. Uncheck the "Enable protected mode" option.
 - ii. Add the Siebel Application Interface Server to the Trusted Sites.
 - c. If you are using self-signed certificates on the Siebel Application Interface server (which is not recommended—see the Security Guide in Siebel Bookshelf), the following steps are also required:
 - i. Trust the certificate.
 - ii. On the Internet Options Advanced tab, uncheck "Check for Server Certificates Revocation".

Documentation for Uptake of Features with OCI Java SDK 3.2.2 from Siebel 23.8 or Later

Category	Integration
Subcategory	Other
Bug No	35577179

Siebel CRM 23.8 marks the upgrade of OCI SDK JAR from 2.31.x to 3.2.2, which enables customers to utilize custom model training. While the new OCI SDK JAR requires a higher JAVA Heap size, the OCI SDK JARs 3.2.2 in Siebel's internal Tomcat has been moved from Siebel WAR and placed as a zip file in Siebel's internal Tomcat itself. This means that customers who do not uptake this JAR need not have an initial higher JAVA Heap for the internal Tomcat. Customers who want to uptake AI/ML powered features need to unzip the file and copy the JARs to Siebel folder inside the internal Tomcat. Customers who want to uptake AI/ML powered features need to unzip the file and copy the JARs to Siebel folder inside the internal Tomcat.

Remediation

The steps are as follows:

1. Navigate to Siebel Internal Tomcat in the Siebel build and go to the 'webapps' folder as mentioned in the below path to find the oci-java-sdk.zip file:

```
$SIEBEL_HOME/applicationcontainer_internal/webapps
```

Linux Example:

```
/opt/sbl/ses/applicationcontainer_internal/webapps
```

Windows Example:

```
x:\siebel\ses\applicationcontainer_internal\webapps
```

2. Unzip the file, which will contain the following four JAR files:
 - oci-java-sdk-shaded-full-3.2.2.jar
 - bcpkix-jdk15on-1.70.jar

- bcprov-jdk15on-1.70.jar
- bcutil-jdk15on-1.70.jar

3. Copy the four JAR files to the “lib” folder in the Application Containers deployed Siebel application.
\$SIEBEL_HOME/applicationcontainer_internal/webapps/siebel/WEB-INF/lib

Linux Example:

```
/opt/ses/applicationcontainer_internal/webapps/siebel/WEB-INF/lib
```

Windows Example:

```
x:\siebel\ses\applicationcontainer_internal\webapps\siebel\WEB-INF\lib
```

4. Increase the Tomcat JVM Heap size as (and if) required. It can be set to 4GB (Min/Max) or to higher/lower values depending on the build configuration/shape.

For Linux, the JVM Heap can be set with the help of JAVA_OPTS which can be defined in *setenv.sh*:

```
JAVA_OPTS = %JAVA_OPTS% -Xms4096m -Xmx4096m
```

For Windows, run “tomcat9w.exe” from Tomcat’s bin folder to set the values using the following process:

- Using a command shell, navigate to the bin folder of Tomcat's installed location:
CD x:\siebel\ses\applicationcontainer_internal\bin
- Run “tomcat9w.exe” from this location to open the properties user interface:
tomcat9w.exe //ES//<Siebel AI Server Name from Services Control Panel>

For example:

```
tomcat9w.exe
```

```
//ES//SiebelApplicationContainer_Siebel_Home_x_Siebel_ses_Internal
```

- Select the “Java” tab and change “Initial memory pool” (minimum) and “Maximum memory pool” (maximum) field values respectively
- Save the values

5. Restart the Tomcat service

Migration

Synchronous Migrations Using ADM Will Fail

Category	Migration
Subcategory	Synchronous
Bug No	37937312

Data migrations can be synchronous or asynchronous. Those customers using Application Deployment Manager (ADM) as part of their migrations will find that synchronous migrations fail due to generated cookies that are incompatible with Tomcat 10.1 which rejects them. In 25.6 we updated Tomcat to version 10.1 since we have updated Java to Java 21 and must update the way cookies are generated during synchronous migrations. The previous version of Tomcat (9) allowed cookie headers to have commas “,” in them and now requires semicolons “;” instead.

If you do not use ADM in your migrations you will be unaffected by this situation.

Remediation

The workaround for this is to perform asynchronous migrations instead of synchronous migrations if you include ADM packages in your migrations.

Order Management

Incorrect View Name in *FM Save Confirm Reject Process Workflow*

Category Order Management
Subcategory Workflows
Bug No 39183469

The name of a view, “FM Order Entry – Detail Orders View” was updated to replace the long hyphen with a standard hyphen to avoid problems importing the Repository into certain code pages. Generally, all references to it were updated except in the *FM Save Confirm Reject Process Workflow*.

Remediation

1. Navigate to the Workflow *FM Save Confirm Reject Process*.
 2. For the WF Step *Goto Detail Orders View*, change the User Interact View attribute to “FM Order Entry - Detail Orders View”.
- NOTE: This is a standard hyphen (ASCII 45), not an “en dash” or “em dash”.

Upgrade & Updates

DB2 z/OS Upgrades Fail Dropping EIM Tables During the Stage Upgrade

Category Upgrade & Updates
Subcategory DB2 z/OS
Bug No 36319250

When performing a Siebel CRM Upgrade (for example from IP2013 to a modern version), customers who are on DB2 z/OS V12 with a function level of 505 or lower will experience an issue whereby the upgrade will create “drop table” statements for the EIM tables in the staging database that will fail because the tables reside in Universal Tablespace (UTS).

This will be evidenced by errors similar to the below:

```
SNT408I  SQLCODE = -669, ERROR:  THE OBJECT CANNOT BE EXPLICITLY DROPPED.  
      REASON 0001  
DSNT418I  SQLSTATE      = 42917  SQLSTATE RETURN CODE  
DSNT415I  SQLERRP      = DSNXIDTB SQL PROCEDURE DETECTING ERROR  
DSNT416I  SQLERRD      = 35 0 0 -1 0 0 SQL DIAGNOSTIC INFORMATION  
DSNT416I  SQLERRD      = X'00000023' X'00000000' X'00000000' X'FFFFFFFF'  
      X'00000000' X'00000000' SQL DIAGNOSTIC INFORMATION
```

Remediation

Upgrade the DB2 z/OS function level to at least 506 before starting the upgrade.

Unable to Import New TDF Files into Web Tools

Category Upgrade & Updates
Subcategory Repository Update
Bug No 38676867

When attempting to manually import one of the new TDF files associated with the RepositoryUpdate feature into Web Tools, errors are thrown.

Remediation

While the error will eventually be addressed, there is no currently supported use case for the use of TDF files outside of their use in RepositoryUpdate, so do not attempt to do so.

Summary Information Incorrect When Performing Schema Updates via DDLIMP

Category Upgrade & Updates
Subcategory DDLIMP
Bug No 38915747

After execution of the DDLIMP utility to perform schema changes, the summary information incorrectly reports “0” for columns added, updated, or deleted even if such changes occurred.

For example, even though a column *was* added, the count is shown as “0”:

```
2026-02-02 09:34:20 TABLES CREATED : 1
2026-02-02 09:34:20 TABLES GRANTED : 1
2026-02-02 09:34:20 TABLES DELETED : 0
2026-02-02 09:34:20 TABLES MERGED : 5023
2026-02-02 09:34:20 TABLES REBUILT : 0
2026-02-02 09:34:20 TABLES IGNORED : 0
2026-02-02 09:34:20 COLUMNS ADDED : 0
2026-02-02 09:34:20 COLUMNS DELETED : 0
2026-02-02 09:34:20 COLUMNS MODIFIED: 0
2026-02-02 09:34:20 INDEXES CREATED : 1
2026-02-02 09:34:20 INDEXES DELETED : 0
2026-02-02 09:34:20 INDEXES MODIFIED: 0
2026-02-02 09:34:20 TOTAL ERRORS : 0
```

Remediation

If verification that a column was added, modified, or deleted is needed, work with the DBA to determine if the required change was made at the physical database level.

PostInstallDBSetup Utility Fails on non-Unicode Microsoft SQL Server Databases

Category Upgrade & Updates
Subcategory PostInstallDBSetup
Bug No 39043407

When running PostInstallDBSetup on a non-Unicode Microsoft SQL Server Database, the DDLIMP utility will fail when synchronizing the schema when running in ONLINE mode, which is the default as of 26.3.

Errors similar to the following will appear in the logs:

SeedSchemaManifest.log

```
Tue Mar 3,2026 [19:44:46] : Importing Customer Schema
Tue Mar 3,2026 [19:44:47] : C:\264SC2\ses\siebsrvr\bin\ddlmp /u MS242129 /p ***** /c "MS242129"
/f "C:\264SC2\ses\siebsrvr\log\PostInstallDBSetup_2026-03-03_19-32-
18/SeedSchemaManifest/Common/CustSchema.ctl" /l
"C:\264SC2\ses\siebsrvr\log\PostInstallDBSetup_2026-03-03_19-32-
18/SeedSchemaManifest/Common/import_cus_schema.log" /g SSE_ROLE /Z N
Tue Mar 3,2026 [19:44:47] : C:\264SC2\ses\siebsrvr\bin\ddlmp /u MS242129 /p ***** /c "MS242129"
/f "C:\264SC2\ses\siebsrvr\log\PostInstallDBSetup_2026-03-03_19-32-
18/SeedSchemaManifest/Common/CustSchema.ctl" /l
"C:\264SC2\ses\siebsrvr\log\PostInstallDBSetup_2026-03-03_19-32-
18/SeedSchemaManifest/Common/import_cus_schema.log" /g SSE_ROLE /Z N
```

```
Tue Mar 3,2026 [19:49:45] : Error in running CmdRun
Tue Mar 3,2026 [19:49:45] : Summary Data generation Started
Tue Mar 3,2026 [19:49:45] : Summary Data generation Completed
Tue Mar 3,2026 [19:49:46] : Log for Summary Data generation Started
Tue Mar 3,2026 [19:49:46] : Log for Summary Data generation Completed
```

Import cus schema.log

```
2026-03-03 19:49:44      Merging      table      S_UPG_REL_LOG ...
2026-03-03 19:49:44      SQL Statement:
  alter table S_UPG_REL_LOG alter column "CONFLICT_ID"      varchar(15)      not
  null WITH (ONLINE = ON)
2026-03-03 19:49:44      [Microsoft][ODBC Driver 17 for SQL Server][SQL Server]An online operation
cannot be performed for 'S_UPG_REL_LOG' because the index contains column of large object type, and
in the same transaction there are update operations before this online operation. Put the online
operation outside the transaction or put it before any updates in the transaction.
2026-03-03 19:49:44
2026-03-03 19:49:44      37000: [Microsoft][ODBC Driver 17 for SQL Server][SQL Server]An online
operation cannot be performed for 'S_UPG_REL_LOG' because the index contains column of large object
type, and in the same transaction there are update operations before this online operation. Put the
online operation outside the transaction or put it before any updates in the transaction.
2026-03-03 19:49:44      alter table S_UPG_REL_LOG alter column "CONFLICT_ID"
varchar(15)      not null WITH (ONLINE = ON)
2026-03-03 19:49:44
2026-03-03 19:49:44      ;
2026-03-03 19:49:44      writeExecDDL error (UTLOdbcExecDirectDDL pDDLSql).
2026-03-03 19:49:44      writeExecDDL error (UTLDbDdlColModify).
2026-03-03 19:49:44      Error in MainFunction (UTLDbDdlDbMerge).
2026-03-03 19:49:44      Error in Main function...
2026-03-03 19:49:44      (logapi.cpp (184) err=1 sys=2) SBL-GEN-00001: (logapi.cpp: 184) error code
= 1, system error = 2, msg1 = (null), msg2 = (null), msg3 = (null), msg4 = (null)
```

Remediation

Before running PostInstallDBSetup, turn off the “ONLINE” behavior as follows:

1. Create a new System Preference named “ForceOfflineSchemaUpdate”.
2. Set its value to “Y”.
3. Re-run PostInstallDBSetup.

Note that this System Preference should remain as “Y” only until this defect is resolved to take advantage of the ONLINE feature in the future.

User Interface

While launching the Mobile Web Client (MWC) the home page is not loading properly,
Navigation also doesn't work.

Category	User Interface
Subcategory	Siebel Remote
Bug No	38751347

When launching Mobile Web Client (MWC), the home page is not loading properly and navigation does not work.

Remediation

Reload the browser page and the Application will reload and start functioning.
