



From an EHR Form to SDTM

JASPEHR, FHIR and CDISC: a year on

Toshiki Saito, MD, PhD

Director, Clinical Research Promotion Center, The University of Tokyo Hospital

October 8, 2026 · Nashville

JASPEHR in one slide

A publicly funded, vendor-neutral form format for Japanese EHRs, started by Prof. Kengo Miyo.

- 01 **Common forms** One common form master. Each EHR vendor converts it into its own template engine.
- 02 **FHIR** Built on FHIR Questionnaire and QuestionnaireResponse.
- 03 **Vendors** NEC, Fujitsu, IBM and FINDEX take part. Our working group adds CDISC to it.

Four kinds of metadata in each item

Each form item names the SDTM variable it fills, such as AE.AESER, and takes its answers from three terminologies.

01 **CDISC CT**

About 1,180 controlled terminologies, each as a FHIR CodeSystem.

02 **MedDRA**


Adverse events: about 90,000 lowest level terms.

03 **WHODrug**

Drugs, linked to the Japanese drug master used in EHRs.

The demo

All four sit on one terminology server, running as a pilot. The form reads them at the point of entry.



Standard codes at entry. No mapping step afterwards.

What comes next

The specification follows once CDISC's identifiers are set.

01 **Oct 19**

Our working group meets the JASPEHR vendors. NEC is turning this into version 1.2 of the specification with us.

02 **CDISC**

On Oct 2 CDISC decided to use persistent identifiers. The details are still under discussion.

03 **To you**

Once they are set, we send you the spec and the FHIR code systems.