

Scenario 3: OOMKilled and Kubernetes Resource Limits

Objective

Use Datadog and Kubernetes evidence to distinguish memory pressure from an unsafe container resource limit.

Trigger the Incident

Run this from the repository root against your own lab environment:

```
./scripts/chaos/shrink-limits.sh support-tickets
```

The script saves the current resources and applies a deliberately unsafe memory request and limit. Wait for restarts and Datadog signals before troubleshooting.

Situation

The support tickets service is unstable. Backend pods restart repeatedly while some requests still succeed.

Symptoms

- Backend pods restart repeatedly.
- Application stability degrades.

What You Know

- Datadog shows backend memory near its configured ceiling.
- Container restart counts are increasing.
- The problem began after a workload resource change.

Start With Datadog

Open **SRE Lab Scenario Signals** and the support-tickets dashboard. Inspect `kubernetes.memory.usage`, `kubernetes.memory.limits`, and `kubernetes.containers.restarts` for `kube_deployment:support-tickets-backend`. Review Kubernetes Events. The memory-saturation and pod-restarts monitors should alert.

Troubleshooting

Find the restarting pod and compare live usage with its resource specification.

```
kubectl get pods -n support-tickets
kubectl top pods -n support-tickets
kubectl describe pod <pod-name> -n support-tickets
kubectl get events -n support-tickets --sort-by=.lastTimestamp
kubectl logs <pod-name> -n support-tickets --previous
kubectl get deployment support-tickets-backend -n support-tickets -o yaml
```

Important Clues

Look for `Reason: OOMKilled`. Compare observed memory consumption with `resources.requests.memory` and `resources.limits.memory`.

Root Cause

Record the relationship between observed memory, the previous container state, and the configured limit. Confirm it with the instructor.

Fix

Restore the known baseline, then use observed utilization to propose a justified long-term request and limit.

```
./scripts/chaos/shrink-limits.sh support-tickets --undo
kubectl rollout status deployment/support-tickets-backend -n support-tickets
```

Do not remove the limit or choose an arbitrary large value.

Validation

Confirm pods remain Ready, restart counts stop increasing, memory stays below the limit, requests succeed, and both Datadog monitors recover.

DevOps Lesson

Resource limits must reflect measured workload behavior. Admission control can accept a value that is operationally unsafe.

STAR Method

Situation

Summarize the unstable workload.

Task

Explain how you separated application, Kubernetes, and infrastructure causes.

Action

Describe the memory, restart, previous-state, and resource comparison.

Result

State how stability and memory headroom were verified.

Natural Spoken Version

Use the matching example in [DevOps STAR Scenarios](#) after completing the lab.