Madan Bhandari Memorial College

Department of Computer Science and Information Technology (B.Sc.CSIT)
Ninayak Nagar, New Baneshwor, Kathmandu


Practical Sheet

Submitted By:- Utsav Achanya Shorma	Program No:5
	Lab Date:- 2080/06/18
Submission Date:- 2080 / 8/11	T.U.Roll.No. :- 24179

Title: Different operations Code: import java. aust. Boodorlayout; import java. aut. Container; import javax swing. JDestap Pane; import javax. swing. IFrame, import jovax swing. IIntomal Foure; import javax. swing. Tlabel; public class JOPane Demo extends JFrane & public JOPane Derro() { Custom Dealtop Pane dealtop Pane = new Custom Dealtop Pane (); Container content Pane = get Content Pane (); content Pane add Coleskhap Pane, Bosdor Layout CENTEN; deslitop Pane display (desthip Pane); setTitle ("Theskhoplane Example"); setSize (300, 350); set visible (bue); public static void main (String args[]) & new Oblane Demo(); closes Custom Des KhipPane extends MestetopPane & int numbrames = 3, x = 30, y = 30; public void display (cushin Dodchip Pane dp) { for (int i = 0; i=numbrames; ++i) { Internal Frame : frame = new JINternal Frame ("Internal Frame"+ i, true, bre, true, bue) i frame set bounds (x,y, 250,85); Containor (1 = iframe get Content fane(); c1.odd (new Jakel ("I love my county")); dp.add (iframe); iframe set visible (true); y+=85; 33)

☐ Internal Frame 0		
I love my country		
☐ Internal Frame 1		
I love my country		
☐ Internal Frame 2 □	•	
I love my country		

```
Code:
impost javax. swing . *;
import. java. ausb. *;
import java. aut. event. +;
public class calorchosor extends Strame implements Activationers
   Jrsame F;
   soutton by
    TrentAsca tai)
   calor chouser CDS
         F = new OFrame ("Calor Choser Example.");
         6= new JButton ("Pad Coolor"))
          6. set Bourds (200, 250, 100, 30);
          tal =new stext Area();
           ta. setbourds (10,10,300, 200),
            6. addAction listener (this);
            fadd(b); fadd(ta);
            f-set layout (null)
           f. set Size (400, 400);
            f-set visible (bue);
    public void action Performed CACADON Event e) &
          Color C= TCellor Choser. Show Dialog (this, "Choose", Colo. CIAN)
           tu-set background (c);
     public static void main (Stong[] angs) &
            nce colorchoser ()
 4
```



```
Code:
impost java.aut. *;
import javax. swing. *;
import java aut event. *; import java v. swing. filechooser. *;
public does file thoses
     public state void moun (String [] angs)
           I Foume forme . new JFrame ("File Choosed Example");
           I label label = new I label ("selected File:"/;
           Thurd panel = new stand();
           JBulton save Button = new JBulton ("Save File")
           SoveButton add Action Listoner (new Action Listoner () &
                   public void action Postorned (Action Evente) S
                           OFile Chooser File Chooser = new OFILE Chooser
                                   int repronvalue = FileChoos showsome
                                                                  Diologinuly
                                   if (setim Value == The Chows APPROVE
                                             Story school site of the Story school of the Charles get School
                                                     lavel. schText "Schedel File
                                                              + sekdel File (all)
                                   3 elses
                                        doubel.selfext("No file soleda")
                           3
                   78)
                  JButton open Button = new JButton ("Open File");
                 open Butten add Achin Listena (new Achin Listena CE
                          public void adm Perhoned Action East e) &
                                This thouser hie Chooser = new Thickness
                                    (Five systemiew. get the System View); introduce-the Chop or show
                                                     openDialog (null)
```

```
if (rehandaline == The Chooser. Appense of Iron) &
Story selected file lash = file Chooser get selected file
()-get Asaduke Park();
deuted sel Text ("Selected file: "Itselected files");

3 else &
Jaher. sel Text ("No file selected");

3 and add (seve Butten);
panel. add (seve Butten);
panel. add (Jahel);
forme: sellayant (now Flowlayout());
forme: sellayant (now Flowlayout());
forme: set Size (300, 150);
forme: set Size (300, 150);
forme: sel Default Close Operation (Trame: SXIT-on-CLOSE);
forme: sel Visible Ctone);
```

3


File Chooser Example

Save File Open File

Selected File: D:\Documents\7th Sem\Notes\Java\Advanced Java Programming Note.pdf


Running] cd "d:\Utsav\Java\lab 5\" && javac filechoser.java && java filechoser

```
Code;
import javax. swing *;
public class ophonPaneExample extends windows Adaptors
orsume f;
ophin Pane Example () &
       fonew Trame();
       f. add Windowlistened (Uhis)
        f.set Size (300,300);
        f. set Default Close Operation CJFrame. DO_NOTHING_ON_CLOSE);
       f. set visible (buch
public void window Closing (Window Event e) &
int a= Jophun Pone Show Confirm Dialog (f, "Are you sure?");
       if (a = = Jophun Pane. YES_OPTION)
               F. set Default Clus copesation (JFrame. EXIT-ON-CLOST);
public static voted moun (Story [] args )
          new Ophun Panetxample ();
```



[Running] cd "d:\Utsav\Java\lab 5\" && javac OptionPaneExample.java && java OptionPaneExample

```
Codei
import javax. swing . *;
public doss Table Examples
     Jisame f;
     Table Example CJE
      F=new JFrame ();
      Story data [] [] = E ["24", "UTSAV", "9812582"3,
                               2"17", "ACHARYA", "125800"3,
                                E"g", "SHARMA", "125988133;
       String calum []= {"IO", "NAME", "SALARY"};
       otable jt=new Table (dato, calumn);
       jt. set Bourda 30,40, 200, 300);
       JScrallane sp=new JScrall Pane Cjt);
        Findd Csp);
        F-setSize(300,400);
        F-set Visible (toue);
public static void main (Story [] aggs) [
new Table Example();
```



```
Code:

impost. javax. swing.*;

public class Toal PipExamples

public shutic void moun (Stage) angs)s

There f= new Therme ("Password Field Example");

Jossword Field value = new Jhassword Field(1);

value. Set Bourds (100, 100, 100, 30);

value. set Toal TipText ("Enter your Password");

Tlabel 11 = new Jlabel ("Password:");

il. set Bourds (20,100, 80,30);

f. add(value); f. vald(1);

f. set Size (300,300);

f. set layort(null);

f. set Visibe Ctave);

3
```

			•)		_	П	×
Password Field	Example						,,
•			· · · · · · · · ·				
							•
	•						
Password:							
	Enter your Pass	sword		•			
•	4						

[Running] cd "d:\Utsav\Java\lab 5\" && javac ToolTipExample.java && java ToolTipExample

