

Madan Bhandari Memorial College
Department of Computer Science and Information Technology (B.Sc.CSIT)
Ninayak Nagar, New Baneshwor, Kathmandu

Practical Sheet

Submitted By:- Utsav Acharya Sharma

Program No:- 12

Submitted To Devesh Adhikari

Lab Date:- 2080/9/17

Submission Date:- 2080/09/19

T.U.Roll.No. :- 2479

Title: Java Server Page (JSP).

Displaying "Kathmandu" 100 times code:

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1"
    pageEncoding="ISO-8859-1"%>
<%@ page import="java.sql.*"%>
<!DOCTYPE html>
<html>
<head>
    <meta charset="ISO-8859-1">
    <title> Test JDBC </title>
    <style>
        table {
            border-collapse: collapse;
            width: 50%;
            margin: 20px;
        }
        th, td {
            border: 1px solid black;
            padding: 8px;
            text-align: center;
        }
        th {
            background-color: #f2f2f2;
        }
    </style>
</head>
```

```

<body>
  <table>
    <thead>
      <tr>
        <th>City</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>
          for (int i = 0; i < 100; i++) {
            if (i % 10 == 0) {
              // 
            }
          }
          <td>Kathmandu</td>
        </td>
      </tr>
    </tbody>
  </table>
</body>
</html>

```

[illegible]

input form code:

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1" pageEncoding="ISO-8859-1"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="ISO-8859-1">
```

```
<title> Student Information Form </title>
```

```
</head>
```

```
<body>
```

```
<form action="displayValues.jsp" method="post">
```

```
<label for="name">Name: </label>
```

```
<input type="text" name="name" required><br>
```

```
<label for="rollNumber">Roll Number: </label>
```

```
<input type="text" name="rollNumber" required><br>
```

```
<label for="address">Address: </label>
```

```
<input type="text" name="address" required><br>
```

```
<input type="submit" value="Submit">
```

```
</form>
```

```
</body>
```

```
</html>
```

displayValues.jsp:

```
<%@ page language="java" contentType="text/html; charset=ISO-8859-1" pageEncoding="ISO-8859-1"%>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<meta charset="ISO-8859-1">
```

```
<title> Display Student Information </title>
```

```
</head>
```

```
<body>
```

```
<h2> Student Information: </h2>
```

<?php

```
String name = request.getParameter("name");
```

```
String rollNumber = request.getParameter("rollNumber");
```

```
String address = request.getParameter("address");
```

?>

```
<p><strong> Name:</strong> <?php echo $name?></p>
```

```
<p><strong> Roll Number: </strong> <?php echo $rollNumber?></p>
```

```
<p><strong> Address: </strong> <?php echo $address?></p>
```

```
</body>
```

```
</html>
```

Name:

Roll Number:

Address:

Student Information:

Name: Utsav Acharya Sharma

Roll Number: 24179

Address: Gothatar

Simple Interest Code:

```
<%@ page language = "java" contentType = "text/html; charset = ISO-8859-1" pageEncoding = "ISO-8859-1"%>
<%@ page import = "java.sql.*"%>
<!DOCTYPE html>
<html>
<head>
    <meta charset = "ISO-8859-1">
    <title> Simple Interest Calculator</title>
</head>
<body>
    <form action = "calculateInterest.jsp" method = "post">
        Enter Principal: <input type = "number" name = "principal" required><br>
        Enter Time: <input type = "number" name = "time" required><br>
        Enter Rate: <input type = "number" name = "rate" required><br>
        <input type = "submit" value = "Calculate">
    </form>
</body>
</html>
```

Calculate Interest .jsp Code:

```
<%@ page language = "java" contentType = "text/html"; charset = ISO-8859-1"
    pageEncoding = "ISO-8859-1"%>
<%@ page import = "java.sql.*"%>
<%@ page import = " java.text.DecimalFormat "%>
<!DOCTYPE html>
<html>
<head>
    <meta charset = "ISO-8859-1">
    <title> Simple Interest Result</title>
</head>
```

```
<body>  
<%
```

```
double principal = Double.parseDouble(request.getParameter  
("principal"));
```

```
double time = Double.parseDouble(request.getParameter  
("time"));
```

```
double rate = Double.parseDouble(request.getParameter  
("rate"));
```

```
double simpleInterest = (principal * rate * time) / 100;
```

```
DecimalFormat df = new DecimalFormat("#.##");
```

```
String formattedInterest = df.format(simpleInterest);
```

```
%>
```

```
<h2> Simple Interest Calculation Result: </h2>
```

```
<p> Principal: <%=principal %> </p>
```

```
<p> Time: <%=time %> years </p>
```

```
<p> Rate: <%=rate %> % </p>
```

```
<p> Simple Interest: <%=formattedInterest %> </p>
```

```
</body>
```

```
</html>
```


Enter Principal: 15000
Enter Time: 2
Enter Rate: 13

Simple Interest Calculation Result:

Principal: 15000.0

Time: 2.0 years

Rate: 13.0 %

Simple Interest: 3900