K.R. MANGALAM UNIVERSITY

BACHELOR OF TECHNOLOGY
COMPUTER SCIENCE AND ENGINEERING

WEB PROGRAMMING WITH PYTHON AND JAVASCRIPT LAB

SEC035

LAB PRACTICALS

SUBMITTED BY :

NAME : UTSAV RATAN

BTECH CSE CORE

SEMESTER : IV

SECTION : B

ROLL : 2401010046

SUBMITTED TO :

MS. MANSI KAJAL MAM

INDEX

S. No.	AIM	Page No.
1	**Personal Portfolio Web Application with HTML, CSS Styling and JavaScript**	**3-9**
2	**To design a simple company landing page using HTML and CSS with proper structure and styling.**	**10-21**
3	**To design and develop a basic interactive quiz application that evaluates user knowledge through multiple-choice questions with dynamic scoring and result display.**	**22-**

EXPERIMENT - I

❖ Aim :

Creating a Personal Portfolio Web Application with HTML, CSS Styling and JavaScript

❖ Tasks :

- Project Setup & Introduction **– Create project folder and basic linked files.**
- HTML Structure **– Build portfolio sections using semantic HTML.**
- Styling with CSS **– Apply layout, colors, spacing, and neat design.**
- Projects & Skills Display **– Show skills and projects clearly on the page.**
- JavaScript Interactivity **– Add basic interactive functionality using JavaScript.**
- Contact Form (Bonus) **– Create a form with user submission feedback.**

❖ Tech Stack Used :

- **HTML , CSS and JavaScript**

❖ CODES :

➢ **HTML CODE :**

```
<!--
Project: Personal Portfolio Website
Name: Utsav Ratan
-->
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <title>Utsav Ratan | Portfolio</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>
<header>
  <h1>Utsav Ratan</h1>
  <p>Computer Science Student | Web Developer | Tech Enthusiast</p>
  <button onclick="welcomeAlert()">Say Hi</button>
```

```html
</header>
<nav>
  <a href="#about">About</a>
  <a href="#education">Education</a>
  <a href="#skills">Skills</a>
  <a href="#projects">Projects</a>
  <a href="#experience">Experience</a>
  <a href="#contact">Contact</a>
</nav>
<section id="about">
  <h2>About Me</h2>
  <p>
    Hello! My name is <strong>Utsav Ratan</strong>. I am a Computer Science student who is
    passionate about technology, web development, and building real-world projects.
  </p>
  <p>
    I enjoy learning new programming languages, creating websites, and exploring
    how software can solve everyday problems.
  </p>
</section>
<section id="education">
  <h2>Education</h2>
  <table>
    <tr>
      <th>Course</th>
      <th>Institute</th>
      <th>Year</th>
    </tr>
    <tr>
      <td>B.Tech Computer Science</td>
      <td>K.R. Mangalam University</td>
      <td>2024 - 2028</td>
    </tr>
    <tr>
      <td>Schooling</td>
      <td>St. Xavier's Jr./Sr. School</td>
      <td>Completed</td>
    </tr>
  </table>
</section>
<section id="skills">
  <h2>Skills</h2>
  <h3>Programming Languages</h3>
  <ul class="list">
    <li>HTML</li>
    <li>CSS</li>
    <li>JavaScript</li>
    <li>Python</li>
    <li>C++</li>
    <li>TypeScript</li>
  </ul>
```

```
  <h3>Tools & Technologies</h3>
  <ul class="list">
    <li>Git & GitHub</li>
    <li>React</li>
    <li>Firebase</li>
    <li>Supabase</li>
  </ul>
</section>
<section id="projects">
  <h2>Projects</h2>
  <div class="project">
    <h3>Thrylos Verification Platform</h3>
    <p>A verification Platform for certificates and documents showing verified or fake status.</p>
  </div>
  <div class="project">
    <h3>EduTrack</h3>
    <p>A school management system that includes student dashboard, teacher panel, attendance tracking, results, and admin features.</p>
  </div>
  <div class="project">
    <h3>Thrylos Esports Platform</h3>
    <p>A gaming and esports platform with tournament management, UPI payments, admin dashboard, and real-time database.</p>
  </div>
  <div class="project">
    <h3>Portfolio Website</h3>
    <p>A personal website created to showcase my skills, projects, and achievements.</p>
  </div>
</section>
<section id="experience">
  <h2>Experience</h2>
  <h3>Software Development Intern - Essentia.dev</h3>
  <p>
    Worked on web development tasks, improved UI/UX of projects, and contributed to
    real-world development workflows.
  </p>
  <ul class="list">
    <li>Worked with frontend technologies</li>
    <li>Improved existing website designs</li>
    <li>Learned teamwork and professional development</li>
  </ul>
</section>
<section id="contact">
  <h2>Contact Me</h2>
  <p>Email: utsav@thrylos.in</p>
  <p>Phone: 9871831555</p>
  <p>GitHub:
    <a href="https://github.com/utsavratan" target="_blank">github.com/utsavratan</a>
  </p>
  <p>LinkedIn:
    <a href="https://linkedin.com/in/misterutsav" target="_blank">linkedin.com/in/misterutsav</a>
  </p>
  <h3>Quick Message</h3>
```

```html
  <form onsubmit="submitForm(event)">
    <input type="text" placeholder="Your Name" required>
    <input type="email" placeholder="Your Email" required>
    <textarea placeholder="Your Message" required></textarea>
    <button type="submit">Send</button>
  </form>
  <p id="msg"></p>
</section>
<footer>
  <p>© 2026 Utsav Ratan | All Rights Reserved</p>
</footer>
<script src="script.js"></script>
</body>
</html>
```

- **CSS CODE :**

```css
body {
  font-family: Arial, sans-serif;
  background: #0e0e0e;
  color: #f2f2f2;
  margin: 0;
}
header {
  background: #000;
  text-align: center;
  padding: 40px 20px;
}
header h1 {
  color: cyan;
}
header button {
  background: cyan;
  border: none;
  padding: 10px 15px;
  border-radius: 6px;
  cursor: pointer;
}
nav {
  background: #111;
  padding: 12px;
  text-align: center;
}
nav a {
  color: #ccc;
  text-decoration: none;
  margin: 15px;
}
nav a:hover {
  color: cyan;
}
```

```
section {
    background: #151515;
    margin: 20px;
    padding: 25px;
    border-radius: 10px;
    border: 1px solid #222;
}
.list li {
    background: #1f1f1f;
    margin: 8px 0;
    padding: 8px;
    border-left: 4px solid cyan;
}
.project {
    background: #1b1b1b;
    padding: 15px;
    margin-top: 10px;
    border-radius: 8px;
    border: 1px solid #333;
}
table {
    width: 100%;
    border-collapse: collapse;
}

th, td {
    border: 1px solid #333;
    padding: 10px;
}
a {
    color: cyan;
}
a:hover {
    color: #ffffff;
}
form {
    display: flex;
    flex-direction: column;
}
input, textarea {
    background: #0f0f0f;
    color: white;
    border: 1px solid #333;
    padding: 10px;
    margin: 8px 0;
}
form button {
    background: cyan;
    border: none;
    padding: 10px;
    cursor: pointer;
```

```
}
footer {
  background: #000;
  text-align: center;
  padding: 15px;
  color: grey;
}
```

- **JAVASCRIPT CODE :**

```
function welcomeAlert() {
  alert("Thank you for visiting my portfolio!");
}
function submitForm(event) {
  event.preventDefault();
  document.getElementById("msg").innerText = "Message submitted successfully!";
}
```

❖ OUTPUT :



Projects

Thrylos Verification Platform

A verification Platform for certificates and documents showing verified or fake status.

EduTrack

A school management system that includes student dashboard, teacher panel, attendance tracking, results, and admin features.

Thrylos Esports Platform

A gaming and esports platform with tournament management, UPI payments, admin dashboard, and real-time database.

Portfolio Website

A personal website created to showcase my skills, projects, and achievements.

Experience

Software Development Intern - Essentia.dev

Worked on web development tasks, improved UI/UX of projects, and contributed to real-world development workflows.

- Worked with frontend technologies
- Improved existing website designs
- Learned teamwork and professional development

Contact Me

Email: utsav@thrylos.in

Phone: 9871831555

GitHub: github.com/utsavratan

LinkedIn: linkedin.com/in/misterutsav

Quick Message

Your Name

EXPERIMENT - II

❖ Aim :

To design a simple company landing page using HTML and CSS with proper structure and styling.

❖ Tasks :

• Project Setup & Introduction – **Create project folder with linked HTML and CSS files and add company introduction.**

• HTML Structure – **Build landing page sections using semantic HTML elements.**

• Styling with CSS – **Apply layout, colors, spacing, and professional design.**

• Services Section Design – **Display company services clearly using cards or grid layout.**

• Testimonials Section – **Add and format customer testimonials for better presentation.**

• Contact Section (Bonus) – **Create contact details and a simple contact form UI.**

❖ Tech Stack Used :

- **HTML , CSS and JavaScript**

❖ CODES :

➢ **HTML CODE :**

```
❖   <!doctype html>
❖   <html lang="en">
❖   <head>
❖     <meta charset="utf-8" />
❖     <meta name="viewport" content="width=device-width, initial-scale=1" />
❖     <title>THRYLOS — Gaming · Technology · Education</title>
❖     <link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
❖     <link href="https://fonts.googleapis.com/css2?family=Inter:wght@300;400;600;800&display=swap"
    rel="stylesheet">
❖     <link rel="stylesheet" href="style.css">
❖   </head>
❖   <body>
❖   <nav class="navbar" aria-label="Primary">
❖     <div class="eco-card nav-inner">
❖       <a class="brand" href="/">THRYLOS</a>
❖       <button class="nav-toggle" aria-expanded="false" aria-controls="primary-navigation" id="navToggle">
❖         <svg width="24" height="24" viewBox="0 0 24 24" fill="none" aria-hidden="true"><path d="M4 6h16M4
```

```
12h16M4 18h16" stroke="currentColor" stroke-width="1.5" stroke-linecap="round" stroke-linejoin="round"/></svg>
        <span class="sr-only">Toggle navigation</span>
      </button>
      <div class="nav-links" id="primary-navigation">
        <a href="https://thrylos.in" target="_blank" rel="noopener">Gaming</a>
        <a href="https://tech.thrylos.in" target="_blank" rel="noopener">Tech</a>
        <a href="https://careers.thrylos.in" target="_blank" rel="noopener">Careers</a>
        <a href="https://verify.thrylos.in" target="_blank" rel="noopener">Verify</a>
        <a href="https://thrylosdesk.thrylos.in" target="_blank" rel="noopener">Student Portal</a>
      </div>
    </div>
  </nav>
  <header class="hero simple-hero">
    <div class="eco-card">
      <div class="hero-simple">
        <p class="eyebrow">THRYLOS</p>
        <h1 class="hero-title">Platforms that power Gaming, Technology and Education</h1>
        <p class="hero-sub">Built for scale — tournament systems, automation, and student platforms with production-ready reliability.</p>
        <div class="hero-actions">
          <a class="btn-primary large" href="https://thrylos.in" target="_blank" rel="noopener">Get Started — Gaming</a>
          <a class="btn-primary large" href="https://tech.thrylos.in" target="_blank" rel="noopener">Explore Tech</a>
        </div>
      </div>
    </div>
  </header>
  <main>
    <section id="ecosystem" class="ecosystem">
      <div class="eco-card">
        <h2 class="section-title">The THRYLOS Ecosystem</h2>
        <p class="section-sub">Five product pillars working together — each with dedicated teams, roadmaps, and production deployments.</p>
        <div class="ecosystem-grid">
          <article class="eco-card">
            <div class="eco-icon"><img src="thrylosbg.png" alt="Tech Icon" width="40"></div>
            <h3>THRYLOS Gaming</h3>
            <p>Competitive tournaments, matchmaking, team & player management, integrated payments and leaderboards.</p>
            <ul class="card-list">
              <li>Live tournaments & brackets</li>
              <li>Team management & rosters</li>
            </ul>
            <a href="https://thrylos.in" class="card-link" target="_blank">Visit thrylos.in →</a>
          </article>
          <article class="eco-card">
            <div class="eco-icon"><img src="thrylosbg.png" alt="Tech Icon" width="40"></div>
            <h3>THRYLOS Tech</h3>
            <p>Product engineering, APIs, automation systems and developer tooling designed for rapid iteration and stability.</p>
```

```
            <ul class="card-list">
              <li>APIs & SDKs</li>
              <li>Automation & cron workflows</li>
              <li>Scalable infra patterns</li>
            </ul>
            <a href="https://tech.thrylos.in" class="card-link" target="_blank">Visit tech.thrylos.in →</a>
          </article>
          <article class="eco-card">
            <div class="eco-icon"><img src="thrylosbg.png" alt="Tech Icon" width="40"></div>
            <h3>THRYLOS Desk</h3>
            <p>Student dashboards, course management, certificate issuance and academic tooling for institutions and learners.</p>
            <ul class="card-list">
              <li>Dashboards & analytics</li>
              <li>Certificates & verification</li>
              <li>Role-based access</li>
            </ul>
            <a href="https://thrylosdesk.thrylos.in" class="card-link" target="_blank">Open Student Portal →</a>
          </article>
          <article class="eco-card">
            <div class="eco-icon"><img src="thrylosbg.png" alt="Tech Icon" width="40"></div>
            <h3>Verification</h3>
            <p>Public verification for certificates, documents and records — cryptographically verifiable and audit-friendly.</p>
            <ul class="card-list">
              <li>Public APIs</li>
              <li>Immutable audit logs</li>
              <li>Easy embed verification</li>
            </ul>
            <a href="https://verify.thrylos.in" class="card-link" target="_blank">Verify records →</a>
          </article>
          <article class="eco-card">
            <div class="eco-icon"><img src="thrylosbg.png" alt="Tech Icon" width="40"></div>
            <h3>Careers</h3>
            <p>Join the teams building the future: engineering, design, product and community roles with remote-friendly options.</p>
            <ul class="card-list">
              <li>Open roles & internships</li>
              <li>Interview pipelines</li>
              <li>Engineering culture</li>
            </ul>
            <a href="https://careers.thrylos.in" class="card-link" target="_blank">See openings →</a>
          </article>
        </div>
      </div>
    </section>
    <section class="focus">
      <div class="eco-card">
        <h2 class="section-title">Core Focus Areas</h2>
        <div class="platform-grid">
          <div class="platform-card">
```

```
            <h4>Gaming Infrastructure</h4>
            <p>Tournament orchestration, leaderboards and secure matchmaking with fraud prevention.</p>
          </div>
          <div class="platform-card">
            <h4>Educational Platforms</h4>
            <p>Student dashboards, learning flows, certificates and integrations for educators.</p>
          </div>
          <div class="platform-card">
            <h4>Automation Systems</h4>
            <p>Background jobs, notifications, billing and orchestration that reduce manual effort.</p>
          </div>
          <div class="platform-card">
            <h4>Product Engineering</h4>
            <p>Design systems, APIs and resilient services built to operate at scale.</p>
          </div>
        </div>
      </div>
    </section>

    <section class="cta">
      <div class="eco-card cta-inner">
        <h2>Ready to collaborate or explore?</h2>
        <p class="muted">Whether you're a gamer, student, institution or partner — THRYLOS provides the platforms to help you scale.</p>
        <div class="cta-actions">
          <a class="btn-primary" href="https://thrylos.in">Get Started</a>
          <a class="btn-outline" href="mailto:support@thrylos.in">Contact Sales</a>
        </div>
      </div>
    </section>
  </main>
  <section id="contact" class="contact">
      <div class="eco-card">
          <h2 class="section-title">Contact Us</h2>
          <p class="section-sub">Have a question, partnership idea or need help? Drop a message and we’ll get back within 48 hours.</p>
          <div class="contact-grid">
              <form id="contactForm" class="contact-form" novalidate>
                  <!-- Honeypot to reduce spam -->
                  <label style="position:absolute;left:-9999px;top:auto;width:1px;height:1px;overflow:hidden;">
                      Leave this field empty
                      <input name="website" autocomplete="off" tabindex="-1">
                  </label>
                  <div class="form-row">
                      <label for="c_name">Name</label>
                      <input id="c_name" name="name" type="text" placeholder="Your name" required>
                  </div>
                  <div class="form-row">
                      <label for="c_email">Email</label>
                      <input id="c_email" name="email" type="email" placeholder="you@example.com" required>
                  </div>
```

```
                    <div class="form-row">
                        <label for="c_subject">Subject</label>
                        <input id="c_subject" name="subject" type="text" placeholder="What's this about?"
    required>
                    </div>
                    <div class="form-row">
                        <label for="c_message">Message</label>
                        <textarea id="c_message" name="message" rows="6" placeholder="Tell us more…"
    required></textarea>
                    </div>

                    <div class="form-row form-actions">
                        <button type="submit" class="btn-primary">Send Message</button>
                    </div>
                    <p id="contactStatus" class="muted" role="status" aria-live="polite" style="margin-
    top:0.75rem;"></p>
                </form>
                <aside class="contact-info">
                    <h3>Other ways to reach us</h3>
                    <p class="muted">Prefer email or scheduling? Use these options.</p>
                    <p><strong>Email</strong><br><a href="mailto:support@thrylos.in">support@thrylos.in</a></p>
                    <p><strong>Sales</strong><br><a href="mailto:founder@thrylos.in">founder@thrylos.in</a></p>
                    <p><strong>Office</strong><br class="muted">New Delhi , India</p>
                </aside>
            </div>
        </div>
        <script>
            (function () {
                const form = document.getElementById('contactForm');
                const status = document.getElementById('contactStatus');
                const clearBtn = document.getElementById('contactClear');
                clearBtn.addEventListener('click', () => form.reset());
                form.addEventListener('submit', function (e) {
                    e.preventDefault();
                    status.textContent = '';
                    if (form.website && form.website.value.trim() !== '') {
                        status.textContent = 'Submission blocked.';
                        return;
                    }
                    const name = form.name.value.trim();
                    const email = form.email.value.trim();
                    const subject = form.subject.value.trim();
                    const message = form.message.value.trim();
                    if (!name || !email || !subject || !message) {
                        status.textContent = 'Please complete all required fields.';
                        return;
                    }
                    const body = [
                        `Name: ${name}`,
                        `Email: ${email}`,
                        '',
```

```
                        message
                    ].join('\n');
                    const mailto =
`mailto:hello@thrylos.in?subject=${encodeURIComponent(subject)}&body=${encodeURIComponent(body)}`;
                    window.location.href = mailto;
                    status.textContent = 'If your email client didn't open, please email hello@thrylos.in
directly.';
                    form.reset();
                });
            })();
        </script>
        <style>
            .contact-grid {
                display: grid;
                grid-template-columns: 1fr;
                gap: 1.25rem;
            }
            @media(min-width:900px) {
                .contact-grid {
                    grid-template-columns: 1fr 320px;
                    align-items: start;
                }
            }
            .contact-form .form-row { margin-bottom: 0.75rem; display:flex; flex-direction:column; }
            .contact-form label { font-size:0.9rem; margin-bottom:0.25rem; }
            .contact-form input, .contact-form textarea { padding:0.6rem; border:1px solid #e6e6e6; border-
radius:6px; font-family:inherit; }
            .form-actions { display:flex; gap:0.5rem; align-items:center; }
            .contact-info a { color:inherit; text-decoration:underline; }
        </style>
    </section>
    <footer class="footer">
      <div class="eco-card footer-inner">
        <div>
          <h3>THRYLOS</h3>
          <p class="muted">Engineering platforms that scale — Gaming, Tech and Education.</p>
        </div>
        <nav aria-label="Footer">
          <a href="https://thrylos.in" target="_blank">Gaming</a>
          <a href="https://tech.thrylos.in" target="_blank">Tech</a>
          <a href="https://careers.thrylos.in" target="_blank">Careers</a>
          <a href="https://verify.thrylos.in" target="_blank">Verify</a>
          <a href="https://thrylosdesk.thrylos.in" target="_blank">Student Portal</a>
        </nav>
      </div>
      <div class="eco-card copyright" align="center">© 2026 THRYLOS. All rights reserved.</div>
    </footer>
    <script>
    const toggle = document.getElementById('navToggle');
    const nav = document.getElementById('primary-navigation');
    toggle.addEventListener('click', () => {
```

```
❖     const expanded = toggle.getAttribute('aria-expanded') === 'true';
❖     toggle.setAttribute('aria-expanded', String(!expanded));
❖     nav.classList.toggle('open');
❖   });
❖   </script>
❖   </body>
❖   </html>
```

- **CSS CODE :**

```
:root{
  --bg: #07060a;
  --panel: #0e0f13;
  --card: linear-gradient(180deg, rgba(255,255,255,0.02), rgba(255,255,255,0.01));
  --muted: #9aa0a6;
  --text: #e6eef8;
  --accent: #4f8ef7;
  --glass: rgba(255,255,255,0.03);
  --radius-sm: 10px;
  --radius-md: 14px;
  --radius-lg: 20px;
}
*{box-sizing:border-box}
html{scroll-behavior:smooth}
body{
  font-family: 'Inter', system-ui, -apple-system, 'Segoe UI', Roboto, 'Helvetica Neue', Arial;
  background: radial-gradient(1200px 600px at 10% 10%, rgba(79,142,247,0.06), transparent), var(--bg);
  color:var(--text);
  line-height:1.6;
  -webkit-font-smoothing:antialiased;
}
.eco-card{max-width:1200px;margin:0 auto;padding:0 24px}
section{padding:80px 0}
.navbar{position:fixed;left:0;right:0;top:0;z-index:50;background:linear-gradient(180deg, rgba(10,10,12,0.65),
rgba(10,10,12,0.5));backdrop-filter:blur(10px);border-bottom:1px solid rgba(255,255,255,0.03)}
.nav-inner{display:flex;align-items:center;justify-content:space-between;padding:18px 0}
.brand{font-weight:800;letter-spacing:3px;color:var(--text);text-decoration:none;font-size:1.05rem}
.nav-toggle{display:none;background:transparent;border:0;color:var(--text);cursor:pointer}
.nav-links{display:flex;align-items:center;gap:18px}
.nav-links a{color:var(--muted);text-decoration:none;padding:8px 12px;border-radius:10px}
.nav-links a:hover{color:var(--text);background:rgba(255,255,255,0.02)}
.btn-primary{background:linear-gradient(90deg,var(--accent),#2db0ff);color:white;padding:10px 18px;border-
radius:999px;text-decoration:none;font-weight:600}
.btn-outline{border:1px solid rgba(255,255,255,0.06);color:var(--text);padding:10px 18px;border-radius:999px;text-
decoration:none}
.btn-ghost{background:transparent;border:1px dashed rgba(255,255,255,0.03);color:var(--muted);padding:8px
14px;border-radius:999px;text-decoration:none}
@media (max-width:880px){
  .nav-toggle{display:inline-flex}
  .nav-links{position:fixed;right:16px;top:64px;background:var(--panel);padding:14px;border-radius:12px;box-
shadow:0 10px 30px rgba(2,6,23,0.6);flex-direction:column;gap:6px;display:none}
  .nav-links.open{display:flex}
```

```
}
.hero{padding:140px 0 70px}
.simple-hero{display:flex;align-items:center}
.hero-simple{max-width:920px;margin:0 auto;text-align:center;padding:48px 20px}
.hero-simple .eyebrow{font-weight:700;color:var(--muted);letter-spacing:2px;margin-bottom:10px}
.hero-title{font-size:clamp(2.4rem,5.6vw,4.2rem);line-height:1.02;margin:6px 0 18px}
.hero-sub{color:var(--muted);font-size:1.05rem;max-width:760px;margin:0 auto 26px}
.hero-actions{display:flex;gap:14px;justify-content:center;flex-wrap:wrap}
.btn-primary.large{padding:16px 28px;font-size:1.05rem;border-radius:14px}
.btn-outline.large{padding:14px 26px;font-size:1.02rem;border-radius:14px}
@media (max-width:720px){
   .hero{padding:90px 0 40px}
   .hero-title{font-size:1.8rem}
   .hero-sub{font-size:0.95rem}
   .btn-primary.large, .btn-outline.large{width:100%;text-align:center}
}
.section-title{font-size:1.9rem;margin-bottom:6px}
.section-sub{color:var(--muted);margin-bottom:18px}
.ecosystem-grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(240px,1fr));gap:20px;margin-top:22px}
.eco-card{background:var(--panel);padding:22px;border-radius:var(--radius-lg);border:1px solid
rgba(255,255,255,0.03);transition:transform .18s ease,box-shadow .18s ease}
.eco-card:hover{transform:translateY(-8px);box-shadow:0 12px 30px rgba(2,6,23,0.6)}
.eco-icon{font-size:28px;margin-bottom:8px}
.eco-card h3{margin:6px 0}
.card-list{color:var(--muted);margin:12px 0 16px;padding-left:18px}
.card-link{color:var(--accent);font-weight:600;text-decoration:none}
.platform-grid{display:grid;grid-template-columns:repeat(auto-fit,minmax(200px,1fr));gap:20px;margin-top:22px}
.platform-card{background:linear-gradient(180deg, rgba(255,255,255,0.01),
rgba(255,255,255,0.0));padding:18px;border-radius:var(--radius-md);border:1px solid rgba(255,255,255,0.02)}
.cta-inner{text-align:center;padding:34px 20px}
.cta-actions{display:flex;gap:12px;justify-content:center;margin-top:14px}
.footer{border-top:1px solid rgba(255,255,255,0.03);padding:56px 0 40px;margin-top:40px}
.footer-inner{display:grid;grid-template-columns:1fr auto;align-items:start;gap:20px}
.footer a{color:var(--muted);text-decoration:none;margin-left:8px}
.footer a:hover{color:var(--text)}
.copyright{color:var(--muted);font-size:0.92rem;margin-top:20px}
.muted{color:var(--muted)}
.sr-only{position:absolute;width:1px;height:1px;padding:0;margin:-1px;overflow:hidden;clip:rect(0,0,0,0);white-
space:nowrap;border:0}
@media (max-width:520px){
  .hero-features{display:block}
  .lead{font-size:0.95rem}
}
```

❖ **OUTPUT :**

THRYLOS

Gaming Tech Careers Verify Student Portal

THRYLOS

Platforms that power Gaming, Technology and Education

Built for scale — tournament systems, automation, and student platforms with production-ready reliability.

Get Started — Gaming | Explore Tech

THRYLOS

Gaming Tech Careers Verify Student Portal

The THRYLOS Ecosystem

Five product pillars working together — each with dedicated teams, roadmaps, and production deployments.

THRYLOS Gaming

Competitive tournaments, matchmaking, team & player management, integrated payments and leaderboards.

- Live tournaments & brackets
- Team management & rosters

Visit thrylos.in →

THRYLOS Tech

Product engineering, APIs, automation systems and developer tooling designed for rapid iteration and stability.

- APIs & SDKs
- Automation & cron workflows
- Scalable infra patterns

Visit tech.thrylos.in →

THRYLOS Desk

Student dashboards, course management, certificate issuance and academic tooling for institutions and learners.

- Dashboards & analytics
- Certificates & verification
- Role-based access

Open Student Portal →

Verification

Public verification for certificates, documents and records — cryptographically verifiable and audit-friendly.

- Public APIs
- Immutable audit logs
- Easy embed verification

Verify records →

Careers

THRYLOS

Gaming Tech Careers Verify Student Portal

Core Focus Areas

Gaming Infrastructure

Tournament orchestration, leaderboards and secure matchmaking with fraud prevention.

Educational Platforms

Student dashboards, learning flows, certificates and integrations for educators.

Automation Systems

Background jobs, notifications, billing and orchestration that reduce manual effort.

Product Engineering

Design systems, APIs and resilient services built to operate at scale.

Ready to collaborate or explore?

Whether you're a gamer, student, institution or partner — THRYLOS provides the platforms to help you scale.

Get Started | Contact Sales

THRYLOS

Gaming Tech Careers Verify Student Portal

Contact Us

Have a question, partnership idea or need help? Drop a message and we'll get back within 48 hours.

Name

Your name

Email

you@example.com

Subject

What's this about?

Message

Tell us more...

Send Message

Other ways to reach us

Prefer email or scheduling? Use these options.

Email
support@thrylos.in

Sales
founder@thrylos.in

Office
New Delhi , India

EXPERIMENT - III

❖ Aim :

To design and develop a basic interactive quiz application that evaluates user knowledge through multiple-choice questions with dynamic scoring and result display.

❖ Tasks :

• Project – **Create and link HTML, CSS, and JavaScript files.**

• HTML Structure – **Design the basic quiz layout using semantic elements.**

• Styling with CSS – **Apply clean layout, spacing, and simple design.**

• Questions – **Show multiple-choice questions with selectable options.**

• JavaScript – **Add logic for answer selection and score calculation.**

• Result Display – **Show final score with feedback message.**

• Restart Feature (Bonus) – **Allow users to reset and retake the quiz.**

❖ Tech Stack Used :

- **HTML , CSS and JavaScript**

❖ CODES :

➢ **HTML CODE :**

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>IPL Premium Quiz</title>
    <link rel="stylesheet" href="style.css">
</head>
<body>
<div class="app">
    <div class="quiz-box">
        <div class="top-bar">
```

```html
            <h1>🏏 IPL Ultimate Quiz</h1>
            <div class="score-board">
                <span id="liveScore">Score: 0</span>
                <span id="bestScore">Best: 0</span>
            </div>
        </div>
        <div class="progress-container">
            <div class="progress-bar" id="progressBar"></div>
        </div>
        <div class="meta-info">
            <span id="questionCount"></span>
            <span id="timer">⏱ 15</span>
        </div>
        <h2 id="question"></h2>
        <div id="options" class="options"></div>
        <button id="nextBtn" disabled>Next</button>
        <div id="resultSection" class="result hidden">
            <h2 id="finalScore"></h2>
            <p id="analysis"></p>
            <button id="restartBtn">Restart Quiz</button>
        </div>
    </div>
</div>
<script src="script.js"></script>
</body>
</html>
```

- **CSS CODE :**

```css
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}
body {
    background: #0d0d0d;
    font-family: 'Segoe UI', sans-serif;
    color: #fff;
    min-height: 100vh;
    display: flex;
    justify-content: center;
    padding: 20px;
}
.app {
    width: 100%;
    display: flex;
    justify-content: center;
}
.quiz-box {
    width: 100%;
    max-width: 750px;
```

```
    background: #1a1a1a;
    padding: clamp(18px, 4vw, 35px);
    border-radius: 16px;
    box-shadow: 0 0 40px rgba(77, 166, 255, 0.15);
    transition: 0.3s ease;
}
.top-bar {
    display: flex;
    justify-content: space-between;
    align-items: center;
    gap: 15px;
    flex-wrap: wrap;
}
.top-bar h1 {
    font-size: clamp(18px, 4vw, 26px);
    color: #4da6ff;
}
.score-board {
    display: flex;
    gap: 15px;
    font-size: clamp(12px, 3vw, 14px);
    color: #ccc;
}
.progress-container {
    height: 8px;
    background: #333;
    border-radius: 8px;
    margin: 20px 0;
    overflow: hidden;
}
.progress-bar {
    height: 100%;
    width: 0%;
    background: #4da6ff;
    transition: width 0.4s ease;
}
.meta-info {
    display: flex;
    justify-content: space-between;
    font-size: clamp(12px, 3vw, 14px);
    color: #aaa;
    margin-bottom: 15px;
}
#question {
    margin: 20px 0;
    font-size: clamp(16px, 4vw, 20px);
    line-height: 1.5;
}
.options {
    display: flex;
    flex-direction: column;
```

```
    gap: 12px;
}
.options button {
    width: 100%;
    padding: 14px;
    background: #262626;
    border: 1px solid #333;
    border-radius: 10px;
    color: white;
    font-size: clamp(14px, 3.5vw, 16px);
    cursor: pointer;
    transition: 0.25s ease;
}
.options button:hover {
    border-color: #4da6ff;
    transform: translateY(-2px);
}
.correct {
    background: #2ecc71 !important;
}
.wrong {
    background: #e74c3c !important;
}
button {
    padding: 12px 18px;
    margin-top: 20px;
    background: #4da6ff;
    border: none;
    border-radius: 8px;
    font-weight: bold;
    color: black;
    font-size: clamp(14px, 3vw, 16px);
    cursor: pointer;
    transition: 0.3s;
}
button:hover:not(:disabled) {
    background: #3399ff;
}
button:disabled {
    background: #555;
    cursor: not-allowed;
}
.result {
    margin-top: 25px;
    text-align: center;
}
.hidden {
    display: none;
}
@media (max-width: 480px) {
    body {
```

```
        padding: 12px;
    }
    .quiz-box {
        border-radius: 12px;
    }
    .top-bar {
        flex-direction: column;
        align-items: flex-start;
    }
    .score-board {
        width: 100%;
        justify-content: space-between;
    }
}
```

- **JS CODE :**

```
const quizData = [
    {
        question: "Which team won the first IPL season (2008)?",
        options: ["Chennai Super Kings", "Rajasthan Royals", "Mumbai Indians", "RCB"],
        correct: 1
    },
    {
        question: "Who is known as 'Mr. IPL'?",
        options: ["MS Dhoni", "Rohit Sharma", "Suresh Raina", "Virat Kohli"],
        correct: 2
    },
    {
        question: "Which player has scored the most IPL runs?",
        options: ["David Warner", "Virat Kohli", "Rohit Sharma", "KL Rahul"],
        correct: 1
    },
    {
        question: "Which team has won the most IPL titles?",
        options: ["CSK", "RCB", "Mumbai Indians", "KKR"],
        correct: 2
    }
];
let currentQuestion = 0;
let score = 0;
let timer;
let timeLeft = 15;
const questionEl = document.getElementById("question");
const optionsEl = document.getElementById("options");
const nextBtn = document.getElementById("nextBtn");
const progressBar = document.getElementById("progressBar");
const questionCount = document.getElementById("questionCount");
const liveScore = document.getElementById("liveScore");
const bestScore = document.getElementById("bestScore");
const timerEl = document.getElementById("timer");
```

```
const resultSection = document.getElementById("resultSection");
const finalScore = document.getElementById("finalScore");
const analysis = document.getElementById("analysis");
const restartBtn = document.getElementById("restartBtn");
bestScore.textContent = "Best: " + (localStorage.getItem("bestScore") || 0);
function startTimer() {
    timeLeft = 15;
    timerEl.textContent = "⏱ " + timeLeft;
    timer = setInterval(() => {
        timeLeft--;
        timerEl.textContent = "⏱ " + timeLeft;
        if (timeLeft === 0) {
            clearInterval(timer);
            nextBtn.disabled = false;
        }
    }, 1000);
}
function loadQuestion() {
    clearInterval(timer);
    startTimer();
    const data = quizData[currentQuestion];
    questionEl.textContent = data.question;
    optionsEl.innerHTML = "";
    nextBtn.disabled = true;
    questionCount.textContent = `Question ${currentQuestion + 1}/${quizData.length}`;
    liveScore.textContent = "Score: " + score;
    data.options.forEach((option, index) => {
        const btn = document.createElement("button");
        btn.textContent = option;
        btn.onclick = () => selectAnswer(btn, index);
        optionsEl.appendChild(btn);
    });
    progressBar.style.width = ((currentQuestion) / quizData.length) * 100 + "%";
}
function selectAnswer(button, index) {
    clearInterval(timer);
    const correctIndex = quizData[currentQuestion].correct;
    const buttons = optionsEl.querySelectorAll("button");
    buttons.forEach((btn, i) => {
        btn.disabled = true;
        if (i === correctIndex) btn.classList.add("correct");
        else if (i === index) btn.classList.add("wrong");
    });
    if (index === correctIndex) score++;
    liveScore.textContent = "Score: " + score;
    nextBtn.disabled = false;
}
nextBtn.onclick = () => {
    currentQuestion++;
    if (currentQuestion < quizData.length) {
        loadQuestion();
```

```
    } else {
        showResult();
    }
};
function showResult() {
    clearInterval(timer);
    document.getElementById("options").innerHTML = "";
    nextBtn.classList.add("hidden");
    progressBar.style.width = "100%";
    resultSection.classList.remove("hidden");
    finalScore.textContent = `Final Score: ${score} / ${quizData.length}`;
    if (score === quizData.length)
        analysis.textContent = "🏆 IPL Expert! Outstanding Knowledge!";
    else if (score >= quizData.length / 2)
        analysis.textContent = "👏 Good Cricket Knowledge!";
    else
        analysis.textContent = "📺 Watch more IPL matches!";
    let best = localStorage.getItem("bestScore") || 0;
    if (score > best) {
        localStorage.setItem("bestScore", score);
        bestScore.textContent = "Best: " + score;
    }
}
restartBtn.onclick = () => {
    currentQuestion = 0;
    score = 0;
    nextBtn.classList.remove("hidden");
    resultSection.classList.add("hidden");
    loadQuestion();
};
loadQuestion();
```

❖ OUTPUT :



EXPERIMENT - IV

❖ Aim :

To design and develop a dynamic to-do list web application that allows users to manage daily tasks efficiently by adding, editing, deleting, and marking tasks as completed using HTML, CSS, and JavaScript with an interactive user interface.

❖ Tasks :

• Project – Create and link HTML, CSS, and JavaScript files.

• HTML Structure – Design the basic layout with input field, button, and task list.

• Styling with CSS – Apply clean layout, spacing, and modern dark theme design.

• Add Tasks – Allow users to enter and add tasks dynamically.

• Edit & Delete – Provide options to modify and remove tasks.

• Completion Status (Bonus) – Mark tasks as completed with visual effect.

• Dynamic Count – Show number of pending and completed tasks.

❖ Tech Stack Used :

- **HTML , CSS and JavaScript**

❖ CODES :

➢ **HTML CODE :**

```
❖ <!DOCTYPE html>
❖ <html lang="en">
❖ <head>
❖     <meta charset="UTF-8">
❖     <title>Dynamic To-Do List</title>
```

```html
❖       <link rel="stylesheet" href="style.css">
❖   </head>
❖   <body>
❖   <div class="container">
❖       <h1>📝 Dynamic To-Do List</h1>
❖       <p class="description">
❖           Organize your daily tasks efficiently. Add, edit, delete, and track
    completion status.
❖       </p>
❖       <div class="input-section">
❖           <input type="text" id="taskInput" placeholder="Enter a new task...">
❖           <button onclick="addTask()">Add Task</button>
❖       </div>
❖       <ul id="taskList"></ul>
❖       <div class="stats">
❖           <span id="pendingCount">Pending: 0</span>
❖           <span id="completedCount">Completed: 0</span>
❖       </div>
❖   </div>
❖   <script src="script.js"></script>
❖   </body>
❖   </html>
```

- **CSS CODE :**

```css
body {
    margin: 0;
    font-family: 'Segoe UI', sans-serif;
    background-color: #000000;
    color: #ffffff;
}
.container {
    width: 420px;
    margin: 60px auto;
    background: #0f0f0f;
    padding: 25px;
    border-radius: 12px;
    box-shadow: 0 0 25px rgba(0, 102, 255, 0.4);
    border: 1px solid silver;
}
h1 {
    text-align: center;
    color: #4da3ff;
    margin-bottom: 5px;
}
.description {
    text-align: center;
    font-size: 14px;
    color: #c0c0c0;
    margin-bottom: 20px;
}
.input-section {
```

```
    display: flex;
    gap: 10px;
}
input {
    flex: 1;
    padding: 10px;
    border-radius: 6px;
    border: 1px solid silver;
    background: #000;
    color: white;
}
button {
    padding: 10px 14px;
    background: #0066ff;
    color: white;
    border: none;
    border-radius: 6px;
    cursor: pointer;
    transition: 0.3s;
}
button:hover {
    background: #3385ff;
}
ul {
    list-style: none;
    padding: 0;
    margin-top: 20px;
}
li {
    background: #111;
    padding: 10px;
    margin-bottom: 10px;
    border-radius: 6px;
    border-left: 4px solid #4da3ff;
    display: flex;
    justify-content: space-between;
    align-items: center;
}
.completed span {
    text-decoration: line-through;
    color: #888;
}
.task-buttons button {
    margin-left: 5px;
    background: silver;
    color: black;
    padding: 5px 8px;
    font-size: 12px;
}
.task-buttons button:hover {
    background: #4da3ff;
```

```
    color: white;
}
.stats {
    margin-top: 15px;
    display: flex;
    justify-content: space-between;
    color: #4da3ff;
    font-size: 14px;
}
```

- **JAVASCRIPT CODE :**

```
const taskInput = document.getElementById("taskInput");
const taskList = document.getElementById("taskList");
function updateStats() {
    const tasks = document.querySelectorAll("li");
    const completed = document.querySelectorAll(".completed");

    document.getElementById("pendingCount").textContent =
        "Pending: " + (tasks.length - completed.length);

    document.getElementById("completedCount").textContent =
        "Completed: " + completed.length;
}
function addTask() {
    const taskText = taskInput.value.trim();
    if (taskText === "") {
        alert("Task cannot be empty!");
        return;
    }
    const li = document.createElement("li");
    const leftSection = document.createElement("div");
    const checkbox = document.createElement("input");
    checkbox.type = "checkbox";
    checkbox.onclick = () => {
        li.classList.toggle("completed");
        updateStats();
    };
    const span = document.createElement("span");
    span.textContent = taskText;
    leftSection.appendChild(checkbox);
    leftSection.appendChild(span);
    const buttons = document.createElement("div");
    buttons.className = "task-buttons";
    const editBtn = document.createElement("button");
    editBtn.textContent = "Edit";
    editBtn.onclick = () => {
        const newText = prompt("Edit your task:", span.textContent);
        if (newText !== null && newText.trim() !== "") {
            span.textContent = newText.trim();
        }
    };
```

```
❖      const deleteBtn = document.createElement("button");
❖      deleteBtn.textContent = "Delete";
❖      deleteBtn.onclick = () => {
❖          li.remove();
❖          updateStats();
❖      };
❖      buttons.appendChild(editBtn);
❖      buttons.appendChild(deleteBtn);
❖      li.appendChild(leftSection);
❖      li.appendChild(buttons);
❖      taskList.appendChild(li);
❖      taskInput.value = "";
❖      updateStats();
❖  }
```

❖ **OUTPUT :**