


# Simplex Range Searching


Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$



# Simplex Range Searching

Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$

	Space Usage	Query time
Partition Tree	$O(n)$	$O(n^{1/2+\epsilon})$
Cutting Tree	$O(n^{2+\epsilon})$	$O(\log^3 n)$




# Simplex Range Searching

Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$

	Space Usage	Query time
Partition Tree	$O(n)$	$O(n^{1/2+\varepsilon})$
Cutting Tree	$O(n^{2+\varepsilon})$	$O(\log^3 n)$


$\varepsilon = \text{an arbitrarily small constant}$



# Simplex Range Searching

Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$


	Space Usage	Query time
Partition Tree	$O(n)$	$O(n^{1/2+\varepsilon})$
Cutting Tree	$O(n^{2+\varepsilon})$	$O(\log^3 n)$
$\varepsilon = \text{an arbitrarily small constant}$		
Combination	$O(s)$	$O(n^{1+\varepsilon}/s^{1/2})$
for any $s \in [n, n^2]$		



# Simplex Range Searching

Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$

	Space Usage	Query time
Partition Tree	$O(n)$	$O(n^{1/2+\varepsilon})$
Cutting Tree	$O(n^{2+\varepsilon})$	$O(\log^3 n)$
$\varepsilon = \text{an arbitrarily small constant}$		
Combination	$O(s)$	$O(n^{1+\varepsilon}/s^{1/2})$
for any $s \in [n, n^2]$		
Lower bound	$O(s)$	$\Omega(n/s^{1/2})$




# Simplex Range Searching

Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$

What if  $Q$  is an arbitrary polygon of  $O(1)$  complexity?

	Space Usage	Query time
Partition Tree	$O(n)$	$O(n^{1/2+\varepsilon})$
Cutting Tree	$O(n^{2+\varepsilon})$	$O(\log^3 n)$
$\varepsilon = \text{an arbitrarily small constant}$		
Combination	$O(s)$	$O(n^{1+\varepsilon}/s^{1/2})$
for any $s \in [n, n^2]$		
Lower bound	$O(s)$	$\Omega(n/s^{1/2})$



# Simplex Range Searching

Given a set of  $n$  points  $P$  in  $\mathbb{R}^2$ . Store them in a data structure s.t. we can efficiently report the (number of) points from  $P$  that lie in a query triangle  $Q$

What if  $Q$  is an arbitrary polygon of  $O(1)$  complexity?

Triangulate  $Q$  and query with each triangle

	Space Usage	Query time
Partition Tree	$O(n)$	$O(n^{1/2+\varepsilon})$
Cutting Tree	$O(n^{2+\varepsilon})$	$O(\log^3 n)$
$\varepsilon = \text{an arbitrarily small constant}$		
Combination	$O(s)$	$O(n^{1+\varepsilon}/s^{1/2})$
for any $s \in [n, n^2]$		
Lower bound	$O(s)$	$\Omega(n/s^{1/2})$

