

Core Manager

0.0.1

Generated by Doxygen 1.9.1

1 CoreManager	1
2 Namespace Index	3
2.1 Namespace List	3
3 Hierarchical Index	5
3.1 Class Hierarchy	5
4 Class Index	7
4.1 Class List	7
5 Namespace Documentation	11
5.1 CorePlugin Namespace Reference	11
5.2 CorePlugin.Core Namespace Reference	11
5.3 CorePlugin.Core.Interface Namespace Reference	11
5.4 CorePlugin.Cross Namespace Reference	11
5.5 CorePlugin.Cross.Events Namespace Reference	11
5.6 CorePlugin.Cross.Events.Interface Namespace Reference	12
5.7 CorePlugin.Cross.SceneData Namespace Reference	12
5.8 CorePlugin.Cross.SceneData.Interface Namespace Reference	12
5.9 CorePlugin.CustomAttributes Namespace Reference	12
5.10 CorePlugin.CustomAttributes.Editor Namespace Reference	12
5.11 CorePlugin.CustomAttributes.Editor.Drawers Namespace Reference	13
5.12 CorePlugin.CustomAttributes.Headers Namespace Reference	13
5.13 CorePlugin.CustomAttributes.Validation Namespace Reference	13
5.14 CorePlugin.CustomAttributes.Validation.Base Namespace Reference	13
5.15 CorePlugin.Editor Namespace Reference	14
5.16 CorePlugin.Extensions Namespace Reference	14
5.17 CorePlugin.FileSystem Namespace Reference	14
5.18 CorePlugin.Interface Namespace Reference	14
5.19 CorePlugin.Logger Namespace Reference	15
5.20 CorePlugin.ReferenceDistribution Namespace Reference	15
5.21 CorePlugin.ReferenceDistribution.Interface Namespace Reference	15
5.22 CorePlugin.Samples Namespace Reference	15
5.23 CorePlugin.Samples.Scripts Namespace Reference	15
5.24 CorePlugin.Samples.Scripts.Demo Namespace Reference	15
5.25 CorePlugin.Samples.Scripts.EventTypes Namespace Reference	15
5.26 CorePlugin.Samples.Scripts.Managers Namespace Reference	15
5.27 CorePlugin.Samples.Scripts.Model Namespace Reference	15
5.28 CorePlugin.Serializable Namespace Reference	15
5.29 CorePlugin.Serializable.Interface Namespace Reference	16
5.30 CorePlugin.Singletons Namespace Reference	16
5.31 CorePlugin.UISystem Namespace Reference	16
5.32 CorePlugin.UISystem.UI Namespace Reference	16

6 Class Documentation	17
6.1 BaseCore Class Reference	17
6.1.1 Detailed Description	17
6.1.2 Member Function Documentation	17
6.1.2.1 InitializeElements()	18
6.2 ClassValidationAttribute Class Reference	18
6.2.1 Detailed Description	18
6.3 CoreManager Class Reference	18
6.3.1 Detailed Description	19
6.4 CustomInspectorCoreManager Class Reference	19
6.4.1 Detailed Description	19
6.5 CustomLogger Class Reference	19
6.5.1 Detailed Description	20
6.6 EventInitializer Class Reference	20
6.6.1 Detailed Description	20
6.6.2 Member Function Documentation	21
6.6.2.1 AddHandler()	21
6.6.2.2 InitializeSubscriptions()	22
6.6.2.3 InvokeBase()	22
6.6.2.4 RemoveHandler()	22
6.6.2.5 Subscribe()	22
6.6.2.6 Unsubscribe()	23
6.7 EventTypes Class Reference	23
6.7.1 Detailed Description	23
6.8 FieldValidationAttribute Class Reference	24
6.8.1 Detailed Description	24
6.9 FileSystem Class Reference	24
6.9.1 Detailed Description	25
6.9.2 Constructor & Destructor Documentation	25
6.9.2.1 FileSystem() [1/3]	25
6.9.2.2 FileSystem() [2/3]	25
6.9.2.3 FileSystem() [3/3]	25
6.9.3 Member Function Documentation	26
6.9.3.1 Load< T >() [1/2]	26
6.9.3.2 Load< T >() [2/2]	26
6.9.3.3 Save< T >() [1/2]	27
6.9.3.4 Save< T >() [2/2]	27
6.10 HasComponentAttribute Class Reference	28
6.10.1 Detailed Description	28
6.11 ICore Interface Reference	28
6.11.1 Detailed Description	29
6.11.2 Member Function Documentation	29

6.11.2.1 InitializeElements()	29
6.12 IDeepClone< out out T > Interface Template Reference	29
6.12.1 Detailed Description	29
6.12.2 Member Function Documentation	30
6.12.2.1 DeepClone() [1/2]	30
6.12.2.2 DeepClone() [2/2]	30
6.13 IDistributingReference Interface Reference	30
6.13.1 Detailed Description	30
6.14 IEventHandler Interface Reference	31
6.14.1 Detailed Description	31
6.14.2 Member Function Documentation	31
6.14.2.1 InvokeEvents()	31
6.14.2.2 Subscribe()	31
6.14.2.3 Unsubscribe()	32
6.15 IEventSubscriber Interface Reference	32
6.15.1 Detailed Description	32
6.15.2 Member Function Documentation	33
6.15.2.1 GetSubscribers()	33
6.16 ISceneData Interface Reference	33
6.16.1 Detailed Description	33
6.17 IUnique Interface Reference	34
6.17.1 Detailed Description	34
6.18 Named< TName, TKey, TValue > Class Template Reference	34
6.18.1 Detailed Description	34
6.19 NotNullAttribute Class Reference	35
6.19.1 Detailed Description	35
6.20 OneAndOnlyAttribute Class Reference	35
6.20.1 Detailed Description	35
6.21 PrefabHeaderAttribute Class Reference	36
6.21.1 Detailed Description	36
6.22 PrefabRequiredAttribute Class Reference	36
6.22.1 Detailed Description	36
6.23 ReferenceDistributor Class Reference	36
6.23.1 Detailed Description	37
6.23.2 Member Function Documentation	37
6.23.2.1 AskReference< T >()	37
6.23.2.2 GetReference< T >()	38
6.23.2.3 GetReferences< T >()	38
6.23.2.4 Initialize()	38
6.24 ReferencesHeaderAttribute Class Reference	39
6.24.1 Detailed Description	39
6.25 SceneDataHandler Class Reference	39

6.25.1 Detailed Description	39
6.25.2 Member Function Documentation	40
6.25.2.1 AddData< T >()	40
6.25.2.2 GetData< T >()	41
6.25.2.3 RemoveData< T >()	41
6.26 SettingsHeaderAttribute Class Reference	42
6.26.1 Detailed Description	42
6.27 Singleton< T > Class Template Reference	42
6.27.1 Detailed Description	42
6.28 StateHeaderAttribute Class Reference	43
6.28.1 Detailed Description	43
6.29 SubPagesController Class Reference	43
6.29.1 Detailed Description	43
6.29.2 Member Function Documentation	43
6.29.2.1 AddPage() [1/2]	43
6.29.2.2 AddPage() [2/2]	44
6.29.2.3 DelayedOpenPage() [1/2]	44
6.29.2.4 DelayedOpenPage() [2/2]	44
6.29.2.5 HideAllTables()	45
6.29.2.6 OpenPage()	45
6.30 SymbolDefiner Class Reference	45
6.30.1 Detailed Description	46
6.30.2 Member Function Documentation	46
6.30.2.1 OnEnable()	46
6.30.2.2 ShowSymbolsButtons()	46
6.31 UIManager Class Reference	46
6.31.1 Detailed Description	47
6.31.2 Member Function Documentation	47
6.31.2.1 InitializeElements()	47
6.32 UIPage Class Reference	47
6.32.1 Detailed Description	47
6.32.2 Member Function Documentation	47
6.32.2.1 Initialize()	48
6.33 UIStateTools Class Reference	48
6.33.1 Detailed Description	48
6.33.2 Member Function Documentation	48
6.33.2.1 ChangeCursorState()	48
6.33.2.2 ChangeGroupState() [1/2]	49
6.33.2.3 ChangeGroupState() [2/2]	49
6.34 Unique Class Reference	49
6.34.1 Detailed Description	50
6.35 UnityEditorExtension Class Reference	50

6.35.1 Detailed Description	50
6.35.2 Member Function Documentation	50
6.35.2.1 HelpBox() [1/2]	50
6.35.2.2 HelpBox() [2/2]	51
6.35.2.3 IconName()	51
6.36 UnityExtensions Class Reference	51
6.36.1 Detailed Description	52
6.36.2 Member Function Documentation	52
6.36.2.1 Clear< T >()	52
6.36.2.2 IsNotNullAndEqual()	53
6.36.2.3 IsNotNullAndNotEqual()	53
6.36.2.4 TryFindObjectOfType< T >()	53
6.36.2.5 TryFindObjectsOfType< T >() [1/2]	54
6.36.2.6 TryFindObjectsOfType< T >() [2/2]	54
6.37 ValidationAttribute Class Reference	55
6.37.1 Detailed Description	55
6.38 ValidationAttributeEditor Class Reference	55
6.38.1 Detailed Description	56
Index	57

Chapter 1

CoreManager

Package created on version 2020.3.6f1 but compatible with the versions starting from 2020.x.x

Chapter 2

Namespace Index

2.1 Namespace List

Here is a list of all documented namespaces with brief descriptions:

CorePlugin	11
CorePlugin.Core	11
CorePlugin.Core.Interface	11
CorePlugin.Cross	11
CorePlugin.Cross.Events	11
CorePlugin.Cross.Events.Interface	12
CorePlugin.Cross.SceneData	12
CorePlugin.Cross.SceneData.Interface	12
CorePlugin.CustomAttributes	12
CorePlugin.CustomAttributes.Editor	12
CorePlugin.CustomAttributes.Editor.Drawers	13
CorePlugin.CustomAttributes.Headers	13
CorePlugin.CustomAttributes.Validation	13
CorePlugin.CustomAttributes.Validation.Base	13
CorePlugin.Editor	14
CorePlugin.Extensions	14
CorePlugin.FileSystem	14
CorePlugin.Interface	14
CorePlugin.Logger	15
CorePlugin.ReferenceDistribution	15
CorePlugin.ReferenceDistribution.Interface	15
CorePlugin.Samples	15
CorePlugin.Samples.Scripts	15
CorePlugin.Samples.Scripts.Demo	15
CorePlugin.Samples.Scripts.EventTypes	15
CorePlugin.Samples.Scripts.Managers	15
CorePlugin.Samples.Scripts.Model	15
CorePlugin.Serializable	15
CorePlugin.Serializable.Interface	16
CorePlugin.Singletons	16
CorePlugin.UISystem	16
CorePlugin.UISystem.UI	16

Chapter 3

Hierarchical Index

3.1 Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

CoreManager	18
CustomLogger	19
EventInitializer	20
EventTypes	23
FileSystem	24
ICore	28
BaseCore	17
UIManager	46
IDeepClone< out out T >	29
IDistributingReference	30
IEventHandler	31
IEventSubscriber	32
ISceneData	33
IUnique	34
Unique	49
Named< TName, TKey, TValue >	34
Named< string, Object >	34
PrefabHeaderAttribute	36
ReferenceDistributor	36
ReferencesHeaderAttribute	39
SettingsHeaderAttribute	42
Singleton< T >	42
Singleton< SceneDataHandler >	42
SceneDataHandler	39
StateHeaderAttribute	43
SubPagesController	43
SymbolDefiner	45
UIPage	47
UIStateTools	48
UnityEditorExtension	50
UnityExtensions	51
ValidationAttribute	55
ClassValidationAttribute	18
OneAndOnlyAttribute	35

FieldValidationAttribute	24
HasComponentAttribute	28
NotNullAttribute	35
PrefabRequiredAttribute	36
ValidationAttributeEditor	55
CustomInspectorCoreManager	19

Chapter 4

Class Index

4.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

BaseCore	
Base implementation of IManager	17
ClassValidationAttribute	
Base attribute for class validation	18
18	
19	
CustomLogger	
Custom logger solution for logs	19
20	
EventTypes	
Declare your delegate type to convert method group to delegate	23
FieldValidationAttribute	
Base attribute for field validation	24
24	
HasComponentAttribute	
Attribute validating whether Object in field or all objects in the list have desired component	28

ICore		
	Interface for Manager declaration	28
IDeepClone< out out T >		
	Interface for deep cloning	29
IDistributingReference		
	Flag interface for MonoBehaviour classes what need to referenced from another class	30
IEventHandler		
	Interface for event handler	31
IEventSubscriber		
	Interface for subscribers	32
33		
IUnique		
	Interface for unique objects. For example, you can use it for objects that need to be saved in Json or objects with the same data, but with different identifiers	34
Named< TName, TKey, TValue >		
	Replacement for dictionary in Unity Inspector	34
NotNullAttribute		
	Attribute validating whether field or element in the list equals null	35
OneAndOnlyAttribute		
	Attribute validating whether there is only one copy of this class in the scene	35
PrefabHeaderAttribute		
	Replacement for Header("Prefabs")	36
PrefabRequiredAttribute		
	Attribute validating whether the object or all items in list are prefabs	36
ReferenceDistributor		
	Class responsible for reference distribution inside one scene	36
ReferencesHeaderAttribute		
	Replacement for Header("References")	39
39		
SettingsHeaderAttribute		
	Replacement for Header("Settings")	42
Singleton< T >		
	Base for all singletons. Strongly recommended to use singletons as little as possible	42

StateHeaderAttribute	
Replacement for Header("State")	43
SubPagesController	
Class designated for UI subpages	43
45	
UIManager	
Base implementation of UIManager	46
UIPage	
UI page implementation	47
UIStateTools	
UI state tool for canvas groups	48
Unique	
Base class for classes that need to be saved in Json file	49
UnityEditorExtension	
Extensions for Unity Editor classes	50
UnityExtensions	
Extension class for default Unity classes	51
ValidationAttribute	
Base attribute for validation	55
55	

Chapter 5

Namespace Documentation

5.1 CorePlugin Namespace Reference

5.2 CorePlugin.Core Namespace Reference

Classes

- class [BaseCore](#)
Base implementation of IManager.
- class [CoreManager](#)
Manager for initialization of sub manager in the scene.
See also
[CorePlugin.ReferenceDistribution.ReferenceDistributor](#), [CorePlugin.Core.Interface.ICore](#)
- class [EventInitializer](#)
Class responsible for reference initialization
See also
[CorePlugin.Cross.Events.Interface.IEventHandler](#), [CorePlugin.Cross.Events.Interface.IEventSubscriber](#)

5.3 CorePlugin.Core.Interface Namespace Reference

Classes

- interface [ICore](#)
Interface for Manager declaration.

5.4 CorePlugin.Cross Namespace Reference

5.5 CorePlugin.Cross.Events Namespace Reference

Classes

- class [EventTypes](#)
Declare your delegate type to convert method group to delegate.

5.6 CorePlugin.Cross.Events.Interface Namespace Reference

Classes

- interface [IEventHandler](#)
Interface for event handler.
- interface [IEventSubscriber](#)
Interface for subscribers.

5.7 CorePlugin.Cross.SceneData Namespace Reference

Classes

- class [SceneDataHandler](#)
Singleton for passing data between scenes
See also
[CorePlugin.Cross.SceneData.Interface.ISceneData](#)

5.8 CorePlugin.Cross.SceneData.Interface Namespace Reference

Classes

- interface [ISceneData](#)
Flag interface for classes or structs to pass between scenes
See also
[CorePlugin.Cross.SceneData.SceneDataHandler](#)

5.9 CorePlugin.CustomAttributes Namespace Reference

5.10 CorePlugin.CustomAttributes.Editor Namespace Reference

Classes

- class [ValidationAttributeEditor](#)
Custom editor for Unity.Object class. If you want to create your own custom editor inherit from this class.
See also
[CorePlugin.CustomAttributes.Validation.Base.ValidationAttribute](#), [CorePlugin.CustomAttributes.Validation.Base.FieldValidationAttribute](#),
[CorePlugin.CustomAttributes.Validation.Base.ClassValidationAttribute](#)

5.11 CorePlugin.CustomAttributes.Editor.Drawers Namespace Reference

5.12 CorePlugin.CustomAttributes.Headers Namespace Reference

Classes

- class [PrefabHeaderAttribute](#)
Replacement for Header("Prefabs")
- class [ReferencesHeaderAttribute](#)
Replacement for Header("References")
- class [SettingsHeaderAttribute](#)
Replacement for Header("Settings")
- class [StateHeaderAttribute](#)
Replacement for Header("State")

5.13 CorePlugin.CustomAttributes.Validation Namespace Reference

Classes

- class [HasComponentAttribute](#)
Attribute validating whether Object in field or all objects in the list have desired component.
- class [NotNullAttribute](#)
Attribute validating whether field or element in the list equals null.
- class [OneAndOnlyAttribute](#)
Attribute validating whether there is only one copy of this class in the scene.
- class [PrefabRequiredAttribute](#)
Attribute validating whether the object or all items in list are prefabs.

5.14 CorePlugin.CustomAttributes.Validation.Base Namespace Reference

Classes

- class [ClassValidationAttribute](#)
Base attribute for class validation.
- class [FieldValidationAttribute](#)
Base attribute for field validation.
- class [ValidationAttribute](#)
Base attribute for validation

5.15 CorePlugin.Editor Namespace Reference

Classes

- class [CustomInspectorCoreManager](#)
Custom [Editor](#) [CoreManager](#) class.
See also
[CorePlugin.Core.CoreManager](#)
- class [SymbolDefiner](#)
Class for "Scripting Define Symbols" defining from [CoreManager](#) Inspector.
See also
[CorePlugin.Core.CoreManager](#)

5.16 CorePlugin.Extensions Namespace Reference

Classes

- class [Named](#)
Replacement for dictionary in Unity Inspector
- class [UIStateTools](#)
UI state tool for canvas groups
- class [UnityEditorExtension](#)
[Extensions](#) for Unity [Editor](#) classes
- class [UnityExtensions](#)
Extension class for default Unity classes

5.17 CorePlugin.FileSystem Namespace Reference

Classes

- class [FileSystem](#)
Class for saving Json file to disk.
See also
[CorePlugin.Serializable.Unique](#)

5.18 CorePlugin.Interface Namespace Reference

Classes

- interface [IDeepClone](#)
[Interface](#) for deep cloning

5.19 CorePlugin.Logger Namespace Reference

Classes

- class [CustomLogger](#)
Custom logger solution for logs.

5.20 CorePlugin.ReferenceDistribution Namespace Reference

Classes

- class [ReferenceDistributor](#)
Class responsible for reference distribution inside one scene.

5.21 CorePlugin.ReferenceDistribution.Interface Namespace Reference

Classes

- interface [IDistributingReference](#)
Flag interface for MonoBehaviour classes what need to be referenced from another class.

5.22 CorePlugin.Samples Namespace Reference

5.23 CorePlugin.Samples.Scripts Namespace Reference

5.24 CorePlugin.Samples.Scripts.Demo Namespace Reference

5.25 CorePlugin.Samples.Scripts.EventTypes Namespace Reference

5.26 CorePlugin.Samples.Scripts.Managers Namespace Reference

5.27 CorePlugin.Samples.Scripts.Model Namespace Reference

5.28 CorePlugin.Serializable Namespace Reference

Classes

- class [Unique](#)
Base class for classes that need to be saved in Json file.

5.29 CorePlugin.Serializable.Interface Namespace Reference

Classes

- interface [IUnique](#)

[Interface](#) for unique objects. For example, you can use it for objects that need to be saved in Json or objects with the same data, but with different identifiers

5.30 CorePlugin.Singletons Namespace Reference

Classes

- class [Singleton](#)

Base for all singletons. Strongly recommended to use singletons as little as possible.

5.31 CorePlugin.UISystem Namespace Reference

Classes

- class [UIManager](#)

Base implementation of [UIManager](#).

5.32 CorePlugin.UISystem.UI Namespace Reference

Classes

- class [SubPagesController](#)

Class designated for [UI](#) subpages.

- class [UIPage](#)

[UI](#) page implementation


Chapter 6

Class Documentation

6.1 BaseCore Class Reference

Base implementation of IManager.

Inheritance diagram for BaseCore:



Public Member Functions

- virtual void [InitializeElements](#) ()
Initializing all managers elements.

6.1.1 Detailed Description

Base implementation of IManager.

6.1.2 Member Function Documentation

6.1.2.1 InitializeElements()

```
virtual void InitializeElements ( ) [inline], [virtual]
```

Initializing all managers elements.

Implements [ICore](#).

Reimplemented in [UIManager](#).


The documentation for this class was generated from the following file:

- BaseCore.cs

6.2 ClassValidationAttribute Class Reference

[Base](#) attribute for class validation.

Inheritance diagram for ClassValidationAttribute:



6.2.1 Detailed Description

[Base](#) attribute for class validation.

The documentation for this class was generated from the following file:

- ClassValidationAttribute.cs

6.3 CoreManager Class Reference

Manager for initialization of sub manager in the scene.

See also

[CorePlugin.ReferenceDistribution.ReferenceDistributor](#), [CorePlugin.Core.Interface.ICore](#)

Inherits MonoBehaviour.

6.3.1 Detailed Description

Manager for initialization of sub manager in the scene.

See also

[CorePlugin.ReferenceDistribution.ReferenceDistributor](#), [CorePlugin.Core.Interface.ICore](#)

The documentation for this class was generated from the following file:

- CoreManager.cs


6.4 CustomInspectorCoreManager Class Reference

Custom [Editor](#) CoreManager class.

See also

[CorePlugin.Core.CoreManager](#)

Inheritance diagram for CustomInspectorCoreManager:



6.4.1 Detailed Description

Custom [Editor](#) CoreManager class.

See also

[CorePlugin.Core.CoreManager](#)

The documentation for this class was generated from the following file:

- CustomInspectorCoreManager.cs

6.5 CustomLogger Class Reference

Custom logger solution for logs.

6.5.1 Detailed Description

Custom logger solution for logs.

Logs in this class are dependant on `DEBUG` and `ENABLE_RELEASE_LOGS`. If `ENABLE_RELEASE_LOGS` defined logs will displayed in Release Build. Otherwise only [Editor](#) and Developer Build will display logs. For defining preprocessor open CoreManager or write down in PlayerSettings in field "Scripting Define Symbols".

See also

[CorePlugin.Core.CoreManager](#)

The documentation for this class was generated from the following file:

- CustomLogger.cs

6.6 EventInitializer Class Reference

Class responsible for reference initialization

See also

[CorePlugin.Cross.Events.Interface.IEventHandler](#), [CorePlugin.Cross.Events.Interface.IEventSubscriber](#)

Static Public Member Functions

- static void [InitializeSubscriptions](#) ()
Initialising cross subscriptions for all handlers in the scene.
- static void [Subscribe](#) ([IEventSubscriber](#) subscriber)
Subscribing event subscriber after scene has Awoken to event handlers.
- static void [Unsubscribe](#) ([IEventSubscriber](#) subscriber)
Unsubscribing event subscriber after scene has Awoken from event handlers.
- static void [AddHandler](#) ([IEventHandler](#) handler, bool subscriptionsNeeded=true, bool invokeNeeded=false)
Adding new handler after scene has Awoken to list of event handlers.
- static void [RemoveHandler](#) ([IEventHandler](#) handler)
Removing event handler after scene has Awoken from list
- static void [InvokeBase](#) ()
Invoking event on handlers.

6.6.1 Detailed Description

Class responsible for reference initialization

See also

[CorePlugin.Cross.Events.Interface.IEventHandler](#), [CorePlugin.Cross.Events.Interface.IEventSubscriber](#)

6.6.2 Member Function Documentation

6.6.2.1 AddHandler()

```
static void AddHandler (
    IEventHandler handler,
    bool subscriptionsNeeded = true,
    bool invokeNeeded = false ) [inline], [static]
```

Adding new handler after scene has Awoken to list of event handlers.

Parameters

<i>handler</i>	
<i>subscriptionsNeeded</i>	If false invokeNeeded will not be called
<i>invokeNeeded</i>	

References `IEventHandler.InvokeEvents()`, and `IEventHandler.Subscribe()`.

6.6.2.2 InitializeSubscriptions()

```
static void InitializeSubscriptions ( ) [inline], [static]
```

Initialising cross subscriptions for all handlers in the scene.

6.6.2.3 InvokeBase()

```
static void InvokeBase ( ) [inline], [static]
```

Invoking event on handlers.

6.6.2.4 RemoveHandler()

```
static void RemoveHandler (
    IEventHandler handler ) [inline], [static]
```

Removing event handler after scene has Awoken from list

Parameters

<i>handler</i>	
----------------	--

6.6.2.5 Subscribe()

```
static void Subscribe (
    IEventSubscriber subscriber ) [inline], [static]
```

Subscribing event subscriber after scene has Awoken to event handlers.

Parameters

<i>subscriber</i>	
-------------------	--

6.6.2.6 Unsubscribe()

```
static void Unsubscribe (  
    IEventSubscriber subscriber ) [inline], [static]
```

Unsubscribing event subscriber after scene has Awoken from event handlers.

Parameters

<i>subscriber</i>	
-------------------	--

The documentation for this class was generated from the following file:

- EventInitializer.cs

6.7 EventTypes Class Reference

Declare your delegate type to convert method group to delegate.

Inherited by CustomEventTypes.

6.7.1 Detailed Description

Declare your delegate type to convert method group to delegate.

```
public delegate void DelegateClass(Type type1);  
public delegate void DelegateClass2(Type type2, Type type3);
```

See also

[CorePlugin.Cross.Events.Interface.IEventHandler](#), [CorePlugin.Cross.Events.Interface.IEventSubscriber](#)


The documentation for this class was generated from the following file:

- EventTypes.cs

6.8 FieldValidationAttribute Class Reference

[Base](#) attribute for field validation.

Inheritance diagram for FieldValidationAttribute:



6.8.1 Detailed Description

[Base](#) attribute for field validation.

The documentation for this class was generated from the following file:

- FieldValidationAttribute.cs

6.9 FileSystem Class Reference

Class for saving Json file to disk.

See also

[CorePlugin.Serializable.Unique](#)

Public Member Functions

- [FileSystem](#) ()
Default constructor.
- [FileSystem](#) (string path)
Overloaded constructor which changes default path.
- [FileSystem](#) (string path, string extension)
Overloaded constructor which changes default path and file extension.
- void [Save](#)< T > (T data, Action< Exception > onError, Object context=null)
Saves class to the file with the name of class.
- void [Save](#)< T > (T data, string fileName, Action< Exception > onError, Object context=null)
Saves your class to file.
- void [Load](#)< T > (Action< T > onLoaded, Action< Exception > onError, Object context=null)
Loads file.
- void [Load](#)< T > (string fileName, Action< T > onLoaded, Action< Exception > onError, Object context=null)
Loads file with different file name from passed class.

6.9.1 Detailed Description

Class for saving Json file to disk.

See also

[CorePlugin.Serializable.Unique](#)

6.9.2 Constructor & Destructor Documentation

6.9.2.1 FileSystem() [1/3]

```
FileSystem ( ) [inline]
```

Default constructor.

6.9.2.2 FileSystem() [2/3]

```
FileSystem (  
    string path ) [inline]
```

Overloaded constructor which changes default path.

Parameters

<i>path</i>	
-------------	--

6.9.2.3 FileSystem() [3/3]

```
FileSystem (  
    string path,  
    string extension ) [inline]
```

Overloaded constructor which changes default path and file extension.

Parameters

<i>path</i>	
<i>extension</i>	

6.9.3 Member Function Documentation

6.9.3.1 Load< T >() [1/2]

```
void Load< T > (
    Action< T > onLoaded,
    Action< Exception > onError,
    Object context = null ) [inline]
```

Loads file.

Parameters

<i>onLoaded</i>	
<i>onError</i>	
<i>context</i>	Required if errors should be shown on Object

Template Parameters

<i>T</i>	
----------	--

Type Constraints

***T* : Unique**

6.9.3.2 Load< T >() [2/2]

```
void Load< T > (
    string fileName,
    Action< T > onLoaded,
    Action< Exception > onError,
    Object context = null ) [inline]
```

Loads file with different file name from passed class.

Parameters

<i>fileName</i>	
<i>onLoaded</i>	
<i>onError</i>	
<i>context</i>	Required if errors should be shown on Object

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : Unique**6.9.3.3 Save< T >() [1/2]**

```
void Save< T > (
    T data,
    Action< Exception > onError,
    Object context = null ) [inline]
```

Saves class to the file with the name of class.

Parameters

<i>data</i>	
<i>onError</i>	
<i>context</i>	Required if errors should be shown on Object

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : Unique**6.9.3.4 Save< T >() [2/2]**

```
void Save< T > (
    T data,
    string fileName,
    Action< Exception > onError,
    Object context = null ) [inline]
```

Saves your class to file.

Parameters

<i>data</i>	
<i>fileName</i>	
<i>onError</i>	
<i>context</i>	Required if errors should be shown on Object

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : Unique


The documentation for this class was generated from the following file:

- FileSystem.cs

6.10 HasComponentAttribute Class Reference

Attribute validating whether Object in field or all objects in the list have desired component.

Inheritance diagram for HasComponentAttribute:



6.10.1 Detailed Description

Attribute validating whether Object in field or all objects in the list have desired component.


The documentation for this class was generated from the following file:

- HasComponentAttribute.cs

6.11 ICore Interface Reference

[Interface](#) for Manager declaration.

Inheritance diagram for ICore:



Public Member Functions

- void [InitializeElements](#) ()
Initializing all managers elements.

6.11.1 Detailed Description

[Interface](#) for Manager declaration.

6.11.2 Member Function Documentation

6.11.2.1 InitializeElements()

```
void InitializeElements ( )
```

Initializing all managers elements.

Implemented in [UIManager](#), and [BaseCore](#).

The documentation for this interface was generated from the following file:

- ICore.cs

6.12 IDepClone< out out T > Interface Template Reference

[Interface](#) for deep cloning

Inherits IDepClone.

Public Member Functions

- new T [DeepClone](#) ()
Clones instance of an object
- object [DeepClone](#) ()
Clones instance of an object

6.12.1 Detailed Description

[Interface](#) for deep cloning

6.12.2 Member Function Documentation

6.12.2.1 DeepClone() [1/2]

```
new T DeepClone ( )
```

Clones instance of an object

Returns

6.12.2.2 DeepClone() [2/2]

```
object DeepClone ( )
```

Clones instance of an object

Returns

The documentation for this interface was generated from the following file:

- IDepClone.cs

6.13 IDistributingReference Interface Reference

Flag interface for MonoBehaviour classes what need to referenced from another class.

6.13.1 Detailed Description

Flag interface for MonoBehaviour classes what need to referenced from another class.

Strongly recommended to use [CorePlugin.Cross.Events](#) and [CorePlugin.Cross.Events.Interface](#) instead of direct reference serialization.

The documentation for this interface was generated from the following file:

- IDistributingReference.cs

6.14 IEventHandler Interface Reference

[Interface](#) for event handler.

Inherited by CrossSceneDataSenderDemo.

Public Member Functions

- void [InvokeEvents](#) ()
Invoking events that need to be invoked on scene initialization.
- void [Subscribe](#) (IEnumerable< Delegate > subscribers)
Subscribing delegates to event
- void [Unsubscribe](#) (IEnumerable< Delegate > unsubscribers)
Unsubscribing delegates to event

6.14.1 Detailed Description

[Interface](#) for event handler.

```
public void Subscribe(params Delegate[] subscriber)
{
    foreach (var action in subscriber.OfType<EventTypes.DelegateClass>())
    {
        MyEvent += action;
    }
}
```

See also

[CorePlugin.Cross.Events.EventTypes](#)

6.14.2 Member Function Documentation

6.14.2.1 InvokeEvents()

```
void InvokeEvents ( )
```

Invoking events that need to be invoked on scene initialization.

Referenced by EventInitializer.AddHandler().

6.14.2.2 Subscribe()

```
void Subscribe (
    IEnumerable< Delegate > subscribers )
```

Subscribing delegates to event

Parameters

<i>subscribers</i>	
--------------------	--

Referenced by EventInitializer.AddHandler().

6.14.2.3 Unsubscribe()

```
void Unsubscribe (
    IEnumerable< Delegate > unsubscribers )
```

Unsubscribing delegates to event

Parameters

<i>unsubscribers</i>	
----------------------	--

The documentation for this interface was generated from the following file:

- IEventHandler.cs

6.15 IEventSubscriber Interface Reference

[Interface](#) for subscribers.

Inherited by SceneLoader.

Public Member Functions

- `IEnumerable< Delegate > GetSubscribers ()`
Returns IEnumerable with all methods which need to be subscribed.

6.15.1 Detailed Description

[Interface](#) for subscribers.

```
public IEnumerable<Delegate> GetSubscribers()
{
    var list = new Delegate[] {(CrossEventTypes.DelegateClass) MyMethod, (Cross←
EventTypes.DelegateClass2) MyMethod2};
    return list;
}
```

See also

[CorePlugin.Cross.Events.EventTypes](#)

6.15.2 Member Function Documentation

6.15.2.1 GetSubscribers()

```
IEnumerable<Delegate> GetSubscribers ( )
```

Returns IEnumerable with all methods which need to be subscribed.

Returns

The documentation for this interface was generated from the following file:

- IEventSubscriber.cs

6.16 ISceneData Interface Reference

Flag interface for classes or structs to pass between scenes

See also

[CorePlugin.Cross.SceneData.SceneDataHandler](#)

Inherited by DataTransfer.

6.16.1 Detailed Description

Flag interface for classes or structs to pass between scenes

See also

[CorePlugin.Cross.SceneData.SceneDataHandler](#)


The documentation for this interface was generated from the following file:

- ISceneData.cs

6.17 IUnique Interface Reference

[Interface](#) for unique objects. For example, you can use it for objects that need to be saved in Json or objects with the same data, but with different identifiers

Inheritance diagram for IUnique:



6.17.1 Detailed Description

[Interface](#) for unique objects. For example, you can use it for objects that need to be saved in Json or objects with the same data, but with different identifiers

The documentation for this interface was generated from the following file:

- IUnique.cs

6.18 Named< TName, TKey, TValue > Class Template Reference

Replacement for dictionary in Unity Inspector

6.18.1 Detailed Description

Replacement for dictionary in Unity Inspector

More complex list for dictionary

Template Parameters

<i>TKey</i>	
<i>TValue</i>	

Template Parameters

<i>TName</i>	
<i>TKey</i>	
<i>TValue</i>	


The documentation for this class was generated from the following file:

- Named.cs

6.19 NotNullAttribute Class Reference

Attribute validating whether field or element in the list equals null.

Inheritance diagram for NotNullAttribute:



6.19.1 Detailed Description

Attribute validating whether field or element in the list equals null.


The documentation for this class was generated from the following file:

- NotNullAttribute.cs

6.20 OneAndOnlyAttribute Class Reference

Attribute validating whether there is only one copy of this class in the scene.

Inheritance diagram for OneAndOnlyAttribute:



6.20.1 Detailed Description

Attribute validating whether there is only one copy of this class in the scene.

The documentation for this class was generated from the following file:

- OneAndOnlyAttribute.cs

6.21 PrefabHeaderAttribute Class Reference

Replacement for Header("Prefabs")

Inherits HeaderAttribute.

6.21.1 Detailed Description

Replacement for Header("Prefabs")


The documentation for this class was generated from the following file:

- Headers/PrefabHeaderAttribute.cs

6.22 PrefabRequiredAttribute Class Reference

Attribute validating whether the object or all items in list are prefabs.

Inheritance diagram for PrefabRequiredAttribute:



6.22.1 Detailed Description

Attribute validating whether the object or all items in list are prefabs.

The documentation for this class was generated from the following file:

- PrefabRequiredAttribute.cs

6.23 ReferenceDistributor Class Reference

Class responsible for reference distribution inside one scene.

Inherits MonoBehaviour.

Public Member Functions

- void `Initialize` ()
Initializing distribution references

Static Public Member Functions

- static T [GetReference< T > \(\)](#)
Getting reference by type from list
- static bool [AskReference< T > \(ref T reference\)](#)
Finding reference if passed parameter is null. Use this if you need reference not in Start() and/or reference should be received in some event
- static IEnumerable< T > [GetReferences< T > \(\)](#)
Getting references by type from list

6.23.1 Detailed Description

Class responsible for reference distribution inside one scene.

Strongly recommended to use [CorePlugin.Cross.Events](#) and [CorePlugin.Cross.Events.Interface](#) instead of direct reference serialization.

6.23.2 Member Function Documentation

6.23.2.1 AskReference< T >()

```
static bool AskReference< T > (
    ref T reference ) [inline], [static]
```

Finding reference if passed parameter is null. Use this if you need reference not in Start() and/or reference should be received in some event

Parameters

<i>reference</i>	
------------------	--

Template Parameters

<i>T</i>	
----------	--

Returns

Type Constraints

T : MonoBehaviour
T : IDistributingReference

References [ReferenceDistributor.GetReference< T >\(\)](#).

6.23.2.2 GetReference< T >()

```
static T GetReference< T > ( ) [inline], [static]
```

Getting reference by type from list

Template Parameters

<i>T</i>	
----------	--

Returns

Type Constraints

T : MonoBehaviour
T : IDistributingReference

Referenced by ReferenceDistributor.AskReference< T >().

6.23.2.3 GetReferences< T >()

```
static IEnumerable<T> GetReferences< T > ( ) [inline], [static]
```

Getting references by type from list

Template Parameters

<i>T</i>	
----------	--

Returns

Type Constraints

T : MonoBehaviour
T : IDistributingReference

6.23.2.4 Initialize()

```
void Initialize ( ) [inline]
```

Initializing distribution references

The documentation for this class was generated from the following file:

- ReferenceDistributor.cs

6.24 ReferencesHeaderAttribute Class Reference

Replacement for Header("References")

Inherits HeaderAttribute.

6.24.1 Detailed Description

Replacement for Header("References")

The documentation for this class was generated from the following file:

- ReferencesHeaderAttribute.cs


6.25 SceneDataHandler Class Reference

Singleton for passing data between scenes

See also

[CorePlugin.Cross.SceneData.Interface.ISceneData](#)

Inheritance diagram for SceneDataHandler:



Public Member Functions

- void [AddData< T >](#) (T data)
Adding data to dictionary by passed Type
- bool [GetData< T >](#) (out T data)
Getting data from dictionary by passed Type
- void [RemoveData< T >](#) ()
Removing data from dictionary by passed Type

6.25.1 Detailed Description

Singleton for passing data between scenes

See also

[CorePlugin.Cross.SceneData.Interface.ISceneData](#)

6.25.2 Member Function Documentation

6.25.2.1 AddData< T >()

```
void AddData< T > (  
    T data ) [inline]
```

Adding data to dictionary by passed Type

Parameters

<i>data</i>	
-------------	--

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : ISceneData
T : new()

6.25.2.2 GetData< T >()

```
bool GetData< T > (
    out T data ) [inline]
```

Getting data from dictionary by passed Type

Parameters

<i>data</i>	
-------------	--

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : ISceneData
T : new()

6.25.2.3 RemoveData< T >()

```
void RemoveData< T > ( ) [inline]
```

Removing data from dictionary by passed Type

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : ISceneData
T : new()

The documentation for this class was generated from the following file:

- SceneDataHandler.cs

6.26 SettingsHeaderAttribute Class Reference

Replacement for Header("Settings")

Inherits HeaderAttribute.

6.26.1 Detailed Description

Replacement for Header("Settings")

The documentation for this class was generated from the following file:

- SettingsHeaderAttribute.cs

6.27 Singleton< T > Class Template Reference

Base for all singletons. Strongly recommended to use singletons as little as possible.

Inherits MonoBehaviour.

6.27.1 Detailed Description

Base for all singletons. Strongly recommended to use singletons as little as possible.

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : MonoBehaviour

The documentation for this class was generated from the following file:

- Singleton.cs

6.28 StateHeaderAttribute Class Reference

Replacement for Header("State")

Inherits HeaderAttribute.

6.28.1 Detailed Description

Replacement for Header("State")

The documentation for this class was generated from the following file:

- StateHeaderAttribute.cs

6.29 SubPagesController Class Reference

Class designated for UI subpages.

Inherits MonoBehaviour.

Public Member Functions

- void [OpenPage](#) ([UIPage](#) page)
Showing canvas group sent thought parameter and disabling all others.
- void [AddPage](#) ([UIPage](#) page, out Action openPage)
Adding new [UIPage](#) to this subpages controller
- void [AddPage](#) ([UIPage](#) page, out UnityAction openPage)
Adding new [UIPage](#) to this subpages controller
- void [DelayedOpenPage](#) ([UIPage](#) page)
Enables page interaction after delay
- void [DelayedOpenPage](#) ([UIPage](#) page, float delay)
Enables page interaction after delay
- void [HideAllTables](#) ()
Hides all pages in this subpage controller

6.29.1 Detailed Description

Class designated for UI subpages.

6.29.2 Member Function Documentation

6.29.2.1 AddPage() [1/2]

```
void AddPage (  
    UIPage page,  
    out Action openPage ) [inline]
```

Adding new [UIPage](#) to this subpages controller

Parameters

<i>page</i>	
<i>openPage</i>	

References SubPagesController.OpenPage().

Referenced by UIManager.InitializeElements().

6.29.2.2 AddPage() [2/2]

```
void AddPage (
    UIPage page,
    out UnityAction openPage ) [inline]
```

Adding new [UIPage](#) to this subpages controller

Parameters

<i>page</i>	
<i>openPage</i>	

References SubPagesController.OpenPage().

6.29.2.3 DelayedOpenPage() [1/2]

```
void DelayedOpenPage (
    UIPage page ) [inline]
```

Enables page interaction after delay

Parameters

<i>page</i>	
-------------	--

6.29.2.4 DelayedOpenPage() [2/2]

```
void DelayedOpenPage (
    UIPage page,
    float delay ) [inline]
```

Enables page interaction after delay

Parameters

<i>page</i>	
<i>delay</i>	

References `UIStateTools.ChangeGroupState()`, and `SubPagesController.HideAllTables()`.

6.29.2.5 HideAllTables()

```
void HideAllTables ( ) [inline]
```

Hides all pages in this subpage controller

References `UIStateTools.ChangeGroupState()`.

Referenced by `SubPagesController.DelayedOpenPage()`, and `SubPagesController.OpenPage()`.

6.29.2.6 OpenPage()

```
void OpenPage (
    UIPage page ) [inline]
```

Showing canvas group sent thought parameter and disabling all others.

Parameters

<i>page</i>	
-------------	--

References `UIStateTools.ChangeGroupState()`, and `SubPagesController.HideAllTables()`.

Referenced by `SubPagesController.AddPage()`.

The documentation for this class was generated from the following file:

- `SubPagesController.cs`

6.30 SymbolDefiner Class Reference

Class for "Scripting Define Symbols" defining from CoreManager Inspector.

See also

[CorePlugin.Core.CoreManager](#)

Public Member Functions

- void [ShowSymbolsButtons](#) ()
Shows buttons in Inspector.
- void [OnEnable](#) ()
Check for whether the are already defined symbols OnEnable

6.30.1 Detailed Description

Class for "Scripting Define Symbols" defining from CoreManager Inspector.

See also

[CorePlugin.Core.CoreManager](#)

6.30.2 Member Function Documentation

6.30.2.1 OnEnable()

```
void OnEnable ( ) [inline]
```

Check for whether the are already defined symbols OnEnable

6.30.2.2 ShowSymbolsButtons()

```
void ShowSymbolsButtons ( ) [inline]
```

Shows buttons in Inspector.


The documentation for this class was generated from the following file:

- SymbolDefiner.cs

6.31 UIManager Class Reference

Base implementation of [UIManager](#).

Inheritance diagram for UIManager:



Public Member Functions

- override void [InitializeElements](#) ()
Initializing all managers elements.

6.31.1 Detailed Description

Base implementation of [UIManager](#).

6.31.2 Member Function Documentation

6.31.2.1 InitializeElements()

```
override void InitializeElements ( ) [inline], [virtual]
```

Initializing all managers elements.

Reimplemented from [BaseCore](#).

References [SubPagesController.AddPage\(\)](#).

The documentation for this class was generated from the following file:

- [UIManager.cs](#)

6.32 UIPage Class Reference

[UI](#) page implementation

Inherits [MonoBehaviour](#).

Public Member Functions

- [UIPage Initialize](#) ()
Initializes elements for this [UIPage](#)

6.32.1 Detailed Description

[UI](#) page implementation

6.32.2 Member Function Documentation

6.32.2.1 Initialize()

```
UIPage Initialize ( ) [inline]
```

Initializes elements for this [UIPage](#)

Returns

The documentation for this class was generated from the following file:

- [UIPage.cs](#)

6.33 UIStateTools Class Reference

UI state tool for canvas groups

Static Public Member Functions

- static void [ChangeGroupState](#) (CanvasGroup group, bool isVisible)
Changing canvas visibility and interactivity
- static void [ChangeCursorState](#) (bool state)
Changing state of mouse cursor
- static IEnumerator [ChangeGroupState](#) (CanvasGroup group, bool isVisible, float delay)
Changing canvas visibility and interactivity after delay

6.33.1 Detailed Description

UI state tool for canvas groups

6.33.2 Member Function Documentation

6.33.2.1 ChangeCursorState()

```
static void ChangeCursorState (
    bool state ) [inline], [static]
```

Changing state of mouse cursor

Parameters

<i>state</i>	
--------------	--

6.33.2.2 ChangeGroupState() [1/2]

```
static void ChangeGroupState (
    CanvasGroup group,
    bool isVisible ) [inline], [static]
```

Changing canvas visibility and interactivity

Parameters

<i>group</i>	
<i>isVisible</i>	

Referenced by SubPagesController.DelayedOpenPage(), SubPagesController.HideAllTables(), and SubPagesController.OpenPage().

6.33.2.3 ChangeGroupState() [2/2]

```
static IEnumerator ChangeGroupState (
    CanvasGroup group,
    bool isVisible,
    float delay ) [inline], [static]
```

Changing canvas visibility and interactivity after delay

Parameters

<i>group</i>	
<i>isVisible</i>	
<i>delay</i>	


The documentation for this class was generated from the following file:

- UIStateTools.cs

6.34 Unique Class Reference

Base class for classes that need to be saved in Json file.

Inheritance diagram for Unique:



6.34.1 Detailed Description

Base class for classes that need to be saved in Json file.

The documentation for this class was generated from the following file:

- Unique.cs

6.35 UnityEditorExtension Class Reference

[Extensions](#) for Unity [Editor](#) classes

Static Public Member Functions

- static void [HelpBox](#) (string message, MessageType type)
Override for default Inspector HelpBox with RTF text
- static void [HelpBox](#) (string message, MessageType type, GUIStyle style)
Override for default Inspector HelpBox with style
- static string [IconName](#) (MessageType type)
Getting Icon Name from Unity Inspector

6.35.1 Detailed Description

[Extensions](#) for Unity [Editor](#) classes

6.35.2 Member Function Documentation

6.35.2.1 HelpBox() [1/2]

```
static void HelpBox (
    string message,
    MessageType type ) [inline], [static]
```

Override for default Inspector HelpBox with RTF text

Parameters

<i>message</i>	
<i>type</i>	

6.35.2.2 HelpBox() [2/2]

```
static void HelpBox (
    string message,
    MessageType type,
    GUIStyle style ) [inline], [static]
```

Override for default Inspector HelpBox with style

Parameters

<i>message</i>	
<i>type</i>	
<i>style</i>	

References UnityEditorExtension.IconName().

6.35.2.3 IconName()

```
static string IconName (
    MessageType type ) [inline], [static]
```

Getting Icon Name from Unity Inspector

Parameters

<i>type</i>	
-------------	--

Returns

Referenced by UnityEditorExtension.HelpBox().

The documentation for this class was generated from the following file:

- UnityEditorExtension.cs

6.36 UnityExtensions Class Reference

Extension class for default Unity classes

Static Public Member Functions

- static bool `IsNotNullAndNotEqual` (this `IUnique` lci, `IUnique` rci)
Checks whether the left item is null and doesn't equal right item
- static bool `IsNotNullAndEqual` (this `IUnique` lci, `IUnique` rci)
Checks whether the left item is null and equals right item
- static void `Clear< T >` (ref List< T > list)
Clearing list and destroying its items
- static bool `TryFindObjectOfType< T >` (out T result)
Trying to find object on scene that was inherited from T
- static bool `TryFindObjectsOfType< T >` (out IEnumerable< T > result)
Trying to find objects on scene that were inherited from T
- static bool `TryFindObjectsOfType< T >` (out IList< T > result)
Trying to find objects on scene that were inherited from T and return a list of said objects

6.36.1 Detailed Description

Extension class for default Unity classes

6.36.2 Member Function Documentation

6.36.2.1 `Clear< T >()`

```
static void Clear< T > (
    ref List< T > list ) [inline], [static]
```

Clearing list and destroying its items

Parameters

<i>list</i>	
-------------	--

Template Parameters

<i>T</i>	
----------	--

Type Constraints

T : MonoBehaviour

6.36.2.2 IsNotNullAndEqual()

```
static bool IsNotNullAndEqual (
    this IUnique lci,
    IUnique rci ) [inline], [static]
```

Checks whether the left item is null and equals right item

Parameters

<i>lci</i>	Left compare item
<i>rci</i>	Right compare item

Returns

6.36.2.3 IsNotNullAndNotEqual()

```
static bool IsNotNullAndNotEqual (
    this IUnique lci,
    IUnique rci ) [inline], [static]
```

Checks whether the left item is null and doesn't equal right item

Parameters

<i>lci</i>	Left compare item
<i>rci</i>	Right compare item

Returns

6.36.2.4 TryFindObjectOfType< T >()

```
static bool TryFindObjectOfType< T > (
    out T result ) [inline], [static]
```

Trying to find object on scene that was inherited from T

Parameters

<i>result</i>	
---------------	--

Template Parameters

<i>T</i>	
----------	--

Returns

6.36.2.5 TryToFindObjectsOfType< T >() [1/2]

```
static bool TryToFindObjectsOfType< T > (
    out IEnumerable< T > result )    [inline], [static]
```

Trying to find objects on scene that were inherited from T

Parameters

<i>result</i>	
---------------	--

Template Parameters

<i>T</i>	
----------	--

Returns

6.36.2.6 TryToFindObjectsOfType< T >() [2/2]

```
static bool TryToFindObjectsOfType< T > (
    out IList< T > result )    [inline], [static]
```

Trying to find objects on scene that were inherited from T and return a list of said objects

Parameters

<i>result</i>	
---------------	--

Template Parameters

<i>T</i>	
----------	--

Returns


The documentation for this class was generated from the following file:

- UnityExtensions.cs

6.37 ValidationAttribute Class Reference

[Base](#) attribute for validation

Inheritance diagram for ValidationAttribute:



6.37.1 Detailed Description

[Base](#) attribute for validation

The documentation for this class was generated from the following file:

- ValidationAttribute.cs


6.38 ValidationAttributeEditor Class Reference

Custom editor for Unity.Object class. If you want to create your own custom editor inherit from this class.

See also

[CorePlugin.CustomAttributes.Validation.Base.ValidationAttribute](#), [CorePlugin.CustomAttributes.Validation.Base.FieldValidationAttribute](#), [CorePlugin.CustomAttributes.Validation.Base.ClassValidationAttribute](#)

Inheritance diagram for ValidationAttributeEditor:



6.38.1 Detailed Description

Custom editor for Unity.Object class. If you want to create your own custom editor inherit from this class.

See also

[CorePlugin.CustomAttributes.Validation.Base.ValidationAttribute](#), [CorePlugin.CustomAttributes.Validation.Base.FieldValidationAttribute](#),
[CorePlugin.CustomAttributes.Validation.Base.ClassValidationAttribute](#)

The documentation for this class was generated from the following file:

- ValidationAttributeEditor.cs

Index

AddData< T >
 SceneDataHandler, [40](#)
AddHandler
 EventInitializer, [21](#)
AddPage
 SubPagesController, [43](#), [44](#)
AskReference< T >
 ReferenceDistributor, [37](#)

BaseCore, [17](#)
 InitializeElements, [17](#)

ChangeCursorState
 UIStateTools, [48](#)
ChangeGroupState
 UIStateTools, [49](#)
ClassValidationAttribute, [18](#)
Clear< T >
 UnityExtensions, [52](#)
CoreManager, [18](#)
CorePlugin, [11](#)
CorePlugin.Core, [11](#)
CorePlugin.Core.Interface, [11](#)
CorePlugin.Cross, [11](#)
CorePlugin.Cross.Events, [11](#)
CorePlugin.Cross.Events.Interface, [12](#)
CorePlugin.Cross.SceneData, [12](#)
CorePlugin.Cross.SceneData.Interface, [12](#)
CorePlugin.CustomAttributes, [12](#)
CorePlugin.CustomAttributes.Editor, [12](#)
CorePlugin.CustomAttributes.Editor.Drawers, [13](#)
CorePlugin.CustomAttributes.Headers, [13](#)
CorePlugin.CustomAttributes.Validation, [13](#)
CorePlugin.CustomAttributes.Validation.Base, [13](#)
CorePlugin.Editor, [14](#)
CorePlugin.Extensions, [14](#)
CorePlugin.FileSystem, [14](#)
CorePlugin.Interface, [14](#)
CorePlugin.Logger, [15](#)
CorePlugin.ReferenceDistribution, [15](#)
CorePlugin.ReferenceDistribution.Interface, [15](#)
CorePlugin.Samples, [15](#)
CorePlugin.Samples.Scripts, [15](#)
CorePlugin.Samples.Scripts.Demo, [15](#)
CorePlugin.Samples.Scripts.EventTypes, [15](#)
CorePlugin.Samples.Scripts.Managers, [15](#)
CorePlugin.Samples.Scripts.Model, [15](#)
CorePlugin.Serializable, [15](#)
CorePlugin.Serializable.Interface, [16](#)
CorePlugin.Singletons, [16](#)

CorePlugin.UISystem, [16](#)
CorePlugin.UISystem.UI, [16](#)
CustomInspectorCoreManager, [19](#)
CustomLogger, [19](#)

DeepClone
 IDeepClone< out out T >, [30](#)
DelayedOpenPage
 SubPagesController, [44](#)

EventInitializer, [20](#)
 AddHandler, [21](#)
 InitializeSubscriptions, [22](#)
 InvokeBase, [22](#)
 RemoveHandler, [22](#)
 Subscribe, [22](#)
 Unsubscribe, [23](#)
EventTypes, [23](#)

FieldValidationAttribute, [24](#)
FileSystem, [24](#)
 FileSystem, [25](#)
 Load< T >, [26](#)
 Save< T >, [27](#)

GetData< T >
 SceneDataHandler, [41](#)
GetReference< T >
 ReferenceDistributor, [37](#)
GetReferences< T >
 ReferenceDistributor, [38](#)
GetSubscribers
 IEventSubscriber, [33](#)

HasComponentAttribute, [28](#)
HelpBox
 UnityEditorExtension, [50](#)
HideAllTables
 SubPagesController, [45](#)

IconName
 UnityEditorExtension, [51](#)
ICore, [28](#)
 InitializeElements, [29](#)
IDeepClone< out out T >, [29](#)
 DeepClone, [30](#)
IDistributingReference, [30](#)
IEventHandler, [31](#)
 InvokeEvents, [31](#)
 Subscribe, [31](#)
 Unsubscribe, [32](#)

- IEventSubscriber, [32](#)
 - GetSubscribers, [33](#)
- Initialize
 - ReferenceDistributor, [38](#)
 - UIPage, [47](#)
- InitializeElements
 - BaseCore, [17](#)
 - ICore, [29](#)
 - UIManager, [47](#)
- InitializeSubscriptions
 - EventInitializer, [22](#)
- InvokeBase
 - EventInitializer, [22](#)
- InvokeEvents
 - EventHandler, [31](#)
- ISceneData, [33](#)
- IsNotNullAndEqual
 - UnityExtensions, [52](#)
- IsNotNullAndNotEqual
 - UnityExtensions, [53](#)
- IUnique, [34](#)
- Load< T >
 - FileSystem, [26](#)
- Named< TName, TKey, TValue >, [34](#)
- NotNullAttribute, [35](#)
- OneAndOnlyAttribute, [35](#)
- OnEnable
 - SymbolDefiner, [46](#)
- OpenPage
 - SubPagesController, [45](#)
- PrefabHeaderAttribute, [36](#)
- PrefabRequiredAttribute, [36](#)
- ReferenceDistributor, [36](#)
 - AskReference< T >, [37](#)
 - GetReference< T >, [37](#)
 - GetReferences< T >, [38](#)
 - Initialize, [38](#)
- ReferencesHeaderAttribute, [39](#)
- RemoveData< T >
 - SceneDataHandler, [41](#)
- RemoveHandler
 - EventInitializer, [22](#)
- Save< T >
 - FileSystem, [27](#)
- SceneDataHandler, [39](#)
 - AddData< T >, [40](#)
 - GetData< T >, [41](#)
 - RemoveData< T >, [41](#)
- SettingsHeaderAttribute, [42](#)
- ShowSymbolsButtons
 - SymbolDefiner, [46](#)
- Singleton< T >, [42](#)
- StateHeaderAttribute, [43](#)
- SubPagesController, [43](#)
 - AddPage, [43](#), [44](#)
 - DelayedOpenPage, [44](#)
 - HideAllTables, [45](#)
 - OpenPage, [45](#)
- Subscribe
 - EventInitializer, [22](#)
 - EventHandler, [31](#)
- SymbolDefiner, [45](#)
 - OnEnable, [46](#)
 - ShowSymbolsButtons, [46](#)
- TryFindObjectOfType< T >
 - UnityExtensions, [53](#)
- TryFindObjectsOfType< T >
 - UnityExtensions, [54](#)
- UIManager, [46](#)
 - InitializeElements, [47](#)
- UIPage, [47](#)
 - Initialize, [47](#)
- UIStateTools, [48](#)
 - ChangeCursorState, [48](#)
 - ChangeGroupState, [49](#)
- Unique, [49](#)
- UnityEditorExtension, [50](#)
 - HelpBox, [50](#)
 - IconName, [51](#)
- UnityExtensions, [51](#)
 - Clear< T >, [52](#)
 - IsNotNullAndEqual, [52](#)
 - IsNotNullAndNotEqual, [53](#)
 - TryFindObjectOfType< T >, [53](#)
 - TryFindObjectsOfType< T >, [54](#)
- Unsubscribe
 - EventInitializer, [23](#)
 - EventHandler, [32](#)
- ValidationAttribute, [55](#)
- ValidationAttributeEditor, [55](#)