

One mark. Thirteen motion systems.

A source-preserving comparison of the same supplied Prysai logo routed through Motiflux V1 design themes. The logo geometry stays locked; the motion language, stage treatment, algorithm family, and QA focus change.



SUPPLIED RASTER SOURCE / IDENTITY LOCKED

ROUTING EXAMPLE

AI-field

Request: I want to make a logo animation for my artificial-intelligence company.

Route: signal flow / convergence / progressive disclosure.

Result: organized signals converge into the real mark, then settle into a quiet canonical state. This is a representative landing frame, not a claim of a private vendor's internal algorithm or a browser-runtime pass.

13 routable themes / 1 identity source / 0 geometry edits

01 System-spatial

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



Prysai

product, SaaS, dashboard, enterprise

Make the mark feel native to a coherent product system: parts travel from semantic positions into one stable lockup.

ALGORITHM
scene-graph dependency ordering / shared spatial anchors / monotonic cubic interpolation

QA spatial continuity; no layout shift; focus order

02 Premium-quiet

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



Prysaï

luxury, fashion, beauty, editorial

Create perceived value through stillness, optical alignment, and a late, controlled reveal of the highest-value contour.

ALGORITHM
low-amplitude transform field / opacity and mask sequencing / optical alignment
correction

QA contour integrity; optical centering; calm frame pacing

03 Developer-open

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



Prysai



Prysai

developer, open source, API, CLI, tooling

Expose a causal chain that a technical audience can inspect: named phases, stable actors, and reproducible replay.

ALGORITHM
deterministic state machine / typed event timeline / semantic actor metadata

QA determinism; event order; keyboard operation

04 AI-field

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



Prysaï



Prysaï

AI, artificial intelligence, neural, generative, data

Suggest intelligence through organized transformation: signals are guided into the mark's actual geometry, not random sci-fi decoration.

ALGORITHM
constraint-to-signal mapping / seeded vector-field guidance / confidence-bounded
morphing

QA determinism; semantic landing; reduced motion; performance

05 Fintech-trust

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



finance, banking, payments, trusted, institutional

Make motion feel dependable: a guarded sequence moves from processing to a clear, reversible resolution.

ALGORITHM
monotonic progress / guarded state transitions / bounded confirmation spring

QA state correctness; cancellation; contrast; no false success

06 Security-shield

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



security, privacy, identity, authentication, defense

Reveal the boundary first, verify the interior second, and make the final state unambiguous.

ALGORITHM
boundary-first reveal / occlusion and aperture logic / interruptible finite-state sequence

QA semantic state; interruption; focus; contrast

07 Commerce-energy

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



commerce, retail, shopping, marketplace, consumer

Give the mark a quick, friendly response to an action while returning rapidly to a stable idle state.

ALGORITHM
short interaction transition / spring-like confirmation / action-completion state machine

QA input latency; repeat action; touch-safe range

08 Automotive-precision

ROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME



automotive, mobility, engineering, performance, industrial

Express mass and direction with controlled acceleration, stable anchors, and no weightless teleportation.

ALGORITHM
kinematic trajectory planning / acceleration and jerk limits / anchor-based transforms

QA jerk continuity; clipping; anchor correctness

09Sports-impactROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME

sports, fitness, competition, speed, bold

Build tension, release along a dominant axis, and preserve silhouette recognition at peak speed.

ALGORITHM

anticipation compression / velocity burst / controlled overshoot and recovery

QA peak silhouette; deformation limit; flashing risk

10Cinematic-titleROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME

film, title, trailer, story, dramatic, suspense

Use silence, scale, and compositional focus to stage one identity moment without obscuring the final silhouette.

ALGORITHM

camera-space composition / depth-layer parallax / masked exposure reveal

QA final readability; crop safety; contrast; static fallback

11Nature-flowROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME

nature, organic, wellness, sustainable, growth

Follow the mark's curves with low-frequency motion that implies growth without erasing topology.

ALGORITHM

curvature-following flow / bounded low-frequency drift / phase-offset secondary actors

QA smoothness; amplitude bounds; topology; loop seam

12Gaming-worldROUTE

INPUT / SAME SOURCE

OUTPUT / REPRESENTATIVE FRAME

gaming, esports, fantasy, sci-fi, arcade, playful

Treat the logo as the hero object and use deterministic secondary effects to signal reward and replay.

ALGORITHM

stateful combo beats / seeded particle secondary layer / bounded squash and stretch

QA readability; deterministic replay; flashing limits; performance

13 Accessibility-first

ROUTE

INPUT / SAME SOURCE



OUTPUT / REPRESENTATIVE FRAME



accessible, reduced motion, calm, inclusive, keyboard

Design the static state first, then use opacity and small translation only when motion adds orientation or feedback.

ALGORITHM
opacity and color state changes / user-controlled pause and tempo / focus-preserving transitions

QA reduced motion; focus; contrast; static equivalence