









Canonical spin-1 quark TMD f_1 | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $h_1^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD g_1 | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $h_{1L}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $f_{1T}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD g_{1T} | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD h_1 | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $h_{1T}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD f_{1LL} | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $h_{1LL}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD f_{1LT} | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD g_{1LT} | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD h_{1LT} | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $h_{1LT}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $f_{1T\bar{T}}$ | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD g_{1TT} | $x_N = 0.1$, $Q = 5$ GeV, future staple







Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD h_{1TT} | $x_N = 0.1$, $Q = 5$ GeV, future staple



Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.

Canonical spin-1 quark TMD $h_{1TT}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV, future staple



Band: wave-function + sourced nuclear + named model axes; not a statistical confidence interval.