





Canonical spin-1 gluon TMD f_1 | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD f_{1LL} | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD f_{1LT} | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $f_{1TT}^g - h_{1TT}^{\perp g}$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $f_{1T}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD g_1 | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD g_{1LT} | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD g_{1T} | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $g_{1\pi\pi}$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD h_1 | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $h_{1LL}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD h_{1LT} | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $h_{1LT}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $h_{1L}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD h_{1TT} | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $h_{1TT}^{\perp\perp g}$ | $x_N = 0.1$, $Q = 5$ GeV





f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $h_{1T}^\perp$ | $x_N = 0.1$, $Q = 5$ GeV



f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.

Canonical spin-1 gluon TMD $h_1^{\perp g}$ | $x_N = 0.1$, $Q = 5$ GeV



f- and d-type color structures are independent. Band: wave + nuclear + Wilson-kernel/color axes.