



Postman interface showing a REST client request for `POST http://localhost:3001/api/employees/add`. The request body is a JSON object:

```
{  "firstName": "John",  "lastName": "Doe",  "email": "john.doe@gmail.com"}
```

The response status is `200 OK` with a response time of `319 ms` and size of `374 B`. The response body is a JSON object:

```
{  "message": "Employee added successfully",  "id": 1,  "firstName": "John",  "lastName": "Doe",  "email": "john.doe@gmail.com"}
```

Postman interface showing a REST client request for `GET http://localhost:3001/api/employees/`. The request body is empty. The response status is `200 OK` with a response time of `7 ms` and size of `322 B`. The response body is a JSON array:

```
[  {    "id": 1,    "firstName": "John",    "lastName": "Doe",    "email": "john.doe@gmail.com"  },  {    "id": 2,    "firstName": "Jane",    "lastName": "Smith",    "email": "jane.smith@gmail.com"  }]
```

Postman interface showing a PUT request to `http://localhost:3030/api/employees/update`. The request body is a JSON object:

```
{
  "id": 1,
  "firstName": "jason",
  "lastName": "williams",
  "email": "jason@yaboo.com"
}
```

The response status is 200 OK. The response body is:

```
{
  "Employee Updated Successfully",
  "Updated Employee Details": {
    "id": 1,
    "First Name": "jason",
    "Last Name": "williams",
    "email": "jason@yaboo.com"
  }
}
```

Postman interface showing a DELETE request to `http://localhost:3030/api/employees/delete/6`. The response status is 200 OK. The response body is:

```
{
  "deleted employee id -6"
}
```

Postman interface showing a REST client request for `SearchEmployeeTestName`. The request is a GET to `http://localhost:3000/api/employees/search/you`. The response is a 200 OK with a JSON body containing employee data.

Request:

- Method: GET
- URL: `http://localhost:3000/api/employees/search/you`
- Headers: `Content-Type: application/json`

Response:

```
{
  "id": 1,
  "firstName": "John",
  "lastName": "Doe",
  "email": "john.doe@gmail.com"
}
```

Postman interface showing a REST client request for `SearchEmployeeTestName`. The request is a GET to `http://localhost:3000/api/employees/search/you`. The response is a 200 OK with a JSON body containing employee data.

Request:

- Method: GET
- URL: `http://localhost:3000/api/employees/search/you`
- Headers: `Content-Type: application/json`

Response:

```
{
  "id": 1,
  "firstName": "John",
  "lastName": "Doe",
  "email": "john.doe@gmail.com"
}
```



