

Werewolf and NetZero: the interactions between operations, planning, investments and policies

Michael C. Ferris

(Joint work with Josh Arnold, Adam Christensen and Andy Philpott)

Jacques-Louis Lions Chair, and Stephen Kleene Professor of Computer Science
Computer Sciences Department and
Wisconsin Institute for Discovery, University of Wisconsin, Madison

Wisconsin Public Utility Institute, Board Meeting,
Madison, March 10, 2020

Supported by Tommy G. Thompson Center on Public Leadership

Werewolf

Who are we, what are we doing.

This talk is about

- Operations research: helping government policy ...
 - ▶ to distinguish between objectives and actions;
 - ▶ to understand effects of uncertainty;
 - ▶ to understand effects of incentives.

Simplified two-stage stochastic optimization model

- Capacity decisions are z at cost $K(z)$
- Operating decisions are: generation y at cost $C(y)$, loadshedding r at cost Vr .
- Random demand is $d(\omega)$.
- Minimize capital cost plus expected operating cost:

$$\begin{aligned} \text{P:} \quad & \min_{(z,y,r) \in X} && K(z) + \mathbb{E}_{\omega}[C(y(\omega)) + Vr(\omega)] \\ & \text{s.t.} && y(\omega) \leq z \\ & && y(\omega) + r(\omega) \geq d(\omega) \end{aligned}$$


- Model populated using data from Wisconsin

Environmental constraints


Some capacity z_k , $k \in \mathcal{N}$, is “non renewable”. Some generation $y_k(\omega)$, $k \in \mathcal{E}$ emits $\beta_k y_k(\omega)$ tonnes of CO₂. For a choice of $\theta \in [0, 1]$ constraint is either:

- ① Reduce **CO₂ emissions** compared with 2017:
- ② Reduce **non-renewable capacity** compared with 2017:
- ③ Reduce **non-renewable generation** compared with 2017:

Average CO2 emissions with % reduction from 2017




Since (renewable) geothermal and CCS emit some CO2 100% renewable yields modest reductions in CO2 emissions.




Cost of actually reaching zero CO2 emissions (without geothermal or CCS) increases as we approach the limit.

Technology choices as θ increases (NR capacity redn)





- Use geothermal, CCS, wind, batteries
- Fairly constant capacity

Technology choices as θ increases (% CO₂ redn)



- Rich portfolio of renewable technologies used
- More capacity needed as more uncertain generation

Carbon emissions (almost sure)



- Average reduction, vs reduction *in every scenario*
- Significant differences only at relatively low levels of CO₂ reduction
- Single year, 2005, in which the emissions are significantly higher than all the others in the average case, but is compensated for by reduced emissions in other years.

Conclusions

- Models can inform policy
- Models can show effects and costs of constraints
- Investment is coupled to reliability
- Very large scale models (many agents with many instruments acting strategically) with risk are hard
- New algorithms enable solution of more detailed, authentic problems and address underlying policy questions
- Evaluation via simulation computations and out-of-sample testing