

Aegis Hackathon Platform

An online hackathon workspace where participants join events, form teams, tackle daily challenges, submit work, and climb the leaderboard — while admins manage the full event lifecycle from a single dashboard.

Built as a progressive web app with offline support, so participants stay productive even when connectivity drops.

Users

Role	Capabilities
Public visitor	View event info, public leaderboard, sign-in page
Participant	Browse challenges, schedule, and rules; join or create teams; submit work; track progress; manage profile
Team lead	Approve or reject join requests; manage team roster before lock
Admin	Configure hackathons, manage all content, review and score submissions, monitor progress

How It Works

Active Hackathon

The platform presents **one active hackathon** to participants at a time. Each hackathon bundles its challenges, schedule, rules, skill tracks, and policies (team size, late-submission handling) into a single event.

Event Phases

Every hackathon moves through three phases — **upcoming**, **live**, **completed** — and the homepage always reflects the current state.

Online-First Delivery

Schedule items reference streams, chat channels, mentor rooms, and portals. No physical venue is required.

Teams

Participants create a team or request to join one. Team leads approve requests. Once a team records its first submission, the roster **locks** — no more joins or departures. One team per participant per hackathon.

Challenges

Daily challenges unlock on a schedule. Each has a brief, resources, point value, and a deadline. Late submissions are accepted with the hackathon's configured penalty.

Submissions

Participants submit a project title, description, category, and delivery links against a challenge. Admins review and assign a raw score; the platform applies any late penalty to produce the final score used on leaderboards.

Skill Tracks

Optional learning modules participants can complete alongside challenges.

User Profile


Participants have a profile with display name, avatar (URL-based), and bio. The avatar appears in the navbar and sidebar. Email is managed by the auth provider and displayed read-only.

Offline Support


Previously loaded pages remain accessible during connectivity loss. Submissions queue locally and sync automatically when the connection returns.

Diagrams


Context




Participant Flow



Team Access Control



Submission Lifecycle



Pages

Area	Pages
Public	Landing, Login, Public Leaderboard
Participant	Dashboard, Challenges, Challenge Detail, Leaderboard, Teams, Rules, Skill Tracks, Submit, My Submissions, Submission Detail, Profile
Admin	Overview, Hackathons (full CRUD), Submissions (review/score), Progress

Empty states show contextual guidance instead of blank content.

Business Rules

- One active hackathon at a time
- Unique team names within a hackathon
- One team per participant per hackathon
- Team join requires lead approval
- Teams lock after first submission
- Challenge access follows published unlock times
- Late submissions follow the hackathon's configured penalty policy
- Admins manage all content through the UI

Tech Stack

Layer	Technology
Frontend	React 19, Vite 7, Zustand, TypeScript
Backend	Express 5, Node 20, TypeScript
Database	PostgreSQL (Neon) with Drizzle ORM
Auth	Neon Auth (wraps better-auth), JWT with JWKS verification
Offline	IndexedDB via idb, sync queue, Workbox service worker
Styling	Vanilla CSS with design tokens
Monorepo	pnpm 10 workspaces (client/, server/)

Hosting & Deployment

Service	Purpose	Tier
Render	App hosting (Docker)	Free
Neon	PostgreSQL database + auth	Free

The repo includes a `render.yaml` blueprint for one-click Render deployment. Connect the GitHub repo, set the secret env vars, and deploy. The Dockerfile builds a production image serving both the API and static frontend on port 8080.

A `fly.toml` is also included as an alternative for Fly.io.

Environment Variables

Variable	Description
DATABASE_URL	Neon PostgreSQL connection string
NEON_AUTH_URL	Neon Auth endpoint URL
CORS_ORIGIN	Allowed origin(s) for CORS
NODE_ENV	production in deployed environments
PORT	Server port (default 8080)

Non-Functional Requirements

- **Offline resilience** — Core pages and queued submissions survive connectivity loss
- **Security** — JWT-authenticated routes; admin-only endpoints; participants cannot access others' private data
- **Usability** — Current event state, deadlines, and next actions are always visible; empty states provide guidance
- **Maintainability** — This document is updated when user-visible behavior changes

Known Limitations

- Binary media upload is not yet exposed in the submission flow
- Offline support covers navigation and queued submissions, not a full local data replica