



One scene. Four candidate routes.

Frozen model forecasts before Chrono execution

Current RGB view (cropped) | 567 candidate forecasts



Current observed depth as height



— Solid: learned 4s motion forecast
-- Dashed: remaining commanded reference (not predicted motion)

Faint curves: all scored candidate forecasts.
RGB and depth are the same current observation.

Feature names use scene metadata for annotation only;
they never enter the model or candidate scoring.

1 MPPI selected

Predicted goal progress at 4s **17.04 m**
P(contact <= 4s) 0.0015%
P(confirmed stop <= 4s) <0.001%

2 Rock-crossing test

Predicted goal progress at 4s **8.73 m**
P(contact <= 4s) 1.14%
P(confirmed stop <= 4s) <0.001%
Rock-crossing hypothesis; model contact probability by 4 s is 1.141%. Chrono determines the outcome.

3 Smooth-hill stall test (4 m/s)

Predicted goal progress at 4s **9.65 m**
P(contact <= 4s) 0.0819%
P(confirmed stop <= 4s) 0.0044%
Straight 4 m/s command; model confirmed-stop probability by 4 s is 0.0044%. Later stall may exceed its horizon.

4 Slower clear route

Predicted goal progress at 4s **11.60 m**
P(contact <= 4s) <0.001%
P(confirmed stop <= 4s) 0.0037%
Clear 4 m/s detour; less progress is compared at 4 s, not failure to reach the goal.

XY traces use perspective camera projection with current observed depth; unknown surface height uses z=0. Overlays are not future images.
Scores are uncalibrated model outputs. Route labels are test hypotheses, not predicted or measured event claims; actual outcomes appear in the videos.