

In [6]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
from sklearn import preprocessing, svm
from sklearn.model_selection import train_test_split
from sklearn.linear_model import LinearRegression
```

In [7]:

```
df=pd.read_csv(r"C:\Users\pucha\OneDrive\Documents\Downloads\bottle.csv")  
df
```

C:\Users\pucha\AppData\Local\Temp\ipykernel_25588\152539319.py:1: Dtype
Warning: Columns (47,73) have mixed types. Specify dtype option on impo
rt or set low_memory=False.

```
df=pd.read_csv(r"C:\Users\pucha\OneDrive\Documents\Downloads\bottle.c  
sv")
```

Out[7]:

	Cst_Cnt	Btl_Cnt	Sta_ID	Depth_ID	Depthm	T_degC	Salnty	O2ml_L	STheta			
	0	1	1	054.0 056.0	19-4903CR-HY-060-0930-05400560-0000A-3	0	10.500	33.4400	NaN	25.64900		
	1	1	2	054.0 056.0	19-4903CR-HY-060-0930-05400560-0008A-3	8	10.460	33.4400	NaN	25.65600		
	2	1	3	054.0 056.0	19-4903CR-HY-060-0930-05400560-0010A-7	10	10.460	33.4370	NaN	25.65400		
In [8]:	3	1	4	054.0 056.0	19-4903CR-HY-060-0930-05400560-0019A-3	19	10.450	33.4200	NaN	25.64300		
df=df[['Salnty','T_degC']]												
df.columns=['sal','Temp']												
df.head(10)												
Out[8]:	0											
	sal	Temp										
0	33.440	10.50										
1	33.440	10.46	5	054.0 056.0	19-4903CR-HY-060-0930-05400560-0020A-7	20	10.450	33.4210	NaN	25.64300		
2	33.437	10.46										
3	33.420	10.45										
4		
5	33.431	10.45										
6	33.440	10.45	864859	093.4 026.4	20-1611SR-MX-310-2239-09340264-0000A-7	0	18.744	33.4083	5.805	23.87055		
7	33.424	10.24										
8	33.420	10.06										
9	33.494	9.86	864859	34404	864860	093.4 026.4	20-1611SR-MX-310-2239-09340264-0002A-3	2	18.744	33.4083	5.805	23.87072
864860	34404	864861	093.4 026.4	20-1611SR-MX-310-2239-09340264-0005A-3	5	18.692	33.4150	5.796	23.88911			
864861	34404	864862	093.4 026.4	20-1611SR-MX-310-2239-09340264-0010A-3	10	18.161	33.4062	5.816	24.01426			

In [8]:


```
df=df[['Salnty','T_degC']]
df.columns=['sal','Temp']
df.head(10)
```

Out[8]:

	sal	Temp
0	33.440	10.50
1	33.440	10.46
2	33.437	10.46
3	33.420	10.45
4	33.421	10.45
5	33.431	10.45
6	33.440	10.45
7	33.424	10.24
8	33.420	10.06
9	33.494	9.86
864859	34404	864860
864860	34404	864861
864861	34404	864862

```
In [9]: Cst_Cnt  Btl_Cnt  Sta_ID  Depth_ID  Depthm  T_degC  Salnty  O2ml_L  STheta
sns.lmplot(x="sal",y="Temp",data=df,order=2,ci=None)
```

```
Out[9]:
Seaborn.axisgrid.FacetGrid at 0x22011154d0>
864862 34404 864863 093.4 1611SR- 15 17.533 33.3880 5.774 24.15297
```



```
In [10]:
df.describe()
```

Out[10]:

	sal	Temp
count	817509.000000	853900.000000
mean	33.840350	10.799677
std	0.461843	4.243825
min	28.431000	1.440000
25%	33.488000	7.680000
50%	33.863000	10.060000
75%	34.196900	13.880000
max	37.034000	31.140000

In [11]:

```
df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 864863 entries, 0 to 864862
Data columns (total 2 columns):
#   Column   Non-Null Count  Dtype  
---  -
0    sal      817509 non-null  float64
1    Temp     853900 non-null  float64
dtypes: float64(2)
memory usage: 13.2 MB
```

In [12]:

```
df.fillna(method='ffill',inplace=True)
```

C:\Users\pucha\AppData\Local\Temp\ipykernel_25588\4116506308.py:1: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)

```
df.fillna(method='ffill',inplace=True)
```

In [13]:

```
x=np.array(df['sal']).reshape(-1,1)
y=np.array(df['Temp']).reshape(-1,1)
df.dropna(inplace=True)
```

C:\Users\pucha\AppData\Local\Temp\ipykernel_25588\4114665048.py:3: SettingWithCopyWarning:
A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)

```
df.dropna(inplace=True)
```


In [14]:

```
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.5)
regr=LinearRegression()
regr.fit(x_train,y_train)
print(regr.score(x_test,y_test))
```

```
0.20595709363527082
```

In [15]:

```
#exploring our results  
y_pred=regr.predict(x_test)  
plt.scatter(x_test,y_test,color='b')  
plt.plot(x_test,y_pred,color='k')  
plt.show()
```




In [16]:

```
df500=df[:][:500]  
sns.lmplot(x="sal",y="Temp",data=df500,order=1)
```

Out[16]:

<seaborn.axisgrid.FacetGrid at 0x2201115b4c0>



In [17]:

```
df500.fillna(method='ffill',inplace=True)
x=np.array(df['sal']).reshape(-1,1)
y=np.array(df['Temp']).reshape(-1,1)
df.dropna(inplace=True)
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.25)
regr=LinearRegression()
regr.fit(x_train,y_train)
print("Regression:",regr.score(x_test,y_test))
y_pred=regr.predict(x_test)
plt.scatter(x_test,y_test,color='b')
plt.plot(x_test,y_pred,color='k')
plt.show()
```


C:\Users\pucha\AppData\Local\Temp\ipykernel_25588\2104038790.py:4: SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy (https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy)

```
df.dropna(inplace=True)
```

Regression: 0.20376261076789892



In [18]:

```
from sklearn.linear_model import LinearRegression
from sklearn.metrics import r2_score
model=LinearRegression()
model.fit(x_train,y_train)
y_pred=model.predict(x_test)
r2=r2_score(y_test,y_pred)
print("R2_score:",r2)
```

R2_score: 0.20376261076789892

In []: