


Html css week-1



1. Html-elements

```
<section id="headings">
  <h2>Headings</h2>
  <h1>Heading 1</h1>
  <h2>Heading 2</h2>
  <h3>Heading 3</h3>
  <h4>Heading 4</h4>
  <h5>Heading 5</h5>
  <h6>Heading 6</h6>
</section>

<section id="text-elements">
  <h2>Text Elements</h2>
  <p>This is a paragraph. <strong>Bold text</strong>, <em>italic text</em>, <u>underlined</u>
  <blockquote>This is a blockquote.</blockquote>
  <pre>This is preformatted text.</pre>
</section>

<section id="lists">
  <h2>Lists</h2>
  <h3>Unordered List</h3>
  <ul>
    <li>Item 1</li>
    <li>Item 2
      <ul>
        <li>Subitem 1</li>
        <li>Subitem 2</li>
      </ul>
    </li>
  </ul>
```

```
<section id="links-images">
  <h2>Links and Images</h2>
  <p><a href="#headings">Link to Headings section</a></p>
  
</section>

<section id="table">
  <h2>Table</h2>
  <table>
    <thead>
      <tr>
        <th>Name</th>
        <th>Age</th>
        <th>City</th>
      </tr>
    </thead>
    <tbody>
      <tr>
        <td>John Doe</td>
        <td>30</td>
        <td>New York</td>
      </tr>
      <tr>
        <td>Jane Smith</td>
        <td>25</td>
        <td>Los Angeles</td>
      </tr>
    </tbody>
  </table>
```

Heading 1

Heading 2

Heading 3

Heading 4

Heading 5

Heading 6

Text Elements

This is a paragraph. **Bold text**, *italic text*, underlined text, **highlighted text**, `code snippet`, ^{superscript}, _{subscript}.

This is a blockquote.

This is preformatted text.

Table

Name	Age
John Doe	30
Jane Smith	25

Forms and Input Types

Text Input:

Password Input:

Email Input:

Sementic.html

```
<body>
  <header>
    <div class="container">
      <h1>Portfolio</h1>
      <p>Welcome to my personal space on the web</p>
    </div>
  </header>

  <nav>
    <ul>
      <li><a href="#home">Home</a></li>
      <li><a href="#about">About</a></li>
      <li><a href="#services">Services</a></li>
      <li><a href="#contact">Contact</a></li>
    </ul>
  </nav>

  <main>
    <section id="about">
      <h2>About Me</h2>
```

Portfolio

Welcome to my personal space on the web

[Home](#) [About](#) [Services](#) [Contact](#)

About Me

Hi! I'm Uzair kagzi, a web developer with a passion for creating awesome digital experiences. I specialize in front-end development and have a strong background in HTML, CSS, and JavaScript.

Services

Web Development

Building fast, responsive, and accessible websites tailored to your needs.

UI/UX Design


Creating user-friendly and aesthetically pleasing interfaces that provide an excellent user experience.

My Latest Article

In this article, I dive into the latest trends in web development, from JavaScript frameworks to CSS Grid layouts.

2. BOOTSTRAP AND TAILWIND

1. Bootstrap.html- with bootstrap-css



```
19 <body>
20
21 <div class="container-fluid text-white text-center bg-dark p-2">
22   <h1 class="">
23     Portfolio For me
24   </h1>
25   <p class="small bg-">This a WebPage built on Bootstrap</p>
26 </div>
27 <main class="bg-black bg-opacity-25">
28
29   <div class="d-flex flex-column flex-sm-row justify-content-center align-items-center"
30     style="@media screen and (width)=768px {
31       max-height: 40vh;
32     }">
33
34     
37     <div class="col-sm-8 float-right sm-text-center p-3 d-flex flex-column justify-content-center
38       align-items-center">
39       <h3>Hello There! </h3>
40       <p class="ps-2">I'm Uzair Kagzi an 3rd year Computer Science Student Lorem ipsum dolor sit
41       amet consectetur adipisicing elit. Harum aliquam natus architecto delectus odio voluptas
42       rerum. Provident ex culpa atque non vero officiis? Lorem ipsum dolor sit, amet consectetur
43       adipisicing elit. Eius dolore explicabo non tenetur ullam?</p>
44     </div>
45   </div>
46 </main>
```

Portfolio For me

This a WebPage built on Bootstrap



Hello There!


I'm Uzair Kagzi an 3rd year Computer Science Student Lorem ipsum dolor sit amet consectetur adipisicing elit. Harum aliquam natus architecto delectus odio voluptas rerum. Provident ex culpa atque non vero officiis? Lorem ipsum dolor sit, amet consectetur adipisicing elit. Eius dolore explicabo non tenetur ullam?

2.. E-comm web page using-bootstrap

```
</div>
<div class="collapse navbar-collapse" id="navbarNav">
  <ul class="navbar-nav ms-auto">
    <li class="nav-item"><a class="nav-link" href="#">Home</a></li>
    <li class="nav-item"><a class="nav-link" href="#">Shop</a></li>
    <li class="nav-item"><a class="nav-link" href="#">Cart</a></li>
    <li class="nav-item"><a class="nav-link" href="#">Contact</a></li>
  </ul>
</div>
</div>
</nav>

<!-- Hero Section -->
<section class="bg-primary text-white py-5">
  <div class="container text-center">
    <h1 class="display-4">Welcome to E-Shop</h1>
    <p class="lead">Discover amazing products at unbeatable prices!</p>
    <a href="#products" class="btn btn-light btn-lg">Shop Now</a>
  </div>
</section>

<!-- Products Section -->
<section id="products" class="py-5">
  <div class="container">
    <h2 class="text-center mb-4">Featured Products</h2>
    <div class="row">
      <div class="col-md-4 mb-4">
        <div class="card h-100">
          
          <div class="card-body">
```






3. Netflix alike Webpage with an form -Vanila css and html (Responsive)

```

    </ul>
  </nav>
</header>
<main>
  <section id="main">
    <h1>Unlimited movies, shows, and more</h1>
    <p id="pricing">Starts at ₹8377;149. Cancel any Time.</p>
    <p id="small">Ready to watch? Sign up now!</p>
    <button type="submit" class="display"><a href="form.html">Sign up!</a></button>
    <!-- <div class="cards">
      <div>
        <h2>Home</h2>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Doloribus quisquam totam
      </div>
      <div>
        <h2>Contact</h2>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Doloribus quisquam totam
      </div>
      <div>
        <h2>About Us</h2>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing elit. Doloribus quisquam totam
      </div>
    </div>
  </section>
  <section id="featured">
    <h2 class="section-title">Featured Shows</h2>
  </section>
</main>
</body>
</html>

```





4. Article Site with Tailwind


```
<body class="bg-gray-100 font-sans">
  <!-- Header Section -->
  <header class="bg-white shadow-md">
    <div class="container mx-auto px-4 py-6">
      <h1 class="text-3xl font-bold text-gray-800">Articles</h1>
      <nav class="mt-4">
        <ul class="flex space-x-4">
          <li><a href="#" class="text-blue-600 hover:text-blue-800">Home</a></li>
          <li><a href="#" class="text-blue-600 hover:text-blue-800">About</a></li>
          <li><a href="#" class="text-blue-600 hover:text-blue-800">Contact</a></li>
        </ul>
      </nav>
    </div>
  </header>

  <!-- Main Section -->
  <main class="container mx-auto px-4 py-8">
    <div class="grid grid-cols-1 md:grid-cols-2 lg:grid-cols-3 gap-6">
      <!-- Article 1 -->
      <article class="bg-white rounded-lg shadow-md overflow-hidden">
        
        <div class="p-6">
          <h2 class="text-xl font-semibold text-gray-800 mb-2">The Future of Web Development</h2>
          <p class="text-gray-600 mb-4">Explore the latest trends and technologies shaping the future of web development, from AI in<
          <a href="#" class="text-blue-600 hover:text-blue-800 font-medium">Read More</a>
        </div>
      </article>

      <!-- Article 2 -->
      <article class="bg-white rounded-lg shadow-md overflow-hidden">
        
        <div class="p-6">
          <h2 class="text-xl font-semibold text-gray-800 mb-2">Mastering CSS Grid and Flexbox</h2>
```

Articles

[Home](#) [About](#) [Contact](#)






Building Accessible Web Applications

Understand the importance of web accessibility and learn techniques to make your applications inclusive for all users.

[Read More](#)

© 2023 Articles Page. All rights reserved.

JavaScript



Part-A : Basics

Part-B : Logic Building and some practice questions

Mini-Project-an USER LIST APPLICATION that stores data in local storage and can download JSON file on click of a button

A. 05-fxn.js

```
1  const convertTemp = (a) => {  
2    return a * (9/5) + 32  
3  }  
4  
5  const evenOdd = (a) => {  
6    return (a%2 === 0) ? 'Even' : 'Odd';  
7  }  
8  
9  const minMax = (a,b) => {  
10   return (a>b) ? a : b;  
11 }  
12 console.log(minMax(1,3) + ' is Max');  
13  
14 console.log(convertTemp(90)+ 'F is the conversion');  
15  
16 console.log('17 is '+evenOdd(17));
```

B. 03 – Second largest.js

```
1  function secondLargest(arr) {  
2    const max = Math.max(...arr);  
3    const filtered = arr.filter(n => n !== max);  
4    return Math.max(...filtered) ;  
5  }  
6  console.log(secondLargest([10,20,20,9,3]));
```

B. SubSTR.js – takes an string and return longest sub string without repeating characters

```
1  function lengthOfLongestSubstring(s) {  
2      let maxLen = 0;  
3  
4      for (let i = 0; i < s.length; i++)  
5      {  
6          for (let j = i; j < s.length; j++)  
7          {  
8              const substr = s.slice(i, j + 1);  
9              const set = new Set(substr);  
10  
11              if (set.size === substr.length)  
12              {  
13                  maxLen = Math.max(maxLen, substr.length);  
14              }  
15          }  
16      }  
17  
18      return maxLen;  
19  }  
20  console.log( lengthOfLongestSubstring('dvdvf'));
```

Mini- Project. – User List Application, Styled with Tailwind. Primary fetches data from an JSON file, and stores updates within local storage and can download altered data as a JSON file. Can Add, update and Delete Users.

MAIN.js

```
function loadUser(){
    const storedUsers = localStorage.getItem('users');
    if (storedUsers) {
        users = JSON.parse(storedUsers);
        displayUsers();
    } else {
        fetch("./users.json")
        .then(res => res.json())
        .then(data => {
            users = data;
            displayUsers();
        });
    }
}

function displayUsers(){
    const userList = document.getElementById('userList')
    userList.innerHTML = '';
    users.forEach(user => {
        const li = document.createElement('li');
        li.textContent = user.name;
        li.className = 'flex justify-between items-center mb-1 ';

        const delBtn = document.createElement('button');
        delBtn.textContent = 'Delete'
        delBtn.className = 'bg-red-500 text-white px-4 rounded ml-1 hover:cursor'
        delBtn.onclick = () => deleteUser(user.id);

        li.appendChild(delBtn);
        userList.appendChild(li);
    });
}
```

INDEX.html

```
<!doctype html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <link href="./output.css" rel="stylesheet">
</head>
<body>
  <div class="max-w-md mx-auto mt-10 min-h-96 ml-5 ">
    <h1 class="text-2xl font-bold mb-4">User List App</h1>

    <div class="flex-column mb-4 md:flex-row justify-content-center align-center ">
      <input id="usernameInput" class="border p-2 rounded-l" type="text" placeholder="Enter username">
      <button id="addUserBtn" class="bg-blue-500 text-white px-4 rounded-r py-2 mt-2 sm:mt-0 sm:ml-2 hover:d
      <button id="downloadBtn" class="bg-green-500 text-white px-4 py-2 rounded mt-2 sm:mt-0 sm:ml-2 hover:d
    </div>

    <ul id="userList" class="list-disc pl-5"></ul>
  </div>
  <script src="main.js"></script>
</body>
</html>
```

Users.json

```
1  [
2    {
3      "id":1,"name":"uzair"
4    },
5    {
6      "id":2,"name":"harshal"
7    }
8  ]
```

UI

User List App


Enter username	<button>Add</button>	<button>Download JSON</button>
harshal		<button>Delete</button>
aadi		<button>Delete</button>

User List App

Enter username	<button>Add</button>	<button>Download JSON</button>
harshal		<button>Delete</button>
Jigar		<button>Delete</button>

DataBase – Learned PostgreSQL then implemented some Queries and finally built an db to manage employees with about six tables. These tables are for understanding and practicing


- ✓ Database: employeeedb
 - ✓ Schemas
 - ✓ Tables
 - > departments
 - > employees
 - > salaries
 - > attendance
 - > projects
 - > roles



Along With these I implemented JS more with the Practice questions

Final Week – Changed Static content for our clients like swoopmeals.com(UK), RK web Apps US, The final Week Easy, in most of my free time I used to do college related work and I learnt Git/GitHub to push the changes I made to site


SwoopMeals



The screenshot displays three pricing plans for SwoopMeals on a dark background. Each plan is presented in a card-like format with a colored header, a price, a duration, and a list of features.

Plan Name	Price	Access Duration	Key Features
Starter Plan	24.99	30 days Access	-12(+1) meals for 30 days -FREE deliveries on all meals -Access up to 7 different Menus & Cuisines -Enjoy Weekly Access Pass: Once your allocated meals (12 Meals) has ran out
Value Plan	89.99	1 year Access	-45 meals for 365 days -FREE deliveries on all Meals -12+ Cuisines and Menu / up to 50 different meals -Enjoy Daily Access Pass: Once your allocated meals (45 Meals) has ran out
Infinity Plan	194.99	1 year Access	- UNLIMITED meals for 365 Days -FREE deliveries on all meals -Access all Menus & Cuisines/ 150+ different meals -Get a Personal Chef

RK Web Apps



The screenshot shows a section of the RK Web Apps website. It features a dark background with a light blue header for the section title. Below the title is a bold statement, followed by a paragraph of text. At the bottom, there are five empty rectangular boxes, likely placeholders for images or logos.

INDUSTRIES WE CATER

Starting from manufacturing to services, we serve all.

Delivering new-age web solutions for companies, websites, individuals and groups. Our innovative approach and smart thinking while developing websites, helps our business partners. Come and be a part of this web revolution.