

# Building Global IT Professionals **since 2008**

---

**19K+**

Certified Students

**160+**

Courses

**85+**

Qualified Teachers

[www.broadwayinfosys.com](http://www.broadwayinfosys.com)

# CSS Transitions

Think of CSS Transition as a way to make changes happen smoothly instead of instantly.

The CSS transition property is a shorthand property for:

- transition-property
- transition-duration
- transition-timing-function
- transition-delay

What changes → How long → How it moves → When it starts




```
button {  
  background-color: blue;  
  color: white;  
  padding: 10px 20px;  
  border: none;  
  
  transition: background-color 0.5s;  
}  
  
button:hover {  
  background-color: green;  
}
```

# CSS Transformations - Yoga Poses

Rotate: Tilts an element by degrees (e.g., rotate(45deg)).

Scale: Resizes an element up or down (e.g., scale(1.5)).

Translate: Moves an element along X or Y axes without affecting others.



```
button {  
  padding: 10px 20px;  
  font-size: 16px;  
  transition: transform 0.3s ease;  
}  
  
button:hover {  
  transform: scale(1.2);  
}
```



# CSS Animations

An animation lets an element gradually change from one style to another.

| Property                  | Purpose                       | Example                    |
|---------------------------|-------------------------------|----------------------------|
| animation-name            | Name of the animation         | animation-name: move;      |
| animation-duration        | How long the animation takes  | 2s                         |
| animation-timing-function | Speed of the animation        | ease                       |
| animation-delay           | Delay before animation starts | 1s                         |
| animation-iteration-count | Number of times it runs       | 3, infinite                |
| animation-direction       | Direction of animation        | normal, reverse, alternate |

⌘ CSS

```
animation: name duration timing-function delay iteration-count direction;
```



# @keyframes?

It defines how an animation changes from the beginning to the end.

```
@keyframes animationName {  
  from {  
    /* Starting style */  
  }  
  
  to {  
    /* Ending style */  
  }  
}
```

```
/* The animation code */  
@keyframes myAnimation {  
  from {background-color: red;}  
  to {background-color: yellow;}  
}  
  
/* The element to apply the animation to */  
div {  
  width: 100px;  
  height: 100px;  
  background-color: red;  
  animation-name: myAnimation;  
  animation-duration: 4s;  
}
```



# CSS Animation Libraries

CSS animation libraries provide pre-built animations that you can easily add to your website without writing animations from scratch.

## Animate.css ???

```
<head>
  <link
    rel="stylesheet"
    href="https://cdnjs.cloudflare.com/ajax/libs/animate.css/4.1.1/animate.min.css"
  />
</head>
```

```
<h1 class="animate__animated animate__bounce">
  Welcome!
</h1>
```



# ***THANK YOU!***

---



Shree Ganesh Marg, Subidhanagar, Tinkune, Kathmandu

01-4117578 / 411849 / 9841002000

[www.broadwayinfosys.com](http://www.broadwayinfosys.com)