DAY 04: DYNAMIC FRONTEND COMPONENTS "FOODTUCK"

By uzma mumtaz thursday 9 to 12 Teacher:sir hamza alvi

CHECK LIST

- Frontend component development
- Styling and responsiveness
- Code quality
- Documentation and submission
- Final review:

Data added to sanity that manu can be changeable



Main Course Menu

Served with a sesame-soy glaze 420 CAL CAL	\$28
Spicy Vegan Potato Curry	-
Fresh shrimp in garlic butter sauce 490 CAL CAL	\$28
Optic Big Breakfast Combo Men	
Deliciously grilled with a smoky flavor	\$32
Cashew Chicken With Stir-Fry	
Berries and creme tar	\$35
610CAL CAL	1000

Added Category filter



Chocolate Muffin

Price: \$28 Discount: 6.67% Category: Dessert

View Details



Burger

Price: \$21

Discount: 53.33% Category: Sandwich

View Details



Chicken Chup

Price: \$12

Discount: 20.00%



Country Burger

Price: \$45

Discount: 10.00%



□ Chicken Chup

□ Drink

□ Pizza

□ Thi


□ Non Veg

Uncategorized

Appetizer

Dessert

Sandwich



Added product listing



Search Product

□ Chicken Chup

Category

Sandwiches


Burger

□ Drink
□ Pizza

☐ Thi


□ Non Veg

□ Uncategorized



Price: \$38

Discount: 15.56%




Added dynamic product detail component





Reviews

Added pagination



Added pagination



FIIOLO Gallery













Follow Us











June 25, 2023 · 8 Comments · Admin

My Favorite Easy Avocado Pizza Toast Recipe

This avocado pizza toast recipe is healthy, easy, and perfect for breakfast.

Read More

Added pagination



Follow Us









June 23, 2023 • 18 Comments • Chef Emma

Refreshing Summer Salad Recipes You Must Try

Delicious and healthy summer salad recipes perfect for hot days.

Read More

Added review components

Description Reviews (3) **Customer Reviews** Ayesha This product is amazing! Lorem ipsum dolor sit amet, consectetur adipiscing elit. Amna Another review: Ut placerat eros ac nibh fringilla, nec viverra libero bibendum. uzma imran your food is awesome and service is also good Showing 3 reviews. Add Your Comment Your Name Write your comment here...

Add to Cart









Burger



Juicy beef burger with fresh lettuce, tomatoes, and cheese.

Category: Sandwich

\$21 _{\$45}





Total Price: \$147.00

Add to Cart

Add to Wishlist

Tags: Popular

Facebook Twitter Instagram

Shopping Cart Component

Product	Price	Quantity	Total	Remove
Burger	\$35.00	- 1 +	\$35.00	×
Fresh Lime	\$25.00	- 6 +	\$150.00	×
Pizza	\$15.00	- 4 +	\$60.00	×
Chocolate Muffin	\$45.00	- 4 +	\$180.00	×
Cheese Butter	\$15.00	- 1 +	\$15.00	×

Total: \$440.00

```
88
        Edit Selection View Go Run
                                                                                   Q ui_ux_hackathone_project
                                                                                                 🦈 addtocartmain.tsx M 🗙
       EXPLORER
                                    🦈 review.tsx U
                                                      shopsidebar.tsx M
                                                                             blogpost.tsx M
                                                                                                                         shopproduct.tsx M
                                                                                                                                            D 83
     V UI UX HACKATHONE PROJECT
                                    src > components > 🎡 addtocartmain.tsx > ...
                                            "use client"
       V STC
也
                                            import React, { useState } from "react";
        ∨ app
                                            import Image from "next/image";
90
         products
          page.tsx
                               M
                                            const Cart = () => {
                                              const [cartItems, setCartItems] = useState([
          > signup
                                                                                                                                              > studio
                                                  id: 1,
         * favicon.ico
留
                                                  name: "Burger",
         # globals.css
                                                  price: 35,
         layout.tsx
                               M
                                                  quantity: 1,
(
         page.tsx
                                                  imageUrl: "/addcart1.svg",
        components
                                                },
         addtocartmain.tsx
                              M
                                                  id: 2,
         addtocarttotal.tsx
                                                  name: "Fresh Lime",
         banner.tsx
                                                  price: 25,
          blog.tsx
                                                  quantity: 1,
         blogpost.tsx
                               M
                                      19
                                                  imageUrl: "/addcart2.svg",
         choseus.tsx
         cta.tsx
                                                  id: 3,
         errorsignin.tsx
                                                  name: "Pizza",
         foodcatagory.tsx
                                                  price: 15,
         footer1.tsx
                                                  quantity: 1,
         footer2.tsx
                                                  imageUrl: "/addcart3.svg",
         footer3.tsx
                                                },
         gridshef.tsx
                                                  id: 4.
         header2.tsx
                                                  name: "Chocolate Muffin",
         M haading tev
                                                  price: 45,
        OUTLINE
```

```
UI UX HACKATHONE PROJECT
                            src > components > 🎡 shopsidebar.tsx > ...
                                   import React, { useState } from "react";
V SEC
                                   import Image from "next/image";
components
 cta.tsx
                                   interface ShopSidebarProps {
 errorsignin.tsx
                                     onSearch: (term: string) => void;
 foodcatagory.tsx
                                     onCategoryChange: (categories: string[]) => void;
 footer1.tsx
 footer2.tsx
                                   const Sidebar: React.FC<ShopSidebarProps> = ({ onSearch, onCategoryChange }) => {
 footer3.tsx
                                     const [selectedCategories, setSelectedCategories] = useState<string[]>([]);
 gridshef.tsx
 header2.tsx
                                     const handleSearchInput = (e: React.ChangeEvent<HTMLInputElement>) => {
 heading.tsx
                                       onSearch(e.target.value);
 mero.tsx
                      М
 hero2manu.tsx
                      M
                                     const handleCategoryToggle = (category: string) => {
 hero3manu.tsx
                      M
                                       const updatedCategories = selectedCategories.includes(category)
 hero4manu.tsx
                                         ? selectedCategories.filter((cat) => cat !== category)
 hero5manu.tsx
                                         : [...selectedCategories, category];
 heropages.tsx
 mainbanner.tsx
                                       setSelectedCategories(updatedCategories);
                                       onCategoryChange(updatedCategories);
 manu.tsx
 navbar.tsx
 navbarmanu.tsx
                                     return (
 notfound.tsx
                                       <div className="w-[312px] ■bg-white p-4 border ■border-gray-200 max-lg:hidden">
 ourteam.tsx
                                         {/* Search */}
 review.tsx
                                         <div className="mb-6 flex">
 shopproduct.tsx
                      M
                                             type="text"
 shopsidebar.tsx
                      M
                                             placeholder="Search Product"
OUTLINE
                                             className="w-full p-2 border ■border-gray-300 rounded-1 focus:outline-none focus
TIMELINE
ain* → ⊗ 0 🛆 0 🦃 0
                                                                                                        Ln 148, Col 1 Spaces: 2 UTF-8 CRLF ( TypeScript J
```

```
💢 File Edit Selection View Go Run …
                                                                                  ui ux hackathone project
                                                                                                                                  6 ~
                                    review.tsx U
                                                      shopsidebar.tsx M
                                                                                                                    shopproduct.tsx M
        EXPLORER
                                                                            TS maincorse.ts U
                                                                                                blogpost.tsx M X

∨ UI_UX_HACKATHONE_PROJECT

                                    src > components > 🎡 blogpost.tsx > 😥 BlogPosts > 😥 allPosts > 🔑 image
                                            "use client";
也
       ∨ src
                                            import Image from "next/image";

√ app

                                           import Link from "next/link";
<u>ود</u>
         products
                                           import React, { useState, useEffect } from "react";
          page.tsx
                              M
                                            const BlogPosts = () => {
          > signup
                                                const [currentPage, setCurrentPage] = useState(1);
          > studio
                                                const postsPerPage = 2;
         * favicon.ico
出
                                                const totalPosts = 8; // Total number of posts
         # globals.css
                                                const totalPages = Math.ceil(totalPosts / postsPerPage);
         layout.tsx
                              M
         page.tsx
                                                // Parse `page` query parameter from URL
        components
                                                useEffect(() => {
                                                    if (typeof window !== "undefined") {
         addtocartmain.tsx
                                                        const urlParams = new URLSearchParams(window.location.search);
         addtocarttotal.tsx
                                                        const queryPage = Number(urlParams.get("page")) | 1;
         banner.tsx
                                                        setCurrentPage(queryPage);
         blog.tsx
         blogpost.tsx
                              M
                                                }, []);
         choseus.tsx
                                                // Update URL manually without using `useRouter`
         cta.tsx
                                                const updatePageInURL = (page: number) => {
         errorsignin.tsx
                                                    if (typeof window !== "undefined") {
         foodcatagory.tsx
                                                        const url = new URL(window.location.href);
         footer1.tsx
                                                        url.searchParams.set("page", page.toString());
         footer2.tsx
                                                        window.history.pushState({}, "", url.toString());
         footer3.tsx
         gridshef.tsx
                                                    setCurrentPage(page);
(29)
         header2.tsx
         heading tev
                                                // Blog posts data
      > OUTLINE
                                                const allPosts = [
      > TIMELINE
```

```
88
    File Edit Selection View Go Run
                                                                                   ui_ux_hackathone_project
        EXPLORER
                                     🥸 review.tsx U 🗙
                                                      shopsidebar.tsx M
                                                                             TS maincorse.ts U
                                                                                                  blogpost.tsx M
                                                                                                                      shopproduct.tsx M
                                     src > components > 🎡 review.tsx > [@] ProductTabs

✓ UI_UX_HACKATHONE_PROJECT

                                            const ProductTabs = () => {
t
       V SIC
                                              COURT | HEMCOMMETTE, SECREMOUNDETTE | - USESCACE)
        components
                                              const [userName, setUserName] = useState("");
         w nero4manu.tsx
         hero5manu.tsx
                                              const handleTabClick = (tab: string) => {
         heropages.tsx
                                                setActiveTab(tab);
₽>
         mainbanner.tsx
         🥋 manu.tsx
                                              const handleAddComment = () => {
昭
         navbar.tsx
                                                if (newComment.trim() && userName.trim()) {
         navbarmanu.tsx
                                                   const newReview: Review = {
         notfound.tsx
(\mathcal{F})
                                                    id: reviews.length + 1,
         ourteam.tsx
                                                    name: userName.trim(),
         review.tsx
                                                    content: newComment.trim(),
         shopproduct.tsx
                                                  };
                               M
                                                  setReviews([...reviews, newReview]);
         shopsidebar.tsx
                               м
                                                  setNewComment(""); // Clear the input field
         signuppform.tsx
                                                  setUserName(""); // Clear the name input field
         socialicons.tsx
         testimonals.tsx
         whywecho.tsx
        sanity
                                              return (
                                                <div className="max-w-4xl mx-auto mt-10">
         ∨ lib
          TS client.ts
                                                   <div className="flex border-b border-gray-200">
          TS image.ts
                                                    <button
          TS live.ts
                                                       className={`px-6 py-2 font-medium ${
         schemaTypes
                                                         activeTab === "description"
          TS food.ts
                                                           ? "border-b-2 border-orange-500 text-orange-500"
                                                           : " text-gray-600"
          TS index.ts
                               м
      > OUTLINE
                                                       onClick={() => handleTabClick("description")}
      > TIMELINE
```

```
88~
         Edit Selection View Go
                                   Run
                                                                                       ui_ux_hackathone_project
        EXPLORER
                                                shopsidebar.tsx M
                                                                        TS maincorse.ts U X
                                                                                                                  shopproduct.tsx M
                                                                                                                                           ₩ p
                                    v.tsx U
                                                                                             blogpost.tsx M
                                      src > sanity > schemaTypes > TS maincorse.ts > ...

∨ UI UX HACKATHONE PROJECT

                                              // schemas/starterMenu.js
O
                                         1

✓ STC

                                              export default {
         components
                                 •
                                                   name: 'mainCorse',
00
23
          navbar.tsx
                                                   title: 'Main course',
          maybarmanu.tsx
                                                   type: 'document',
                                                   fields: [
          notfound.tsx
          ourteam.tsx
                                                       name: 'name',
          review.tsx
昭
                                                       title: 'Menu Item Name',
          shopproduct.tsx
                                M
                                                       type: 'string',
          shopsidebar.tsx
                                M
          signuppform.tsx
                                                       name: 'description',
          socialicons.tsx
                                                       title: 'Description',
          testimonals.tsx
                                                       type: 'text',
          whywecho.tsx

✓ sanity
          ∨ lib
                                                       name: 'calories',
          TS client.ts
                                                       title: 'Calories'.
                                                       type: 'string',
          TS image.ts
          TS live.ts
          schemaTypes
                                                       name: 'price'.
          TS food.ts
                                                       title: 'Price',
          TS index.ts
                                M
                                                       type: 'number',
           TS maincorse.ts
          TS shef.ts
                                                       name: 'image',
           TS starter.ts
                                                       title: 'Image',
          TS env.ts
                                                       type: 'image'.
          TO eterreture te
                                                       options: {
      > OUTLINE
                                                         hotspot: true,
      > TIMELINE
   $ main* → ⊗ 0 \ 0 W 0
                                                                                                                             Ln 1, Col 1 Spaces: 2
```

```
88~
    File Edit Selection View Go Run
                                                                                 Qui_ux_hackathone_project
                                            shopsidebar.tsx M
                                                                                       blogpost.tsx M
                                                                                                                                                Ⅲ …
       EXPLORER
                                 v.tsx U
                                                                   hero2manu.tsx M X
                                                                                                            shopproduct.tsx M
                                    src > components > 🎡 hero2manu.tsx > ...

∨ UI_UX_HACKATHONE_PROJECT

                                           "use client";
O
       ∨ src
        components
                                           import { client } from "@/sanity/lib/client"; // Assuming you have already configured your
9 o
23
         d cta.tsx
                                           import React, { useEffect, useState } from "react";
         errorsignin.tsx
         foodcatagory.tsx
                                           // Define the type for your main course menu items
                                           interface MainCourseMenuItem {
         footer1.tsx
                                             id: string;
         footer2.tsx
留
                                             name: string:
         footer3.tsx
                                             price: number;
         gridshef.tsx
                                             calories: number:
(1)
         header2.tsx
                                             description: string;
         heading.tsx
         hero.tsx
                              M
                                           const MainCourseMenu: React.FC = () => {
         hero2manu.tsx
                              M
                                             const [menuItems, setMenuItems] = useState<MainCourseMenuItem[]>([]);
         hero3manu.tsx
                              M
                                             const [loading, setLoading] = useState<boolean>(true);
         hero4manu.tsx
         hero5manu.tsx
                                             // Your GROO guery to fetch the main course menu data
         heropages.tsx
                                             const query = `*[ type == "mainCorse"]{
         mainbanner.tsx
                                               price,
         manu.tsx
                                               calories,
         navbar.tsx
                                               name,
         navbarmanu.tsx
                                               description
         notfound.tsx
                                             };
         ourteam.tsx
         review.tsx
                                             const fetchMenuItems = async () => {
         shopproduct.tsx
                                               try {
                              M
                                                 const data: MainCourseMenuItem[] = await client.fetch(query);
         shopsidebar.tsx
                              M
                                                 setMenuItems(data);
       OUTLINE
                                                 setLoading(false);
     > TIMELINE
```