GOVERNMENT ARTS AND SCIENCE COLLEGE

RISHIVANDIYAM

DEPARTMENT OF B.Sc COMPUTER SCIENCE

Final year project

PROJECT DOCUMENTATION

COURIER MANAGEMENT SYSTEM (CMS)

A Salesforce-Based Courier and Logistics Management Solution

Submitted in partial fulfillment of the academic project requirements

TEAM HEAD

V. ISHWARYA

Register No.: 24133121802522015

SUBMITTED BY

N. KEERTHIKA

Register No.: 24133121802522019

N. NEELAVENI

Register No.: 24133121802522025

PROJECT SUBMISSION DETAILS

Project Title

Courier Management System (CMS)

Project Domain

Salesforce CRM – Courier and Logistics Management

Institution

Government Arts and Science College, Rishivandiyam

TEAM DETAILS

Team Head: V. Ishwarya

Register No.: 24133121802522015

Team Member: N. Keerthika

Register No.: 24133121802522019

Team Member: N. Neelaveni

Register No.: 24133121802522025

PROJECT OVERVIEW

The Courier Management System (CMS) is a Salesforce-based cloud solution designed to centralize and automate courier and logistics operations. The system supports customer management, shipment booking, delivery agent assignment, real-time status updates, invoice management, reports, and dashboards.

The project replaces manual and disconnected processes with an integrated platform that improves operational visibility, customer communication, delivery coordination, and business reporting. It also provides role-based access, validation rules, and automated Salesforce flows for reliable day-to-day operations.

KEY MODULES

- Customer Management
- Shipment Booking and Tracking
- Delivery Agent and Branch Management
- Delivery Updates and Automated Status Flow
- Invoice and Payment Management
- Reports and Dashboards
- Profiles, Roles, Security and Access Control

DECLARATION

We hereby declare that the project entitled “COURIER MANAGEMENT SYSTEM (CMS)” is submitted as part of our academic project work at Government Arts and Science College, Rishivandiyam.

We declare that the information, design, implementation details, and documentation presented in this project are prepared by our team for academic purposes.

Place: Rishivandiyam

Date: _25-09-2026____

V. ISHWARYA
Register No.: 24133121802522015

Courier Management System (CMS)

User Story:

Courier and logistics companies often struggle to efficiently manage shipments and deliveries due to reliance on manual processes and disconnected systems. The absence of a centralized shipment tracking mechanism makes it difficult to monitor parcel movement in real time, resulting in delayed delivery updates and poor visibility for customers. Delivery agent assignments are performed manually, increasing the chances of scheduling conflicts and operational delays. Furthermore, the lack of automated notifications prevents timely communication with customers, while the absence of performance analytics limits managerial insight into operational efficiency. Managing multiple branches becomes complex without an integrated platform, leading to coordination issues across locations. Collectively, these challenges result in customer dissatisfaction, reduced productivity, operational inefficiencies, and ultimately revenue loss for the organization.

1. INTRODUCTION

1.1 Project Overview :

Courier and logistics companies face challenges in efficiently managing shipments and deliveries due to manual operations and disconnected systems. These issues lead to delayed updates, poor customer visibility, and operational inefficiencies.

The Courier Management System (CMS) is a Salesforce-based cloud solution that centralizes shipment booking, tracking, delivery agent assignment, automated status updates, billing, and analytics. The system improves operational efficiency, enhances customer satisfaction, and provides real-time business insights.

1.2 Purpose :

The purpose of the Courier Management System (CMS) is to automate and centralize courier and logistics operations using the Salesforce platform. The system aims to

replace manual and fragmented processes with an integrated digital solution that enables efficient shipment booking, real-time tracking, delivery agent assignment, automated notifications, billing, and performance reporting. By providing a single, unified platform for managing shipments across multiple branches, CMS improves operational visibility, enhances customer communication, reduces delays and errors, and supports faster decision-making through analytics. Ultimately, the system is designed to increase service efficiency, customer satisfaction, and overall business profitability.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)


PS	**I am (Customer)**	**I'm trying to**	**But**	**Because**	**Which makes me feel**
PS-1	Branch Manager	manage shipments efficiently	tracking is manual	systems are disconnected	stressed
PS-2	Customer	track parcels	updates are delayed	no centralized system	uncertain



2.2 Empathy Map Canvas

User Persona: Branch Manager

- **Think & Feel:** Concerned about delays & errors
- **Hear:** Customer complaints
- **See:** Registers & spreadsheets
- **Say & Do:** Manual follow-ups
- **Pain:** Delivery conflicts & missed updates
- **Gain:** Automated tracking & dashboards



2.3 Brainstorming & Idea Prioritization


Ideas Considered

- Manual registers
- Spreadsheet tracking
- Standalone portal
- Salesforce CRM

Final Selection

Salesforce CRM selected due to:

- Automation
- Scalability
- Real-time visibility




3.REQUIREMENT ANALYSIS PHASE

3.1 Customer Journey Map

Stages:

- Booking → Shipment Creation → Agent Assignment → Transit → Delivery Update → Invoice → Reporting



3.2 Solution Requirements

Functional Requirements

FR No	Requirement
FR-1	Customer management
FR-2	Shipment booking
FR-3	Delivery agent assignment
FR-4	Real-time status updates
FR-5	Invoice generation
FR-6	Reports & dashboards


Non-Functional Requirements

NFR	Description
Usability	Easy Lightning interface
Security	Role-based access control
Reliability	Error-free automation
Performance	Fast tracking updates
Availability	24/7 cloud access
Scalability	Supports growing branches

3.3 Data Flow Diagram

Flow:

Customer Input → Shipment Creation → Validation → Agent Assignment → Delivery Update → Invoice → Reports



3.4 Technology Stack

Layer	Technology
UI	Salesforce Lightning
Logic	Salesforce Flows
Database	Salesforce Objects
Automation	Validation Rules, Flows
Security	Profiles, Roles
Reporting	Reports & Dashboards

4. PROJECT DESIGN PHASE

4.1 Problem–Solution Fit

CMS eliminates fragmented courier operations by automating shipment tracking, delivery assignment, billing, and reporting within a centralized Salesforce platform.



4.2 Proposed Solution


Functional Requirements

Parameter	Description
Problem	Manual shipment management
Solution	Salesforce CMS
Innovation	Automated tracking & billing
Impact	Faster deliveries
Business Model	Courier services
Scalability	Multi-branch ready

4.3 Solution Architecture

Components:

- Customer Object
- Shipment Object
- Delivery Agent Object
- Branch Object
- Delivery Update Object
- Invoice Object
- Flows
- Reports
- Dashboards



5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

- Agile methodology
- Epics → Stories → Story Points

- Sprint-based execution
- Velocity calculation used for estimation

Product Backlog, Sprint Schedule, and Estimation (4 Marks)

Use the below template to create product backlog and sprint schedule

Sprint	Functional Requirement (Epic)	User Story Number	User Story / Task	Story Points	Priority	Team Members
Sprint-1	Developer Setup	USN-1	As a system administrator, I want to create and configure a Salesforce developer account so that I can set up and deploy the Courier Management System.	3	High	Member 1
Sprint-2	Data Modeling	USN-2	As an admin, I want to create Customer, Shipment, Delivery Agent, Branch, and Invoice objects with proper relationships so that courier data is stored and managed efficiently.	5	High	Member 2
Sprint-2	Data Modeling	USN-3	As a staff member, I want tabs and a Lightning App for all courier modules so that I can easily navigate and perform daily operations.	5	High	Member 3
Sprint-3	Automation	USN-4	As a system, I want to validate shipment details such as delivery dates, addresses, and mandatory fields so that incorrect or incomplete records are prevented.	3	High	Member 4
Sprint-3	Automation	USN-5	As a dispatcher, I want automated flows for shipment status updates and agent assignment so that deliveries are processed faster without manual intervention.	3	High	Member 4
Sprint-4	Security	USN-6	As an administrator, I want role-based access control for managers, agents, and staff so that sensitive shipment and billing data is secure.	5	High	Member 2
Sprint-5	Reports	USN-7	As a branch manager, I want reports showing delivery performance, shipment status, and revenue so that I can monitor operations and make informed decisions.	4	High	Member 3
Sprint-6	Dashboards	USN-8	As a branch manager, I want dashboards showing delivery performance, shipment status, and revenue so that I can monitor operations and make informed decisions.	4	Medium	Member 4

Project Tracker, Velocity & Burndown Chart: (4 Marks)

Sprint	Total Story Points	Duration	Sprint Start Date	Sprint End Date (Planned)	Story Points Completed (as on Planned End Date)	Sprint Release Date (Actual)
Sprint-1	20	6 Days	24 Oct 2022	29 Oct 2022	20	29 Oct 2022
Sprint-2	20	6 Days	31 Oct 2022	05 Nov 2022		
Sprint-3	20	6 Days	07 Nov 2022	12 Nov 2022		
Sprint-4	20	6 Days	14 Nov 2022	19 Nov 2022		

6. Project Development Phase:

What you'll learn

1. Real-time Salesforce project implementation
2. Designing custom objects and relationships
3. Creating page layouts & record types
4. Writing validation rules
5. Building automation with flows
6. Developing reports & dashboards
7. Setting up security with profiles, permission sets, and sharing
8. End-to-end application testing

Milestone 1: Salesforce Account

Introduction:

New to Salesforce and unsure where to start? Curious how real business applications—like loan processing and payment tracking—can be built on the platform? You’re in the right place.

Welcome to the Loan Management System project!

Salesforce offers powerful tools that help automate processes, improve accuracy, and manage customer operations with ease. In this project, you'll learn how Salesforce can streamline lending workflows—from borrower onboarding to loan approval, EMI tracking, and document verification.


What Is Salesforce ?

Salesforce is your customer success platform, designed to help you sell, service, market, analyze, and connect with your customers. Salesforce has everything you need to run your business from anywhere. Using standard products and features, you can manage relationships with prospects and customers, collaborate and engage with employees and partners, and store your data securely in the cloud.

Activity 1: Creating Developer Account

Creating a developer org in salesforce.

1. Go to https://developer.salesforce.com/signup
2. On the sign up form, enter the following details :
3. First name & Last name
4. Email




1) First name & Last name
2) Email
3) Job Title: Developer
4) Company: College Name

5) Country: India


Click on sign me up after filling these.

Activity 2: Account Activation

1. Go to the inbox of the email that you used while signing up. Click on the verify account to activate your account. The email may take 10-30 mins and sometimes 2 hours.





2. Click on Verify Account
3.Give a password and answer a security question and click on change password.
4.Then you will redirect to your salesforce setup page.




Milestone 2- Object:

Activity 1: Create Customer Object







Activity 2: Create Shipment Object




Activity 3: Create Delivery_Agent Object





Activity 4: Create Branch Object







Activity 5: Create Delivery_Update Object






Activity 6: Create Invoice Object








Milestone 3 - Tabs

Activity 1: Creating a Tab for Customer Object













orgfarm-3e47cf65c6-dev-ed.develop.my.salesforce-setup.com/lightning/setup/.../view

Activity 2: Creating a Tab for Shipment Object













Activity 3: Creating a Tab for Delivery Agent Object



Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
Custom Tabs
Help for this Page
You can create new custom tabs to extend Salesforce functionality or to build new application functionality.
Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications and content within the Salesforce window. Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.
Custom Object Tabs
New
What Is This?
Action
Label
Tab Style
Description
Edit | Del
Customers
People
Edit | Del
Shipments
Ship
Web Tabs
New
What Is This?
No Web Tabs have been defined
Visualforce Tabs
New
What Is This?
No Visualforce Tabs have been defined
Lightning Component Tabs
New
What Is This?
Action
Label
Tab Style
Description
Edit
Get Started with Agentforce
Heart
Edit
Get Started with Data Cloud
Map



Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
New Custom Object Tab
Help for this Page
Step 1. Enter the Details
Step 1 of 3
Choose the custom object for this new custom tab. Fill in other details.
New Custom Object Tab
Required Information
Select an existing custom object or create a new custom object now
Object
Delivery Agent
Tab Style
Map
(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link
--None--
Enter a short description.
Description
Next
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
Lightning Usage App (standard__LightningInstrumentation)
Digital Experiences (standard__SalesforceCMS)
Queue Management (standard__QueueManagement)
Data Manager (standard__DataManager)
Subscription Management (standard__RevenueCloudConsole)
Sales Cloud Mobile (standard__SalesCloudMobile)
Bolt Solutions (standard__LightningBolt)
Data Cloud (standard__Audience360)
Approvals (standard__Approvals)
My Service Journey (standard__MSJApp)
Shield (standard__Shield)
Salesforce Scheduler Setup (standard__LightningScheduler)
DevOps Center (standard__AlmDevops)
Automation (standard__FlowsApp)
Agentforce Studio (standard__AgentforceStudio)
Agentforce Grid (standard__AIWorkbench)
Append tab to users' existing personal customizations
Previous
Save
Cancel

Activity 4: Creating a Tab for Branch Object






Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
New Custom Object Tab
Help for this Page
Step 1. Enter the Details
Step 1 of 3
Choose the custom object for this new custom tab. Fill in other details.
New Custom Object Tab
= Required Information
Select an existing custom object or create a new custom object now.
Object
Branch
Tab Style
Bank
(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.
Splash Page Custom Link
--None--
Enter a short description.
Description
Next
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
Gold Partner User
High Volume Customer Portal
High Volume Customer Portal User
Identity User
Marketing User
Minimum Access - API Only Integrations
Minimum Access - Salesforce
Partner App Subscription User
Partner Community Login User
Partner Community User
Read Only
Salesforce API Only System Integrations
Silver Partner User
Solution Manager
Standard Platform User
Standard User
System Administrator
Default On
Previous
Next
Cancel
javascript:void(0)



Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
Lightning Usage App (standard__LightningInstrumentation)
Digital Experiences (standard__SalesforceCMS)
Queue Management (standard__QueueManagement)
Data Manager (standard__DataManager)
Subscription Management (standard__RevenueCloudConsole)
Sales Cloud Mobile (standard__SalesCloudMobile)
Bolt Solutions (standard__LightningBolt)
Data Cloud (standard__Audience360)
Approvals (standard__Approvals)
My Service Journey (standard__MSJApp)
Shield (standard__Shield)
Salesforce Scheduler Setup (standard__LightningScheduler)
DevOps Center (standard__AlmDevops)
Automation (standard__FlowsApp)
Agentforce Studio (standard__AgentforceStudio)
Agentforce Grid (standard__AIWorkbench)
Append tab to users' existing personal customizations
Previous
Save
Cancel

Activity 5: Creating a Tab for Delivery Update Object









Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
Gold Partner User
High Volume Customer Portal
High Volume Customer Portal User
Identity User
Marketing User
Minimum Access - API Only Integrations
Minimum Access - Salesforce
Partner App Subscription User
Partner Community Login User
Partner Community User
Read Only
Salesforce API Only System Integrations
Silver Partner User
Solution Manager
Standard Platform User
Standard User
System Administrator
Default On
Previous
Next
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
Tabs
User Interface
Rename Tabs and Labels
Tabs
Didn't find what you're looking for? Try using Global Search.
SETUP
Tabs
Lightning Usage App (standard__LightningInstrumentation)
Digital Experiences (standard__SalesforceCMS)
Queue Management (standard__QueueManagement)
Data Manager (standard__DataManager)
Subscription Management (standard__RevenueCloudConsole)
Sales Cloud Mobile (standard__SalesCloudMobile)
Bolt Solutions (standard__LightningBolt)
Data Cloud (standard__Audience360)
Approvals (standard__Approvals)
My Service Journey (standard__MSJApp)
Shield (standard__Shield)
Salesforce Scheduler Setup (standard__LightningScheduler)
DevOps Center (standard__AlmDevops)
Automation (standard__FlowsApp)
Agentforce Studio (standard__AgentforceStudio)
Agentforce Grid (standard__AIWorkbench)
Append tab to users' existing personal customizations
Previous
Save
Cancel

Activity 6: Creating a Tab for Invoice Object











Milestone 4: Fields & Relationships


Activity 1: Creation of fields for the Customer Object


Field Name	API Name	Data Type	Required	Description
Customer Name	Name	Text	Yes	Full name of customer
Email	Email__c	Email	Yes	Customer email
Phone	Phone__c	Phone	Yes	Customer contact number
Address	Address__c	Text Area	Yes	Customer address
Customer Type	Customer_Type__c	Picklist	Yes	Regular / Business
City	City__c	Text	No	Customer city
State	State__c	Text	No	Customer state
Pincode	Pincode__c	Text	No	Postal code
Is Active	Is_Active__c	Checkbox	No	Active status


1. Email (Email Field)





(41) WhatsApp
(21) Courier Management Sys
CRICKSTATS NM - Google Do
Customer | Salesforce
Untitled document - Google
Ask Gemini
orgfarm-3e47cf65c6-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01Ig7000004JQe1/FieldsAndRelationships/view
Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Fields & Relationships
4 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Customer Name
Name
Text(80)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Snipping Tool
Screenshot copied to clipboard
Automatically saved to screenshots folder.
Mark-up and share
28°C
08:05 AM



(41) WhatsApp
(21) Courier Management Sys
CRICKSTATS NM - Google Do
Customer | Salesforce
Untitled document - Google
Ask Gemini
orgfarm-3e47cf65c6-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01Ig7000004JQe1/FieldsAndRelationships/new
Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
External Lookup Relationship
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
28°C
Mostly cloudy
Search
08:06 AM
25-09-2026



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Email
Field Name
Email
Description
Help Text
Required
Always require a value in this field in order to save a record
Unique
Do not allow duplicate values
External ID
Set this field as the unique record identifier from an external system
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor



(41) WhatsApp
(21) Courier Management Sys
CRICKSTATS NM - Google Do
Customer | Salesforce
Untitled document - Google
Ask Gemini
orgfarm-3e47cf65c6-dev-ed.develop.my.salesforce-setup.com/lightning/setup/ObjectManager/01Ig7000004JQe1/FieldsAndRelationships/new
Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Customer
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Email
Data Type
Email
Field Name
Email
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Customer Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
28°C
Mostly cloudy
Search
08:07 AM
25-09-2026

2. Phone (Phone Field)






Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14.40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Customer
New Custom Field
Help for this Page
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Phone
Field Name
Phone
Description
Help Text
Required
Always require a value in this field in order to save a record
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Customer
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Phone
Data Type
Phone
Field Name
Phone
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Customer Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.

3. Address (Text Area)













4. Customer Type (Picklist)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Fields & Relationships
7 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Address
Address__c
Text Area(255)
Created By
CreatedById
Lookup(User)
Customer Name
Name
Text(80)
Email
Email__c
Email
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Phone
Phone__c
Phone



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Restriction Rules
Scoping Rules
Object Access
Field Access
Triggers
New Custom Field
Help for this Page
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Customer Type
Values
Use global picklist value set
Enter values, with each value separated by a new line
Regular
Business
Display values alphabetically, not in the order entered
Use first value as default value
Restrict picklist to the values defined in the value set
Field Name
Customer_Type
Description
Help Text
Required
Always require a value in this field in order to save a record
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Customer
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label Customer Type
Data Type Picklist
Field Name Customer_Type
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Customer Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.


5. City (Text)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Fields & Relationships
8 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Address Address__c Text Area(255)
Created By CreatedById Lookup(User)
Customer Name Name Text(80)
Customer Type Customer_Type__c Picklist
Email Email__c Email
Last Modified By LastModifiedById Lookup(User)
Owner OwnerId Lookup(User,Group)
Phone Phone__c Phone



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Customer
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label City
Data Type Text
Field Name City
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Customer Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.

6. State (Text)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Fields & Relationships
9 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Address
Address__c
Text Area(255)
City
City__c
Text(100)
Created By
CreatedById
Lookup(User)
Customer Name
Name
Text(80)
Customer Type
Customer_Type__c
Picklist
Email
Email__c
Email
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel







7. Pincode (Text)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Fields & Relationships
10 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Address
Address__c
Text Area(255)
City
City__c
Text(100)
Created By
CreatedById
Lookup(User)
Customer Name
Name
Text(80)
Customer Type
Customer_Type__c
Picklist
Email
Email__c
Email
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.




8. Is Active (Checkbox)


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Fields & Relationships
11 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Address
Address__c
Text Area(255)
City
City__c
Text(100)
Created By
CreatedById
Lookup(User)
Customer Name
Name
Text(80)
Customer Type
Customer_Type__c
Picklist
Email
Email__c
Email
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
• The relationship field is required on all detail records.
• The ownership and sharing of a detail record are determined by the master record.
• When a user deletes the master record, all detail records are deleted.
• You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.







Activity 2: Creation of fields for the Shipment Object


Field Name	API Name	Data Type	Required	Description
Tracking Number	Name	Auto Number	Yes	Unique ID
Customer	Customer__c	Lookup(Customer)	Yes	Related customer
Source Address	Source_Address__c	Text Area	Yes	Pickup location


Destination Address	Destination_Address__c	Text Area	Yes	Delivery location
Weight	Weight__c	Number	Yes	Parcel weight
Price	Price__c	Currency	Yes	Shipping charge
Status	Status__c	Picklist	Yes	Shipment status
Expected Date	Expected_Date__c	Date	Yes	Delivery estimate
Assigned Agent	Assigned_Agent__c	Lookup(Delivery_Agent)	No	Delivery agent
Shipment Type	Shipment_Type__c	Picklist	Yes	Domestic/International

1. Source Address (Text Area)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
4 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Tracking Number
Name
Auto Number



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel







2. Destination Address (Text Area)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
5 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Source Address
Source_Address__c
Text Area(255)
Tracking Number
Name
Auto Number



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel







3. Weight (Number)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
6 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Destination Address
Destination_Address__c
Text Area(255)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Source Address
Source_Address__c
Text Area(255)
Tracking Number
Name
Auto Number



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.







4. Price (Currency)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
7 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Destination Address
Destination_Address__c
Text Area(255)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Source Address
Source_Address__c
Text Area(255)
Tracking Number
Name
Auto Number
Weight
Weight__c
Number(18, 0)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
The relationship field is required on all detail records.
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.




5. Status (Picklist)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
8 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Destination Address
Destination_Address__c
Text Area(255)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Price
Price__c
Currency(18, 0)
Source Address
Source_Address__c
Text Area(255)
Tracking Number
Name
Auto Number
Weight
Weight__c
Number(18, 0)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel







6. Expected Date (Date)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
9 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Destination Address
Destination_Address__c
Text Area(255)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Price
Price__c
Currency(18, 0)
Source Address
Source_Address__c
Text Area(255)
Status
Status__c
Picklist
Tracking Number
Name
Auto Number



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
The relationship field is required on all detail records.
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.






7. Shipment Type (Picklist)


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
10 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Destination Address
Destination_Address__c
Text Area(255)
Expected Date
Expected_Date__c
Date
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Price
Price__c
Currency(18, 0)
Source Address
Source_Address__c
Text Area(255)
Status
Status__c
Picklist



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Object Access
Field Access
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Shipment Type
Values
Use global picklist value set
Enter values, with each value separated by a new line
Domestic
International
Display values alphabetically, not in the order entered
Use first value as default value
Restrict picklist to the values defined in the value set
Field Name
Shipment_Type
Description
Help Text
Required
Always require a value in this field in order to save a record
Einstein



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Shipment
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Shipment Type
Data Type
Picklist
Field Name
Shipment_Type
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Shipment Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Previous
Save & New
Save
Cancel


Activity 3: Creation of fields for Delivery_Agent Object


Field Name	API Name	Data Type	Required
Agent Name	Name	Text	Yes
Email	Email__c	Email	Yes
Phone	Phone__c	Phone	Yes
Branch	Branch__c	Lookup	Yes
Status	Status__c	Picklist	Yes
Joining Date	Joining_Date__c	Date	No

1. Email






Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Currency
Date
Date/Time
Email
Geolocation
Number
Percent
Phone
Picklist
Picklist (Multi-Select)
Text
Text Area
Text Area (Long)
Text Area (Rich)
Text (Encrypted)
Time
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Previous
Next
Cancel
Field Label
Email
Field Name
Email
Description
Help Text
Required
Always require a value in this field in order to save a record
Unique
Do not allow duplicate values
External ID
Set this field as the unique record identifier from an external system
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor
Einstein



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Agent
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Email
Data Type
Email
Field Name
Email
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Delivery Agent Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Einstein


2. Phone



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
5 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Agent Name
Name
Text(80)
Created By
CreatedById
Lookup(User)
Email
Email__c
Email
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.




3. Status (Picklist)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Fields & Relationships
6 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Agent Name
Name
Text(80)
Created By
CreatedById
Lookup(User)
Email
Email__c
Email
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Phone
Phone__c
Phone



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Einstein
Rain coming
Search
08:53 AM



4. Joining Date



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.



Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Agent
New Custom Field
Help for this Page
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Joining Date
Field Name
Joining_Date
Description
Help Text
Required
Always require a value in this field in order to save a record
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor
Einstein



Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Agent
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Joining Date
Data Type
Date
Field Name
Joining_Date
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Delivery Agent Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Einstein


Activity 4: Creation of fields for Branch Object


Field Name	API Name	Data Type	Required
Branch Name	Name	Text	Yes
Branch Code	Branch_Code__c	Text	Yes
City	City__c	Text	Yes
State	State__c	Text	Yes
Manager Name	Manager_Name__c	Text	No









Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Field Label
Branch Code
Please enter the maximum length for a text field below.
Length
Field Name
Branch_Code
Description
Help Text
Required
Always require a value in this field in order to save a record
Unique
Do not allow duplicate values
Treat "ABC" and "abc" as duplicate values (case insensitive)
Treat "ABC" and "abc" as different values (case sensitive)
External ID
Set this field as the unique record identifier from an external system
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Branch
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Branch Code
Data Type
Text
Field Name
Branch_Code
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Branch Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
5 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Branch Code
Branch_Code__c
Text(100)
Branch Name
Name
Text(80)
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
City
Please enter the maximum length for a text field below.
Length
100
Field Name
City
Description
Help Text
Required
Always require a value in this field in order to save a record
Unique
Do not allow duplicate values
Treat "ABC" and "abc" as duplicate values (case insensitive)
Treat "ABC" and "abc" as different values (case sensitive)
External ID
Set this field as the unique record identifier from an external system
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor
Einstein



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Branch
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
City
Data Type
Text
Field Name
City
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Branch Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
6 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Branch Code
Branch_Code__c
Text(100)
Branch Name
Name
Text(80)
City
City__c
Text(100)
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.
Next
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Previous
Next
Cancel
Field Label
State
Please enter the maximum length for a text field below.
Length
100
Field Name
State
Description
Help Text
Required
Always require a value in this field in order to save a record
Unique
Do not allow duplicate values
Treat "ABC" and "abc" as duplicate values (case insensitive)
Treat "ABC" and "abc" as different values (case sensitive)
External ID
Set this field as the unique record identifier from an external system
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor
Einstein


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Branch
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label State
Data Type Text
Field Name State
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Branch Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Einstein


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
7 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Branch Code
Branch_Code__c
Text(100)
Branch Name
Name
Text(80)
City
City__c
Text(100)
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
State
State__c
Text(100)


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Branch
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Date
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.
URL
Allows users to enter any valid website address. When users click on the field, the URL will open in a separate browser window.








Activity 5: Creation of fields for Delivery_Update Object


Field Name	API Name	Data Type	Required
Update Number	Name	Auto Number	Yes
Shipment	Shipment__c	Master-Detail	Yes
Status	Status__c	Picklist	Yes
Update Date	Update_Date__c	DateTime	Yes


Remarks	Remarks__c	Text	No









Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Previous
Next
Cancel
Field Label
Shipment
Field Name
Shipment
Description
Help Text
Child Relationship Name
Delivery_Updates
Sharing Setting
Select the minimum access level required on the Master record to create, edit, or delete related Detail records:
Read Only: Allows users with at least Read access to the Master record to create, edit, or delete related Detail records.
Read/Write: Allows users with at least Read/Write access to the Master record to create, edit, or delete related Detail records.
Allow reparenting
Child records can be reparented to other parent records after they are created
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Lookup Filter



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Update
New Relationship
Help for this Page
Step 2. Choose the related object
Step 2 of 6
Previous
Next
Cancel
Select the other object to which this object is related.
Related To
Shipment



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Update
New Relationship
Help for this Page
Step 6. Add custom related lists
Step 6 of 6
Previous
Save & New
Save
Cancel
Field Label
Shipment
Data Type
Master-Detail
Field Name
Shipment
Description
Specify the title that the related list will have in all of the layouts associated with the parent.
Related List Label
Delivery Updates
These are the page layouts that will include this field. Because this is a Master-Detail relationship, the field is required.
Add Related List
Page Layout Name
Shipment Layout
Append related list to users' existing personal customizations



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
4 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Shipment
Shipment__c
Master-Detail(Shipment)
Update Number
Name
Auto Number
javascript:void(0);



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Field Label
Status
Values
Use global picklist value set
Enter values, with each value separated by a new line
In Transit
Out for Delivery
Delivered
Delayed
Display values alphabetically, not in the order entered
Use first value as default value
Restrict picklist to the values defined in the value set
Field Name
Status
Description
Help Text
Required
Always require a value in this field in order to save a record
Einstein



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Update
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label Status
Data Type Picklist
Field Name Status
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Delivery Update Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
5 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Shipment
Shipment__c
Master-Detail(Shipment)
Status
Status__c
Picklist
Update Number
Name
Auto Number



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Update Date
Field Name
Update_Date
Description
Help Text
Required
Always require a value in this field in order to save a record
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor
Einstein


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Update
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Update Date
Data Type
Date/Time
Field Name
Update_Date
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Delivery Update Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Einstein


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
6 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By
CreatedById
Lookup(User)
Last Modified By
LastModifiedById
Lookup(User)
Shipment
Shipment__c
Master-Detail(Shipment)
Status
Status__c
Picklist
Update Date
Update_Date__c
Date/Time
Update Number
Name
Auto Number



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Checkbox
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Text (Encrypted)
Allows users to enter any combination of letters and numbers and store them in encrypted form.
Time
Allows users to enter a local time. For example, "2:40 PM", "14:40", "14:40:00", and "14:40:50.600" are all valid times for this field.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Previous
Next
Cancel
Field Label
Remarks
Please enter the maximum length for a text field below.
Length
100
Field Name
Remarks
Description
Help Text
Required
Always require a value in this field in order to save a record
Unique
Do not allow duplicate values
Treat "ABC" and "abc" as duplicate values (case insensitive)
Treat "ABC" and "abc" as different values (case sensitive)
External ID
Set this field as the unique record identifier from an external system
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor
Einstein



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Update
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Update
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Remarks
Data Type
Text
Field Name
Remarks
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Delivery Update Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Einstein


Activity 6: Creation of fields for Invoice Object


Field Name	API Name	Data Type	Required
Invoice Number	Name	Auto Number	Yes
Shipment	Shipment__c	Lookup	Yes
Amount	Amount__c	Currency	Yes
Invoice Date	Invoice_Date__c	Date	Yes
Payment Status	Payment_Status__c	Picklist	Yes






Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Auto Number
A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.
Formula
A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.
Roll-Up Summary
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.
Lookup Relationship
Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
The relationship field is required on all detail records.
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Invoice
New Relationship
Help for this Page
Step 2. Choose the related object
Step 2
Previous
Next
Cancel
Select the other object to which this object is related.
Related To
Shipment
Previous
Next
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Previous
Next
Cancel
Field Label
Shipment
Field Name
Shipment
Description
Help Text
Child Relationship Name
Invoices
Required
Always require a value in this field in order to save a record
What to do if the lookup record is deleted?
Clear the value of this field. You can't choose this option if you make this field required.
Delete this record also. This allows users to delete large numbers of records without regard for sharing or visibility constraints.
Don't allow deletion of the lookup record that's part of a lookup relationship.
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Lookup Filter
Optionally, create a filter to limit the records available to users in the lookup field. Tell me more!



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Invoice
New Relationship
Help for this Page
Step 6. Add custom related lists
Step 6 of 6
Previous
Save & New
Save
Cancel
Field Label Shipment
Data Type Lookup
Field Name Shipment
Description
Specify the title that the related list will have in all of the layouts associated with the parent.
Related List Label Invoices
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Page Layout Name
Append related list to users' existing personal customizations



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
5 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Created By CreatedById Lookup(User)
Invoice Number Name Auto Number
Last Modified By LastModifiedById Lookup(User)
Owner OwnerId Lookup(User,Group)
Shipment Shipment__c Lookup(Shipment)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Step 2. Enter the details
Step 2 of 4
Previous
Next
Cancel
Field Label
Amount
Please enter the length of the number and the number of decimal places. For example, a number with a length of 8 and 2 decimal places can accept values up to "12345678.90".
Length
18
Number of digits to the left of the decimal point
Decimal Places
0
Number of digits to the right of the decimal point
Field Name
Amount
Description
Help Text
Required
Always require a value in this field in order to save a record
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Default Value
Show Formula Editor



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Invoice
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Amount
Data Type
Currency
Field Name
Amount
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Invoice Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
6 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Amount
Amount__c
Currency(18, 0)
Created By
CreatedById
Lookup(User)
Invoice Number
Name
Auto Number
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Shipment
Shipment__c
Lookup(Shipment)



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Roll-Up Summary
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.
Lookup Relationship
Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
The relationship field is required on all detail records.
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, "10" and automatically adds the percent sign to the number.


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Invoice
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Invoice Date
Data Type
Date
Field Name
Invoice_Date
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Invoice Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Previous
Save & New
Save
Cancel


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Fields & Relationships
7 Items, Sorted by Field Label
Quick Find
New
Deleted Fields
Field Dependencies
Set History Tracking
FIELD LABEL
FIELD NAME
DATA TYPE
CONTROLLING FIELD
INDEXED
Amount
Amount__c
Currency(18, 0)
Created By
CreatedById
Lookup(User)
Invoice Date
Invoice_Date__c
Date
Invoice Number
Name
Auto Number
Last Modified By
LastModifiedById
Lookup(User)
Owner
OwnerId
Lookup(User,Group)
Shipment
Shipment__c
Lookup(Shipment)


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.
Picklist
Allows users to select a value from a list you define.
Picklist (Multi-Select)
Allows users to select multiple values from a list you define.
Text
Allows users to enter any combination of letters and numbers.
Text Area
Allows users to enter up to 255 characters on separate lines.
Text Area (Long)
Allows users to enter up to 131,072 characters on separate lines.
Text Area (Rich)
Allows users to enter formatted text, add images and links. Up to 131,072 characters on separate lines.
Allows users to enter any combination of letters and numbers and store them in encrypted form.


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Field Label
Payment Status
Values
Use global picklist value set
Enter values, with each value separated by a new line
Paid
Unpaid
Pending
Display values alphabetically, not in the order entered
Use first value as default value
Restrict picklist to the values defined in the value set
Field Name
Payment_Status
Description
Help Text
Required
Always require a value in this field in order to save a record



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Invoice
New Custom Field
Help for this Page
Step 4. Add to page layouts
Step 4 of 4
Previous
Save & New
Save
Cancel
Field Label
Payment Status
Data Type
Picklist
Field Name
Payment_Status
Description
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Field
Page Layout Name
Invoice Layout
When finished, click Save & New to create more custom fields, or click Save if you are done.
Previous
Save & New
Save
Cancel


Relationships :


Child Object	Field	Parent Object	Type
Shipment	Customer__c	Customer	Lookup
Shipment	Assigned_Agent__c	Delivery_Agent	Lookup
Delivery_Agent	Branch__c	Branch	Lookup
Delivery_Update	Shipment__c	Shipment	Master-Detail
Invoice	Shipment__c	Shipment	Lookup

Relationship Creation Steps :


Activity 1 – Shipment → Customer










Activity 2 – Shipment → Delivery Agent






Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Auto Number
A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.
Formula
A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.
Roll-Up Summary
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.
Lookup Relationship
Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.
Email
Allows users to enter an email address, which is validated to ensure proper format. If this field is specified for a contact or lead, users can choose the address when clicking Send an Email. Note that custom email addresses cannot be used for mass emails.
Geolocation
Allows users to define locations. Includes latitude and longitude components, and can be used to calculate distance.
Number
Allows users to enter any number. Leading zeros are removed.
Percent
Allows users to enter a percentage number, for example, '10' and automatically adds the percent sign to the number.
Phone
Allows users to enter any phone number. Automatically formats it as a phone number.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Field Label
Assigned_Agent__c
Field Name
Delivery_Agent
Description
Help Text
Child Relationship Name
Shipments
Required
Always require a value in this field in order to save a record
What to do if the lookup record is deleted?
Clear the value of this field. You can't choose this option if you make this field required.
Delete this record also. This allows users to delete large numbers of records without regard for sharing or visibility constraints.
Don't allow deletion of the lookup record that's part of a lookup relationship.
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Lookup Filter
Optionally, create a filter to limit the records available to users in the lookup field. Tell me more!
Show Filter Settings





Activity 3 – Delivery Agent → Branch









Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Agent
New Relationship
Help for this Page
Step 2. Choose the related object
Step 2
Previous
Next
Cancel
Select the other object to which this object is related.
Related To
Branch



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Step 3. Enter the label and name for the lookup field
Step 3 of 6
Previous
Next
Cancel
Field Label
Branch
Field Name
Branch
Description
Help Text
Child Relationship Name
Delivery_Agents
Required
Always require a value in this field in order to save a record
What to do if the lookup record is deleted?
Clear the value of this field. You can't choose this option if you make this field required.
Delete this record also. This allows users to delete large numbers of records without regard for sharing or visibility constraints.
Don't allow deletion of the lookup record that's part of a lookup relationship.
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Lookup Filter


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Agent
New Relationship
Help for this Page
Step 6. Add custom related lists
Step 6 of 6
Previous
Save & New
Save
Cancel
Field Label
Branch
Data Type
Lookup
Field Name
Branch
Description
Specify the title that the related list will have in all of the layouts associated with the parent.
Related List Label
Delivery Agents
Select the page layouts that should include this field. The field will be added as the last field in the first 2-column section of these page layouts. The field will not appear on any pages if you do not select a layout.
To change the location of this field on the page, you will need to customize the page layout.
Add Related List
Page Layout Name
Branch Layout
Append related list to users' existing personal customizations
32°C
12:31 PM



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Next
Cancel
Specify the type of information that the custom field will contain.
Data Type
None Selected
Select one of the data types below.
Auto Number
A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.
Formula
A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.
Roll-Up Summary
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.
Lookup Relationship
Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
The relationship field is required on all detail records.
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Delivery Agent
New Relationship
Help for this Page
Step 2. Choose the related object
Step 2 of 6
Previous
Next
Cancel
Select the other object to which this object is related.
Related To
Shipment



Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Delivery Agent
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
New Relationship
Step 3. Enter the label and name for the lookup field
Step 3 of 6
Previous
Next
Cancel
Field Label
Shipment
Field Name
Shipment
Description
Help Text
Child Relationship Name
Delivery_Agents
Sharing Setting
Select the minimum access level required on the Master record to create, edit, or delete related Detail records:
Read Only: Allows users with at least Read access to the Master record to create, edit, or delete related Detail records.
Read/Write: Allows users with at least Read/Write access to the Master record to create, edit, or delete related Detail records.
Allow reparenting
Child records can be reparented to other parent records after they are created




Activity 4 – Delivery Update → Shipment












-

Activity 5 – Invoice → Shipment



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Data Type
None Selected
Select one of the data types below.
Auto Number
A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.
Formula
A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.
Roll-Up Summary
A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.
Lookup Relationship
Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.
Master-Detail Relationship
Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:
The relationship field is required on all detail records.
The ownership and sharing of a detail record are determined by the master record.
When a user deletes the master record, all detail records are deleted.
You can create rollup summary fields on the master record to summarize the detail records.
The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.
External Lookup Relationship
Creates a relationship that links this object to an external object whose data is stored outside the Salesforce org.
Checkbox
Allows users to select a True (checked) or False (unchecked) value.
Currency
Allows users to enter a dollar or other currency amount and automatically formats the field as a currency amount. This can be useful if you export data to Excel or another spreadsheet.
Date
Allows users to enter a date or pick a date from a popup calendar.
Date/Time
Allows users to enter a date and time, or pick a date from a popup calendar. When users click a date in the pop-up, that date and the current time are entered into the Date/Time field.



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Invoice
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Step 3. Enter the label and name for the lookup field
Step 3 of 6
Previous
Next
Cancel
Field Label
Shipment
Field Name
Shipment
Description
Help Text
Child Relationship Name
Invoices1
Required
Always require a value in this field in order to save a record
What to do if the lookup record is deleted?
Clear the value of this field. You can't choose this option if you make this field required.
Delete this record also. This allows users to delete large numbers of records without regard for sharing or visibility constraints.
Don't allow deletion of the lookup record that's part of a lookup relationship.
Auto add to custom report type
Add this field to existing custom report types that contain this entity
Lookup Filter



Don't wait: Save 70% now with code GETSTARTER70 | Terms apply.
Buy Now
Days left in your Trial: 30
Search Setup
Setup
Home
Object Manager
SETUP
Object Manager
Knowledge Validation Rule
Back to Knowledge
Help for this Page
Validation Rule Detail
Edit
Clone
Rule Name
Email_Required
Active
Error Condition Formula
NOT(CONTAINS(Email__c,"@"))
Error Message
Email must contain @ symbol
Error Location
Top of Page
Description
Created By
Keerthika N, 25/09/2026, 1:29 pm
Modified By
Keerthika N, 25/09/2026, 1:29 pm
Edit
Clone


Milestone 5-Validation Rules :


Activity 1: Create Validation Rules on Customer__c







Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Validation Rules
1 Items, Sorted by Rule Name
New
RULE NAME
ERROR LOCATION
ERROR MESSAGE
ACTIVE
MODIFIED BY
Email_Required
Email
Email is required
ISHWARYA V, 9/25/2026, 2:26 AM


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Customer Validation Rule
Help for this Page
Define a validation rule by specifying an error condition and a corresponding error message. The error condition is written as a Boolean formula expression that returns true or false. When the formula expression returns true, the save will be aborted and the error message will be displayed. The user can correct the error and try again.
Validation Rule Edit
Save
Save & New
Cancel
Rule Name
Validate_Phone_Number
Active
Description
Quick Tips
Operators & Functions
Error Condition Formula
= Required Information
Example:
Discount_Percent__c>0.30
More Examples...
Display an error if Discount is more than 30%
If this formula expression is true, display the text defined in the Error Message area
Insert Field
Use Formula Assistant
Insert Operator
LEN(Phone__c) <> 10
Functions
-- All Function Categories --
ABS
ACOS
ADDMONTHS
AND
ASCII
Einstein








-


Activity 2: Create Validation Rules on Shipment__c


1. Validation Rule: Weight Must Be Greater Than Zero



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Validation Rules
0 Items, Sorted by Rule Name
New
RULE NAME
ERROR LOCATION
ERROR MESSAGE
ACTIVE
MODIFIED BY
No items to display.


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Validation Rule Edit
Save
Save & New
Cancel
Rule Name
Validate_Weight
Active
Description
Quick Tips
Operators & Functions
Error Condition Formula
= Required Information
Example:
Discount_Percent__c>0.30
More Examples...
Display an error if Discount is more than 30%
If this formula expression is true, display the text defined in the Error Message area
Insert Field
Use Formula Assistant
Insert Operator
Weight__c <= 0
Functions
-- All Function Categories --
ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN
Insert Selected Function
ABS(number)
Returns the absolute value of a number, a number without its sign
Check Syntax
No errors found
Einstein


Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
Validation Rules
1 Items, Sorted by Rule Name
New
RULE NAME
ERROR LOCATION
ERROR MESSAGE
ACTIVE
MODIFIED BY
Validate_Weight
Weight
Weight must be greater than zero.
ISHWARYA V, 9/25/2026, 2:36 AM



Developer Edition
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Shipment
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Restriction Rules
Scoping Rules
user can correct the error and try again.
Validation Rule Edit
Save
Save & New
Cancel
Rule Name
Validate_Price
Active
Description
Quick Tips
Operators & Functions
Error Condition Formula
= Required Information
Example:
Discount_Percent__c>0.30
More Examples...
Display an error if Discount is more than 30%
If this formula expression is true, display the text defined in the Error Message area
Insert Field
Use Formula Assistant
Insert Operator
Price__c <= 0
Functions
-- All Function Categories --
ABS
ACOS
ADDMONTHS
AND
ASCII
ASIN
Insert Selected Function
ABS(number)






Activity 3: Create Validation Rules on Delivery_Agent__c

1. Validation Rule: Email Must Be Valid







-

Activity 4: Create Validation Rules on Branch__c


1. Validation Rule: Branch Code Must Not Be Blank






Activity 5: Create Validation Rules on Delivery_Update__c


1. Validation Rule: Remarks Required If Status is Delayed







Milestone 6 - Page Layouts :


Activity 1: Edit Page Layout for Customer__c


Don't wait: Save 70% now with code GETSTARTER70 | Terms apply.
Buy Now
email
0/0
your Trial: 30
Search Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Page Layouts
1 Items, Sorted by Page Layout Name
Quick Find
New
Page Layout Assignment
PAGE LAYOUT NAME
CREATED BY
MODIFIED BY
Customer Layout
Neelaveni Neelaveni, 25/09/2026, 11:09 am
Neelaveni Neelaveni, 25/09/2026, 11:59 am
Search
12:00
25-09-2026



Don't wait: Save 70% now with code GETSTARTER70 | Terms apply.
Buy Now
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Customer Layout
Save
Quick Save
Preview As...
Cancel
Undo
Redo
Layout Properties
Fields
Buttons
Mobile & Lightning Actions
Expanded Lookups
Quick Find
Field Name
Section
Blank Space
Customer Status Type
email
Name
Owner Name



Don't wait: Save 70% now with code GETSTARTER70 | Terms apply.
Buy Now
email
1/2
your Trial: 30
Search Setup
Setup
Home
Object Manager
SETUP > OBJECT MANAGER
Customer
Details
Fields & Relationships
Page Layouts
Lightning Record Pages
Buttons, Links, and Actions
Compact Layouts
Field Sets
Object Limits
Record Types
Related Lookup Filters
Search Layouts
List View Button Layout
Customer Layout
Video Tutorial
Help for this Page
Save
Quick Save
Preview As...
Cancel
Undo
Redo
Layout Properties
Fields
Buttons
Mobile & Lightning Actions
Expanded Lookups
Report Charts
Quick Find
Field Name
Section
Blank Space
Customer Status Type
email
Name
Owner Name
Created By
Last Modified By
Party
Created Date
Last Modified Date
Total Life Time V...
Customer Sample
Salesforce Mobile and Lightning Experience
Actions
Actions in this section are predefined by Salesforce. You can override the predefined actions to set a customized list of actions on Lightning Experience and mobile app pages that use this layout. If you customize the actions in the Quick Actions in the Salesforce Classic Publisher section, and have saved the layout, then this section inherits that set of actions by default when you click to override.
Customer Detail
Standard Buttons
Edit
Delete
Clone
Change Owner
Change Record Type
Printable View
Sharing
Custom Buttons
Search
12:02
25-09-2026

Activity 2: Edit Page Layout for Shipment__c




Activity 3: Edit Page Layout for Delivery_Agent__c







Activity 4: Edit Page Layout for Branch__c



Activity 5: Edit Page Layout for Delivery_Update__c





Activity 6: Edit Page Layout for Invoice__c





Milestone 7 - Flows

Activity 1: Auto-Update Shipment Status When Delivery Update is Created












Milestone 8 - The Lightning App :

Activity 1: Create a Lightning App

Create the Courier Management System App



Developer Edition
Search Setup
Setup
Home
Object Manager
App Manager
Apps
App Manager
External Client Apps
External Client App Manager
Lightning Out 2.0 Apps
Lightning Out 2.0 App Manager
Didn't find what you're looking for? Try using Global Search.
SETUP
Lightning Experience App Manager
New Lightning App
New External Client App
31 items • Sorted by App Name • Filtered by All app menu items - TabSet Type, App Type
App Name
Developer ...
Description
Last Modifie...
App Type
Vi...
1 Agentforce Grid AIWorkbench Access Agentforce Grid 9/19/2026, 3:10 PM Lightning
2 Agentforce Studio AgentforceStudio Agentforce Studio 9/19/2026, 3:09 PM Lightning
3 All Tabs AllTabSet 9/19/2026, 3:02 PM Classic
4 Analytics Studio Insights Build CRM Analytics da... 9/19/2026, 3:02 PM Classic
5 App Launcher AppLauncher App Launcher tabs 9/19/2026, 3:02 PM Classic
6 Approvals Approvals Manage approvals and... 9/19/2026, 3:02 PM Lightning
7 Automation FlowsApp Automate business pro... 9/19/2026, 3:09 PM Lightning
8 Bolt Solutions LightningBolt Discover and manage ... 9/19/2026, 3:02 PM Lightning
9 Community Community Salesforce CRM Comm... 9/19/2026, 3:02 PM Classic
10 Content Content Salesforce CRM Content 9/19/2026, 3:02 PM Classic
11 Data Cloud Audience360 Build a thorough and c... 9/19/2026, 3:02 PM Lightning



Developer Edition
New Lightning App
App Details
App Branding
*App Name
Courier Management System
*Developer Name
Courier_Management_System
Description
Enter a description...
Image
Upload
Primary Color Hex Value
#0070D2
Org Theme Options
Use the app's image and color instead of the org's custom theme
App Launcher Preview
CM
Courier Management System
Next




Milestone 9- Profile:


Activity 1: Create a Custom Profile – Courier Admin







Activity 2: Create a Custom Profile – Branch Manager










Activity 3: Create a Custom Profile – Delivery Agent



Activity 4: Create a Custom Profile – Customer Support



Developer Edition
Search Setup
Setup
Home
Object Manager
Profiles
Users
Profiles
Didn't find what you're looking for? Try using Global Search.
SETUP
Profiles
Profiles
Help for this Page
All Profiles
Edit | Delete | Create New View
New Profile
A | B | C | D | E | F | G | H | I | J | K | L | M | N | O | P | Q | R | S | T | U | V | W | X | Y | Z | Other | All
Action
Profile Name
User License
Custom
Edit | Clone Analytics Cloud Integration User Analytics Cloud Integration User
Edit | Clone Analytics Cloud Security User Analytics Cloud Integration User
Edit | Clone Anypoint Integration Identity
Edit | Clone Authenticated Website Authenticated Website
Edit | Clone Authenticated Website Authenticated Website
Edit | Del | ... B2B Reordering Portal Buyer Profile External Apps Login
Edit | Del | ... Branch Manager Salesforce Platform
Edit | Clone Chatter External User Chatter External
Edit | Clone Chatter Free User Chatter Free
Edit | Clone Chatter Moderator User Chatter Free
Edit | Clone Contract Manager Salesforce
Edit | Del | ... Courier Admin Salesforce
1-25 of 47
0 Selected
Previous
Next
Page 1 of 2



Developer Edition
Search Setup
Setup
Home
Object Manager
Profiles
Users
Profiles
Didn't find what you're looking for? Try using Global Search.
SETUP
Profiles
Clone Profile
Enter the name of the new profile.
You must select an existing profile to clone from.
Existing Profile
Standard User
User License
Salesforce
Profile Name
Customer Support
Save
Cancel




Milestone 10- Role:

Activity 1: Creation of Courier Admin Role





Developer Edition
Search Setup
Setup
Home
Object Manager
Roles
Users
Roles
Feature Settings
Sales
Contact Roles on Contracts
Contact Roles on Opportunities
Service
Case Teams
Case Team Roles
Contact Roles on Cases
Didn't find what you're looking for? Try using Global Search.
SETUP
Roles
Role Edit
New Role
Help for this Page
Role Edit
Label
Courier Admin
Role Name
Courier_Admin
This role reports to
CFO
Role Name as displayed on reports
Save
Save & New
Cancel



Developer Edition
Search Setup
Setup
Home
Object Manager
Roles
Users
Roles
Feature Settings
Sales
Contact Roles on Contracts
Contact Roles on Opportunities
Service
Case Teams
Case Team Roles
Contact Roles on Cases
Didn't find what you're looking for? Try using Global Search.
SETUP
Roles
Government arts and science college Rishivandiyam
Add Role
CEO Edit | Del | Assign
Add Role
CFO Edit | Del | Assign
Add Role
Courier Admin Edit | Del | Assign
Add Role
COO Edit | Del | Assign
Add Role
SVP, Customer Service & Support Edit | Del | Assign
Add Role
Customer Support, International Edit | Del | Assign
Add Role
Customer Support, North America Edit | Del | Assign
Add Role
Installation & Repair Services Edit | Del | Assign
Add Role
SVP, Human Resources Edit | Del | Assign
Add Role
SVP, Sales & Marketing Edit | Del | Assign
Add Role
VP, International Sales Edit | Del | Assign
Add Role
VP, Marketing Edit | Del | Assign
Add Role
Marketing Team Edit | Del | Assign
Add Role
VP, North American Sales Edit | Del | Assign
Add Role
Director, Channel Sales Edit | Del | Assign
Add Role
Channel Sales Team Edit | Del | Assign

1.


Activity 2: Creating Branch Manager Role Under Courier



Activity 3: Creating Delivery Agent Role Under Branch





Activity 4: Creating Customer Support Role Under Branch




Milestone 11- User :

Activity 1: To Create a User







Activity 2: Creating Other Users




Milestone 15 : Reports & Dashboards


Activity 1: Create Report Types











Activity 2: Create Reports






Create Report
Category
Recently Used
All
Accounts & Contacts
Opportunities
Customer Support Reports
Leads
Campaigns
Activities
Contracts and Orders
Price Books, Products and Assets
Administrative Reports
File and Content Reports
Individuals
Other Reports
Hidden Report Types
Select a Report Type
Shipment Tracking Report
Showing results for Shipment Tracking Report
Report Type Name
Category
Shipment Tracking Report
Custom



REPORT
New Shipment Tracking Report Report
Shipment Tracking Report
Add Chart
Save & Run
Save
Close
Run
Fields
Outline
Filters 1
To see the latest edits, refresh the preview. Refresh
Update Preview Automatically
Filters
Add filter...
Show Me
All shipments
Created Date
This Month (Sep 1, 2026 - Sep 30, 2026)
Tracking Number
No records returned in preview. Try running the report or editing report filters.
• Set the Created Date filter to All Time.
• Edit other filters in the filter panel.



Developer Edition
Search...
Developer Edition
Welcome
REPORT
New Shipment Tracking Report Report
Shipment Tracking Report
Add Chart
Save & Run
Save
Close
Run
Fields
Outline
Filters 1
Previewing a limited number of records. Run the report to see everything.
Update Preview Automatically
Tracking Number
Status
Expected Date
Assigned_Agent__c: Agent Name
Customer: Name
Groups
GROUP ROWS
Add group...
Columns
Add column...
Tracking Number
Status
Expected Date
Assigned_Agent__c: Agent Name
Customer: Name
No records returned in preview. Try running the report or editing report filters.
• Set the Created Date filter to All Time.
• Edit other filters in the filter panel.



Create Report
Category
Recently Used
All
Accounts & Contacts
Opportunities
Customer Support Reports
Leads
Campaigns
Activities
Contracts and Orders
Price Books, Products and Assets
Administrative Reports
File and Content Reports
Individuals
Other Reports
Hidden Report Types
Select a Report Type
age
Showing results for age
Report Type Name
Delivery Agent History
Agent Performance Report
Orchestration Stage Runs Spring '24
Details
Agent Performance Report
Custom Report Type
Start Report
Details
Fields (12)
Description
Agent Performance Report
Created By You
No Reports Yet
Created By Others
No Reports Yet
Objects Used in Report Type
Delivery Agent



Developer Edition
Search...
Developer Edition
Welcome
REPORT
New Agent Performance Report Report
Agent Performance Report
Add Chart
Save & Run
Save
Close
Run
Outline
Filters 1
Groups
GROUP ROWS
Add group...
Delivery Agent ID
GROUP COLUMNS
Add group...
Columns
Add column...
Agent Name
Branch: Branch Name
Shipment: Shipment Number
Status
Previewing a limited number of records. Run the report to see everything.
Update Preview Automatically
Delivery Agent ID
Agent Name
Branch: Branch Name
Shipment: Shipment Number
Status
No records returned in preview. Try running the report or editing report filters.
• Set the Created Date filter to All Time.
• Edit other filters in the filter panel.
Row Counts
Detail Rows
Subtotals
Grand Total



Save Report
* Report Name
Agent Performance Report
Report Unique Name
Agent_Performance_Report_WLV
Report Description
Folder
CMS Reports
Select Folder
Cancel
Save



Developer Edition
Search...
Developer Edition
Welcome
Reports
Recent
2 items
Search recent reports...
New Report
New Folder
REPORTS
Recent
Created by Me
Private Reports
Public Reports
All Reports
FOLDERS
All Folders
Created by Me
Shared with Me
FAVORITES
All Favorites
Report Name
Description
Folder
Created By
Created On
Subscribed
Agent Performance Report
CMS Reports
ISHWARYA V
9/25/2026, 5:36 PM
Shipment Status Summary
CMS Reports
ISHWARYA V
9/25/2026, 5:31 PM


Create Report
Category
Recently Used
All
Accounts & Contacts
Opportunities
Customer Support Reports
Leads
Campaigns
Activities
Contracts and Orders
Price Books, Products and Assets
Administrative Reports
File and Content Reports
Individuals
Other Reports
Hidden Report Types
Select a Report Type
Search Report Types...
Recently Used Report Types
Report Type Name
Agent Performance Report
Shipment Tracking Report
Details
Shipment Tracking Report
Custom Report Type
Start Report
Details
Fields (17)
Description
Shipment Tracking Report
Created By You
Shipment Status Summary
Created By Others
No Reports Yet
Objects Used in Report Type
Shipment



Developer Edition
Search...
Developer Edition
Welcome
REPORT
New Shipment Tracking Report Report
Shipment Tracking Report
Add Chart
Save & Run
Save
Close
Run
Fields
Outline
Filters 1
Groups
GROUP ROWS
Add group...
Status
GROUP COLUMNS
Add group...
Columns
Add column...
Tracking Number
Customer: Name
Price
Expected Date
Assigned_Agent__c: Agent Name
Previewing a limited number of records. Run the report to see everything.
Update Preview Automatically
Status
Tracking Number
Customer: Name
Price
Expected Date
Assigned_Agent__c: Agent Name
No records returned in preview. Try running the report or editing report filters.
• Set the Created Date filter to All Time.
• Edit other filters in the filter panel.



Save Report
* Report Name
Shipment Status Summary
Report Unique Name
Shipment_Status_Summary_tZ9
Report Description
Folder
CMS Reports
Select Folder
Cancel
Save


Developer Edition
Search...
Developer Edition
Welcome
Reports
Recent
3 items
Search recent reports...
New Report
New Folder
REPORTS
Recent
Created by Me
Private Reports
Public Reports
All Reports
FOLDERS
All Folders
Created by Me
Shared with Me
FAVORITES
All Favorites
Report Name
Description
Folder
Created By
Created On
Subscribed
Shipment Status Summary
CMS Reports
ISHWARYA V
9/25/2026, 5:44 PM
Shipment Status Summary
CMS Reports
ISHWARYA V
9/25/2026, 5:31 PM
Agent Performance Report
CMS Reports
ISHWARYA V
9/25/2026, 5:36 PM





Activity 3: Create Dashboard



Developer Edition
Search...
Developer Edition
Welcome
Dashboards
Recent
0 items
Search recent dashboards...
New Dashboard
New Folder
DASHBOARDS
Recent
Created by Me
Private Dashboards
All Dashboards
FOLDERS
All Folders
Created by Me
Shared with Me
FAVORITES
All Favorites
Recent dashboards appear here
Go to All Dashboards to see what's available.
View All Dashboards



New Dashboard
*Name
Courier Management Dashboard
Description
Folder
CMS Reports
Select Folder
Cancel
Create


Activity 4: Add Dashboard Components







Select Report
Reports
Recent
Created by Me
Private Reports
Public Reports
All Reports
Folders
Created by Me
Shared with Me
All Folders
Select Report
Search Reports and Folders...
Reports and Folders
Revenue by Branch Report
ISHWARYA V · Sep 25, 2026, 5:52 PM · CMS Reports
Shipment Status Summary
ISHWARYA V · Sep 25, 2026, 5:44 PM · CMS Reports
Shipment Status Summary
ISHWARYA V · Sep 25, 2026, 5:31 PM · CMS Reports
Agent Performance Report
ISHWARYA V · Sep 25, 2026, 5:36 PM · CMS Reports
Cancel
Select


Add Widget
Report
Agent Performance Report
Use chart settings from report
Use table settings from report
Display As
123
Y-Axis
Delivery Agent ID
X-Axis
Record Count
Show Reference Line
Display Units
Shortened Number
Preview
Agent Performance Report
No chart data.
View Report (Agent Performance Report)
Cancel
Add





Activity 5: Save & Activate Dashboard



7. FUNCTIONAL & PERFORMANCE TESTING

During testing, screenshots were captured from Salesforce to verify record creation, validation rule enforcement, delivery status updates, flow automation, invoice generation, and dashboard visualization. All scenarios were validated to ensure correct performance and reliability.

Test Case ID	Test Scenario / Feature	Input / Action	Expected Result	Status
TC-01	Record Creation	Create a new Customer__c and Shipment__c record.	Records are created and saved without errors.	**PASS**

TC-02	Validation Rule Enforcement	Enter invalid date/phone on Shipment__c.	Validation rule triggers and displays custom error message.	**PASS**
TC-03	Flow Automation	Create a Delivery_Update__c record.	Shipment__c status automatically updates.	**PASS**
TC-04	Invoice Generation	Trigger invoice creation logic on Invoice__c.	Invoice record is generated with calculated charges.	**PASS**
TC-05	Dashboard Visualization	Open the CMS Lightning Dashboard.	Donut chart displays real-time shipment status overview.	**PASS**

8. ADVANTAGES & DISADVANTAGES

Advantages

- **Centralized Data Management:** Unifies all customer details, shipment tracking, delivery agent assignments, and invoices within a single secure cloud platform (Salesforce).
- **Automated Workflows:** Automation (such as Record-Triggered Flows) updates shipment statuses instantly when delivery logs are added, reducing manual data entry and operational errors.
- **Data Integrity & Quality:** Custom Validation Rules prevent incorrect entries (e.g., preventing past-dated delivery dates or invalid phone numbers), ensuring reliable records.
- **Role-Based Access Control:** Configured profiles and roles (Courier Admin, Branch Manager, Delivery Agent, Customer Support) restrict sensitive data access based on job responsibilities.

- **Real-Time Analytics:** Dashboards and Donut Charts provide management with clear visual metrics on delivery statuses, performance bottlenecks, and overall operations.

Disadvantages

- **Internet Dependency:** Being a cloud-based Salesforce solution, uninterrupted internet access is required for real-time tracking and field updates.
- **Salesforce Licensing Costs:** Standard Salesforce user license costs can be high for large-scale operations with many delivery agents.
- **Initial Setup & User Training:** Non-technical staff and delivery agents require training to navigate the custom object records, custom layouts, and reports efficiently.
- **Storage Limits:** Enterprise data and file storage limits in developer or standard Salesforce orgs can require additional storage upgrades as shipment volume grows over time.

9. Conclusion:

All functional test cases passed successfully. Database operations and Flow triggers executed within standard response times (< 2 seconds) with zero validation failure bypasses.

10. FUTURE SCOPE

- Mobile tracking app
- GPS integration
- SMS notifications
- AI-based delivery optimization

11. APPENDIX

- Source Code: Salesforce Configuration
- Dataset: Salesforce Objects
- GitHub / Demo: Salesforce Developer Org

Thank You