

Student's Name: Mobile No:

Roll Number: Branch:




Figure 1 No. of COVID-19 cases vs. days

Inferences:

- 1. Infer from the plot whether the days one after the other have similar power consumption?
- 2. State the reason behind inference 1.
- 3. Infer from the plot the duration of first and second waves.

 Note: The plot above is for illustration purposes. Replace it with the plot obtained by you. Suitably rename x-axis and y-axis legends.
- b. The value of the Pearson's correlation coefficient is

Inferences:

1. From the value of Pearson's correlation coefficient, what do you infer about the degree of correlation between the two time sequences?



- 2. We generally expect observations (here number of COVID-19 cases) on days one after the other to be similar. To what extent does it hold? Answer with respect to the value of Pearson's correlation coefficient.
- 3. State the reason behind Inferences 1 and 2.

c.




Figure 2 Scatter plot one day lagged sequence vs. given time sequence

Inferences:

- 1. From the nature of the spread of data points, what do you infer about the nature of correlation between the two sequences?
- 2. Does the scatter plot seem to obey the nature reflected by Pearson's correlation coefficient calculated in 1.b?
- 3. State reason behind inference 2.

Note: The scatter plot above is for illustration purposes. Replace it with the scatter plot obtained by you. Suitably rename x-axis and y-axis legends.



d.		_	
	Figure 3 Correlation coefficient vs. lags in given sequence		
Inferences:			
 Infer the trend of correlation coefficient value with respect to increase in lags in time sequence. Explain the reason behind the observed trend. 			
e.			

Figure 4 Correlation coefficient vs. lags in given sequence generated using 'plot_acf' function

Inferences:

- 1. Infer the trend of correlation coefficient value with respect to lags in time sequence.
- 2. Explain the reason behind the observed trend.



2

a. The coefficients obtained from the AR model are;

b. i.




Figure 5 Scatter plot actual vs. predicted values

Inferences:

- 1. From the nature of the spread of data points, what do you infer about the nature of the correlation between the two sequences?
- 2. Does the scatter plot seem to obey the nature reflected by Pearson's correlation coefficient calculated in 1.b?
- 3. State reason behind inference 2.

Note: The scatter plot above is for illustration purposes. Replace it with the scatter plot obtained by you. Suitably rename x-axis and y-axis legends.






Figure 6 Predicted test data time sequence vs. original test data sequence



Inferences:

1. From the plot of predicted test data time sequence vs. original test data sequence comment how reliable is the model for future predictions with suitable reasons.

iii.

The RMSE(\%) and MAPE between predicted power consumed for test data and original values for test data are .

Inferences:

- 1. From the value of RMSE(\%) and MAPE value comment how accurate is the model for the given time series is.
- 2. State the reason behind Inference 1.

3

Table 1 RMSE (%) and MAPE between predicted and original data values wrt lags in time sequence

Lag value	RMSE (%)	MAPE




Figure 7 RMSE(%) vs. time lag



Inferences:

- 1. Infer the trend of RMSE(%) with respect to increase in lags in time sequence.
- 2. State the reason behind Inference 1.

Note: The bar chart above is for illustration purposes. Replace it with the bar chart obtained by you. Suitably rename x-axis and y-axis legends.




Figure 8 MAPE vs. time lag

Inferences:

- 1. Infer the trend of MAPE with respect to increase in lags in time sequence.
- 2. State the reason behind Inference

Note: The bar chart above is for illustration purposes. Replace it with the bar chart obtained by you. Suitably rename x-axis and y-axis legends.

4

The heuristic value for the optimal number of lags is

The RMSE(%) and MAPE value between test data time sequence and original test data sequence are

Inferences:

- 1. Based upon the RMSE(%) and MAPE value, did heuristics for calculating the optimal number of lags improve the prediction accuracy of the model?
- 2. State the reason behind Inference 1



3. Compare the prediction accuracies obtained without and with the heuristic for calculating optimal lag with respect to RMSE(%) and MAPE values.

Guidelines for Report (Delete this while you submit the report):

- The plot/graph/figure/table should be centre justified with sequence number and caption.
- Inferences should be written as a numbered list.
- Use specific and technical terms to write inferences.
- Values observed/calculated should be rounded off to three decimal places.
- The quantities which have units should be written with units.