

WRMA Android Regression

Execution Environment

Host name	*****
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	Android 15 - Xiaomi 23076PC4BI (Android 15)

Summary

ID	Test Suites/WRMA Android Regression		
Description			
Total	8		
Passed	1	Failed	7
Error	0	Incomplete	0
Skipped	0		
Start	02-04-2025 17:17:59	End	02-04-2025 17:22:24
Elapsed	4m - 25.293s		

#	ID	Description	Status
1	Test Cases/App Installation And Launching/C658-C667-C668_ApplInstallationAndLaunching	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly Verify that the Privacy Policy in Guest Mode is displayed correctly	PASSED
2	Test Cases/Guest User Mode/C666-C719-C738_GuestUserMode	C666-Verify that the Settings in Guest Mode is displayed correctly C719-Verify that the app version on the Settings menu in Guest Mode is correct C738-Verify that the bottom navbar is displayed correctly when the user is in Guest state	FAILED
3	Test Cases/Guest User Mode/C764-C793_GuestUserMode	Verify that the Login Now tile is redirected to the OAM website	FAILED
4	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system C681-Verify that the system doesn't allow copy and paste the initially entered email address	FAILED

WRMA Android Regression

#	ID	Description	Status
5	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password C686-Verify that the First and Last name fields don't allow typing more than 50 symbols C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank	FAILED
6	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage	Verify that the Next button on the 'Not Verified Thank You' page is clickable	FAILED
7	Test Cases/Login Owner OR Renter/C735-C736-C739_LoginOwnerOrRenter	Verify that the bottom navbar is displayed correctly when the user is in a logged-in state Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly	FAILED
8	Test Cases/Login Owner OR Renter/C661-C720-C721_LoginOwnerOrRenter	C661-Verify that the user is able to login successfully C720-Verify that the app version on the Settings in Login Mode is correct C721-Verify that the current account email on the Settings in Login Mode is correct	FAILED

C658-C667-C668_AppInstallationAndLaunching

Information

ID	Test Cases/App Installation And Launching/C658-C667-C668_AppInstallationAndLaunching		
Description	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly		
Tag	Verify that the Privacy Policy in Guest Mode is displayed correctly		
Start		End	
Elapsed	02-04-2025 17:17:59		02-04-2025 17:20:43
Status	2m - 43.782s PASSED		

Details

#	Description	Elapsed	Status
1	Launch the application on the physical device Started application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'	26.772s	PASSED
2	Wait for 3 seconds for the app to load Delayed 3 second(s)	3.016s	PASSED
3	Verify the text "You are Moments Away From Customized Vacation Experiences" is present Element 'Object Repository/Repo/android.widget.TextView - Youre Moments Away FromCustomized Vacation Experiences' is exist	3.773s	PASSED
4	Wait for 3 seconds Delayed 3 second(s)	3.009s	PASSED
5	Get the text "You are Moments Away From Customized Vacation Experiences" and print it Text of element 'Object Repository/Repo/android.widget.TextView - Youre Moments Away FromCustomized Vacation Experiences' is: 'You're Moments Away From Customized Vacation Experiences.'	0.221s	PASSED
6	println("Text: " + text)	0.009s	PASSED

C658-C667-C668_AppInstallationAndLaunching

#	Description	Elapsed	Status
7	Wait for 3 seconds Delayed 3 second(s)	3.008s	PASSED
8	Verify the "Login or Sign Up" button is present Element 'Object Repository/Repo/android.widget.Button - Login or Sign Up' is exist	0.284s	PASSED
9	Wait for 3 seconds Delayed 3 second(s)	3.011s	PASSED
10	Verify the bottom navigation bar "Home" is present Element 'Object Repository/Repo/android.view.View - Home' is exist	0.233s	PASSED
11	Wait for 3 seconds Delayed 3 second(s)	3.010s	PASSED
12	Verify the bottom navigation bar "My Account" is present Element 'Object Repository/Repo/android.view.View - My Account' is exist	0.709s	PASSED
13	Wait for 3 seconds Delayed 3 second(s)	3.012s	PASSED
14	Tap on the non-clickable text "Vacation More. Get More" Tapped on element 'Object Repository/Repo/android.widget.TextView - Vacation More. Get More'	0.342s	PASSED
15	Wait for 3 seconds Delayed 3 second(s)	3.013s	PASSED
16	Verify that tapping on "Vacation More. Get More" does not redirect to the next page Element 'Object Repository/Repo/android.widget.TextView - Vacation More. Get More' is visible	0.273s	PASSED

C658-C667-C668_AppInstallationAndLaunching

#	Description	Elapsed	Status
17	Wait for 3 seconds Delayed 3 second(s)	3.012s	PASSED
18	Verify the text "Explore Westgate Loyalty" is visible Element 'Object Repository/Repo/android.widget.TextView - Explore Westgate Loyalty' is visible	0.325s	PASSED
19	Wait for 3 seconds Delayed 3 second(s)	3.011s	PASSED
20	Tap on the clickable text "Continue as a Guest" Tapped on element 'Object Repository/Repo/android.widget.TextView - Continue as a Guest'	0.956s	PASSED
21	Wait for the "Continue as a Guest" element to be present after tapping Element 'Object Repository/Repo/android.widget.TextView - Continue as a Guest' is present	0.176s	PASSED
22	Check if the element is visible and log the result	0.001s	PASSED
23	else Failed: Expected element not found after tapping 'Continue as a Guest.'	0.005s	PASSED
24	Wait for 15 seconds Delayed 10 second(s)	10.010s	PASSED
25	Tap on the menu button Tapped on element 'Object Repository/Repo/android.widget.Button - menu'	0.539s	PASSED

C658-C667-C668_AppInstallationAndLaunching

#	Description	Elapsed	Status
26	Wait for 30 seconds for the menu to open Delayed 30 second(s)	30.008s	PASSED
27	Tap on the "Terms and Conditions" option in the menu Tapped on element 'Object Repository/Repo/android.widget.TextView - Terms and Conditions-Menu'	0.875s	PASSED
28	delay(10) Delayed 10 second(s)	10.011s	PASSED
29	Verify if the "Terms and Conditions" webview is present	0.755s	PASSED
30	Wait for 30 seconds Delayed 10 second(s)	10.011s	PASSED
31	Tap on the cancel button to close the webview Tapped on element 'Object Repository/Repo/android.widget.ImageButton-Cancel web'	0.478s	PASSED
32	Wait for 15 seconds Delayed 15 second(s)	15.011s	PASSED
33	Tap on the menu button again to open the menu fly-out Tapped on element 'Object Repository/Repo/android.widget.Button - menu'	0.590s	PASSED
34	Wait for 30 seconds for the menu to open Delayed 15 second(s)	15.010s	PASSED

C658-C667-C668_AppInstallationAndLaunching

#	Description	Elapsed	Status
35	Tap on the "Privacy Policy" option in the menu Tapped on element 'Object Repository/Repo/android.widget.TextView - Privacy Policy-Menu'	1.192s	PASSED
36	Verify if the "Privacy Policy" webview is present	4.487s	PASSED
37	Close the application successfully Close app successfully	3.435s	PASSED
38	closeBrowser() Browser is closed	0.046s	PASSED

C666-C719-C738_GuestUserMode

Information

ID	Test Cases/Guest User Mode/C666-C719-C738_GuestUserMode		
Description	C666-Verify that the Settings in Guest Mode is displayed correctly C719-Verify that the app version on the Settings menu in Guest Mode is correct		
Tag	C738-Verify that the bottom navbar is displayed correctly when the user is in Guest state		
Start			
Elapsed	02-04-2025 17:20:43	End	02-04-2025 17:22:24
Status	1m - 40.573s FAILED		

Details

#	Description	Elapsed	Status
1	Launch the Westgate mobile application Started application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'	22.100s	PASSED
2	Wait for the application to load completely Delayed 10 second(s)	10.010s	PASSED
3	Navigate through initial screen by tapping "Continue as a Guest" Tapped on element 'Object Repository/Repo/android.widget.TextView - Continue as a Guest'	0.706s	PASSED
4	Wait for guest mode initialization Delayed 10 second(s)	10.009s	PASSED
5	Open application menu Tapped on element 'Object Repository/Repo/android.widget.Button - menu'	0.962s	PASSED
6	Wait for menu to fully expand Delayed 20 second(s)	20.008s	PASSED

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
7	Navigate to version information tab Tapped on element 'Object Repository/Repo/android.widget.TabWidget-Settings'	0.962s	PASSED
8	Wait for version information to load Delayed 10 second(s)	10.010s	PASSED
9	Capture the actual version text Text of element 'Object Repository/Repo/android.widget.Button - Version 2.81.111' is: 'Version 2.81.111'	0.313s	PASSED
10	Verify application version	0.000s	PASSED
11	assert actualVersionText == expectedVersionText	0.001s	PASSED
12	println(Version verification successful: \$actualVersionText)	0.022s	PASSED
13	Return to home screen Tapped on element 'Object Repository/Repo/android.widget.Button - menu'	0.808s	PASSED
14	delay(10) Delayed 10 second(s)	10.007s	PASSED
15	Verify "Home" element exists Element 'Object Repository/Repo/android.view.View - Home' is exist	2.138s	PASSED
16	assert homeElementExists : "Element 'Home' does not exist."	0.001s	PASSED

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
17	Retrieve and verify "Home" text Text of element 'Object Repository/Repo/android.view.View - Home' is: 'Home'	0.308s	PASSED
18	assert homeText == "Home"	0.001s	PASSED
19	println("Home screen verification successful.")	0.003s	PASSED
20	Navigate to "My Account" section Tapped on element 'Object Repository/Repo/android.view.View - My Account'	0.359s	PASSED
21	delay(10) Delayed 10 second(s)	10.005s	PASSED
22	Verify "My Account" element exists Element 'Object Repository/Repo/android.view.View - My Account' is exist	0.430s	PASSED
23	assert myAccountElementExists : "Element 'My Account' does not exist."	0.001s	PASSED

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
24	Retrieve and verify "My Account" text	1.364s	FAILED
	<p>Failed to get text from element (Root cause: com.kms.katalon.core.exception. StepFailedException: Failed to get text from element at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:35) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.getText (MobileBuiltInKeywords.groovy:1245) at C666-C719-C738_GuestUserMode.run(C666-C719- C738_GuestUserMode:95) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180) at TempTestSuite1743594474485.run(TempTestSuite1743594474485. groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: Could not proxy command to the remote server. Original error: socket hang up Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [9267b645-6385-4906-971b-5a94379eb02b, findElements {using=xpath, value=//*[@class = 'android.view.View' and (@text = 'My Account' or .= 'My Account')}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:appActivity: com.westgate.rewrite2.MainA..., appium:appPackage: com.westgate.rewrite2, appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:databaseEnabled: false, appium:desired: {app: /Users/gv. vignesh/Downloads..., autoGrantPermissions: true, automationName:</p>		

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
	<p>uiautomator2, deviceId: , deviceName: Xiaomi 23076PC4BI (Android 15), fullReset: true, newCommandTimeout: 1800, noReset: false, platformName: ANDROID, platformVersion: 15, systemPort: 49371, udid: a6e538dc5180}, appium: deviceApiLevel: 35, appium:deviceId: , appium:deviceManufacturer: Xiaomi, appium:deviceModel: 23076PC4BI, appium:deviceName: a6e538dc5180, appium: deviceScreenDensity: 440, appium:deviceScreenSize: 1080x2460, appium: deviceUDID: a6e538dc5180, appium:fullReset: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:pixelRatio: 2.75, appium:platformVersion: 15, appium:statBarHeight: 104, appium:systemPort: 49371, appium:takesScreenshot: true, appium:udid: a6e538dc5180, appium: viewportRect: {height: 2356, left: 0, top: 104, width: 1080}, appium:warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID}</p> <p>Session ID: 9267b645-6385-4906-971b-5a94379eb02b</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElements(ElementLocation.java:182) at org.openqa.selenium.remote.ElementLocation.findElements (ElementLocation.java:103) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:368) at org.openqa.selenium.remote.RemoteWebDriver.findElements (RemoteWebDriver.java:362) at com.kms.katalon.core.mobile.keyword.internal.MobileSearchEngine. findElementsByMobileLocator(MobileSearchEngine.java:652) at com.kms.katalon.core.mobile.keyword.internal.MobileSearchEngine. findWebElement(MobileSearchEngine.java:558) at com.kms.katalon.core.mobile.keyword.internal. MobileSearchEngine\$findWebElement.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.internal.MobileAbstractKeyword. findElement(MobileAbstractKeyword.groovy:84) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.mobile.keyword.builtin. GetTextKeyword\$_getText_closure1.doCall(GetTextKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin. GetTextKeyword\$_getText_closure1.call(GetTextKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.GetTextKeyword.getText (GetTextKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.GetTextKeyword.execute (GetTextKeyword.groovy:35) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)</p>		

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.getText (MobileBuiltInKeywords.groovy:1245) at Script1743083880832.run(Script1743083880832.groovy:95) ... 15 more)</pre>		

C764-C793_GuestUserMode

Information

ID	Test Cases/Guest User Mode/C764-C793_GuestUserMode		
Description	Verify that the Login Now tile is redirected to the OAM website		
Tag			
Start	02-04-2025 17:22:24	End	02-04-2025 17:22:24
Elapsed	0.131s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

C764-C793_GuestUserMode

#	Description	Elapsed	Status
1	<p>Launch the application</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C764-C793_GuestUserMode.run(C764-C793_GuestUserMode:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594474485.run(TempTestSuite1743594474485.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Device a6e538dc5180 was not in the list of connected devices</p> <p>Host info: host: '*****', ip: '*****'</p> <p>Build info: version: '4.22.0', revision: 'c5f3146703'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Command: [null, newSession {capabilities=[Capabilities {appium:app: '/Users/gv.vignesh/Downloads/..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:</p>	0.091s	FAILED

C764-C793_GuestUserMode

#	Description	Elapsed	Status
	<pre>platformVersion: 15, appium:systemPort: 49574, appium:udid: a6e538dc5180, platformName: ANDROID}}]]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 49574, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743084032656.run(Script1743084032656.groovy:24) ... 15 more)</pre>		

C660-C681_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage
Description	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page
Tag	C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered
Start	C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address
Elapsed	C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system
Status	C681-Verify that the system doesn't allow copy and paste the initially entered email address

02-04-2025 17:22:24End02-04-2025 17:22:24

0.157s

FAILED

Details

#	Description	Elapsed	Status
1	emailValidationTests = new EmailValidationTests()	0.001s	PASSED
2	emailValidationTests.runAllTests()	0.000s	PASSED
3	setup()	0.001s	PASSED

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
4	<p>startApplication(appUrl, true)</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at EmailValidationTests.setup(Script1743084213202.groovy:21)</p> <p>at EmailValidationTests.runAllTests(Script1743084213202.groovy:238)</p> <p>at C660-C681_SignUpNewUserPage.run(C660-C681_SignUpNewUserPage:254)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594474485.run(TempTestSuite1743594474485.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Device a6e538dc5180 was not in the list of connected devices</p> <p>Host info: host: '*****', ip: '*****'</p> <p>Build info: version: '4.22.0', revision: 'c5f3146703'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Command: [null, newSession {capabilities=[Capabilities {appium:app: '/Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:</p>	0.079s	FAILED

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 49581, appium:udid: a6e538dc5180, platformName: ANDROID}}}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 49581, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at EmailValidationTests.setup(Script1743084213202.groovy:21) at EmailValidationTests.runAllTests(Script1743084213202.groovy:238) at Script1743084213202.run(Script1743084213202.groovy:254) ... 15 more)</pre>		

C682-C688_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage
Description	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields
Tag	C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password
Start	C686-Verify that the First and Last name fields don't allow typing more than 50 symbols
Elapsed	C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank
Status	

02-04-2025 17:22:24End02-04-2025 17:22:24

0.118s

FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
1	<p>Start the application using the specified APK file</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at C682-C688_SignUpNewUserPage.run(C682-C688_SignUpNewUserPage:39) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743594474485.run(TempTestSuite1743594474485.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Device a6e538dc5180 was not in the list of connected devices Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout:</p>	0.076s	FAILED

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 49587, appium:udid: a6e538dc5180, platformName: ANDROID}}}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 49587, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743403401247.run(Script1743403401247.groovy:39) ... 15 more)</pre>		

C699_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage		
Description	Verify that the Next button on the 'Not Verified Thank You' page is clickable		
Tag			
Start	02-04-2025 17:22:24	End	02-04-2025 17:22:24
Elapsed	0.245s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.139s	PASSED
2	Extract email, first name, last name, password, and confirm password from the test data file	0.004s	PASSED
3	firstName = testData.getValue("firstname", 1)	0.000s	PASSED
4	lastName = testData.getValue("lastname", 1)	0.000s	PASSED
5	password = testData.getValue("password", 1)	0.000s	PASSED
6	confirmPassword = testData.getValue("confirm password", 1)	0.001s	PASSED

C699_SignUpNewUserPage

#	Description	Elapsed	Status
7	Launch the mobile application with reset enabled (clears previous session data) Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at C699_SignUpNewUserPage.run(C699_SignUpNewUserPage:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743594474485.run(TempTestSuite1743594474485.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Device a6e538dc5180 was not in the list of connected devices Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: '/Users/gv.vignesh/Downloads/..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:	0.076s	FAILED

C699_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>platformVersion: 15, appium:systemPort: 49593, appium:udid: a6e538dc5180, platformName: ANDROID}}]]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 49593, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743084415792.run(Script1743084415792.groovy:40) ... 15 more)</pre>		

C735-C736-C739_LoginOwnerOrRenter

Information

ID	Test Cases/Login Owner OR Renter/C735-C736-C739_LoginOwnerOrRenter		
Description	Verify that the bottom navbar is displayed correctly when the user is in a logged-in state Verify that the Term and Conditions in Logged state is displayed correctly		
Tag	Verify that the Privacy Policy in Logged state is displayed correctly		
Start		End	
Elapsed	02-04-2025 17:22:24		02-04-2025 17:22:24
Status	0.106s FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data from "C739" data file	0.006s	PASSED
2	Extract the email and password from the test data	0.000s	PASSED
3	password = testData.getValue("password", 1)	0.000s	PASSED

C735-C736-C739_LoginOwnerOrRenter

#	Description	Elapsed	Status
4	<p>Launch the mobile application</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at C735-C736-C739_LoginOwnerOrRenter.run(C735-C736-C739_LoginOwnerOrRenter:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743594474485.run(TempTestSuite1743594474485.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Device a6e538dc5180 was not in the list of connected devices Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout:</p>	0.077s	FAILED

C735-C736-C739_LoginOwnerOrRenter

#	Description	Elapsed	Status
	<pre>1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 49599, appium:udid: a6e538dc5180, platformName: ANDROID}}}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 49599, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743423830314.run(Script1743423830314.groovy:36) ... 15 more)</pre>		

C661-C720-C721_LoginOwnerOrRenter

Information

ID	Test Cases/Login Owner OR Renter/C661-C720-C721_LoginOwnerOrRenter		
Description	C661-Verify that the user is able to login successfully C720-Verify that the app version on the Settings in Login Mode is correct		
Tag	C721-Verify that the current account email on the Settings in Login Mode is correct		
Start		End	
Elapsed	02-04-2025 17:22:24		02-04-2025 17:22:24
Status	0.109s FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data for login credentials and expected app version	0.009s	PASSED
2	Extract email, password, and expected app version from test data	0.001s	PASSED
3	password = testData.getValue("password", 1)	0.000s	PASSED
4	expectedVersion = testData.getValue("version", 1)	0.001s	PASSED

C661-C720-C721_LoginOwnerOrRenter

#	Description	Elapsed	Status
5	Launch the mobile application	0.080s	FAILED
<p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C661-C720-C721_LoginOwnerOrRenter.run(C661-C720-C721_LoginOwnerOrRenter:52)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594474485.run(TempTestSuite1743594474485.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Device a6e538dc5180 was not in the list of connected devices</p> <p>Host info: host: '*****', ip: '*****'</p> <p>Build info: version: '4.22.0', revision: 'c5f3146703'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout:</p>			

C661-C720-C721_LoginOwnerOrRenter

#	Description	Elapsed	Status
	<pre>1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 49605, appium:udid: a6e538dc5180, platformName: ANDROID}}}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 49605, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743084480752.run(Script1743084480752.groovy:52) ... 15 more)</pre>		