WRMA-Android Regression

Execution Environment

Host name *******

Local OS Mac OS X 64bit

Katalon version 10.1.1.0

Browser

Device name Android 16 - emulator-5554 (sdk_gphone64_arm64 - Android 16)

Summary

ID Test Suites/WRMA-Android Regression

Description

Total 4

Passed 0 Failed 4
Error 0 Incomplete 0

Skipped 0

Start 27-03-2025 21:04:05 End 27-03-2025 21:09:35

Elapsed 5m - 29.850s

#	ID	Description	Status
1	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password C686-Verify that the First and Last name fields don't allow typing more than 50 symbols C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank	FAILED

WRMA-Android Regression

#	ID	Description	Status
2	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system C681-Verify that the system doesn't allow copy and paste the initially entered email address	FAILED
3	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage	Verify that the Next button on the 'Not Verified Thank You' page is clickable	FAILED
4	Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used	FAILED

Information

ID Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage

Description C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last

Name fields

Tag C683-Verify that the correct inline error message appears when typing the password less than 8 symbols

C684-Verify that the password field doesn't allow typing more than 20 symbols

C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original

password

Start C686-Verify that the First and Last name fields don't allow typing more than 50 symbols

Elapsed C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank

Status

27-03-2025 21:05:48 End 27-03-2025 21:05:48

0.551s

FAILED

Details

#	Description	Elapsed	Status
1	Initialize test data from Excel file	0.007s	PASSED

Description	Elapsed	Status
Launch the mobile application	0.531s	FAILED
Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-		
Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to start application: '/Users/gv.		
vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
stepFailed(MobileKeywordMain.groovy:64)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:34)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
startApplication(StartApplicationKeyword.groovy:91)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
execute(StartApplicationKeyword.groovy:48)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
startApplication(MobileBuiltInKeywords.groovy:49)		
at C682-C688_SignUpNewUserPage.run(C682-C688_SignUpNewUserPage:		
40)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:71)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:107)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1743089412806.run(TempTestSuite1743089412806.		
groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a		
new session. Response code 500. Message: An unknown server-side error occurred		
while processing the command. Original error: Error executing adbExec. Original		
error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-		
tools/adb -P 5037 -s emulator-5554 shell 'settings delete global		
hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;		
settings delete global hidden_api_policy" exited with code 20'; Command output:		

Elapsed

Status

```
Description
cmd: Can't find service: settings
cmd: Can't find service: settings
cmd: Can't find service: settings
Host info: host: '********, ip: '********
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:
'17.0.14'
Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-
5554 (sdk_gphone64..., appium:fullReset: false, appium:newCommandTimeout:
1800, appium:noReset: true, appium:platformName: ANDROID, appium:
platformVersion: 16, appium:systemPort: 49390, appium:udid: emulator-5554,
platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId:, appium:deviceName: emulator-5554 (sdk_gphone64..., appium:
fullReset: false, appium:newCommandTimeout: 1800, appium:noReset: true,
appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort:
49390, appium:udid: emulator-5554, platformName: ANDROID}
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
         at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
          at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
          at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
         at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
          at org.openga.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
         at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
99)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
         at\ com.kms. katalon. core. appium. driver. Appium Driver Manager.
createMobileDriver(AppiumDriverManager.java:551)
         at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
         at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
```

```
# Description

executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
    at Script1743084258220.run(Script1743084258220.groovy:40)
    ... 18 more
)
```

Information

ID Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage

Description C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the

Login or Sign up page

Tag C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the

New User page

C678-Verify that the correct inline error message appears when the email address with the domain

"@wgresorts.com" is entered

Start C679-Verify that the correct inline error message appears when the confirmation email address doesn't match

the original email address

Elapsed C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in

Status the system

C681-Verify that the system doesn't allow copy and paste the initially entered email address

27-03-2025 21:05:50

End

27-03-2025 21:05:51

1.194s

FAILED

Details

#	Description	Elapsed	Status
1	emailValidationTests = new EmailValidationTests()	0.001s	PASSED
2	emailValidationTests.runAllTests()	0.000s	PASSED
3	testInvalidEmailFormat()	0.000s	PASSED
4	Retrieve test data from "InvalidEmail" Excel file	0.007s	PASSED
5	Get the total number of rows available in the Excel sheet	0.000s	PASSED

Description Elapsed Status

Description	Elapsed	Statu
Start the mobile application	1.170s	FAILE
Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-		
Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to start application: '/Users/gv.		
vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
stepFailed(MobileKeywordMain.groovy:64)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:34)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
startApplication(StartApplicationKeyword.groovy:91)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
execute(StartApplicationKeyword.groovy:48)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
startApplication(MobileBuiltInKeywords.groovy:49)		
at EmailValidationTests.testInvalidEmailFormat(Script1743084213202.		
groovy:59)		
at EmailValidationTests.runAllTests(Script1743084213202.groovy:388)		
at C660-C681_SignUpNewUserPage.run(C660-C681_SignUpNewUserPage:		
398)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:71)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:107)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1743089412806.run(TempTestSuite1743089412806.		
groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a		
new session. Response code 500. Message: An unknown server-side error occurred		
while processing the command. Original error: Cannot start the 'io.appium.settings'		

Elapsed

Status

Description error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/. katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell am start-activity -n io.appium.settings/.Settings -a android.intent.action.MAIN -c android.intent.category.LAUNCHER' exited with code 1'; Command output: Error type 3 Error: Activity class {io.appium.settings/io.appium.settings.Settings} does not exist. Host info: host: '*******, ip: '******** Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: false, appium:newCommandTimeout: 1800, appium:noReset: true, appium:platformName: ANDROID, appium: platformVersion: 16, appium:systemPort: 49549, appium:udid: emulator-5554, platformName: ANDROID}]}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium: fullReset: false, appium:newCommandTimeout: 1800, appium:noReset: true, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 49549, appium:udid: emulator-5554, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openga.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) $at\ com.kms. katalon. core. appium. driver. Appium Driver Manager.$ createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)

```
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
    at EmailValidationTests.testInvalidEmailFormat(Script1743084213202.groovy:388)
    at Script1743084213202.run(Script1743084213202.groovy:398)
    ... 18 more
)
```

Information

ID Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage

Description Verify that the Next button on the 'Not Verified Thank You' page is clickable

Tag

Start 27-03-2025 21:05:55 End 27-03-2025 21:08:27

Elapsed 2m - 31.567s

Status FAILED

Folder/universal.apk'

Details

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.005s	PASSED
2	Extract email, first name, last name, password, and confirm password from the test data file	0.000s	PASSED
3	firstName = testData.getValue("firstname", 1)	0.000s	PASSED
4	lastName = testData.getValue("lastname", 1)	0.000s	PASSED
5	password = testData.getValue("password", 1)	0.000s	PASSED
6	confirmPassword = testData.getValue("confirm password", 1)	0.001s	PASSED
7	Launch the mobile application with reset enabled (clears previous session data) Started application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App	21.696s	PASSED

#	Description	Elapsed	Status
8	Wait for 10 seconds to allow the application to load Delayed 10 second(s)	10.007s	PASSED
9	Tap on the "Login or Sign Up" button to proceed to the authentication page Tapped on element 'Object Repository/Repo/android.widget.Button - Login or Sign Up'	0.987s	PASSED
10	Wait for 10 seconds to ensure the login screen loads properly Delayed 10 second(s)	10.006s	PASSED
11	Enter the retrieved email into the email input field Text 'mca@gmail.com' has been set to element 'Object Repository/Repo/android.widget.EditText-LoginorSignUp'	0.232s	PASSED
12	Hide the keyboard to avoid UI conflicts Keyboard is hidden	1.958s	PASSED
13	Wait for 10 seconds to stabilize the UI Delayed 10 second(s)	10.012s	PASSED
14	Tap on the "Next" button to proceed Tapped on element 'Object Repository/Repo/android.widget.Button - Next'	0.148s	PASSED
15	Wait for 10 seconds for the next screen to load Delayed 10 second(s)	10.011s	PASSED
16	Enter the retrieved email again to confirm email address Text 'mca@gmail.com' has been set to element 'Object Repository/Repo/android.widget.EditText-confirm email address'	0.238s	PASSED

#	Description	Elapsed	Status
17	Hide the keyboard Keyboard is hidden	1.490s	PASSED
18	Wait for 10 seconds to ensure input is processed Delayed 10 second(s)	10.010s	PASSED
19	Tap on the "Next" button to proceed to the personal information section Tapped on element 'Object Repository/Repo/android.widget.Button - Next (1)'	0.119s	PASSED
20	Wait for 10 seconds for the transition to complete Delayed 10 second(s)	10.010s	PASSED
21	Enter the first name Text 'GV' has been set to element 'Object Repository/Repo/android.widget.EditText- FirstName'	0.176s	PASSED
22	Hide the keyboard Keyboard is hidden	1.379s	PASSED
23	Wait for 10 seconds Delayed 10 second(s)	10.008s	PASSED
24	Enter the last name Text 'Vignesh' has been set to element 'Object Repository/Repo/android.widget.EditText-LastName'	0.143s	PASSED
25	Hide the keyboard Keyboard is hidden	1.331s	PASSED
26	Wait for 10 seconds Delayed 10 second(s)	10.009s	PASSED

#	Description	Elapsed	Status
27	Enter the password Send keys 'password' on test object 'Object Repository/Repo/android.widget.EditText-Password' successfully.	0.107s	PASSED
28	Wait for 10 seconds Delayed 10 second(s)	10.019s	PASSED
29	Enter the confirm password Send keys 'password' on test object 'Object Repository/Repo/android.widget.EditText-ConfirmPassword' successfully.	0.100s	PASSED
30	Wait for 10 seconds Delayed 10 second(s)	10.004s	PASSED
31	Tap on the "Next" button to proceed Tapped on element 'Object Repository/Repo/android.widget.Button - Next (2)'	0.140s	PASSED
32	Wait for 20 seconds for page transition Delayed 20 second(s)	20.029s	PASSED

#	Description	Elapsed	Status
33	Scroll down until the text "etc)." is visible	1.175s	FAILED
	Unable to scroll to text 'etc).' (Root cause: com.kms.katalon.core.exception.		
	StepFailedException: Unable to scroll to text 'etc).'		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	runKeyword(MobileKeywordMain.groovy:34)		
	at com.kms.katalon.core.mobile.keyword.internal.		
	MobileKeywordMain\$runKeyword.call(Unknown Source)		
	at com.kms.katalon.core.mobile.keyword.builtin.ScrollToTextKeyword.scrollToText(ScrollToTextKeyword.groovy:80)		
	at com.kms.katalon.core.mobile.keyword.builtin.ScrollToTextKeyword.		
	execute(ScrollToTextKeyword.groovy:38)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
	scrollToText(MobileBuiltInKeywords.groovy:1969)		
	at C699_SignUpNewUserPage.run(C699_SignUpNewUserPage:114)		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
	(TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:71)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1743089412806.run(TempTestSuite1743089412806.		
	groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.WebDriverException: An unknown server-side		
	error occurred while processing the command. Original error: 'POST /element'		
	cannot be proxied to UiAutomator2 server because the instrumentation process is		
	not running (probably crashed). Check the server log and/or the logcat output for more details		

Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:

'17.0.14'

Elapsed

Status

Description Driver info: io.appium.java_client.android.AndroidDriver Command: [7b8e6feb-61fa-47e9-a6bf-ee1089764930, findElement {value=new UiScrollable(new UiSelector().scrollable(true).instance(0)).scrollIntoView(new UiSelector().textContains("etc).")), using=-android uiautomator}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:appActivity: com.westgate.rewrite2.MainA..., appium:appPackage: com.westgate.rewrite2, appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:databaseEnabled: false, appium:desired: {app: /Users/gv. vignesh/Downloads..., autoGrantPermissions: true, automationName: uiautomator2, deviceId: , deviceName: emulator-5554 (sdk_gphone64..., fullReset: true, newCommandTimeout: 1800, noReset: false, platformName: ANDROID, platformVersion: 16, systemPort: 49820, udid: emulator-5554}, appium: deviceApiLevel: 36, appium:deviceld:, appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone64_arm64, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium: deviceUDID: emulator-5554, appium:fullReset: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: pixelRatio: 2.625, appium:platformVersion: 16, appium:statBarHeight: 63, appium: systemPort: 49820, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2337, left: 0, top: 63, width: 1080}, appium: warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: 7b8e6feb-61fa-47e9-a6bf-ee1089764930 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openga.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2. findElement(ElementLocation.java:165) at org.openga.selenium.remote.ElementLocation.findElement (ElementLocation.java:66) $at\ org. open qa. selenium. remote. Remote Web Driver. find Element$ (RemoteWebDriver.java:355) at org.openqa.selenium.remote.RemoteWebDriver.findElement (RemoteWebDriver.java:349) at org.openqa.selenium.WebDriver\$findElement\$0.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.builtin. ScrollToTextKeyword\$_scrollToText_closure1.doCall(ScrollToTextKeyword.groovy: at com.kms.katalon.core.mobile.keyword.builtin. ScrollToTextKeyword\$_scrollToText_closure1.doCall(ScrollToTextKeyword.groovy) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.

runKeyword(MobileKeywordMain.groovy:30)

Description Elapsed Status

```
at com.kms.katalon.core.mobile.keyword.internal.

MobileKeywordMain$runKeyword.call(Unknown Source)
    at com.kms.katalon.core.mobile.keyword.builtin.ScrollToTextKeyword.

scrollToText(ScrollToTextKeyword.groovy:80)
    at com.kms.katalon.core.mobile.keyword.builtin.ScrollToTextKeyword.

execute(ScrollToTextKeyword.groovy:38)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.

executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.

scrollToText(MobileBuiltInKeywords.groovy:1969)
    at Script1743084415792.run(Script1743084415792.groovy:114)
    ... 18 more
```

Information

ID Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage

Description Verify that the confirmation email is received after agreeing to the Terms and Conditions

Verify that outdated verification links cannot be used

Tag

Start 27-03-2025 21:09:18 End 27-03-2025 21:09:35

Elapsed 16.615s Status FAILED

Details

#	Description	Elapsed	Status
1	Initializes testData by finding the test data file located at "Data Files"	0.010s	PASSED
2	Retrieves the value of the "email" field from the first row of the test data and assigns it to the variable email.	0.001s	PASSED
3	Retrieves the value of the "firstname" field from the first row of the test data and assigns it to the variable firstName.	0.000s	PASSED
4	Retrieves the value of the "lastname" field from the first row of the test data and assigns it to the variable lastName.	0.000s	PASSED
5	Retrieves the value of the "password" field from the first row of the test data and assigns it to the variable password.	0.000s	PASSED
6	Retrieves the value of the "confirmpassword" field from the first row of the test data and assigns it to the variable confirmPassword.	0.000s	PASSED

Description Elapsed Status

#	Description	Elapsed	Status
7	Launches the application	16.590s	FAILED
	Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to start application: '/Users/gv. vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)		
	at C698-C696_SignUpNewUserPage.run(C698-C696_SignUpNewUserPage:		
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180) at TempTestSuite1743089412806.run(TempTestSuite1743089412806.		
	groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a		
	new session. Response code 500. Message: An unknown server-side error occurred		
	while processing the command. Original error: The instrumentation process cannot be initialized. Make sure the application under test does not crash and investigate		
	the logcat output. Host info: host: '********, ip: '*********'		
	Build info: version: '4.22.0', revision: 'c5f3146703'		

Build info: version: '4.22.0', revision: 'c5f3146703'

Elapsed

Status

```
Description
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:
'17.0.14'
Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceld:, appium:deviceName: emulator-
5554 (sdk_qphone64..., appium:fullReset: true, appium:newCommandTimeout:
1800, appium:noReset: false, appium:platformName: ANDROID, appium:
platformVersion: 16, appium:systemPort: 51002, appium:udid: emulator-5554,
platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId:, appium:deviceName: emulator-5554 (sdk_gphone64..., appium:
fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false,
appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort:
51002, appium:udid: emulator-5554, platformName: ANDROID}
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
          at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
          at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute
(RemoteWebDriver.java:518)
          at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
          at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
          at io.appium.java client.AppiumDriver.<init>(AppiumDriver.java:91)
          at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
99)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:551)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
         at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
          at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
         at Script1743084347401.run(Script1743084347401.groovy:39)
          ... 18 more
```

Description Elapsed Status