WRMA-Android Regression

Execution Environment

Host name	**********
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	

Summary

ID	Test Suites/WRMA-Android Regression		
Description			
Total	4		
Passed	0	Failed	4
Error	0	Incomplete	0
Skipped	0		
Start	28-03-2025 02:18:18	End	28-03-2025 02:18:19
Elapsed	0.904s		

#	ID	Description	Status
1	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password C686-Verify that the First and Last name fields don't allow typing more than 50 symbols C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank	FAILED

WRMA-Android Regression

#	ID	Description	Status
2	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system C681-Verify that the system doesn't allow copy and paste the initially entered email address	FAILED
3	Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used	FAILED
4	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage	Verify that the Next button on the 'Not Verified Thank You' page is clickable	FAILED

C682-C688_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage
Description	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields
Tag	C683-Verify that the correct inline error message appears when typing the password less than 8 symbols
	C684-Verify that the password field doesn't allow typing more than 20 symbols
	C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password
Start	C686-Verify that the First and Last name fields don't allow typing more than 50 symbols
	C687-Verify that the Next button is activated only when all fields are filled
Elapsed	C688-Verify that the Next button remains inactive If any fields are left blank
Status	

28-03-2025 02:18:19		End	28-03-2025 02:18:19
0.029s			
FAILED			

Details

#	Description	Elapsed	Status
1	userRegistrationTests = new UserRegistrationTests()	0.001s	PASSED
2	userRegistrationTests.runAllTests()	0.000s	PASSED
3	testNameValidationWithNumbers()	0.000s	PASSED
4	Retrieve test data	0.007s	PASSED

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
5	Launch the mobile application	0.002s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
        at UserRegistrationTests.testNameValidationWithNumbers(Script1743084258220.groovy:23)
        at UserRegistrationTests.runAllTests(Script1743084258220.groovy:454)
        at C682-C688_SignUpNewUserPage.run(C682-C688_SignUpNewUserPage:464)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1743108494080.run(TempTestSuite1743108494080.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
        at com.google.common.base.Preconditions.checkArgument(Preconditions.java:145)

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:593)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510)		
	at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89)		
	at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword. groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)		
	at UserRegistrationTests.testNameValidationWithNumbers (Script1743084258220.groovy:23)		
	at UserRegistrationTests.runAllTests(Script1743084258220.groovy:454)		
	at Script1743084258220.run(Script1743084258220.groovy:464)		
	... 18 more		
	)		

C660-C681_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage
Description	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page
Tag	C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page
	C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered
Start	C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address
Elapsed	C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system
Status	C681-Verify that the system doesn't allow copy and paste the initially entered email address

28-03-2025 02:18:19	End	28-03-2025 02:18:19
0.021s		
FAILED		

Details

#	Description	Elapsed	Status
1	emailValidationTests = new EmailValidationTests()	0.000s	PASSED
2	emailValidationTests.runAllTests()	0.000s	PASSED
3	testInvalidEmailFormat()	0.000s	PASSED
4	Retrieve test data from "InvalidEmail" Excel file	0.004s	PASSED
5	Get the total number of rows available in the Excel sheet	0.001s	PASSED

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
6	Start the mobile application	0.002s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
        at EmailValidationTests.testInvalidEmailFormat(Script1743084213202.groovy:59)
        at EmailValidationTests.runAllTests(Script1743084213202.groovy:390)
        at C660-C681_SignUpNewUserPage.run(C660-C681_SignUpNewUserPage:400)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1743108494080.run(TempTestSuite1743108494080.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing.
Please select the mobile device to be executed and try again.
        at com.google.common.base.Preconditions.checkArgument(Preconditions.java:145)

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:593) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at EmailValidationTests.testInvalidEmailFormat(Script1743084213202.groovy:59) at EmailValidationTests.runAllTests(Script1743084213202.groovy:390) at Script1743084213202.run(Script1743084213202.groovy:400) ... 18 more)		

C698-C696_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage
Description	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used
Tag	

Start	28-03-2025 02:18:19	End	28-03-2025 02:18:19
Elapsed	0.013s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Initializes testData by finding the test data file located at "Data Files"	0.004s	PASSED
2	Retrieves the value of the "email" field from the first row of the test data and assigns it to the variable email.	0.000s	PASSED
3	Retrieves the value of the "firstname" field from the first row of the test data and assigns it to the variable firstName.	0.000s	PASSED
4	Retrieves the value of the "lastname" field from the first row of the test data and assigns it to the variable lastName.	0.000s	PASSED
5	Retrieves the value of the "password" field from the first row of the test data and assigns it to the variable password.	0.000s	PASSED
6	Retrieves the value of the "confirmpassword" field from the first row of the test data and assigns it to the variable confirmPassword.	0.001s	PASSED

C698-C696_SignUpNewUserPage

#	Description	Elapsed	Status

C698-C696_SignUpNewUserPage

#	Description	Elapsed	Status
7	Launches the application	0.001s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
	at C698-C696_SignUpNewUserPage.run(C698-C696_SignUpNewUserPage:39)
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
	at TempTestSuite1743108494080.run(TempTestSuite1743108494080.groovy:35)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
	at com.google.common.base.Preconditions.checkArgument(Preconditions.java:145)
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:593)
	at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.

#	Description	Elapsed	Status

	startMobileDriver(MobileDriverFactory.java:510)
	        at com.kms.katalon.core.mobile.keyword.builtin.
	StartApplicationKeyword$_startApplication_closure1.doCall
	(StartApplicationKeyword.groovy:89)
	        at com.kms.katalon.core.mobile.keyword.builtin.
	StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
	groovy)
	        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
	runKeyword(MobileKeywordMain.groovy:30)
	        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
	startApplication(StartApplicationKeyword.groovy:91)
	        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
	execute(StartApplicationKeyword.groovy:48)
	        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
	executeKeywordForPlatform(KeywordExecutor.groovy:74)
	        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
	startApplication(MobileBuiltInKeywords.groovy:49)
	        at Script1743084347401.run(Script1743084347401.groovy:39)
	        ... 18 more
	)		

C699_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage
Description	Verify that the Next button on the 'Not Verified Thank You' page is clickable
Tag	

Start	28-03-2025 02:18:19	End	28-03-2025 02:18:19
Elapsed	0.014s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.006s	PASSED
2	Extract email, first name, last name, password, and confirm password from the test data file	0.000s	PASSED
3	firstName = testData.getValue("firstname", 1)	0.000s	PASSED
4	lastName = testData.getValue("lastname", 1)	0.000s	PASSED
5	password = testData.getValue("password", 1)	0.000s	PASSED
6	confirmPassword = testData.getValue("confirm password", 1)	0.000s	PASSED

C699_SignUpNewUserPage

#	Description	Elapsed	Status
7	Launch the mobile application with reset enabled (clears previous session data)	0.001s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
        at C699_SignUpNewUserPage.run(C699_SignUpNewUserPage:36)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1743108494080.run(TempTestSuite1743108494080.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
        at com.google.common.base.Preconditions.checkArgument(Preconditions.java:145)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:593)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:510)

#	Description	Elapsed	Status

at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
at Script1743084415792.run(Script1743084415792.groovy:36)
... 18 more
)