

# WRMA-Sprint-1\_AndroidRegression

## Execution Environment

Host name	*****
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	Android 16 - emulator-5554 (sdk_gphone64_arm64 - Android 16)

## Summary

ID	Test Suites/WRMA-Sprint-1_AndroidRegression		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	27-03-2025 16:43:48	End	27-03-2025 16:47:11
Elapsed	3m - 23.304s		

#	ID	Description	Status
1	Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736	Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly	FAILED
2	Test Cases/Sprint 1/Internal Demo-Sprint1/C658-C667-C668	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly Verify that the Privacy Policy in Guest Mode is displayed correctly	FAILED

# C735-C736

## Information

ID	Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736		
Description	Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly		
Tag			
Start	27-03-2025 16:47:08	End	27-03-2025 16:47:08
Elapsed	0.538s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
1	Read test data from Excel file	0.007s	PASSED
2	email = loginData.getValue("email", 1)	0.000s	PASSED
3	password = loginData.getValue("password", 1)	0.000s	PASSED

## C735-C736

#	Description	Elapsed	Status
4	<p>Launch the application on the device</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:34) at C735-C736.run(C735-C736:20) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743074024546.run(TempTestSuite1743074024546.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps; settings delete global hidden_api_policy' exited with code 20'; Command output: cmd: Can't find service: settings</p>	0.522s	FAILED

## C735-C736

#	Description	Elapsed	Status
	<pre>cmd: Can't find service: settings cmd: Can't find service: settings  Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 60979, appium:udid: emulator-5554, platformName: ANDROID}]]}]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 60979, appium:udid: emulator-5554, platformName: ANDROID}     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61)     at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176)     at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237)     at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518)     at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt; (RemoteWebDriver.java:161)     at io.appium.java_client.AppiumDriver.&lt;init&gt;(AppiumDriver.java:91)     at io.appium.java_client.android.AndroidDriver.&lt;init&gt;(AndroidDriver.java:99)     at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:574)     at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:551)     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:597)     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:510)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy)     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:30)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)     at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</pre>		

## C735-C736

---

#	Description	Elapsed	Status
	<pre>    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:34)     at Script1742803146045.run(Script1742803146045.groovy:20)     ... 18 more )</pre>		

# C658-C667-C668

## Information

ID	Test Cases/Sprint 1/Internal Demo-Sprint1/C658-C667-C668		
Description	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly		
Tag	Verify that the Privacy Policy in Guest Mode is displayed correctly		
Start		End	
Elapsed	27-03-2025 16:47:10		27-03-2025 16:47:11
Status	0.991s FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## C658-C667-C668

#	Description	Elapsed	Status
1	<p>Launch the application on the physical device</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at C658-C667-C668.run(C658-C667-C668:26) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743074024546.run(TempTestSuite1743074024546.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Cannot start the 'io.appium.settings' application. Consider checking the driver's troubleshooting documentation. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell am start-activity -n io.appium.settings/.Settings -a android.intent.action.MAIN -c android.intent.category.LAUNCHER' exited with code 1'; Command output: Error</p>	0.985s	FAILED

## C658-C667-C668

#	Description	Elapsed	Status
	<pre>type 3 Error: Activity class {io.appium.settings/io.appium.settings.Settings} does not exist.  Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 61138, appium:udid: emulator-5554, platformName: ANDROID}]]}]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 61138, appium:udid: emulator-5554, platformName: ANDROID}     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75)     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61)     at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176)     at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237)     at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518)     at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270)     at org.openqa.selenium.remote.RemoteWebDriver.&lt;init&gt; (RemoteWebDriver.java:161)     at io.appium.java_client.AppiumDriver.&lt;init&gt;(AppiumDriver.java:91)     at io.appium.java_client.android.AndroidDriver.&lt;init&gt;(AndroidDriver.java: 99)     at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574)     at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551)     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597)     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510)     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89)     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy)     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)</pre>		



C658-C667-C668

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1742803146025.run(Script1742803146025.groovy:26) ... 18 more )		