WRMA regression Sprint-1 and Sprint-2 Android

Execution Environment

Host name	**********
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	

Summary

ID	Test Suites/WRMA regression Sprint-1 and Sprint-2 Android
Description	

Total	10		
Passed	0	Failed	4
Error	6	Incomplete	0
Skipped	0		
Start	27-03-2025 14:13:59	End	27-03-2025 14:14:00
Elapsed	1.021s		

#	ID	Description	Status
1	Test Cases/Sprint 1/Internal Demo-Sprint1/C658-C667-C668	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly Verify that the Privacy Policy in Guest Mode is displayed correctly	FAILED
2	Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736	Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly	ERROR
3	Test Cases/Sprint 2/WRMA-119/C764	Verify that the Login Now tile is redirected to the OAM website	FAILED
4	Test Cases/Sprint 2/WRMA-239/C666-C719-C738	C666-Verify that the Settings in Guest Mode is displayed correctly C719-Verify that the app version on the Settings menu in Guest Mode is correct C738-Verify that the bottom navbar is displayed correctly when the user is in Guest state	FAILED
5	Test Cases/Sprint 2/WRMA-241/C660-C681	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system C681-Verify that the system doesn't allow copy and paste the initially entered email address	ERROR

WRMA regression Sprint-1 and Sprint-2 Android

#	ID	Description	Status
6	Test Cases/Sprint 2/WRMA-258/C698-C696	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used	ERROR
7	Test Cases/Sprint 2/WRMA-266/C661-C720-C721	C661-Verify that the user is able to login successfully C720-Verify that the app version on the Settings in Login Mode is correct C721-Verify that the current account email on the Settings in Login Mode is correct	ERROR
8	Test Cases/Sprint 2/WRMA-56/C699	Verify that the Next button on the 'Not Verified Thank You' page is clickable	ERROR
9	Test Cases/Sprint 2/WRMA-60/C728	Verify that the email address on the New User is displayed in the text "You're creating..."	FAILED
10	Test Cases/Sprint 2/WRMA-257/C682-C688	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password C686-Verify that the First and Last name fields don't allow typing more than 50 symbols C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank	ERROR

C658-C667-C668

Information

ID	Test Cases/Sprint 1/Internal Demo-Sprint1/C658-C667-C668
Description	Verify that the Intro Page opens correctly
	Verify that the Term and Conditions in Guest Mode is displayed correctly
Tag	Verify that the Privacy Policy in Guest Mode is displayed correctly
Start	
	27-03-2025 14:13:59
Elapsed	
	0.016s
Status	
	FAILED

End   27-03-2025 14:13:59

Details

#	Description	Elapsed	Status

C658-C667-C668

#	Description	Elapsed	Status
1	Launch the application on the physical device	0.003s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
        at C658-C667-C668.run(C658-C667-C668:24)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1743065034712.run(TempTestSuite1743065034712.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
        at com.google.common.base.Preconditions.checkArgument(Preconditions.java:145)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:593)
        at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:510)

#	Description	Elapsed	Status

    at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
    at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
    at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
    at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
    at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
    at Script1742803146025.run(Script1742803146025.groovy:24)
    ... 18 more
)

C735-C736

Information

ID	Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736
Description	Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly
Tag	
Start	27-03-2025 14:13:59
End	27-03-2025 14:13:59
Elapsed	0.008s
Status	ERROR

Details

#	Description	Elapsed	Status

C735-C736

#	Description	Elapsed	Status
1	Read test data from Excel file	0.002s	ERROR

Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736 FAILED.
Reason:
java.lang.IllegalArgumentException: Cannot find test data with id 'Data Files/C735
(1)' because (of) 'java.io.FileNotFoundException: C:\Users\GVVignesh\Katalon
Studio\WGR-Android-Automation\Data Files\C735.xlsx'
    at com.kms.katalon.core.testdata.TestDataFactory.findTestData
(TestDataFactory.java:132)
    at C735-C736.run(C735-C736:15)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
    at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:71)
    at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:107)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
    at TempTestSuite1743065034712.run(TempTestSuite1743065034712.
groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

C764

Information

ID	Test Cases/Sprint 2/WRMA-119/C764
Description	Verify that the Login Now tile is redirected to the OAM website
Tag	
Start	27-03-2025 14:13:59
End	27-03-2025 14:14:00
Elapsed	0.012s
Status	FAILED

Details

#	Description	Elapsed	Status

C764

#	Description	Elapsed	Status
1	Launch the application	0.002s	FAILED

Unable to start application: 'C:\Users\GVVignesh\git\WGR_Android\App Folder\app-debug.apk' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to start application: 'C:\Users\GVVignesh\git\WGR_Android\App Folder\app-debug.apk'
    at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64)
    at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34)
    at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)
    at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)
    at C764.run(C764:21)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)
    at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1743065034712.run(TempTestSuite1743065034712. groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
    at com.google.common.base.Preconditions.checkArgument(Preconditions. java:145)
    at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:593)
    at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510)

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1742221906520.run(Script1742221906520.groovy:21) ... 18 more)		

C666-C719-C738

Information

ID	Test Cases/Sprint 2/WRMA-239/C666-C719-C738
Description	C666-Verify that the Settings in Guest Mode is displayed correctly
	C719-Verify that the app version on the Settings menu in Guest Mode is correct
Tag	C738-Verify that the bottom navbar is displayed correctly when the user is in Guest state
Start	
	27-03-2025 14:14:00
Elapsed	
	0.007s
Status	
	FAILED

End: 27-03-2025 14:14:00

Details

#	Description	Elapsed	Status

C666-C719-C738

#	Description	Elapsed	Status
1	Launch the Westgate mobile application	0.002s	FAILED

Unable to start application: 'C:\Users\GVVignesh\git\WGR_Android\App Folder\universal.apk' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to start application: 'C: \Users\GVVignesh\git\WGR_Android\App Folder\universal.apk'
      at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64)
      at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34)
      at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)
      at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)
      at C666-C719-C738.run(C666-C719-C738:39)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
      at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
      at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)
      at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
      at TempTestSuite1743065034712.run(TempTestSuite1743065034712. groovy:35)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
      at com.google.common.base.Preconditions.checkArgument(Preconditions. java:145)
      at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:593)
      at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510)

C666-C719-C738

#	Description	Elapsed	Status
	at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89)		
	at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword. groovy)		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)		
	at Script1742981742600.run(Script1742981742600.groovy:39)		
	... 18 more		
	)		

C660-C681

Information

ID	Test Cases/Sprint 2/WRMA-241/C660-C681
Description	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page
Tag	C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page
	C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered
Start	C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address
Elapsed	C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system
Status	C681-Verify that the system doesn't allow copy and paste the initially entered email address

27-03-2025 14:14:00	End	27-03-2025 14:14:00
0.016s		
ERROR		

Details

#	Description	Elapsed	Status
1	emailValidationTests = new EmailValidationTests()	0.000s	PASSED
2	emailValidationTests.runAllTests()	0.000s	PASSED
3	testInvalidEmailFormat()	0.000s	PASSED

#	Description	Elapsed	Status
4	Retrieve test data from "InvalidEmail" Excel file	0.002s	ERROR

Test Cases/Sprint 2/WRMA-241/C660-C681 FAILED.
Reason:
java.lang.IllegalArgumentException: Cannot find test data with id 'Data Files/InvalidEmail' because (of) 'java.io.FileNotFoundException: C:\Users\GVVignesh\Katalon Studio\WGR-Android-Automation\Data Files\InvalidEmail.xlsx'
	at com.kms.katalon.core.testdata.TestDataFactory.findTestData(TestDataFactory.java:132)
	at EmailValidationTests.testInvalidEmailFormat(Script1742979092206.groovy:53)
	at EmailValidationTests.runAllTests(Script1742979092206.groovy:388)
	at C660-C681.run(C660-C681:398)
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
	at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
	at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
	at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
	at TempTestSuite1743065034712.run(TempTestSuite1743065034712.groovy:35)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

C698-C696

Information

ID	Test Cases/Sprint 2/WRMA-258/C698-C696
Description	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used
Tag	

Start	27-03-2025 14:14:00	End	27-03-2025 14:14:00
Elapsed	0.008s		
Status	ERROR		

Details

#	Description	Elapsed	Status

C698-C696

#	Description	Elapsed	Status
1	Initializes testData by finding the test data file located at "Data Files"	0.002s	ERROR

Test Cases/Sprint 2/WRMA-258/C698-C696 FAILED.
Reason:
java.lang.IllegalArgumentException: Cannot find test data with id 'Data Files/C698-C696 (1)' because (of) 'java.io.FileNotFoundException: C:\Users\GVVignesh\Katalon Studio\WGR-Android-Automation\Data Files\C698-C696.xlsx'
	at com.kms.katalon.core.testdata.TestDataFactory.findTestData (TestDataFactory.java:132)
	at C698-C696.run(C698-C696:21)
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
	at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)
	at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
	at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107)
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
	at TempTestSuite1743065034712.run(TempTestSuite1743065034712. groovy:35)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)

C661-C720-C721

Information

ID	Test Cases/Sprint 2/WRMA-266/C661-C720-C721
Description	C661-Verify that the user is able to login successfully
	C720-Verify that the app version on the Settings in Login Mode is correct
Tag	C721-Verify that the current account email on the Settings in Login Mode is correct
Start	
	27-03-2025 14:14:00
Elapsed	
	0.010s
Status	
	ERROR

End   27-03-2025 14:14:00

Details

#	Description	Elapsed	Status

C661-C720-C721

#	Description	Elapsed	Status
1	Retrieve test data for login credentials and expected app version	0.002s	ERROR

Test Cases/Sprint 2/WRMA-266/C661-C720-C721 FAILED.
Reason:
java.lang.IllegalArgumentException: Cannot find test data with id 'Data Files/C661'
because (of) 'java.io.FileNotFoundException: C:\Users\GVVignesh\Katalon
Studio\WGR-Android-Automation\Data Files\C661.xlsx'
	at com.kms.katalon.core.testdata.TestDataFactory.findTestData
(TestDataFactory.java:132)
	at C661-C720-C721.run(C661-C720-C721:39)
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
	at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
	at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
	at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
	at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
	at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:71)
	at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
	at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:107)
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
	at TempTestSuite1743065034712.run(TempTestSuite1743065034712.
groovy:35)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

C699

Information

ID	Test Cases/Sprint 2/WRMA-56/C699
Description	Verify that the Next button on the 'Not Verified Thank You' page is clickable
Tag	
Start	27-03-2025 14:14:00
End	27-03-2025 14:14:00
Elapsed	0.006s
Status	ERROR

Details

#	Description	Elapsed	Status

C699

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.001s	ERROR

Test Cases/Sprint 2/WRMA-56/C699 FAILED.
Reason:
java.lang.IllegalArgumentException: Cannot find test data with id 'Data Files/C699'
because (of) 'java.io.FileNotFoundException: C:\Users\GVVignesh\Katalon
Studio\WGR-Android-Automation\Data Files\C699New.xlsx'
      at com.kms.katalon.core.testdata.TestDataFactory.findTestData
(TestDataFactory.java:132)
      at C699.run(C699:22)
      at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
      at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
      at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
      at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
      at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
      at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
      at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:71)
      at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
      at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:107)
      at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
      at TempTestSuite1743065034712.run(TempTestSuite1743065034712.
groovy:35)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
      at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
      at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)

C728

Information

ID	Test Cases/Sprint 2/WRMA-60/C728
Description	Verify that the email address on the New User is displayed in the text "You're creating..."
Tag	
Start	27-03-2025 14:14:00
End	27-03-2025 14:14:00
Elapsed	0.005s
Status	FAILED

Details

#	Description	Elapsed	Status

C728

#	Description	Elapsed	Status
1	Launch the mobile application with reset enabled (true clears any previous session data)	0.001s	FAILED

Unable to start application: 'C:\Users\GVVignesh\git\WGR_Android\App Folder\universal.apk' (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to start application: 'C: \Users\GVVignesh\git\WGR_Android\App Folder\universal.apk'
    at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64)
    at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34)
    at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)
    at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)
    at C728.run(C728:22)
    at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
    at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
    at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
    at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
    at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
    at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
    at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)
    at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
    at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107)
    at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
    at TempTestSuite1743065034712.run(TempTestSuite1743065034712. groovy:35)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)
Caused by: java.lang.IllegalArgumentException: The mobile device is missing. Please select the mobile device to be executed and try again.
    at com.google.common.base.Preconditions.checkArgument(Preconditions. java:145)
    at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:593)
    at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.

C728

startMobileDriver(MobileDriverFactory.java:510)
     at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
     at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
     at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
     at Script1741690279977.run(Script1741690279977.groovy:22)
     ... 18 more
)

C682-C688

Information

ID	Test Cases/Sprint 2/WRMA-257/C682-C688
Description	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields
Tag	C683-Verify that the correct inline error message appears when typing the password less than 8 symbols
	C684-Verify that the password field doesn't allow typing more than 20 symbols
	C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password
Start	C686-Verify that the First and Last name fields don't allow typing more than 50 symbols
	C687-Verify that the Next button is activated only when all fields are filled
Elapsed	C688-Verify that the Next button remains inactive If any fields are left blank
Status	

27-03-2025 14:14:00	End	27-03-2025 14:14:00	
0.009s			
ERROR			

Details

#	Description	Elapsed	Status

C682-C688

#	Description	Elapsed	Status
1	Initialize test data from Excel file	0.001s	ERROR

Test Cases/Sprint 2/WRMA-257/C682-C688 FAILED.
Reason:
java.lang.IllegalArgumentException: Cannot find test data with id 'Data Files/C682-688' because (of) 'java.io.FileNotFoundException: C:\Users\GVVignesh\Katalon Studio\WGR-Android-Automation\Data Files\C682-C688.xlsx'
        at com.kms.katalon.core.testdata.TestDataFactory.findTestData (TestDataFactory.java:132)
        at C682-C688.run(C682-C688:37)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)
        at TempTestSuite1743065034712.run(TempTestSuite1743065034712. groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)