# Test

## Execution Environment

| | |
|---|---|
| Host name | ********** |
| Local OS | Mac OS X 64bit |
| Katalon version | 10.1.1.0 |
| Browser | |
| Device name | Android 15 - emulator-5554 (sdk_gphone16k_arm64 - Android 15) |

## Summary

| | | | |
|---|---|---|---|
| ID | Test Suites/Test | | |
| Description | | | |
| Total | 1 | | |
| Passed | 0 | Failed | 1 |
| Error | 0 | Incomplete | 0 |
| Skipped | 0 | | |
| Start | 29-05-2025 15:13:38 | End | 29-05-2025 15:13:42 |
| Elapsed | 3.818s | | |

| # | ID | Description | Status |
|---|---|---|---|
| 1 | Test Cases/App Installation And Launching/C657_C658_AppInstallationAndLaunching | C657-App Launch C658-Verify that the Intro Page opens correctly | FAILED |

# C657_C658_AppInstallationAndLaunching

## Information

| | |
|---|---|
| ID | Test Cases/App Installation And Launching/C657_C658_AppInstallationAndLaunching |
| Description | C657-App Launch<br>C658-Verify that the Intro Page opens correctly |
| Tag | |
| Start | 29-05-2025 15:13:42 |
| End | 29-05-2025 15:13:42 |
| Elapsed | 0.307s |
| Status | FAILED |

## Details

| # | Description | Elapsed | Status |
|---|---|---|---|

# C657_C658_AppInstallationAndLaunching

| # | Description | Elapsed | Status |
|---|---|---|---|
| 1 | Launch the application on the physical device | 0.299s | FAILED |

Unable to start application: '/Users/gv.vignesh/Downloads/app-debug (3).apk'
(Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start
application: '/Users/gv.vignesh/Downloads/app-debug (3).apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
        at C657_C658_AppInstallationAndLaunching.run
(C657_C658_AppInstallationAndLaunching:29)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText
(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript
(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute
(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase
(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase
(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute
(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.
accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute
(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.
java:180)
        at TempTestSuite1748511814216.run(TempTestSuite1748511814216.
groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a
new session. Response code 500. Message: An unknown server-side error occurred
while processing the command. Original error: The application at '/Users/gv.
vignesh/Downloads/app-debug (3).apk' does not exist or is not accessible
Host info: host: '*********', ip: '*********'
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.5', java.version:
'17.0.14'

# C657_C658_AppInstallationAndLaunching

| # | Description | Elapsed | Status |
|---|-------------|---------|--------|

Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-
5554 (sdk_gphone16..., appium:fullReset: true, appium:newCommandTimeout:
1800, appium:noReset: false, appium:platformName: ANDROID, appium:
platformVersion: 15, appium:systemPort: 51258, appium:udid: emulator-5554,
appium:uiautomator2ServerInstallTimeout: 0.0, platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId: , appium:deviceName: emulator-5554 (sdk_gphone16..., appium:
fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false,
appium:platformName: ANDROID, appium:platformVersion: 15, appium:systemPort:
51258, appium:udid: emulator-5554, appium:uiautomator2ServerInstallTimeout:
0.0, platformName: ANDROID}
      at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
      at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
      at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
      at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
      at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
      at org.openqa.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
      at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
      at org.openqa.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
      at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
      at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
99)
      at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
      at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:551)
      at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
      at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
      at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
      at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
      at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
      at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
      at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
      at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
      at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
      at Script1745299375545.run(Script1745299375545.groovy:29)
      ... 18 more
)

# C657_C658_AppInstallationAndLaunching