

demo

Execution Environment

Host name	*****
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	Android 16 - emulator-5554 (sdk_gphone64_arm64 - Android 16)

Summary

ID	Test Suites/demo		
Description			
Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	31-03-2025 15:00:47	End	31-03-2025 15:04:39
Elapsed	3m - 52.551s		

#	ID	Description	Status
1	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage - Copy	Verify that the Next button on the 'Not Verified Thank You' page is clickable	FAILED
2	Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage - Copy	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used	FAILED

C699_SignUpNewUserPage - Copy

Information

ID	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage - Copy		
Description	Verify that the Next button on the 'Not Verified Thank You' page is clickable		
Tag			
Start	31-03-2025 15:03:45	End	31-03-2025 15:03:46
Elapsed	0.950s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.008s	PASSED
2	Extract email, first name, last name, password, and confirm password from the test data file	0.001s	PASSED
3	firstName = testData.getValue("firstname", 1)	0.000s	PASSED
4	lastName = testData.getValue("lastname", 1)	0.000s	PASSED
5	password = testData.getValue("password", 1)	0.000s	PASSED
6	confirmPassword = testData.getValue("confirm password", 1)	0.000s	PASSED

C699_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
7	Launch the mobile application with reset enabled (clears previous session data) Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at C699_SignUpNewUserPage - Copy.run(C699_SignUpNewUserPage - Copy:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743413441982.run(TempTestSuite1743413441982.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Cannot start the 'io.appium.settings' application. Consider checking the driver's troubleshooting documentation. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell am start-activity -n io.appium.settings/.Settings -a android.intent.action.MAIN -c	0.931s	FAILED

C699_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
	<p>android.intent.category.LAUNCHER' exited with code 1'; Command output: Error type 3 Error: Activity class {io.appium.settings/io.appium.settings.Settings} does not exist.</p> <p>Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 56328, appium:udid: emulator-5554, platformName: ANDROID)}}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 56328, appium:udid: emulator-5554, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:99) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.</p>		

C699_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
	<pre>executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743411224192.run(Script1743411224192.groovy:36) ... 18 more)</pre>		

C698-C696_SignUpNewUserPage - Copy

Information

ID	Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage - Copy		
Description	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used		
Tag			
Start	31-03-2025 15:03:48	End	31-03-2025 15:04:39
Elapsed	51.036s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Initializes testData by finding the test data file located at "Data Files"	0.005s	PASSED
2	Retrieves the value of the "email" field from the first row of the test data and assigns it to the variable email.	0.000s	PASSED
3	Retrieves the value of the "firstname" field from the first row of the test data and assigns it to the variable firstName.	0.000s	PASSED
4	Retrieves the value of the "lastname" field from the first row of the test data and assigns it to the variable lastName.	0.000s	PASSED
5	Retrieves the value of the "password" field from the first row of the test data and assigns it to the variable password.	0.000s	PASSED
6	Retrieves the value of the "confirmpassword" field from the first row of the test data and assigns it to the variable confirmPassword.	0.000s	PASSED

C698-C696_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
7	Launches the application Started application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'	10.611s	PASSED
8	Pauses the execution for 10 seconds. Delayed 10 second(s)	10.005s	PASSED
9	Simulates a tap on the "Login or Sign Up" button. Tapped on element 'Object Repository/Repo/android.widget.Button - Login or Sign Up'	0.282s	PASSED
10	Pauses the execution for 10 seconds. Delayed 10 second(s)	10.009s	PASSED
11	Inputs the value of email into the login or sign-up field. Text 'stokes@yopmail.com' has been set to element 'Object Repository/Repo/android.widget.EditText-LoginorSignUp'	0.186s	PASSED
12	Hides the on-screen keyboard. Keyboard is hidden	1.552s	PASSED
13	Pauses the execution for 10 seconds. Delayed 10 second(s)	10.025s	PASSED

C698-C696_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
14	<p>Simulates a tap on the "Next" button.</p> <p>Failed to tap on element 'Object Repository/Repo/android.widget.Button - Next' (Root cause: com.kms.katalon.core.exception.StepFailedException: Failed to tap on element 'Object Repository/Repo/android.widget.Button - Next' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap (TapKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute (TapKeyword.groovy:35) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap (MobileBuiltInKeywords.groovy:1461) at C698-C696_SignUpNewUserPage - Copy.run(C698- C696_SignUpNewUserPage - Copy:60) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369) at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180) at TempTestSuite1743413441982.run(TempTestSuite1743413441982. groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.WebDriverException: An unknown server-side error occurred while processing the command. Original error: 'GET /window/current/size' cannot be proxied to UiAutomator2 server because the instrumentation process is not running (probably crashed). Check the server log and/or the logcat output for more details Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14'</p>	8.353s	FAILED

C698-C696_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
	<p>Driver info: io.appium.java_client.android.AndroidDriver Command: [ec6ba8a8-38b7-46bb-b291-c6b2d14e3906, getCurrentWindowSize {}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:appActivity: com.westgate.rewrite2.MainA..., appium:appPackage: com.westgate.rewrite2, appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:databaseEnabled: false, appium:desired: {app: /Users/gv.vignesh/Downloads..., autoGrantPermissions: true, automationName: uiautomator2, devicelid: , deviceName: emulator-5554 (sdk_gphone64..., fullReset: true, newCommandTimeout: 1800, noReset: false, platformName: ANDROID, platformVersion: 16, systemPort: 56524, udid: emulator-5554), appium: deviceApiLevel: 36, appium:devicelid: , appium:deviceManufacturer: Google, appium:deviceModel: sdk_gphone64_arm64, appium:deviceName: emulator-5554, appium:deviceScreenDensity: 420, appium:deviceScreenSize: 1080x2400, appium: deviceUDID: emulator-5554, appium:fullReset: true, appium:javascriptEnabled: true, appium:locationContextEnabled: false, appium:networkConnectionEnabled: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: pixelRatio: 2.625, appium:platformVersion: 16, appium:statBarHeight: 63, appium: systemPort: 56524, appium:takesScreenshot: true, appium:udid: emulator-5554, appium:viewportRect: {height: 2337, left: 0, top: 63, width: 1080}, appium: warnings: {}, appium:webStorageEnabled: false, platformName: ANDROID} Session ID: ec6ba8a8-38b7-46bb-b291-c6b2d14e3906 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl. newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl. newInstance(DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:138) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec. decode(W3CHttpResponseCodec.java:50) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:190) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:591) at io.appium.java_client.AppiumDriver.execute(AppiumDriver.java:310) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.getSize (RemoteWebDriver.java:1000) at org.openqa.selenium.WebDriver\$Window\$getSize.call(Unknown Source) at com.kms.katalon.core.mobile.keyword.internal.MobileAbstractKeyword. findElement(MobileAbstractKeyword.groovy:81) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) at com.kms.katalon.core.mobile.keyword.builtin. TapKeyword\$_tap_closure1.doCall(TapKeyword.groovy:43) at com.kms.katalon.core.mobile.keyword.builtin. TapKeyword\$_tap_closure1.call(TapKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.tap (TapKeyword.groovy:51) at com.kms.katalon.core.mobile.keyword.builtin.TapKeyword.execute</p>		

C698-C696_SignUpNewUserPage - Copy

#	Description	Elapsed	Status
	(TapKeyword.groovy:35) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.tap (MobileBuiltInKeywords.groovy:1461) at Script1743411224112.run(Script1743411224112.groovy:60) ... 18 more)		