WRMA-Android Regression

Execution Environment

Host name ********

Local OS Mac OS X 64bit

Katalon version 10.1.1.0

Browser

Device name Android 16 - emulator-5554 (sdk_gphone64_arm64 - Android 16)

Summary

ID Test Suites/WRMA-Android Regression

Description

Total 4

Passed 0 Failed 4
Error 0 Incomplete 0

Skipped 0

Start 27-03-2025 20:59:08 End 27-03-2025 21:01:34

Elapsed 2m - 26.500s

#	ID	Description	Status
1	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password C686-Verify that the First and Last name fields don't allow typing more than 50 symbols C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank	FAILED

WRMA-Android Regression

#	ID	Description	Status
2	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system C681-Verify that the system doesn't allow copy and paste the initially entered email address	FAILED
3	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage	Verify that the Next button on the 'Not Verified Thank You' page is clickable	FAILED
4	Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage	Verify that the confirmation email is received after agreeing to the Terms and Conditions Verify that outdated verification links cannot be used	FAILED

Information

ID Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage

Description C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last

Name fields

Tag C683-Verify that the correct inline error message appears when typing the password less than 8 symbols

C684-Verify that the password field doesn't allow typing more than 20 symbols

C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original

password

Start C686-Verify that the First and Last name fields don't allow typing more than 50 symbols

Elapsed C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank

Status

27-03-2025 20:59:41 End 27-03-2025 20:59:42

0.494s

FAILED

#	Description	Elapsed	Status
1	Initialize test data from Excel file	0.008s	PASSED

#	Description	Elapsed	Status
2	Launch the mobile application	0.474s	FAILED
	Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-		
	Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.		
	exception.StepFailedException: Unable to start application: '/Users/gv.		
	vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'		
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
	runKeyword(MobileKeywordMain.groovy:34)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
	startApplication(StartApplicationKeyword.groovy:91)		
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
	execute(StartApplicationKeyword.groovy:48)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
	executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
	startApplication(MobileBuiltInKeywords.groovy:49)		
	at C682-C688_SignUpNewUserPage.run(C682-C688_SignUpNewUserPage:		
	40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript		
	(TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:439)		
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:285)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.common.CommonExecutor.		
	accessTestCaseMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160)		
	at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
	java:180)		
	at TempTestSuite1743089317096.run(TempTestSuite1743089317096.		
	groovy:35)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
	(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
	(DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a		
	new session. Response code 500. Message: An unknown server-side error occurred		
	while processing the command. Original error: Error executing adbExec. Original		
	error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-		
	tools/adb -P 5037 -s emulator-5554 shell 'settings delete global		
	hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;		
	settings delete global hidden_api_policy" exited with code 20'; Command output:		

Elapsed

Status

```
Description
cmd: Can't find service: settings
cmd: Can't find service: settings
cmd: Can't find service: settings
Host info: host: '********, ip: '********
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:
'17.0.14'
Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-
5554 (sdk_gphone64..., appium:fullReset: false, appium:newCommandTimeout:
1800, appium:noReset: true, appium:platformName: ANDROID, appium:
platformVersion: 16, appium:systemPort: 63918, appium:udid: emulator-5554,
platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId:, appium:deviceName: emulator-5554 (sdk_gphone64..., appium:
fullReset: false, appium:newCommandTimeout: 1800, appium:noReset: true,
appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort:
63918, appium:udid: emulator-5554, platformName: ANDROID}
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
         at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
          at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
          at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
         at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
          at org.openga.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
         at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
99)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
         at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:551)
         at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
         at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
          at com.kms.katalon.core.keyword.internal.KeywordExecutor.
```

```
# Description

executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
    at Script1743084258220.run(Script1743084258220.groovy:40)
    ... 18 more
)
```

Information

ID Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage

Description C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the

Login or Sign up page

Tag C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the

New User page

C678-Verify that the correct inline error message appears when the email address with the domain

"@wgresorts.com" is entered

Start C679-Verify that the correct inline error message appears when the confirmation email address doesn't match

the original email address
Elapsed C680-Verify that the system

C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in

Status the system

C681-Verify that the system doesn't allow copy and paste the initially entered email address

27-03-2025 20:59:44

End 27-03-2025 20:59:45

0.920s

FAILED

#	Description	Elapsed	Status
1	emailValidationTests = new EmailValidationTests()	0.000s	PASSED
2	emailValidationTests.runAllTests()	0.001s	PASSED
3	testInvalidEmailFormat()	0.000s	PASSED
4	Retrieve test data from "InvalidEmail" Excel file	0.005s	PASSED
5	Get the total number of rows available in the Excel sheet	0.001s	PASSED

Description	Elapsed	Statu
Start the mobile application	0.901s	FAILE
Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-		
Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.		
exception.StepFailedException: Unable to start application: '/Users/gv.		
vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
stepFailed(MobileKeywordMain.groovy:64)		
at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.		
runKeyword(MobileKeywordMain.groovy:34)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
startApplication(StartApplicationKeyword.groovy:91)		
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.		
execute(StartApplicationKeyword.groovy:48)		
at com.kms.katalon.core.keyword.internal.KeywordExecutor.		
executeKeywordForPlatform(KeywordExecutor.groovy:74)		
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.		
startApplication(MobileBuiltInKeywords.groovy:49)		
at EmailValidationTests.testInvalidEmailFormat(Script1743084213202.		
groovy:59)		
at EmailValidationTests.runAllTests(Script1743084213202.groovy:388)		
at C660-C681_SignUpNewUserPage.run(C660-C681_SignUpNewUserPage:		
398)		
at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)		
at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
(ScriptEngine.java:119)		
at com.kms.katalon.core.main.TestCaseExecutor.runScript		
(TestCaseExecutor.java:448)		
at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
(TestCaseExecutor.java:439)		
at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
(TestCaseExecutor.java:418)		
at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase		
(TestCaseExecutor.java:410)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:285)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.main.TestCaseExecutor.execute		
(TestCaseExecutor.java:369)		
at com.kms.katalon.core.common.CommonExecutor.		
accessTestCaseMainPhase(CommonExecutor.java:71)		
at com.kms.katalon.core.main.TestSuiteExecutor.		
accessTestSuiteMainPhase(TestSuiteExecutor.java:160)		
at com.kms.katalon.core.main.TestSuiteExecutor.execute		
(TestSuiteExecutor.java:107)		
at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.		
java:180)		
at TempTestSuite1743089317096.run(TempTestSuite1743089317096.		
groovy:35)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
Method)		
at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke		
(NativeMethodAccessorImpl.java:77)		
at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke		
(DelegatingMethodAccessorImpl.java:43)		
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a		
new session. Response code 500. Message: An unknown server-side error occurred		
while processing the command. Original error: Cannot start the 'io.appium.settings'		

Elapsed

Status

Description error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/. katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell am start-activity -n io.appium.settings/.Settings -a android.intent.action.MAIN -c android.intent.category.LAUNCHER' exited with code 1'; Command output: Error type 3 Error: Activity class {io.appium.settings/io.appium.settings.Settings} does not exist. Host info: host: '*******, ip: '******** Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: false, appium:newCommandTimeout: 1800, appium:noReset: true, appium:platformName: ANDROID, appium: platformVersion: 16, appium:systemPort: 64099, appium:udid: emulator-5554, platformName: ANDROID}]}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium: fullReset: false, appium:newCommandTimeout: 1800, appium:noReset: true, appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort: 64099, appium:udid: emulator-5554, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openga.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openga.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) $at\ com.kms. katalon. core. appium. driver. Appium Driver Manager.$ createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)

```
at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
    at com.kms.katalon.core.keyword.internal.KeywordExecutor.
executeKeywordForPlatform(KeywordExecutor.groovy:74)
    at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
    at EmailValidationTests.testInvalidEmailFormat(Script1743084213202.groovy:388)
    at Script1743084213202.run(Script1743084213202.groovy:398)
    ... 18 more
)
```

Information

ID Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage

Description Verify that the Next button on the 'Not Verified Thank You' page is clickable

Tag

Start 27-03-2025 21:01:30 End 27-03-2025 21:01:31

Elapsed 0.503s Status FAILED

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.006s	PASSED
2	Extract email, first name, last name, password, and confirm password from the test data file	0.000s	PASSED
3	firstName = testData.getValue("firstname", 1)	0.000s	PASSED
4	lastName = testData.getValue("lastname", 1)	0.000s	PASSED
5	password = testData.getValue("password", 1)	0.000s	PASSED
6	confirmPassword = testData.getValue("confirm password", 1)	0.000s	PASSED

#	Description	Elapsed	Status
7	Launch the mobile application with reset enabled (clears previous session data)	0.491s	FAILED
	Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core. exception.StepFailedException: Unable to start application: '/Users/gv. vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)		
	at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)		
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at C699_SignUpNewUserPage.run(C699_SignUpNewUserPage:36) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText		
	(ScriptEngine.java:119)		
	at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)		
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute		
	(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase		
	(TestCaseExecutor.java:418)		
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute		
	(TestCaseExecutor.java:369)		
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)		
	at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)		
	at com.kms.katalon.core.main.TestSuiteExecutor.		
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute		
	(TestSuiteExecutor.java:107)		
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)		
	at TempTestSuite1743089317096.run(TempTestSuite1743089317096.		
	groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native		
	Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43)		
	Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred		
	while processing the command. Original error: Error executing adbExec. Original		
	error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-		
	tools/adb -P 5037 -s emulator-5554 shell 'settings delete global hidden_api_policy_p_apps;		
	settings delete global hidden_api_policy" exited with code 20'; Command output: cmd: Can't find service: settings		

cmd: Can't find service: settings

Elapsed

Status

```
Description
cmd: Can't find service: settings
cmd: Can't find service: settings
Host info: host: '********, ip: '********
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:
Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceld: , appium:deviceName: emulator-
5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout:
1800, appium:noReset: false, appium:platformName: ANDROID, appium:
platformVersion: 16, appium:systemPort: 64787, appium:udid: emulator-5554,
platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:
fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false,
appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort:
64787, appium:udid: emulator-5554, platformName: ANDROID}
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openga.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
          at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
          at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
          at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
         at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
          at org.openga.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.iava:161)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
          at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:
99)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
         at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:551)
         at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
         at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
         at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
          at\ com. kms. katalon. core. keyword. internal. Keyword Executor.
```

executeKeywordForPlatform(KeywordExecutor.groovy:74)

```
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
at Script1743084415792.run(Script1743084415792.groovy:36)
... 18 more
```

Information

ID Test Cases/Sign Up New UserPage/C698-C696_SignUpNewUserPage

Description Verify that the confirmation email is received after agreeing to the Terms and Conditions

Verify that outdated verification links cannot be used

Tag

Start 27-03-2025 21:01:33 End 27-03-2025 21:01:34

Elapsed 0.911s Status FAILED

#	Description	Elapsed	Status
1	Initializes testData by finding the test data file located at "Data Files"	0.007s	PASSED
2	Retrieves the value of the "email" field from the first row of the test data and assigns it to the variable email.	0.000s	PASSED
3	Retrieves the value of the "firstname" field from the first row of the test data and assigns it to the variable firstName.	0.000s	PASSED
4	Retrieves the value of the "lastname" field from the first row of the test data and assigns it to the variable lastName.	0.000s	PASSED
5	Retrieves the value of the "password" field from the first row of the test data and assigns it to the variable password.	0.000s	PASSED
6	Retrieves the value of the "confirmpassword" field from the first row of the test data and assigns it to the variable confirmPassword.	0.000s	PASSED

Status FAILED

#	Description	Elapsed
7		0.898s
,	Launches the application	0.0908
	Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-	
	Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.	
	exception.StepFailedException: Unable to start application: '/Users/gv.	
	vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'	
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64)	
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.	
	runKeyword(MobileKeywordMain.groovy:34)	
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.	
	startApplication(StartApplicationKeyword.groovy:91)	
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.	
	execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.	
	startApplication(MobileBuiltInKeywords.groovy:49)	
	at C698-C696_SignUpNewUserPage.run(C698-C696_SignUpNewUserPage:	
	39)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText	
	(ScriptEngine.java:119)	
	at com.kms.katalon.core.main.TestCaseExecutor.runScript	
	(TestCaseExecutor.java:448)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute	
	(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase	
	(TestCaseExecutor.java:418)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:285)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:369)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:369)	
	at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)	
	at com.kms.katalon.core.main.TestSuiteExecutor.	
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160)	
	at com.kms.katalon.core.main.TestSuiteExecutor.execute	
	(TestSuiteExecutor.java:107)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.	
	java:180) at TempTestSuite1743089317096.run(TempTestSuite1743089317096.	
	groovy:35)	
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	
	Method)	
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke	
	(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
	(DelegatingMethodAccessorImpl.java:43)	
	Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a	
	new session. Response code 500. Message: An unknown server-side error occurred	
	while processing the command. Original error: Cannot start the 'io.appium.settings'	
	application. Consider checking the driver's troubleshooting documentation. Original	
	error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/. katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell am	
	start-activity -n io annium settings/ Settings -a android intent action MAIN -c	

start-activity -n io.appium.settings/.Settings -a android.intent.action.MAIN -c

Elapsed

Status

```
Description
android.intent.category.LAUNCHER' exited with code 1'; Command output: Error
Error: Activity class {io.appium.settings/io.appium.settings.Settings} does not exist.
Host info: host: '********', ip: '********
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:
'17.0.14'
Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-
5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout:
1800, appium:noReset: false, appium:platformName: ANDROID, appium:
platformVersion: 16, appium:systemPort: 64955, appium:udid: emulator-5554,
platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId:, appium:deviceName: emulator-5554 (sdk_gphone64..., appium:
fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false,
appium:platformName: ANDROID, appium:platformVersion: 16, appium:systemPort:
64955, appium:udid: emulator-5554, platformName: ANDROID}
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
          at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
          at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
          at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
         at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
          at org.openga.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
         at\ io. appium. java\_client. and roid. And roid Driver. < init> (And roid Driver. java:
99)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
         at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:551)
         at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
         at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$ startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
```

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

```
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
at Script1743084347401.run(Script1743084347401.groovy:39)
... 18 more
```