

# Test

## Execution Environment

Host name \*\*\*\*\*  
Local OS Mac OS X 64bit  
Katalon version 10.1.1.0  
Browser  
Device name

## Summary

ID	Test Suites/Test		
Description			
Total	1		
Passed	0	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	25-04-2025 11:25:34	End	25-04-2025 11:25:34
Elapsed	0.286s		

#	ID	Description	Status
1	Test Cases/App Installation And Launching/C657_C658_AppInstallationAndLaunching	C657-App Launch C658-Verify that the Intro Page opens correctly	FAILED

# C657\_C658\_AppInstallationAndLaunching

---

## Information

ID	Test Cases/App Installation And Launching/C657_C658_AppInstallationAndLaunching		
Description	C657-App Launch C658-Verify that the Intro Page opens correctly		
Tag			
Start	25-04-2025 11:25:34	End	25-04-2025 11:25:34
Elapsed	0.012s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

## C657\_C658\_AppInstallationAndLaunching

#	Description	Elapsed	Status
1	Launch the application on the physical device	0.002s	FAILED
	<pre>Unable to start application: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to start application: "     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. stepFailed(MobileKeywordMain.groovy:64)     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:34)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)     at C657_C658_AppInstallationAndLaunching.run (C657_C658_AppInstallationAndLaunching:29)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText (ScriptEngine.java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript (TestCaseExecutor.java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute (TestCaseExecutor.java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:285)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute (TestCaseExecutor.java:369)     at com.kms.katalon.core.common.CommonExecutor. accessTestCaseMainPhase(CommonExecutor.java:71)     at com.kms.katalon.core.main.TestSuiteExecutor. accessTestSuiteMainPhase(TestSuiteExecutor.java:160)     at com.kms.katalon.core.main.TestSuiteExecutor.execute (TestSuiteExecutor.java:107)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain. java:180)     at TempTestSuite1745560529955.run(TempTestSuite1745560529955. groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: java.lang.IllegalArgumentException: The application file is missing. Please set the application file and try again.     at com.google.common.base.Preconditions.checkArgument(Preconditions. java:145)     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:60)     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword.</pre>		

# C657\_C658\_AppInstallationAndLaunching

---

#	Description	Elapsed	Status
	groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1745299375545.run(Script1745299375545.groovy:29) ... 18 more )		