WRMA_AndroidRegression

Execution Environment

Host name	**********
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	Android 15 - emulator-5554 (sdk_gphone64_arm64 - Android 15)

Summary

ID	Test Suites/WRMA_AndroidRegression
Description	

Total	2		
Passed	0	Failed	2
Error	0	Incomplete	0
Skipped	0		
Start	27-03-2025 17:58:10	End	27-03-2025 18:01:19
Elapsed	3m - 9.234s		

#	ID	Description	Status
1	Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736	Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly	FAILED
2	Test Cases/Sprint 1/Internal Demo-Sprint1/C658-C667-C668	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly Verify that the Privacy Policy in Guest Mode is displayed correctly	FAILED

C735-C736

Information

ID	Test Cases/Sprint 1/Internal Demo-Sprint1/C735-C736
Description	Verify that the Term and Conditions in Logged state is displayed correctly
	Verify that the Privacy Policy in Logged state is displayed correctly
Tag	

Start	27-03-2025 17:58:55	End	27-03-2025 17:59:15
Elapsed	20.128s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Read test data from Excel file	0.006s	PASSED
2	email = loginData.getValue("email", 1)	0.000s	PASSED
3	password = loginData.getValue("password", 1)	0.001s	PASSED

C735-C736

#	Description	Elapsed	Status
4	Launch the application on the device	20.112s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:34)
        at C735-C736.run(C735-C736:20)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1743078484969.run(TempTestSuite1743078484969.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Could not find a connected Android device in 20000ms
Host info: host: '**********', ip: '**********'
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version: '17.0.14'

#	Description	Elapsed	Status
	Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 56914, appium:udid: emulator-5554, platformName: ANDROID}]}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:autoGrantPermissions: true, appium:automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 56914, appium:udid: emulator-5554, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession(ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession(AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute(AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:270) at org.openqa.selenium.remote.RemoteWebDriver.<init>(RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java:99) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword$_startApplication_closure1.doCall(StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:34) at Script1742803146045.run(Script1742803146045.groovy:20) ... 18 more)		

C658-C667-C668

Information

ID	Test Cases/Sprint 1/Internal Demo-Sprint1/C658-C667-C668
Description	Verify that the Intro Page opens correctly
	Verify that the Term and Conditions in Guest Mode is displayed correctly
Tag	Verify that the Privacy Policy in Guest Mode is displayed correctly

Start		End	
	27-03-2025 18:00:39		27-03-2025 18:01:19
Elapsed			
	40.122s		
Status			
	FAILED		

Details

#	Description	Elapsed	Status

C658-C667-C668

#	Description	Elapsed	Status
1	Launch the application on the physical device	40.107s	FAILED

Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)
        at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)
        at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)
        at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)
        at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)
        at C658-C667-C668.run(C658-C667-C668:26)
        at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)
        at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)
        at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)
        at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)
        at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)
        at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:369)
        at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)
        at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)
        at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)
        at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)
        at TempTestSuite1743078484969.run(TempTestSuite1743078484969.groovy:35)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
        at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Could not find a connected Android device in 20000ms
Host info: host: '**********', ip: '**********'
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version: '17.0.14'

C658-C667-C668

#	Description	Elapsed	Status

	Driver info: io.appium.java_client.android.AndroidDriver
	Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 58118, appium:udid: emulator-5554, platformName: ANDROID}]}]
	Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: emulator-5554 (sdk_gphone64..., appium: fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 58118, appium:udid: emulator-5554, platformName: ANDROID}
	     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114)
	     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75)
	     at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61)
	     at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176)
	     at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237)
	     at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518)
	     at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270)
	     at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161)
	     at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
	     at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99)
	     at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574)
	     at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551)
	     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597)
	     at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510)
	     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89)
	     at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword. groovy)
	     at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30)
	     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91)
	     at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48)
	     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)
	     at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49)
	     at Script1742803146025.run(Script1742803146025.groovy:26)
	     ... 18 more
	)		