WRMA-Android Regression

Execution Environment

Host name ********

Local OS Mac OS X 64bit

Katalon version 10.1.1.0

Browser

Device name Android 15 - emulator-5554 (sdk_gphone64_arm64 - Android 15)

Summary

ID Test Suites/WRMA-Android Regression

Description

Total 1

Passed 0 Failed 1
Error 0 Incomplete 0

Skipped 0

Start 27-03-2025 22:31:29 End 27-03-2025 22:36:43

Elapsed 5m - 14.349s

#	ID	Description	Status
1	Test Cases/App Installation And Launching/C658-C667-C668_AppInstallationAndLaunching	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly Verify that the Privacy Policy in Guest Mode is displayed correctly	FAILED

Information

ID Test Cases/App Installation And Launching/C658-C667-C668_AppInstallationAndLaunching

Description Verify that the Intro Page opens correctly

Verify that the Term and Conditions in Guest Mode is displayed correctly

Tag Verify that the Privacy Policy in Guest Mode is displayed correctly

Start

27-03-2025 22:36:32 End 27-03-2025 22:36:43 Elapsed

10.828s Status

FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

Status FAILED

#	Description	Elapsed
1	Launch the application on the physical device	10.813s
	Edulion the application on the physical device	10.0103
	Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-	
	Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.	
	exception.StepFailedException: Unable to start application: '/Users/gv. vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'	
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.	
	stepFailed(MobileKeywordMain.groovy:64)	
	at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.	
	runKeyword(MobileKeywordMain.groovy:34)	
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)	
	at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.	
	execute(StartApplicationKeyword.groovy:48)	
	at com.kms.katalon.core.keyword.internal.KeywordExecutor.	
	executeKeywordForPlatform(KeywordExecutor.groovy:74)	
	at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)	
	at C658-C667-C668_AppInstallationAndLaunching.run(C658-C667-	
	C668_AppInstallationAndLaunching:26)	
	at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)	
	at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText	
	(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript	
	(TestCaseExecutor.java:448)	
	at com.kms.katalon.core.main.TestCaseExecutor.doExecute	
	(TestCaseExecutor.java:439)	
	at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)	
	at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase	
	(TestCaseExecutor.java:410)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:285) at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:369)	
	at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:369) at com.kms.katalon.core.main.TestCaseExecutor.execute	
	(TestCaseExecutor.java:369)	
	at com.kms.katalon.core.common.CommonExecutor.	
	accessTestCaseMainPhase(CommonExecutor.java:71)	
	at com.kms.katalon.core.main.TestSuiteExecutor.	
	accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute	
	(TestSuiteExecutor.java:107)	
	at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.	
	java:180) at TempTestSuite1743094884513.run(TempTestSuite1743094884513.	
	groovy:35)	
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native	
	Method)	
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)	
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke	
	(DelegatingMethodAccessorImpl.java:43)	
	Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a	
	new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Cannot start the 'io.appium.settings'	
	application. Consider checking the driver's troubleshooting documentation. Original	
	error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.	
	katalon/tools/android_sdk/platform-tools/adb -P 5037 -s emulator-5554 shell am	
	eran-activity an in annium comings/ Notifings as angrout intent action MATM ac-	

start-activity -n io.appium.settings/.Settings -a android.intent.action.MAIN -c

Elapsed

Status

```
Description
android.intent.category.LAUNCHER' exited with code 1'; Command output: Error
Error: Activity class {io.appium.settings/io.appium.settings.Settings} does not exist.
Host info: host: '********', ip: '********
Build info: version: '4.22.0', revision: 'c5f3146703'
System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.2', java.version:
'17.0.14'
Driver info: io.appium.java_client.android.AndroidDriver
Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv.
vignesh/Downloads..., appium:autoGrantPermissions: true, appium:
automationName: uiautomator2, appium:deviceId: , appium:deviceName: emulator-
5554 (sdk_gphone64..., appium:fullReset: true, appium:newCommandTimeout:
1800, appium:noReset: false, appium:platformName: ANDROID, appium:
platformVersion: 15, appium:systemPort: 63668, appium:udid: emulator-5554,
platformName: ANDROID}]}]
Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium:
autoGrantPermissions: true, appium:automationName: uiautomator2, appium:
deviceId:, appium:deviceName: emulator-5554 (sdk_gphone64..., appium:
fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false,
appium:platformName: ANDROID, appium:platformVersion: 15, appium:systemPort:
63668, appium:udid: emulator-5554, platformName: ANDROID}
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:114)
          at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:75)
         at org.openqa.selenium.remote.ProtocolHandshake.createSession
(ProtocolHandshake.java:61)
          at io.appium.java_client.remote.AppiumCommandExecutor.createSession
(AppiumCommandExecutor.java:176)
          at io.appium.java_client.remote.AppiumCommandExecutor.execute
(AppiumCommandExecutor.java:237)
          at org.openga.selenium.remote.RemoteWebDriver.execute
(RemoteWebDriver.java:518)
         at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java:
270)
          at org.openga.selenium.remote.RemoteWebDriver.<init>
(RemoteWebDriver.java:161)
          at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91)
         at\ io. appium. java\_client. and roid. And roid Driver. < init> (And roid Driver. java:
99)
          at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:574)
         at com.kms.katalon.core.appium.driver.AppiumDriverManager.
createMobileDriver(AppiumDriverManager.java:551)
         at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startLocalMobileDriver(MobileDriverFactory.java:597)
          at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory.
startMobileDriver(MobileDriverFactory.java:510)
         at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$ startApplication_closure1.doCall
(StartApplicationKeyword.groovy:89)
          at com.kms.katalon.core.mobile.keyword.builtin.
StartApplicationKeyword$_startApplication_closure1.call(StartApplicationKeyword.
groovy)
          at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.
runKeyword(MobileKeywordMain.groovy:30)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
startApplication(StartApplicationKeyword.groovy:91)
          at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.
execute(StartApplicationKeyword.groovy:48)
```

at com.kms.katalon.core.keyword.internal.KeywordExecutor.

Description Elapsed Status

```
executeKeywordForPlatform(KeywordExecutor.groovy:74)
at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.
startApplication(MobileBuiltInKeywords.groovy:49)
at Script1743080432155.run(Script1743080432155.groovy:26)
... 18 more
```