

WRMA Android Regression

Execution Environment

Host name	*****
Local OS	Mac OS X 64bit
Katalon version	10.1.1.0
Browser	
Device name	Android 15 - Xiaomi 23076PC4BI (Android 15)

Summary

ID	Test Suites/WRMA Android Regression		
Description			
Total	8		
Passed	0	Failed	8
Error	0	Incomplete	0
Skipped	0		
Start	02-04-2025 17:25:26	End	02-04-2025 17:25:37
Elapsed	11.245s		

#	ID	Description	Status
1	Test Cases/App Installation And Launching/C658-C667-C668_ApplInstallationAndLaunching	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly Verify that the Privacy Policy in Guest Mode is displayed correctly	FAILED
2	Test Cases/Guest User Mode/C666-C719-C738_GuestUserMode	C666-Verify that the Settings in Guest Mode is displayed correctly C719-Verify that the app version on the Settings menu in Guest Mode is correct C738-Verify that the bottom navbar is displayed correctly when the user is in Guest state	FAILED
3	Test Cases/Guest User Mode/C764-C793_GuestUserMode	Verify that the Login Now tile is redirected to the OAM website	FAILED
4	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system C681-Verify that the system doesn't allow copy and paste the initially entered email address	FAILED

WRMA Android Regression

#	ID	Description	Status
5	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password C686-Verify that the First and Last name fields don't allow typing more than 50 symbols C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank	FAILED
6	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage	Verify that the Next button on the 'Not Verified Thank You' page is clickable	FAILED
7	Test Cases/Login Owner OR Renter/C735-C736-C739_LoginOwnerOrRenter	Verify that the bottom navbar is displayed correctly when the user is in a logged-in state Verify that the Term and Conditions in Logged state is displayed correctly Verify that the Privacy Policy in Logged state is displayed correctly	FAILED
8	Test Cases/Login Owner OR Renter/C661-C720-C721_LoginOwnerOrRenter	C661-Verify that the user is able to login successfully C720-Verify that the app version on the Settings in Login Mode is correct C721-Verify that the current account email on the Settings in Login Mode is correct	FAILED

C658-C667-C668_AppInstallationAndLaunching

Information

ID	Test Cases/App Installation And Launching/C658-C667-C668_AppInstallationAndLaunching		
Description	Verify that the Intro Page opens correctly Verify that the Term and Conditions in Guest Mode is displayed correctly		
Tag	Verify that the Privacy Policy in Guest Mode is displayed correctly		
Start			
Elapsed	02-04-2025 17:25:26	End	02-04-2025 17:25:28
Status	2.069s FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

C658-C667-C668_ApplInstallationAndLaunching

#	Description	Elapsed	Status
1	<p>Launch the application on the physical device</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C658-C667-C668_ApplInstallationAndLaunching.run(C658-C667-C668_ApplInstallationAndLaunching:29)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479)</p> <p>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</p>	1.932s	FAILED

C658-C667-C668_ApplInstallationAndLaunching

#	Description	Elapsed	Status
	(SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting		

C658-C667-C668_AppInstallationAndLaunching

#	Description	Elapsed	Status
	(SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 50910, appium:udid: a6e538dc5180, platformName: ANDROID}}]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 50910, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.		

C658-C667-C668_ApplInstallationAndLaunching

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743080432155.run(Script1743080432155.groovy:29) ... 15 more)</pre>		

C666-C719-C738_GuestUserMode

Information

ID	Test Cases/Guest User Mode/C666-C719-C738_GuestUserMode		
Description	C666-Verify that the Settings in Guest Mode is displayed correctly C719-Verify that the app version on the Settings menu in Guest Mode is correct		
Tag	C738-Verify that the bottom navbar is displayed correctly when the user is in Guest state		
Start			
Elapsed	02-04-2025 17:25:28	End	02-04-2025 17:25:29
Status	1.011s		
	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
1	<p>Launch the Westgate mobile application</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49) at C666-C719-C738_GuestUserMode.run(C666-C719-C738_GuestUserMode:40) at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194) at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119) at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448) at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439) at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418) at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410) at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285) at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71) at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160) at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107) at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180) at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</p>	0.954s	FAILED

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
	(SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting		

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
	(SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 50945, appium:udid: a6e538dc5180, platformName: ANDROID}}]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 50945, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.		

C666-C719-C738_GuestUserMode

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743083880832.run(Script1743083880832.groovy:40) ... 15 more)</pre>		

C764-C793_GuestUserMode

Information

ID	Test Cases/Guest User Mode/C764-C793_GuestUserMode		
Description	Verify that the Login Now tile is redirected to the OAM website		
Tag			
Start	02-04-2025 17:25:29	End	02-04-2025 17:25:30
Elapsed	1.452s		
Status	FAILED		

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

C764-C793_GuestUserMode

#	Description	Elapsed	Status
1	<p>Launch the application</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C764-C793_GuestUserMode.run(C764-C793_GuestUserMode:24)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479)</p> <p>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting(SettingsProvider.java:1555)</p>	1.405s	FAILED

C764-C793_GuestUserMode

#	Description	Elapsed	Status
	at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547)		

C764-C793_GuestUserMode

#	Description	Elapsed	Status
	at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 51006, appium:udid: a6e538dc5180, platformName: ANDROID}}]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 51006, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551)		

C764-C793_GuestUserMode

#	Description	Elapsed	Status
	<pre>at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743084032656.run(Script1743084032656.groovy:24) ... 15 more)</pre>		

C660-C681_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C660-C681_SignUpNewUserPage
Description	C660-Verify that the correct inline error message appears when incorrect email addresses are entered on the Login or Sign up page
Tag	C677-Verify that the correct inline error message appears when incorrect email addresses are entered on the New User page C678-Verify that the correct inline error message appears when the email address with the domain "@wgresorts.com" is entered
Start	C679-Verify that the correct inline error message appears when the confirmation email address doesn't match the original email address
Elapsed	C680-Verify that the system doesn't allow go to the next page users to proceed with existing email addresses in the system
Status	C681-Verify that the system doesn't allow copy and paste the initially entered email address

02-04-2025 17:25:30End02-04-2025 17:25:31

1.192s

FAILED

Details

#	Description	Elapsed	Status
1	emailValidationTests = new EmailValidationTests()	0.003s	PASSED
2	emailValidationTests.runAllTests()	0.000s	PASSED
3	setup()	0.001s	PASSED

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
4	<p>startApplication(appUrl, true)</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at EmailValidationTests.setup(Script1743084213202.groovy:21)</p> <p>at EmailValidationTests.runAllTests(Script1743084213202.groovy:238)</p> <p>at C660-C681_SignUpNewUserPage.run(C660-C681_SignUpNewUserPage:254)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.</p>	1.092s	FAILED

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</pre>		

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>(SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 51083, appium:udid: a6e538dc5180, platformName: ANDROID}]]} Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 51083, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager.</pre>		

C660-C681_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at EmailValidationTests.setup(Script1743084213202.groovy:21) at EmailValidationTests.runAllTests(Script1743084213202.groovy:238) at Script1743084213202.run(Script1743084213202.groovy:254) ... 15 more)</pre>		

C682-C688_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C682-C688_SignUpNewUserPage
Description	C682-Verify that an correct inline error message appears when numbers are entered in the First Name and Last Name fields
Tag	C683-Verify that the correct inline error message appears when typing the password less than 8 symbols C684-Verify that the password field doesn't allow typing more than 20 symbols C685-Verify that the correct inline error message appears when the Confirm password doesn't match the original password
Start	C686-Verify that the First and Last name fields don't allow typing more than 50 symbols
Elapsed	C687-Verify that the Next button is activated only when all fields are filled C688-Verify that the Next button remains inactive If any fields are left blank
Status	

02-04-2025 17:25:31End02-04-2025 17:25:33

1.381s

FAILED

Details

#	Description	Elapsed	Status
---	-------------	---------	--------

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
1	<p>Start the application using the specified APK file</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C682-C688_SignUpNewUserPage.run(C682-C688_SignUpNewUserPage:39)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479)</p> <p>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</p>	1.343s	FAILED

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
	(SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting		

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
	(SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 51118, appium:udid: a6e538dc5180, platformName: ANDROID}}]] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 51118, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.		

C682-C688_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743403401247.run(Script1743403401247.groovy:39) ... 15 more)</pre>		

C699_SignUpNewUserPage

Information

ID	Test Cases/Sign Up New UserPage/C699_SignUpNewUserPage		
Description	Verify that the Next button on the 'Not Verified Thank You' page is clickable		
Tag			
Start	02-04-2025 17:25:33	End	02-04-2025 17:25:34
Elapsed	1.391s		
Status	FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data from the "C699" data file	0.128s	PASSED
2	Extract email, first name, last name, password, and confirm password from the test data file	0.006s	PASSED
3	firstName = testData.getValue("firstname", 1)	0.001s	PASSED
4	lastName = testData.getValue("lastname", 1)	0.000s	PASSED
5	password = testData.getValue("password", 1)	0.001s	PASSED
6	confirmPassword = testData.getValue("confirm password", 1)	0.000s	PASSED

C699_SignUpNewUserPage

#	Description	Elapsed	Status
7	<p>Launch the mobile application with reset enabled (clears previous session data)</p> <p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C699_SignUpNewUserPage.run(C699_SignUpNewUserPage:40)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479)</p> <p>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting(SettingsProvider.java:1555)</p>	1.231s	FAILED

C699_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451)</pre> <p>Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451)</p> <p>Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547)</p>		

C699_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre>at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451)</pre> <p>Host info: host: '*****', ip: '*****'</p> <p>Build info: version: '4.22.0', revision: 'c5f3146703'</p> <p>System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14'</p> <p>Driver info: io.appium.java_client.android.AndroidDriver</p> <p>Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 51180, appium:udid: a6e538dc5180, platformName: ANDROID}}]]</p> <p>Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 51180, appium:udid: a6e538dc5180, platformName: ANDROID}</p> <pre>at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:551)</pre>		

C699_SignUpNewUserPage

#	Description	Elapsed	Status
	<pre> at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743084415792.run(Script1743084415792.groovy:40) ... 15 more)</pre>		

C735-C736-C739_LoginOwnerOrRenter

Information

ID	Test Cases/Login Owner OR Renter/C735-C736-C739_LoginOwnerOrRenter		
Description	Verify that the bottom navbar is displayed correctly when the user is in a logged-in state Verify that the Term and Conditions in Logged state is displayed correctly		
Tag	Verify that the Privacy Policy in Logged state is displayed correctly		
Start		End	
Elapsed	02-04-2025 17:25:34		02-04-2025 17:25:36
Status	1.397s FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data from "C739" data file	0.009s	PASSED
2	Extract the email and password from the test data	0.001s	PASSED
3	password = testData.getValue("password", 1)	0.000s	PASSED

C735-C736-C739_LoginOwnerOrRenter

#	Description	Elapsed	Status
4	Launch the mobile application	1.363s	FAILED
	<p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/app-debug.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C735-C736-C739_LoginOwnerOrRenter.run(C735-C736-C739_LoginOwnerOrRenter:36)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479)</p> <p>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</p>		

C735-C736-C739_LoginOwnerOrRenter

#	Description	Elapsed	Status
	<pre>(SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451)</pre> <p>Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451)</p> <p>Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</p>		

C735-C736-C739_LoginOwnerOrRenter

#	Description	Elapsed	Status
	<pre>(SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 51253, appium:udid: a6e538dc5180, platformName: ANDROID}}]} Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 51253, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.</pre>		

C735-C736-C739_LoginOwnerOrRenter

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743423830314.run(Script1743423830314.groovy:36) ... 15 more)</pre>		

C661-C720-C721_LoginOwnerOrRenter

Information

ID	Test Cases/Login Owner OR Renter/C661-C720-C721_LoginOwnerOrRenter		
Description	C661-Verify that the user is able to login successfully C720-Verify that the app version on the Settings in Login Mode is correct		
Tag	C721-Verify that the current account email on the Settings in Login Mode is correct		
Start			
Elapsed	02-04-2025 17:25:36	End	02-04-2025 17:25:37
Status	1.287s FAILED		

Details

#	Description	Elapsed	Status
1	Retrieve test data for login credentials and expected app version	0.007s	PASSED
2	Extract email, password, and expected app version from test data	0.001s	PASSED
3	password = testData.getValue("password", 1)	0.000s	PASSED
4	expectedVersion = testData.getValue("version", 1)	0.001s	PASSED

C661-C720-C721_LoginOwnerOrRenter

#	Description	Elapsed	Status
5	Launch the mobile application	1.256s	FAILED
<p>Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk' (Root cause: com.kms.katalon.core.exception.StepFailedException: Unable to start application: '/Users/gv.vignesh/Downloads/WGR-Android-Automation/App Folder/universal.apk'</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.stepFailed(MobileKeywordMain.groovy:64)</p> <p>at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain.runKeyword(MobileKeywordMain.groovy:34)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.startApplication(StartApplicationKeyword.groovy:91)</p> <p>at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword.execute(StartApplicationKeyword.groovy:48)</p> <p>at com.kms.katalon.core.keyword.internal.KeywordExecutor.executeKeywordForPlatform(KeywordExecutor.groovy:74)</p> <p>at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords.startApplication(MobileBuiltInKeywords.groovy:49)</p> <p>at C661-C720-C721_LoginOwnerOrRenter.run(C661-C720-C721_LoginOwnerOrRenter:52)</p> <p>at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)</p> <p>at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine.java:119)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor.java:448)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor.java:439)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase(TestCaseExecutor.java:418)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase(TestCaseExecutor.java:410)</p> <p>at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor.java:285)</p> <p>at com.kms.katalon.core.common.CommonExecutor.accessTestMainPhase(CommonExecutor.java:71)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase(TestSuiteExecutor.java:160)</p> <p>at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java:107)</p> <p>at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java:180)</p> <p>at TempTestSuite1743594921110.run(TempTestSuite1743594921110.groovy:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>Caused by: org.openqa.selenium.SessionNotCreatedException: Could not start a new session. Response code 500. Message: An unknown server-side error occurred while processing the command. Original error: Error executing adbExec. Original error: 'Command '/Users/gv.vignesh/.katalon/tools/android_sdk/platform-tools/adb -P 5037 -s a6e538dc5180 shell 'settings delete global hidden_api_policy_pre_p_apps;settings delete global hidden_api_policy_p_apps;settings delete global hidden_api_policy' exited with code 255'; Command output: Exception occurred while executing 'delete':</p> <p>java.lang.SecurityException: Permission denial, must have one of: [android.permission.WRITE_SECURE_SETTINGS]</p> <p>at com.android.providers.settings.SettingsProvider.enforceHasAtLeastOnePermission(SettingsProvider.java:2479)</p> <p>at com.android.providers.settings.SettingsProvider.mutateGlobalSetting</p>			

C661-C720-C721_LoginOwnerOrRenter

#	Description	Elapsed	Status
	(SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Exception occurred while executing 'delete': java.lang.SecurityException: Permission denial, must have one of: [android. permission.WRITE_SECURE_SETTINGS] at com.android.providers.settings.SettingsProvider. enforceHasAtLeastOnePermission(SettingsProvider.java:2479) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting (SettingsProvider.java:1555) at com.android.providers.settings.SettingsProvider.mutateGlobalSetting		

C661-C720-C721_LoginOwnerOrRenter

#	Description	Elapsed	Status
	(SettingsProvider.java:1547) at com.android.providers.settings.SettingsProvider.deleteGlobalSetting (SettingsProvider.java:1518) at com.android.providers.settings.SettingsProvider.call(SettingsProvider. java:548) at android.content.ContentProvider.call(ContentProvider.java:2736) at android.content.ContentProvider\$Transport.call(ContentProvider.java: 639) at com.android.providers.settings.SettingsService\$MyShellCommand. deleteForUser(SettingsService.java:408) at com.android.providers.settings.SettingsService\$MyShellCommand. onCommand(SettingsService.java:282) at com.android.modules.utils.BasicShellCommandHandler.exec (BasicShellCommandHandler.java:97) at android.os.ShellCommand.exec(ShellCommand.java:38) at com.android.providers.settings.SettingsService.onShellCommand (SettingsService.java:50) at android.os.Binder.shellCommand(Binder.java:1237) at android.os.Binder.onTransact(Binder.java:1050) at android.os.Binder.execTransactInternal(Binder.java:1512) at android.os.Binder.execTransact(Binder.java:1451) Host info: host: '*****', ip: '*****' Build info: version: '4.22.0', revision: 'c5f3146703' System info: os.name: 'Mac OS X', os.arch: 'aarch64', os.version: '15.3.2', java. version: '17.0.14' Driver info: io.appium.java_client.android.AndroidDriver Command: [null, newSession {capabilities=[Capabilities {appium:app: /Users/gv. vignesh/Downloads..., appium:autoGrantPermissions: true, appium: automationName: uiautomator2, appium:deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium:platformName: ANDROID, appium: platformVersion: 15, appium:systemPort: 51309, appium:udid: a6e538dc5180, platformName: ANDROID}}}] Capabilities {appium:app: /Users/gv.vignesh/Downloads..., appium: autoGrantPermissions: true, appium:automationName: uiautomator2, appium: deviceId: , appium:deviceName: Xiaomi 23076PC4BI (Android 15), appium:fullReset: true, appium:newCommandTimeout: 1800, appium:noReset: false, appium: platformName: ANDROID, appium:platformVersion: 15, appium:systemPort: 51309, appium:udid: a6e538dc5180, platformName: ANDROID} at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:114) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:75) at org.openqa.selenium.remote.ProtocolHandshake.createSession (ProtocolHandshake.java:61) at io.appium.java_client.remote.AppiumCommandExecutor.createSession (AppiumCommandExecutor.java:176) at io.appium.java_client.remote.AppiumCommandExecutor.execute (AppiumCommandExecutor.java:237) at org.openqa.selenium.remote.RemoteWebDriver.execute (RemoteWebDriver.java:518) at io.appium.java_client.AppiumDriver.startSession(AppiumDriver.java: 270) at org.openqa.selenium.remote.RemoteWebDriver.<init> (RemoteWebDriver.java:161) at io.appium.java_client.AppiumDriver.<init>(AppiumDriver.java:91) at io.appium.java_client.android.AndroidDriver.<init>(AndroidDriver.java: 99) at com.kms.katalon.core.appium.driver.AppiumDriverManager. createMobileDriver(AppiumDriverManager.java:574) at com.kms.katalon.core.appium.driver.AppiumDriverManager.		

C661-C720-C721_LoginOwnerOrRenter

#	Description	Elapsed	Status
	<pre>createMobileDriver(AppiumDriverManager.java:551) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startLocalMobileDriver(MobileDriverFactory.java:597) at com.kms.katalon.core.mobile.keyword.internal.MobileDriverFactory. startMobileDriver(MobileDriverFactory.java:510) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.doCall (StartApplicationKeyword.groovy:89) at com.kms.katalon.core.mobile.keyword.builtin. StartApplicationKeyword\$_startApplication_closure1.call(StartApplicationKeyword. groovy) at com.kms.katalon.core.mobile.keyword.internal.MobileKeywordMain. runKeyword(MobileKeywordMain.groovy:30) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. startApplication(StartApplicationKeyword.groovy:91) at com.kms.katalon.core.mobile.keyword.builtin.StartApplicationKeyword. execute(StartApplicationKeyword.groovy:48) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.mobile.keyword.MobileBuiltInKeywords. startApplication(MobileBuiltInKeywords.groovy:49) at Script1743084480752.run(Script1743084480752.groovy:52) ... 15 more)</pre>		